

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLECHR.LOG
 Calculation begin: 10-13-2016 22:01:31

Entry Cyrus	(1/120) is checked.	
- 539.10.29.█- 539.10.29.	1st position to B Cyrus	1
Entry Zedekiah = Mattaniah	(2/120) is checked.	
Entry Jehoiachin	(3/120) is checked.	
Entry Daniel	(4/120) is checked.	
Entry Nebuchadnezzar	(5/120) is checked.	
- 604. 1. 1.█- 604.12.30.	2nd position to B Nebuchadnezzar	5
Entry Captivity in Babylon	(6/120) is checked.	
Entry Jehoiakim = Eliakim	(7/120) is checked.	
Entry Jehoahaz (Josiah)	(8/120) is checked.	
Entry Jeremiah	(9/120) is checked.	
Entry Josiah	(10/120) is checked.	
Entry Amon	(11/120) is checked.	
Entry Manasseh	(12/120) is checked.	
Entry 14th Jubile Year	(13/120) is checked.	
Entry Hezekiah	(14/120) is checked.	
Entry Captivity of Israel	(15/120) is checked.	
Entry Hoshea	(16/120) is checked.	
Entry Ahaz	(17/120) is checked.	
Entry Ahaz	(18/120) is checked.	
Entry Jotham	(19/120) is checked.	
Entry Isaiah	(20/120) is checked.	
Entry Pekah	(21/120) is checked.	
Entry Pekahiah	(22/120) is checked.	
Entry Menahem	(23/120) is checked.	
Entry Shallum	(24/120) is checked.	
Entry Zachariah	(25/120) is checked.	
Entry Azariah = Uzziah	(26/120) is checked.	
Entry Jeroboam (Joash)	(27/120) is checked.	
Entry Amaziah	(28/120) is checked.	
Entry Amaziah	(29/120) is checked.	
Entry Joash (Jehoahaz)	(30/120) is checked.	
Entry Jehoahaz (Jehu)	(31/120) is checked.	
Entry Joash (Ahaziah)	(32/120) is checked.	
Entry Jehu	(33/120) is checked.	
Entry Athaliah	(34/120) is checked.	
Entry Ahaziah (Joram)	(35/120) is checked.	
Entry Ahaziah (Joram)	(36/120) is checked.	
Entry Joram (Ahab)	(37/120) is checked.	
Entry Joram (Ahab)	(38/120) is checked.	
Entry Elisha	(39/120) is checked.	
Entry Jehoram (Jehoshaphat)	(40/120) is checked.	
Entry Ahaziah (Ahab)	(41/120) is checked.	
Entry Jehoshaphat	(42/120) is checked.	
Entry Elijah	(43/120) is checked.	
Entry Ahab	(44/120) is checked.	
Entry Omri	(45/120) is checked.	
Entry Tibni	(46/120) is checked.	
Entry Zimri	(47/120) is checked.	
Entry Elah	(48/120) is checked.	
Entry Baasha	(49/120) is checked.	
Entry Nadab	(50/120) is checked.	
Entry Asa	(51/120) is checked.	
Entry Abijam = Abijah	(52/120) is checked.	
Entry Jeroboam (Nebat)	(53/120) is checked.	

Entry Rehoboam (54/120) is checked.
Entry Building the Temple (55/120) is checked.
Entry Building the Temple (56/120) is checked.
Entry Solomon (57/120) is checked.
Entry David (58/120) is checked.
Entry Ishbosheth (59/120) is checked.
Entry Saul (60/120) is checked.
Entry Samuel (61/120) is checked.
Entry Samson (62/120) is checked.
Entry Philistines (63/120) is checked.
Entry Eli (64/120) is checked.
Entry Abdon (65/120) is checked.
Entry Elon (66/120) is checked.
Entry Ibzan (67/120) is checked.
Entry Jephthah (68/120) is checked.
Entry Philistines + Ammon (69/120) is checked.
Entry Jair (70/120) is checked.
Entry Tola (71/120) is checked.
Entry Abimelech (72/120) is checked.
Entry Gideon = Jerubbaal (73/120) is checked.
Entry Midianites (74/120) is checked.
Entry Deborah and Barak (75/120) is checked.
Entry Sisera (76/120) is checked.
Entry Ehud (77/120) is checked.
Entry Eglon (78/120) is checked.
Entry Othniel (79/120) is checked.
Entry Chushanrishathaim (80/120) is checked.
Entry Inheritance of Israel (81/120) is checked.
Entry Caleb (82/120) is checked.
Entry Joshua (83/120) is checked.
Entry Moses' Speech (84/120) is checked.
Entry Explorers of Canaan (85/120) is checked.
Entry Moses (86/120) is checked.
Entry Aaron (87/120) is checked.
Entry Aaron (88/120) is checked.
Entry Israel in Egypt (89/120) is checked.
Entry Jacob = Israel (90/120) is checked.
Entry Isaac (91/120) is checked.
Entry Fire upon Sodom (92/120) is checked.
Entry Ishmael (93/120) is checked.
Entry Battle in Siddim Vale (94/120) is checked.
Entry Sarai = Sarah (95/120) is checked.
Entry Abram = Abraham (96/120) is checked.
Entry Terah (97/120) is checked.
Entry Nahor (98/120) is checked.
Entry Serug (99/120) is checked.
Entry Reu (100/120) is checked.
Entry Peleg (101/120) is checked.
Entry Tower of Babel (102/120) is checked.
Entry Eber (103/120) is checked.
Entry Salah (104/120) is checked.
Entry Arphaxad (105/120) is checked.
Entry Arphaxad (106/120) is checked.
Entry Great Flood (107/120) is checked.
Entry Great Flood (108/120) is checked.
Entry Shem (109/120) is checked.
Entry Noah (110/120) is checked.
Entry Lamech (111/120) is checked.

Entry Methuselah (112/120) is checked.
 Entry Enoch (113/120) is checked.
 Entry Jared (114/120) is checked.
 Entry Mahalaleel (115/120) is checked.
 Entry Cainan (116/120) is checked.
 Entry Enos (117/120) is checked.
 Entry Seth (118/120) is checked.
 Entry Adam (119/120) is checked.
 Entry Creation (120/120) is checked.
 -3761. 9. 1. -3761.10.30. 3rd position to B Creation 120

17016 Bytes free.

(1st/3) position: - 539.10.29. - 539.10.29. B Cyrus 1
 Forward relations for entry Cyrus (1/120) are generated.
 Backward relations for entry Captivity in Babylon (6/120) are generated.
 Backward relations for entry Daniel (4/120) are generated.
 Optimize dates...

Cyrus	D	Kind	S	from:	to:	
- 539.10.29. - 539.10.29.	B	0	B	1	1	
	B	7	E	6	1	
	B	8	E	4	1	
	B	10	E	6	1	
	0	B	0	0	0	
- 539.10.29. - 539.10.29.	B	0	B	0	1	
- 539.10.29. ≥				4th position to E Captivity in Babylon		6
- 539.10.29. ≥				5th position to E Daniel		4
- 539.10.29. - 537.10.29.				6th position to E Captivity in Babylon		6

16492 Bytes free.

(2nd/6) position: - 604. 1. 1. - 604.12.30. B Nebuchadnezzar 5
 Forward relations for entry Nebuchadnezzar (5/120) are generated.
 Optimize dates...

Nebuchadnezzar	D	Kind	S	from:	to:	
- 604. 1. 1. - 604.12.30.	B	0	B	5	5	
	B	3	B	7	5	
	B	4	B	9	5	
	B	10	E	2	5	
	B	10	B	4	5	
	0	B	0	0	0	
- 604. 1. 1. - 604.12.30.	B	0	B	0	5	
- 609. 1. 1. - 607.12.30.				7th position to B Jehoiakim = Eliakim		7
- 628. 1. 1. - 626.12.30.				8th position to B Jeremiah		9
- 586. 1. 1. - 584.12.30.				9th position to E Zedekiah = Mattaniah		2
- 603. 1. 1. - 601.12.30.				10th position to B Daniel		4

16492 Bytes free.

(3rd/10) position: -3761. 9. 1. -3761.10.30. B Creation 120
 Forward relations for entry Creation (120/120) are generated.
 Optimize dates...

Creation	D	Kind	S	from:	to:	
-3761. 9. 1. -3761.10.30.	B	0	B	120	120	
	B	5	E	120	120	
	B	9	*	119	120	
	0	B	0	0	0	
-3761. 9. 1. -3761.10.30.	B	0	B	0	120	
-3761. 9. 8. -3761.11. 7.				11th position to E Creation		120
-3761. 9. 6. -3761.11. 6.				12th position to * Adam		119

16492 Bytes free.
 (4th/12) position: - 539.10.29. - 537.10.29. E Captivity in Babylon 6
 Forward relations for entry Captivity in Babylon (6/120) are generated.
 Backward relations for entry Daniel (4/120) are generated.
 Optimize dates...
 Captivity in Babylon D Knd S from: to:|
 - 539.10.29. - 537.10.29. E 0 E 6 6||
 - 539.10.29.≥ E 1 B 1 6||
 E 5 B 6 6||
 - 539.10.29. - 537.10.29. E 4 B 1 6||
 0 E 0 0||
 - 539.10.29. - 537.10.29. E 0 E 0 6||
 - 610.10.29. - 606.10.29. 13th position to B Captivity in Babylon 6

16492 Bytes free.
 (5th/13) position: - 539.10.29.≥ E Daniel 4
 Forward relations for entry Daniel (4/120) are generated.
 Optimize dates...
 Daniel D Knd S from: to:|
 - 539.10.29.≥ E 0 E 4 4||
 - 539.10.29.≥ E 2 B 1 4||
 0 E 0 0||
 - 539.10.29.≥ E 0 E 0 4||

16492 Bytes free.
 (6th/13) position: - 539.10.29. - 537.10.29. E Captivity in Babylon 6
 Forward relations for entry Captivity in Babylon (6/120) are generated.
 Backward relations for entry Daniel (4/120) are generated.
 Optimize dates...
 Captivity in Babylon D Knd S from: to:|
 - 539.10.29. - 537.10.29. E 0 E 6 6||
 - 539.10.29.≥ E 1 B 1 6||
 - 541.10.29. - 535.10.29. E 5 B 6 6||
 - 539.10.29. - 537.10.29. E 4 B 1 6||
 0 E 0 0||
 - 539.10.29. - 537.10.29. E 0 E 0 6||

16492 Bytes free.
 (7th/13) position: - 609. 1. 1. - 607.12.30. B Jehoiakim = Eliakim 7
 Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.
 Backward relations for entry Jehoiachin (3/120) are generated.
 Optimize dates...
 Jehoiakim = Eliakim D Knd S from: to:|
 - 609. 1. 1. - 607.12.30. B 0 B 7 7||
 B 1 E 8 7||
 B 3 * 7 7||
 B 5 E 7 7||
 - 609. 1. 1. - 607.12.30. B 9 B 5 7||
 - 614.10.29. - 608.10.29. B 9 B 6 7||
 1Y 2M 1D 0 B 0 0||
 - 609. 1. 1. - 608.10.29. B 0 B 0 7||
 - 609. 1. 1. - 608.10.29. 14th position to B Jehoiakim = Eliakim 7
 - 609. 1. 1. - 608.10.29. 15th position to E Jehoahaz (Josiah) 8
 - 635. 1. 1. - 632.10.29. 16th position to * Jehoiakim = Eliakim 7
 - 599. 1. 1. - 596.10.29. 17th position to E Jehoiakim = Eliakim 7
 - 607. 1. 1. - 606.10.29. 18th position to B Captivity in Babylon 6

16492 Bytes free.

(8th/18) position: - 628. 1. 1. - 626.12.30. B Jeremiah 9
 Forward relations for entry Jeremiah (9/120) are generated.

Optimize dates...

Jeremiah	D	Kind	S	from:	to:
- 628. 1. 1. - 626.12.30.	B	0	B	9	9
		B	3	B 10	9
- 628. 1. 1. - 626.12.30.	B	10	B	5	9
		0	B	0	0
- 628. 1. 1. - 626.12.30.	B	0	B	0	9
- 642. 1. 1. - 638.12.30.				19th position to B Josiah	10

16492 Bytes free.

(9th/19) position: - 586. 1. 1. - 584.12.30. E Zedekiah = Mattaniah 2
 Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:
- 586. 1. 1. - 584.12.30.	E	0	E	2	2
		E	5	B 2	2
- 586. 1. 1. - 584.12.30.	E	4	B	5	2
		0	E	0	0
- 586. 1. 1. - 584.12.30.	E	0	E	0	2
- 597. 9.22. - 594. 9.22.				20th position to B Zedekiah = Mattaniah	2

16492 Bytes free.

(10th/20) position: - 603. 1. 1. - 601.12.30. B Daniel 4
 Forward relations for entry Daniel (4/120) are generated.

Optimize dates...

Daniel	D	Kind	S	from:	to:
- 603. 1. 1. - 601.12.30.	B	0	B	4	4
- 607. 1. 1. >	B	1	B	6	4
- 605. 1. 1. - 602.10.29.	B	3	B	6	4
- 603. 1. 1. - 601.12.30.	B	4	B	5	4
		1Y 2M 1D	0	B 0	0
- 603. 1. 1. - 602.10.29.	B	0	B	0	4
- 603. 1. 1. - 602.10.29.				21st position to B Daniel	4

16492 Bytes free.

(11th/21) position: -3761. 9. 8. -3761.11. 7. E Creation 120
 Forward relations for entry Creation (120/120) are generated.

Optimize dates...

Creation	D	Kind	S	from:	to:
-3761. 9. 8. -3761.11. 7.	E	0	E	120	120
-3761. 9. 8. -3761.11. 7.	E	5	B	120	120
		0	E	0	0
-3761. 9. 8. -3761.11. 7.	E	0	E	0	120

16492 Bytes free.

(12th/21) position: -3761. 9. 6. -3761.11. 6. * Adam 119
 Forward relations for entry Adam (119/120) are generated.

Optimize dates...

Adam	D	Kind	S	from:	to:
-3761. 9. 6. -3761.11. 6.	*	0	*	119	119
-3761. 9. 6. -3761.11. 6.	*	3	B	120	119
	*	5	+	119	119
	*	9	*	118	119
		0	*	0	0
-3761. 9. 6. -3761.11. 6.	*	0	*	0	119
-2832. 9. 6. -2830.11. 6.				22nd position to + Adam	119

-3632. 9. 6. -3630.11. 6. 23rd position to * Seth

118

16492 Bytes free.

(13th/23) position: - 607. 1. 1. - 606.10.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:†
- 607. 1. 1. - 606.10.29.	B	0	B	6	6
- 607. 1. 1. - 604.10.29.	B	3	B	7	6
- 610.10.29. - 606.10.29.	B	5	E	6	6
≤- 602.10.29.	B	7	B	4	6
- 607. 1. 1. - 604.10.29.	B	9	B	4	6
		0	B	0	0
- 607. 1. 1. - 606.10.29.	B	0	B	0	6
- 538. 1. 1. - 537.10.29.					

24th position to E Captivity in Babylon 6

16492 Bytes free.

(14th/24) position: - 609. 1. 1. - 608.10.29. B Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:†
- 609. 1. 1. - 608.10.29.	B	0	B	7	7
- 609. 1. 1. - 608.10.29.	B	1	E	8	7
- 611. 1. 1. - 606.10.29.	B	3	*	7	7
- 611. 1. 1. - 606.10.29.	B	5	E	7	7
- 609. 1. 1. - 607.12.30.	B	9	B	5	7
- 611. 1. 1. - 608.10.29.	B	9	B	6	7
		0	B	0	0
- 609. 1. 1. - 608.10.29.	B	0	B	0	7

16492 Bytes free.

(15th/24) position: - 609. 1. 1. - 608.10.29. E Jehoahaz (Josiah) 8

Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:†
- 609. 1. 1. - 608.10.29.	E	0	E	8	8
		E	5	B	8
- 609. 1. 1. - 608.10.29.	E	7	B	7	8
		0	E	0	0
- 609. 1. 1. - 608.10.29.	E	0	E	0	8
- 610. 9. 1. - 608. 8.29.					

25th position to B Jehoahaz (Josiah) 8

16492 Bytes free.

(16th/25) position: - 635. 1. 1. - 632.10.29. * Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:†
- 635. 1. 1. - 632.10.29.	*	0	*	7	7
- 635. 1. 1. - 632.10.29.	*	9	B	7	7
		0	*	0	0
- 635. 1. 1. - 632.10.29.	*	0	*	0	7

16492 Bytes free.

(17th/25) position: - 599. 1. 1. - 596.10.29. E Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.
 Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:†	
- 599. 1. 1. - 596.10.29.	E	0	E	7	7	7
- 599. 1. 1. - 596.10.29.	E	5	B	7	7	7
	E	7	B	3	7	7
- 599. 1. 1. - 596.10.29.	+	0	+	7	7	7
		0	E	0	0	0
- 599. 1. 1. - 596.10.29.	E	0	E	0	7	7
- 599. 1. 1. - 596.10.29.				26th position to B Jehoiachin		3

16492 Bytes free.

(18th/26) position: - 607. 1. 1. - 606.10.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/120) are generated.
 Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:†	
- 607. 1. 1. - 606.10.29.	B	0	B	6	6	6
- 607. 1. 1. - 604.10.29.	B	3	B	7	6	6
- 609. 1. 1. - 606.10.29.	B	5	E	6	6	6
≤- 602.10.29.	B	7	B	4	6	6
- 607. 1. 1. - 604.10.29.	B	9	B	4	6	6
		0	B	0	0	0
- 607. 1. 1. - 606.10.29.	B	0	B	0	6	6

16492 Bytes free.

(19th/26) position: - 642. 1. 1. - 638.12.30. B Josiah 10

Forward relations for entry Josiah (10/120) are generated.
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Kind	S	from:	to:†	
- 642. 1. 1. - 638.12.30.	B	0	B	10	10	10
	B	1	E	11	10	10
	B	3	*	10	10	10
	B	5	E	10	10	10
- 642. 1. 1. - 638.12.30.	B	9	B	9	10	10
		0	B	0	0	0
- 642. 1. 1. - 638.12.30.	B	0	B	0	10	10
- 642. 1. 1. - 638.12.30.				27th position to E Amon		11
- 651. 1. 1. - 645.12.30.				28th position to * Josiah		10
- 612. 1. 1. - 606.12.30.				29th position to E Josiah		10

16492 Bytes free.

(20th/29) position: - 597. 9.22. - 594. 9.22. B Zedekiah = Mattaniah 2

Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:†	
- 597. 9.22. - 594. 9.22.	B	0	B	2	2	2
	B	1	E	3	2	2
	B	3	*	2	2	2
- 597. 9.22. - 594. 9.22.	B	5	E	2	2	2
	B	10	E	9	2	2
		0	B	0	0	0
- 597. 9.22. - 594. 9.22.	B	0	B	0	2	2
- 597. 9.22. - 594. 9.22.				30th position to E Jehoiachin		3
- 619. 9.22. - 614. 9.22.				31st position to * Zedekiah = Mattaniah		2
- 586. 1.22. - 583. 2.22.				32nd position to E Jeremiah		9

16492 Bytes free.

(21st/32) position: - 603. 1. 1. - 602.10.29. B Daniel 4
Forward relations for entry Daniel (4/120) are generated.

Optimize dates...

Daniel	D	Kind	S	from:	to:†
- 603. 1. 1. - 602.10.29.	B	0	B	4	4
- 607. 1. 1. ≥	B	1	B	6	4
- 605. 1. 1. - 602.10.29.	B	3	B	6	4
- 603. 1. 1. - 601.12.30.	B	4	B	5	4
		0	B	0	0
- 603. 1. 1. - 602.10.29.	B	0	B	0	4

16492 Bytes free.

(22nd/32) position: -2832. 9. 6. -2830.11. 6. + Adam 119
Forward relations for entry Adam (119/120) are generated.

Optimize dates...

Adam	D	Kind	S	from:	to:†
-2832. 9. 6. -2830.11. 6. +	0	+		119	119
-2832. 9. 6. -2830.11. 6. +	5	*		119	119
-2833. 9. 6. -2829.11. 6. +	4	*		118	119
	0	+		0	0
-2832. 9. 6. -2830.11. 6. +	0	+		0	119

16492 Bytes free.

(23rd/32) position: -3632. 9. 6. -3630.11. 6. * Seth 118
Forward relations for entry Seth (118/120) are generated.

Optimize dates...

Seth	D	Kind	S	from:	to:†
-3632. 9. 6. -3630.11. 6. *	0	*		118	118
-3632. 9. 6. -3630.11. 6. *	3	*		119	118
	5	+		118	118
	9	*		117	118
-3633. 9. 6. -3629.11. 6. *	10	+		119	118
	0	*		0	0
-3632. 9. 6. -3630.11. 6. *	0	*		0	118
-2721. 9. 6. -2717.11. 6.	33rd position to + Seth				118
-3528. 9. 6. -3524.11. 6.	34th position to * Enos				117

16492 Bytes free.

(24th/34) position: - 538. 1. 1. - 537.10.29. E Captivity in Babylon 6
Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:†
- 538. 1. 1. - 537.10.29.	E	0	E	6	6
- 539.10.29. ≥	E	1	B	1	6
- 538. 1. 1. - 535.10.29.	E	5	B	6	6
- 539.10.29. - 537.10.29.	E	4	B	1	6
		0	E	0	0
- 538. 1. 1. - 537.10.29.	E	0	E	0	6

16492 Bytes free.

(25th/34) position: - 610. 9. 1. - 608. 8.29. B Jehoahaz (Josiah) 8
Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:†
-------------------	---	------	---	-------	------


```

- 610. 9. 1. - 608. 8.29. B 0 B      8      8||
- 612. 1. 1. - 606.12.30. B 1 E      10     8||
                        B 3 *        8      8||
- 610. 9. 1. - 608. 8.29. B 5 E      8      8||
                        0 B         0      0||
- 610. 9. 1. - 608. 8.29. B 0 B         0      8||
- 610. 9. 1. - 608. 8.29. 35th position to E Josiah      10
- 634. 9. 1. - 630. 8.29. 36th position to * Jehoahaz (Josiah) 8

```

16492 Bytes free.

```

(26th/36) position: - 599. 1. 1. - 596.10.29. B Jehoiachin      3
Forward relations for entry Jehoiachin      (3/120) are generated.
Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.
Optimize dates...

```

```

Jehoiachin      D Knd S   from:   to:|
- 599. 1. 1. - 596.10.29. B 0 B     3     3||
- 599. 1. 1. - 596.10.29. B 1 E     7     3||
                        B 3 *     3     3||
- 597. 5.22. - 594. 7.22. B 5 E     3     3||
    2Y 4M21D      0 B     0     0||
- 597. 5.22. - 596.10.29. B 0 B     0     3||
- 597. 5.22. - 596.10.29. 37th position to B Jehoiachin      3
- 597. 5.22. - 596.10.29. 38th position to E Jehoiakim = Eliakim 7
- 616. 5.22. - 613.10.29. 39th position to * Jehoiachin      3
- 597. 9.22. - 595. 2.29. 40th position to E Jehoiachin      3

```

16492 Bytes free.

```

(27th/40) position: - 642. 1. 1. - 638.12.30. E Amon      11
Forward relations for entry Amon      (11/120) are generated.
Backward relations for entry Josiah      (10/120) are generated.
Optimize dates...

```

```

Amon      D Knd S   from:   to:|
- 642. 1. 1. - 638.12.30. E 0 E    11    11||
                        E 5 B    11    11||
- 642. 1. 1. - 638.12.30. E 7 B    10    11||
- 642. 1. 1. - 638.12.30. + 0 +    11    11||
                        0 E     0     0||
- 642. 1. 1. - 638.12.30. E 0 E     0    11||
- 645. 1. 1. - 639.12.30. 41st position to B Amon      11

```

16492 Bytes free.

```

(28th/41) position: - 651. 1. 1. - 645.12.30. * Josiah      10
Forward relations for entry Josiah      (10/120) are generated.
Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.
Optimize dates...

```

```

Josiah      D Knd S   from:   to:|
- 651. 1. 1. - 645.12.30. * 0 *    10    10||
- 651. 1. 1. - 645.12.30. * 9 B    10    10||
                        0 *     0     0||
- 651. 1. 1. - 645.12.30. * 0 *     0    10||

```

16492 Bytes free.

```

(29th/41) position: - 610. 9. 1. - 608. 8.29. E Josiah      10
Forward relations for entry Josiah      (10/120) are generated.
Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.
Optimize dates...

```

```

Josiah      D Knd S   from:   to:|
- 610. 9. 1. - 608. 8.29. E 0 E     10    10||

```

```

- 612. 1. 1. - 606.12.30. E 5 B      10      10||
- 610. 9. 1. - 608. 8.29. E 7 B      8        10||
- 610. 9. 1. - 608. 8.29. + 0 +      10        10||
                        0 E          0          0||
- 610. 9. 1. - 608. 8.29. E 0 E      0         10||
- 642. 9. 1. - 638. 8.29. 42nd position to B Josiah          10

```

16492 Bytes free.

```

(30th/42) position: - 597. 9.22. - 595. 2.29.   E Jehoiachin          3
Forward relations for entry Jehoiachin          (3/120) are generated.
Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.
Optimize dates...

```

```

Jehoiachin          D Knd S   from:      to:|
- 597. 9.22. - 595. 2.29. E 0 E     3         3||
- 597. 7.22. - 595. 2.29. E 5 B     3         3||
- 597. 9.22. - 594. 9.22. E 7 B     2         3||
                        0 E          0         0||
- 597. 9.22. - 595. 2.29. E 0 E     0         3||
- 597. 9.22. - 595. 2.29. 43rd position to B Zedekiah = Mattaniah 2

```

16492 Bytes free.

```

(31st/43) position: - 619. 9.22. - 614. 9.22.   * Zedekiah = Mattaniah 2
Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.
Optimize dates...

```

```

Zedekiah = Mattaniah D Knd S   from:      to:|
- 619. 9.22. - 614. 9.22. * 0 *     2         2||
- 619. 9.22. - 615. 2.29. * 9 B     2         2||
                        1Y 6M23D 0 *     0         0||
- 619. 9.22. - 615. 2.29. * 0 *     0         2||
- 619. 9.22. - 615. 2.29. 44th position to * Zedekiah = Mattaniah 2

```

16492 Bytes free.

```

(32nd/44) position: - 586. 1.22. - 583. 2.22.   E Jeremiah          9
Forward relations for entry Jeremiah          (9/120) are generated.
Optimize dates...

```

```

Jeremiah          D Knd S   from:      to:|
- 586. 1.22. - 583. 2.22. E 0 E     9         9||
- 586. 1.22. - 585. 7.29. E 4 B     2         9||
                        1Y 6M23D 0 E     0         0||
- 586. 1.22. - 585. 7.29. E 0 E     0         9||
- 586. 1.22. - 585. 7.29. 45th position to E Jeremiah          9

```

16492 Bytes free.

```

(33rd/45) position: -2721. 9. 6. -2717.11. 6.   + Seth          118
Forward relations for entry Seth          (118/120) are generated.
Optimize dates...

```

```

Seth          D Knd S   from:      to:|
-2721. 9. 6. -2717.11. 6. + 0 +    118     118||
-2721. 9. 6. -2717.11. 6. + 5 *    118     118||
-2722. 9. 6. -2716.11. 6. + 4 *    117     118||
                        0 +          0         0||
-2721. 9. 6. -2717.11. 6. + 0 +     0     118||

```

16492 Bytes free.

```

(34th/45) position: -3528. 9. 6. -3524.11. 6.   * Enos          117
Forward relations for entry Enos          (117/120) are generated.
Optimize dates...

```

```

Enos          D Knd S   from:      to:|

```

```

-3528. 9. 6. -3524.11. 6. * 0 *      117      117||
-3528. 9. 6. -3524.11. 6. * 3 *      118      117||
                        * 5 +      117      117||
                        * 9 *      116      117||
-3529. 9. 6. -3523.11. 6. * 10 +     118      117||
                        0 *          0          0||
-3528. 9. 6. -3524.11. 6. * 0 *          0      117||
-2624. 9. 6. -2618.11. 6. 46th position to + Enos      117
-3439. 9. 6. -3433.11. 6. 47th position to * Cainan      116

```

16492 Bytes free.

(35th/47) position: - 610. 9. 1. - 608. 8.29. E Josiah 10

Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

```

Josiah          D Knd S   from:   to:|
- 610. 9. 1. - 608. 8.29. E 0 E     10     10||
- 612. 9. 1. - 606. 8.29. E 5 B     10     10||
- 610. 9. 1. - 608. 8.29. E 7 B       8     10||
- 610. 9. 1. - 608. 8.29. + 0 +     10     10||
                        0 E         0         0||
- 610. 9. 1. - 608. 8.29. E 0 E         0         10||

```

16492 Bytes free.

(36th/47) position: - 634. 9. 1. - 630. 8.29. * Jehoahaz (Josiah) 8

Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

```

Jehoahaz (Josiah) D Knd S   from:   to:|
- 634. 9. 1. - 630. 8.29. * 0 *       8       8||
- 634. 9. 1. - 630. 8.29. * 9 B       8       8||
                        0 *         0         0||
- 634. 9. 1. - 630. 8.29. * 0 *       0       8||

```

16492 Bytes free.

(37th/47) position: - 597. 5.22. - 596.10.29. B Jehoiachin 3

Forward relations for entry Jehoiachin (3/120) are generated.

Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

```

Jehoiachin      D Knd S   from:   to:|
- 597. 5.22. - 596.10.29. B 0 B       3       3||
- 597. 5.22. - 596.10.29. B 1 E       7       3||
- 599. 5.22. - 594.10.29. B 3 *       3       3||
- 597. 5.22. - 596.12.29. B 5 E       3       3||
                        0 B         0         0||
- 597. 5.22. - 596.10.29. B 0 B         0         3||

```

16492 Bytes free.

(38th/47) position: - 597. 5.22. - 596.10.29. E Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

```

Jehoiakim = Eliakim D Knd S   from:   to:|
- 597. 5.22. - 596.10.29. E 0 E       7       7||
- 599. 1. 1. - 596.10.29. E 5 B       7       7||
- 597. 5.22. - 596.10.29. E 7 B       3       7||
- 597. 5.22. - 596.10.29. + 0 +       7       7||
                        0 E         0         0||

```

- 597. 5.22. - 596.10.29. E 0 E 0 7||
 - 609. 5.22. - 608.10.29. 48th position to B Jehoiakim = Eliakim 7

16492 Bytes free.

(39th/48) position: - 616. 5.22. - 613.10.29. * Jehoiachin 3
 Forward relations for entry Jehoiachin (3/120) are generated.
 Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.
 Optimize dates...

Jehoiachin	D	Kind	S	from:	to:
- 616. 5.22. - 613.10.29.	*	0	*	3	3
- 616. 5.22. - 613.10.29.	*	9	B	3	3
		0	*	0	0
- 616. 5.22. - 613.10.29.	*	0	*	0	3

16492 Bytes free.

(40th/48) position: - 597. 9.22. - 595. 2.29. E Jehoiachin 3
 Forward relations for entry Jehoiachin (3/120) are generated.
 Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.
 Optimize dates...

Jehoiachin	D	Kind	S	from:	to:
- 597. 9.22. - 595. 2.29.	E	0	E	3	3
- 597. 7.22. - 595. 2.29.	E	5	B	3	3
- 597. 9.22. - 595. 2.29.	E	7	B	2	3
		0	E	0	0
- 597. 9.22. - 595. 2.29.	E	0	E	0	3

16492 Bytes free.

(41st/48) position: - 645. 1. 1. - 639.12.30. B Amon 11
 Forward relations for entry Amon (11/120) are generated.
 Backward relations for entry Josiah (10/120) are generated.
 Optimize dates...

Amon	D	Kind	S	from:	to:
- 645. 1. 1. - 639.12.30.	B	0	B	11	11
		B	1	E	12
		B	3	*	11
- 645. 1. 1. - 639.12.30.	B	5	E	11	11
		0	B	0	0
- 645. 1. 1. - 639.12.30.	B	0	B	0	11
- 645. 1. 1. - 639.12.30.				49th position to E Manasseh	12
- 668. 1. 1. - 660.12.30.				50th position to * Amon	11

16492 Bytes free.

(42nd/50) position: - 642. 9. 1. - 638. 8.29. B Josiah 10
 Forward relations for entry Josiah (10/120) are generated.
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.
 Optimize dates...

Josiah	D	Kind	S	from:	to:
- 642. 9. 1. - 638. 8.29.	B	0	B	10	10
- 642. 1. 1. - 638.12.30.	B	1	E	11	10
- 644. 1. 1. - 636.12.30.	B	3	*	10	10
- 642. 9. 1. - 638. 8.29.	B	5	E	10	10
- 642. 1. 1. - 638.12.30.	B	9	B	9	10
		0	B	0	0
- 642. 9. 1. - 638. 8.29.	B	0	B	0	10
- 642. 9. 1. - 638. 8.29.				51st position to E Amon	11
- 651. 9. 1. - 645. 8.29.				52nd position to * Josiah	10

16492 Bytes free.

(43rd/52) position: - 597. 9.22. - 595. 2.29. B Zedekiah = Mattaniah 2
 Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.
 Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:
- 597. 9.22. - 595. 2.29. B	0	B		2	2
- 597. 9.22. - 595. 2.29. B	1	E		3	2
- 599. 9.22. - 593. 2.29. B	3	*		2	2
- 597. 9.22. - 594. 9.22. B	5	E		2	2
- 597. 8.22. - 595. 3.29. B	10	E		9	2
	0	B		0	0
- 597. 9.22. - 595. 2.29. B	0	B		0	2
- 586. 1. 1. - 585. 6. 8.				53rd position to E Zedekiah = Mattaniah	2

16492 Bytes free.

(44th/53) position: - 619. 9.22. - 615. 2.29. * Zedekiah = Mattaniah 2
 Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.
 Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:
- 619. 9.22. - 615. 2.29. *	0	*		2	2
- 619. 9.22. - 615. 2.29. *	9	B		2	2
	0	*		0	0
- 619. 9.22. - 615. 2.29. *	0	*		0	2

16492 Bytes free.

(45th/53) position: - 586. 1.22. - 585. 7.29. E Jeremiah 9
 Forward relations for entry Jeremiah (9/120) are generated.
 Optimize dates...

Jeremiah	D	Kind	S	from:	to:
- 586. 1.22. - 585. 7.29. E	0	E		9	9
- 586. 1.22. - 585. 7.29. E	4	B		2	9
	0	E		0	0
- 586. 1.22. - 585. 7.29. E	0	E		0	9

16492 Bytes free.

(46th/53) position: -2624. 9. 6. -2618.11. 6. + Enos 117
 Forward relations for entry Enos (117/120) are generated.
 Optimize dates...

Enos	D	Kind	S	from:	to:
-2624. 9. 6. -2618.11. 6. +	0	+		117	117
-2624. 9. 6. -2618.11. 6. +	5	*		117	117
-2625. 9. 6. -2617.11. 6. +	4	*		116	117
	0	+		0	0
-2624. 9. 6. -2618.11. 6. +	0	+		0	117

16492 Bytes free.

(47th/53) position: -3439. 9. 6. -3433.11. 6. * Cainan 116
 Forward relations for entry Cainan (116/120) are generated.
 Optimize dates...

Cainan	D	Kind	S	from:	to:
-3439. 9. 6. -3433.11. 6. *	0	*		116	116
-3439. 9. 6. -3433.11. 6. *	3	*		117	116
	5	+		116	116
	9	*		115	116
-3440. 9. 6. -3432.11. 6. *	10	+		117	116
	0	*		0	0
-3439. 9. 6. -3433.11. 6. *	0	*		0	116
-2530. 9. 6. -2522.11. 6.				54th position to + Cainan	116
-3370. 9. 6. -3362.11. 6.				55th position to * Mahalaleel	115

16492 Bytes free.
 (48th/55) position: - 609. 5.22. - 608.10.29. B Jehoiakim = Eliakim 7
 Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.
 Backward relations for entry Jehoiachin (3/120) are generated.
 Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:	
- 609. 5.22. - 608.10.29.	B	0	B	7	7	
- 609. 1. 1. - 608.10.29.	B	1	E	8	7	
- 611. 1. 1. - 606.10.29.	B	3	*	7	7	
- 609. 5.22. - 606.10.29.	B	5	E	7	7	
- 609. 1. 1. - 607.12.30.	B	9	B	5	7	
- 611. 1. 1. - 608.10.29.	B	9	B	6	7	
		0	B	0	0	
- 609. 5.22. - 608.10.29.	B	0	B	0	7	
- 609. 5.22. - 608.10.29.				56th position to E		Jehoahaz (Josiah) 8
- 635. 5.22. - 632.10.29.				57th position to *		Jehoiakim = Eliakim 7
- 607. 5.22. - 606.10.29.				58th position to B		Captivity in Babylon 6

16492 Bytes free.
 (49th/58) position: - 645. 1. 1. - 639.12.30. E Manasseh 12
 Forward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Amon (11/120) are generated.
 Optimize dates...

Manasseh	D	Kind	S	from:	to:	
- 645. 1. 1. - 639.12.30.	E	0	E	12	12	
		E	5	B	12	12
- 645. 1. 1. - 639.12.30.	E	7	B	11	12	
- 645. 1. 1. - 639.12.30.	+	0	+	12	12	
		0	E	0	0	
- 645. 1. 1. - 639.12.30.	E	0	E	0	12	
- 701. 1. 1. - 693.12.30.				59th position to B		Manasseh 12

16492 Bytes free.
 (50th/59) position: - 668. 1. 1. - 660.12.30. * Amon 11
 Forward relations for entry Amon (11/120) are generated.
 Backward relations for entry Josiah (10/120) are generated.
 Optimize dates...

Amon	D	Kind	S	from:	to:	
- 668. 1. 1. - 660.12.30.	*	0	*	11	11	
- 668. 1. 1. - 660.12.30.	*	9	B	11	11	
		0	*	0	0	
- 668. 1. 1. - 660.12.30.	*	0	*	0	11	

16492 Bytes free.
 (51st/59) position: - 642. 9. 1. - 638. 8.29. E Amon 11
 Forward relations for entry Amon (11/120) are generated.
 Backward relations for entry Josiah (10/120) are generated.
 Optimize dates...

Amon	D	Kind	S	from:	to:	
- 642. 9. 1. - 638. 8.29.	E	0	E	11	11	
- 644. 1. 1. - 636.12.30.	E	5	B	11	11	
- 642. 9. 1. - 638. 8.29.	E	7	B	10	11	
- 642. 9. 1. - 638. 8.29.	+	0	+	11	11	
		0	E	0	0	
- 642. 9. 1. - 638. 8.29.	E	0	E	0	11	
- 645. 9. 1. - 639. 8.29.				60th position to B		Amon 11

16492 Bytes free.
 (52nd/60) position: - 651. 9. 1. - 645. 8.29. * Josiah 10
 Forward relations for entry Josiah (10/120) are generated.
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.
 Optimize dates...

Josiah	D	Kind	S	from:	to:
- 651. 9. 1. - 645. 8.29. *	0	*		10	10
- 651. 9. 1. - 645. 8.29. *	9	B		10	10
	0	*		0	0
- 651. 9. 1. - 645. 8.29. *	0	*		0	10

16492 Bytes free.
 (53rd/60) position: - 586. 1. 1. - 585. 6. 8. E Zedekiah = Mattaniah 2
 Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.
 Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:
- 586. 1. 1. - 585. 6. 8. E	0	E		2	2
- 587.12.30. - 585. 6. 8. E	5	B		2	2
- 586. 1. 1. - 584.12.30. E	4	B		5	2
	0	E		0	0
- 586. 1. 1. - 585. 6. 8. E	0	E		0	2

16492 Bytes free.
 (54th/60) position: -2530. 9. 6. -2522.11. 6. + Cainan 116
 Forward relations for entry Cainan (116/120) are generated.
 Optimize dates...

Cainan	D	Kind	S	from:	to:
-2530. 9. 6. -2522.11. 6. +	0	+		116	116
-2530. 9. 6. -2522.11. 6. +	5	*		116	116
-2531. 9. 6. -2521.11. 6. +	4	*		115	116
	0	+		0	0
-2530. 9. 6. -2522.11. 6. +	0	+		0	116

16492 Bytes free.
 (55th/60) position: -3370. 9. 6. -3362.11. 6. * Mahalaleel 115
 Forward relations for entry Mahalaleel (115/120) are generated.
 Optimize dates...

Mahalaleel	D	Kind	S	from:	to:
-3370. 9. 6. -3362.11. 6. *	0	*		115	115
-3370. 9. 6. -3362.11. 6. *	3	*		116	115
	5	+		115	115
	9	*		114	115
-3371. 9. 6. -3361.11. 6. *	10	+		116	115
	0	*		0	0
-3370. 9. 6. -3362.11. 6. *	0	*		0	115
-2476. 9. 6. -2466.11. 6.	61st position to + Mahalaleel				115
-3306. 9. 6. -3296.11. 6.	62nd position to * Jared				114

16492 Bytes free.
 (56th/62) position: - 609. 5.22. - 608.10.29. E Jehoahaz (Josiah) 8
 Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.
 Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.
 Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:
- 609. 5.22. - 608.10.29. E	0	E		8	8
- 610.11. 1. - 608.12.29. E	5	B		8	8
- 609. 5.22. - 608.10.29. E	7	B		7	8
	0	E		0	0

- 609. 5.22. - 608.10.29. E 0 E 0 8||
 - 609. 1.22. - 608. 8.29. 63rd position to B Jehoahaz (Josiah) 8

16492 Bytes free.

(57th/63) position: - 635. 5.22. - 632.10.29. * Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:
- 635. 5.22. - 632.10.29. * 0 *				7	7
- 635. 5.22. - 632.10.29. * 9 B				7	7
			0 *	0	0
- 635. 5.22. - 632.10.29. * 0 *				0	7

16492 Bytes free.

(58th/63) position: - 607. 5.22. - 606.10.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:
- 607. 5.22. - 606.10.29. B 0 B				6	6
- 607. 5.22. - 604.10.29. B 3 B				7	6
- 609. 1. 1. - 606.10.29. B 5 E				6	6
≤- 602.10.29. B 7 B				4	6
- 607. 1. 1. - 604.10.29. B 9 B				4	6
			0 B	0	0
- 607. 5.22. - 606.10.29. B 0 B				0	6
- 538. 5.22. - 537.10.29. 64th position to E Captivity in Babylon					6

16492 Bytes free.

(59th/64) position: - 701. 1. 1. - 693.12.30. B Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kind	S	from:	to:
- 701. 1. 1. - 693.12.30. B 0 B				12	12
			B 1 E	14	12
			B 3 *	12	12
- 701. 1. 1. - 693.12.30. B 5 E				12	12
			0 B	0	0
- 701. 1. 1. - 693.12.30. B 0 B				0	12
- 701. 1. 1. - 693.12.30. 65th position to E Hezekiah					14
- 714. 1. 1. - 704.12.30. 66th position to * Manasseh					12

16492 Bytes free.

(60th/66) position: - 645. 9. 1. - 639. 8.29. B Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

Amon	D	Kind	S	from:	to:
- 645. 9. 1. - 639. 8.29. B 0 B				11	11
- 645. 1. 1. - 639.12.30. B 1 E				12	11
- 647. 1. 1. - 637.12.30. B 3 *				11	11
- 645. 9. 1. - 639. 8.29. B 5 E				11	11
			0 B	0	0
- 645. 9. 1. - 639. 8.29. B 0 B				0	11
- 645. 9. 1. - 639. 8.29. 67th position to E Manasseh					12
- 668. 9. 1. - 660. 8.29. 68th position to * Amon					11

16492 Bytes free.

(61st/68) position: -2476. 9. 6. -2466.11. 6. + Mahalaleel 115
Forward relations for entry Mahalaleel (115/120) are generated.

Optimize dates...

Mahalaleel	D	Kind	S	from:	to:†
-2476. 9. 6. -2466.11. 6. +	0	+		115	115
-2476. 9. 6. -2466.11. 6. +	5	*		115	115
-2477. 9. 6. -2465.11. 6. +	4	*		114	115
	0	+		0	0
-2476. 9. 6. -2466.11. 6. +	0	+		0	115

16492 Bytes free.

(62nd/68) position: -3306. 9. 6. -3296.11. 6. * Jared 114
Forward relations for entry Jared (114/120) are generated.

Backward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Jared	D	Kind	S	from:	to:†
-3306. 9. 6. -3296.11. 6. *	0	*		114	114
-3306. 9. 6. -3296.11. 6. *	3	*		115	114
	5	+		114	114
	9	*		113	114
-3307. 9. 6. -3295.11. 6. *	10	+		115	114
	0	*		0	0
-3306. 9. 6. -3296.11. 6. *	0	*		0	114
-2460. 9. 6. -2448.11. 6.	69th position to + Jared				114
-3245. 9. 6. -3233.11. 6.	70th position to * Enoch				113

16492 Bytes free.

(63rd/70) position: - 609. 1.22. - 608. 8.29. B Jehoahaz (Josiah) 8
Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:†
- 609. 1.22. - 608. 8.29. B	0	B		8	8
- 610. 9. 1. - 608. 8.29. B	1	E		10	8
- 612. 9. 1. - 606. 8.29. B	3	*		8	8
- 609. 1.22. - 608. 8.29. B	5	E		8	8
	0	B		0	0
- 609. 1.22. - 608. 8.29. B	0	B		0	8
- 609. 1.22. - 608. 8.29.	71st position to E Josiah				10
- 633. 1.22. - 630. 8.29.	72nd position to * Jehoahaz (Josiah)				8

16492 Bytes free.

(64th/72) position: - 538. 5.22. - 537.10.29. E Captivity in Babylon 6
Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:†
- 538. 5.22. - 537.10.29. E	0	E		6	6
- 539.10.29. ≥	1	B		1	6
- 538. 5.22. - 535.10.29. E	5	B		6	6
- 539.10.29. - 537.10.29. E	4	B		1	6
	0	E		0	0
- 538. 5.22. - 537.10.29. E	0	E		0	6

16492 Bytes free.

(65th/72) position: - 701. 1. 1. - 693.12.30. E Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.
 Backward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Isaiah (20/120) are generated.
 Optimize dates...

Hezekiah	D	Kind	S	from:	to:	
- 701. 1. 1. - 693.12.30.	E	0	E	14	14	
	E	2	E	20	14	
	E	6	B	14	14	
- 701. 1. 1. - 693.12.30.	E	7	B	12	14	
	E	7	E	20	14	
- 701. 1. 1. - 693.12.30.	+	0	+	14	14	
		0	E	0	0	
- 701. 1. 1. - 693.12.30.	E	0	E	0	14	
≤- 693.12.30.				73rd position to E Isaiah		20
- 731. 1. 1. - 721.12.30.				74th position to B Hezekiah		14
- 701. 1. 1. - 693.12.30.				75th position to E Isaiah		20

16492 Bytes free.

(66th/75) position: - 714. 1. 1. - 704.12.30. * Manasseh 12
 Forward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Amon (11/120) are generated.
 Optimize dates...

Manasseh	D	Kind	S	from:	to:	
- 714. 1. 1. - 704.12.30.	*	0	*	12	12	
- 714. 1. 1. - 704.12.30.	*	9	B	12	12	
		0	*	0	0	
- 714. 1. 1. - 704.12.30.	*	0	*	0	12	

16492 Bytes free.

(67th/75) position: - 645. 9. 1. - 639. 8.29. E Manasseh 12
 Forward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Amon (11/120) are generated.
 Optimize dates...

Manasseh	D	Kind	S	from:	to:	
- 645. 9. 1. - 639. 8.29.	E	0	E	12	12	
- 647. 1. 1. - 637.12.30.	E	5	B	12	12	
- 645. 9. 1. - 639. 8.29.	E	7	B	11	12	
- 645. 9. 1. - 639. 8.29.	+	0	+	12	12	
		0	E	0	0	
- 645. 9. 1. - 639. 8.29.	E	0	E	0	12	
- 701. 9. 1. - 693. 8.29.				76th position to B Manasseh		12

16492 Bytes free.

(68th/76) position: - 668. 9. 1. - 660. 8.29. * Amon 11
 Forward relations for entry Amon (11/120) are generated.
 Backward relations for entry Josiah (10/120) are generated.
 Optimize dates...

Amon	D	Kind	S	from:	to:	
- 668. 9. 1. - 660. 8.29.	*	0	*	11	11	
- 668. 9. 1. - 660. 8.29.	*	9	B	11	11	
		0	*	0	0	
- 668. 9. 1. - 660. 8.29.	*	0	*	0	11	

16492 Bytes free.

(69th/76) position: -2460. 9. 6. -2448.11. 6. + Jared 114
 Forward relations for entry Jared (114/120) are generated.
 Backward relations for entry Great Flood (108/120) are generated.
 Optimize dates...

```

Jared          D Knd S   from:   to:|
-2460. 9. 6. -2448.11. 6. + 0 +    114   114||
-2460. 9. 6. -2448.11. 6. + 5 *    114   114||
-2461. 9. 6. -2447.11. 6. + 4 *    113   114||
          + 7 B    108   114||
          0 +      0     0||
-2460. 9. 6. -2448.11. 6. + 0 +      0   114||
-2460. 9. 6. ≥          77th position to B Great Flood          108

```

16492 Bytes free.

```

(70th/77) position: -3245. 9. 6. -3233.11. 6. * Enoch          113
Forward relations for entry Enoch          (113/120) are generated.
Optimize dates...

```

```

Enoch          D Knd S   from:   to:|
-3245. 9. 6. -3233.11. 6. * 0 *    113   113||
-3245. 9. 6. -3233.11. 6. * 3 *    114   113||
          * 5 +    113   113||
          * 9 *    112   113||
-3246. 9. 6. -3232.11. 6. * 10 +   114   113||
          0 *      0     0||
-3245. 9. 6. -3233.11. 6. * 0 *      0   113||
-2881. 9. 6. -2867.11. 6. 78th position to + Enoch          113
-3181. 9. 6. -3167.11. 6. 79th position to * Methuselah      112

```

16492 Bytes free.

```

(71st/79) position: - 609. 1.22. - 608. 8.29. E Josiah          10
Forward relations for entry Josiah          (10/120) are generated.
Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.
Optimize dates...

```

```

Josiah         D Knd S   from:   to:|
- 609. 1.22. - 608. 8.29. E 0 E     10    10||
- 612. 9. 1. - 606. 8.29. E 5 B     10    10||
- 609. 1.22. - 608. 8.29. E 7 B      8     10||
- 609. 1.22. - 608. 8.29. + 0 +     10    10||
          0 E      0     0||
- 609. 1.22. - 608. 8.29. E 0 E      0     10||
- 641. 1.22. - 638. 8.29. 80th position to B Josiah          10

```

16492 Bytes free.

```

(72nd/80) position: - 633. 1.22. - 630. 8.29. * Jehoahaz (Josiah) 8
Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.
Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.
Optimize dates...

```

```

Jehoahaz (Josiah) D Knd S   from:   to:|
- 633. 1.22. - 630. 8.29. * 0 *      8     8||
- 633. 1.22. - 630. 8.29. * 9 B      8     8||
          0 *      0     0||
- 633. 1.22. - 630. 8.29. * 0 *      0     8||

```

16492 Bytes free.

```

(73rd/80) position: - 701. 1. 1. - 693.12.30. E Isaiah          20
Forward relations for entry Isaiah          (20/120) are generated.
Backward relations for entry Hezekiah       (14/120) are generated.
Backward relations for entry Azariah = Uzziah (26/120) are generated.
Optimize dates...

```

```

Isaiah         D Knd S   from:   to:|
- 701. 1. 1. - 693.12.30. E 0 E     20    20||
- 701. 1. 1. ≥          E 1 E     14    20||

```

```

≤- 693.12.30. E 8 E      14      20||
                                0 E      0      0||
- 701. 1. 1. - 693.12.30. E 0 E      0      20||

```

16492 Bytes free.

```

(74th/80) position: - 731. 1. 1. - 721.12.30.   B Hezekiah           14
Forward relations for entry Hezekiah             (14/120) are generated.
Backward relations for entry Manasseh           (12/120) are generated.
Backward relations for entry Isaiah             (20/120) are generated.
Optimize dates...

```

```

Hezekiah          D Knd S   from:   to:|
- 731. 1. 1. - 721.12.30. B 0 B     14     14||
                                B 1 E     17     14||
                                B 3 B     16     14||
                                B 4 *     14     14||
- 731. 1. 1. - 721.12.30. B 6 E     14     14||
                                B 9 B     13     14||
                                B 9 B     15     14||
                                0 B      0      0||
- 731. 1. 1. - 721.12.30. B 0 B      0      14||
- 731. 1. 1. - 721.12.30. 81st position to E Ahaz           17
- 735. 1. 1. - 723.12.30. 82nd position to B Hoshea          16
- 757. 1. 1. - 745.12.30. 83rd position to * Hezekiah        14
- 717. 1. 1. - 705.12.30. 84th position to B 14th Jubile Year 13
- 726. 1. 1. - 714.12.30. 85th position to B Captivity of Israel 15

```

16492 Bytes free.

```

(75th/85) position: - 701. 1. 1. - 693.12.30.   E Isaiah             20
Forward relations for entry Isaiah               (20/120) are generated.
Backward relations for entry Hezekiah           (14/120) are generated.
Backward relations for entry Azariah = Uzziah   (26/120) are generated.
Optimize dates...

```

```

Isaiah           D Knd S   from:   to:|
- 701. 1. 1. - 693.12.30. E 0 E     20     20||
- 701. 1. 1. ≥    E 1 E     14     20||
    ≤- 693.12.30. E 8 E     14     20||
                                0 E      0      0||
- 701. 1. 1. - 693.12.30. E 0 E      0      20||

```

16492 Bytes free.

```

(76th/85) position: - 701. 9. 1. - 693. 8.29.   B Manasseh           12
Forward relations for entry Manasseh             (12/120) are generated.
Backward relations for entry Amon                (11/120) are generated.
Optimize dates...

```

```

Manasseh         D Knd S   from:   to:|
- 701. 9. 1. - 693. 8.29. B 0 B     12     12||
- 701. 1. 1. - 693.12.30. B 1 E     14     12||
- 703. 1. 1. - 691.12.30. B 3 *     12     12||
- 701. 9. 1. - 693. 8.29. B 5 E     12     12||
                                0 B      0      0||
- 701. 9. 1. - 693. 8.29. B 0 B      0     12||
- 701. 9. 1. - 693. 8.29. 86th position to E Hezekiah        14
- 714. 9. 1. - 704. 8.29. 87th position to * Manasseh        12

```

16492 Bytes free.

```

(77th/87) position: -2460. 9. 6. ≥             B Great Flood        108
Forward relations for entry Great Flood          (107/120) are generated.
Forward relations for entry Great Flood          (108/120) are generated.

```

Optimize dates...

Great Flood	D	Kind	S	from:	to:†	
-2460. 9. 6. ≥	B	0	B	107	107	
	B	1	+	111	107	
	B	2	+	112	107	
	B	3	*	110	107	
-2460. 9. 6. ≥	B	1	+	114	108	
	0	B		0	0	
-2460. 9. 6. ≥	B	0	B	0	107	
-3059. 7.19. ≥				88th position to	* Noah	110

16492 Bytes free.

(78th/88) position: -2881. 9. 6. -2867.11. 6. + Enoch 113
 Forward relations for entry Enoch (113/120) are generated.

Optimize dates...

Enoch	D	Kind	S	from:	to:†	
-2881. 9. 6. -2867.11. 6. +	0	+		113	113	
-2881. 9. 6. -2867.11. 6. +	5	*		113	113	
-2882. 9. 6. -2866.11. 6. +	4	*		112	113	
	0	+		0	0	
-2881. 9. 6. -2867.11. 6. +	0	+		0	113	

16492 Bytes free.

(79th/88) position: -3181. 9. 6. -3167.11. 6. * Methuselah 112
 Forward relations for entry Methuselah (112/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Methuselah	D	Kind	S	from:	to:†	
-3181. 9. 6. -3167.11. 6. *	0	*		112	112	
-3181. 9. 6. -3167.11. 6. *	3	*		113	112	
	5	+		112	112	
	9	*		111	112	
-3182. 9. 6. -3166.11. 6. *	10	+		113	112	
	0	*		0	0	
-3181. 9. 6. -3167.11. 6. *	0	*		0	112	
-2462. 9. 6. -2446.11. 6.				89th position to	+ Methuselah	112
-3115. 9. 6. -3099.11. 6.				90th position to	* Lamech	111

16492 Bytes free.

(80th/90) position: - 641. 1.22. - 638. 8.29. B Josiah 10
 Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Kind	S	from:	to:†	
- 641. 1.22. - 638. 8.29.	B	0	B	10	10	
- 642. 9. 1. - 638. 8.29.	B	1	E	11	10	
- 644. 9. 1. - 636. 8.29.	B	3	*	10	10	
- 641. 1.22. - 638. 8.29.	B	5	E	10	10	
- 642. 1. 1. - 638.12.30.	B	9	B	9	10	
	0	B		0	0	
- 641. 1.22. - 638. 8.29.	B	0	B	0	10	
- 641. 1.22. - 638. 8.29.				91st position to	E Amon	11
- 650. 1.22. - 645. 8.29.				92nd position to	* Josiah	10

16492 Bytes free.

(81st/92) position: - 731. 1. 1. - 721.12.30. E Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.
Optimize dates...

Ahaz	D	Kind	S	from:	to:	
- 731. 1. 1. - 721.12.30.	Ω	0	Ω	17	17	
- 731. 1. 1. - 721.12.30.	E	0	E	17	17	
- 731. 1. 1. - 721.12.30.	E	7	B	14	17	
	E	5	B	18	18	
- 731. 1. 1. - 721.12.30.	+	0	+	17	17	
	0	Ω		0	0	
- 731. 1. 1. - 721.12.30.	Ω	0	Ω	0	17	
- 748. 1. 1. - 736.12.30.				93rd position to B Ahaz		18

16492 Bytes free.

(82nd/93) position: - 735. 1. 1. - 723.12.30. B Hoshea 16
Forward relations for entry Hoshea (16/120) are generated.
Backward relations for entry Captivity of Israel (15/120) are generated.
Optimize dates...

Hoshea	D	Kind	S	from:	to:	
- 735. 1. 1. - 723.12.30.	B	0	B	16	16	
	B	1	E	21	16	
- 737. 1. 1. - 723.12.30.	B	3	B	17	16	
	B	5	E	16	16	
	B	4	α	19	16	
- 735. 1. 1. - 723.12.30.	B	9	B	14	16	
- 736. 1. 1. - 722.12.30.	B	10	B	15	16	
	0	B		0	0	
- 735. 1. 1. - 723.12.30.	B	0	B	0	16	
- 735. 1. 1. - 723.12.30.				94th position to E Pekah		21
- 727. 1. 1. - 713.12.30.				95th position to E Hoshea		16
- 756. 1. 1. - 742.12.30.				96th position to α Jotham		19

16492 Bytes free.

(83rd/96) position: - 757. 1. 1. - 745.12.30. * Hezekiah 14
Forward relations for entry Hezekiah (14/120) are generated.
Backward relations for entry Manasseh (12/120) are generated.
Backward relations for entry Isaiah (20/120) are generated.
Optimize dates...

Hezekiah	D	Kind	S	from:	to:	
- 757. 1. 1. - 745.12.30.	*	0	*	14	14	
- 757. 1. 1. - 745.12.30.	*	10	B	14	14	
	0	*		0	0	
- 757. 1. 1. - 745.12.30.	*	0	*	0	14	

16492 Bytes free.

(84th/96) position: - 717. 1. 1. - 705.12.30. B 14th Jubile Year 13
Forward relations for entry 14th Jubile Year (13/120) are generated.
Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:	
- 717. 1. 1. - 705.12.30.	B	0	B	13	13	
- 717. 1. 1. - 705.12.30.	B	3	B	14	13	
	B	4	B	81	13	
	B	6	E	13	13	
	0	B		0	0	
- 717. 1. 1. - 705.12.30.	B	0	B	0	13	
-1416. 1. 1. -1404.12.30.				97th position to B Inheritance of Israel		81
- 716. 1. 1. - 704.12.30.				98th position to E 14th Jubile Year		13

16492 Bytes free.

(85th/98) position: - 726. 1. 1. - 714.12.30. B Captivity of Israel 15
 Forward relations for entry Captivity of Israel (15/120) are generated.
 Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:†	
- 726. 1. 1. - 714.12.30.	B	0	B	15	15	
- 727. 1. 1. - 713.12.30.	B	1	E	16	15	
- 726. 1. 1. - 714.12.30.	B	3	B	14	15	
- 727. 1. 1. - 713.12.30.	B	4	B	16	15	
		0	B	0	0	
- 726. 1. 1. - 714.12.30.	B	0	B	0	15	
- 726. 1. 1. - 714.12.30.				99th position to E Hoshea		16

16492 Bytes free.

(86th/99) position: - 701. 9. 1. - 693. 8.29. E Hezekiah 14
 Forward relations for entry Hezekiah (14/120) are generated.
 Backward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Isaiah (20/120) are generated.
 Optimize dates...

Hezekiah	D	Kind	S	from:	to:†	
- 701. 9. 1. - 693. 8.29.	E	0	E	14	14	
- 701. 1. 1. ≥	E	2	E	20	14	
- 703. 1. 1. - 691.12.30.	E	6	B	14	14	
- 701. 9. 1. - 693. 8.29.	E	7	B	12	14	
≤- 693.12.30.	E	7	E	20	14	
- 701. 9. 1. - 693. 8.29.	+	0	+	14	14	
		0	E	0	0	
- 701. 9. 1. - 693. 8.29.	E	0	E	0	14	
- 701. 1. 1. - 693. 8.29.				100th position to E Isaiah		20
- 731. 9. 1. - 721. 8.29.				101st position to B Hezekiah		14
- 701. 9. 1. - 693. 8.29.				102nd position to E Isaiah		20

16492 Bytes free.

(87th/102) position: - 714. 9. 1. - 704. 8.29. * Manasseh 12
 Forward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Amon (11/120) are generated.
 Optimize dates...

Manasseh	D	Kind	S	from:	to:†	
- 714. 9. 1. - 704. 8.29.	*	0	*	12	12	
- 714. 9. 1. - 704. 8.29.	*	9	B	12	12	
		0	*	0	0	
- 714. 9. 1. - 704. 8.29.	*	0	*	0	12	

16492 Bytes free.

(88th/102) position: -3059. 7.19. ≥ * Noah 110
 Forward relations for entry Noah (110/120) are generated.
 Optimize dates...

Noah	D	Kind	S	from:	to:†	
-3059. 7.19. ≥	*	0	*	110	110	
-3063. 9. 6. -3045.11. 6.	*	3	*	111	110	
		*	5	+	110	
-3059. 7.19. ≥	*	9	B	107	110	
		*	9	E	108	
		*	9	*	109	
		*	10	Ω	107	
		*	10	+	111	
3044Y 1M25D		0	*	0	0	
-3059. 7.19. -3045.11. 6.	*	0	*	0	110	
-3059. 7.19. -3045.11. 6.				103rd position to * Noah		110

```

-3113. 7.19. -3099.11. 6. 104th position to * Lamech 111
-2110. 7.19. -2094.11. 6. 105th position to + Noah 110
-2460. 9. 6. -2446.12.23. 106th position to B Great Flood 107
-2459. 9.15. -2444. 1. 3. 107th position to E Great Flood 108
-2560. 7.19. -2544.11. 6. 108th position to * Shem 109
-2459. 7.19. -2445.11. 7. 109th position to Ω Great Flood 107
-2460. 7.19. -2444.11. 6. 110th position to + Lamech 111

```

16492 Bytes free.

```

(89th/110) position: -2462. 9. 6. -2446.11. 6. + Methuselah 112
Forward relations for entry Methuselah (112/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Methuselah      D Knd S   from:   to:|
-2462. 9. 6. -2446.11. 6. + 0 +    112   112||
-2462. 9. 6. -2446.11. 6. + 5 *    112   112||
-2461. 7.19. -2445.11. 6. + 4 *    111   112||
      ≤-2446.12.23. + 8 B    107   112||
      10M13D      0 +      0      0||
-2461. 7.19. -2446.11. 6. + 0 +      0   112||
-2461. 7.19. -2446.11. 6. 111th position to + Methuselah 112

```

16492 Bytes free.

```

(90th/111) position: -3113. 7.19. -3099.11. 6. * Lamech 111
Forward relations for entry Lamech (111/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Lamech          D Knd S   from:   to:|
-3113. 7.19. -3099.11. 6. * 0 *    111   111||
-3115. 9. 6. -3099.11. 6. * 3 *    112   111||
-3114. 7.19. -3096.11. 6. * 5 +    111   111||
-3113. 7.19. -3097.11. 6. * 9 *    110   111||
-3115. 7.19. -3098.11. 6. * 10 +   112   111||
      0 *      0      0||
-3113. 7.19. -3099.11. 6. * 0 *      0   111||
-2460. 7.19. -2445.11. 6. 112th position to + Lamech 111

```

16492 Bytes free.

```

(91st/112) position: - 641. 1.22. - 638. 8.29. E Amon 11
Forward relations for entry Amon (11/120) are generated.
Backward relations for entry Josiah (10/120) are generated.
Optimize dates...

```

```

Amon            D Knd S   from:   to:|
- 641. 1.22. - 638. 8.29. E 0 E    11   11||
- 644. 9. 1. - 636. 8.29. E 5 B    11   11||
- 641. 1.22. - 638. 8.29. E 7 B    10   11||
- 641. 1.22. - 638. 8.29. + 0 +    11   11||
      0 E      0      0||
- 641. 1.22. - 638. 8.29. E 0 E      0   11||
- 644. 1.22. - 639. 8.29. 113th position to B Amon 11

```

16492 Bytes free.

```

(92nd/113) position: - 650. 1.22. - 645. 8.29. * Josiah 10
Forward relations for entry Josiah (10/120) are generated.
Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.
Optimize dates...

```

```

Josiah          D Knd S   from:   to:|
- 650. 1.22. - 645. 8.29. * 0 *    10   10||

```



```
- 650. 1.22. - 645. 8.29. * 9 B      10      10||
                          0 *      0      0||
- 650. 1.22. - 645. 8.29. * 0 *      0      10||
```

16492 Bytes free.

```
(93rd/113) position: - 748. 1. 1. - 736.12.30.   B Ahaz                18
Forward relations for entry Ahaz                (17/120) are generated.
Backward relations for entry Hezekiah           (14/120) are generated.
Forward relations for entry Ahaz                (18/120) are generated.
Optimize dates...
```

```
Ahaz          D Knd S      from:      to:|
- 748. 1. 1. - 736.12.30. B 0 B      17      17||
                          B 1 E      19      17||
                          B 4 *      17      17||
- 748. 1. 1. - 734.12.30. B 9 B      16      17||
- 748. 1. 1. - 736.12.30. B 5 E      18      18||
                          0 B      0      0||
- 748. 1. 1. - 736.12.30. B 0 B      0      17||
- 748. 1. 1. - 736.12.30. 114th position to E Jotham          19
- 769. 1. 1. - 755.12.30. 115th position to * Ahaz           17
```

16492 Bytes free.

```
(94th/115) position: - 735. 1. 1. - 723.12.30.   E Pekah                21
Forward relations for entry Pekah                (21/120) are generated.
Backward relations for entry Hoshea              (16/120) are generated.
Optimize dates...
```

```
Pekah         D Knd S      from:      to:|
- 735. 1. 1. - 723.12.30. E 0 E      21      21||
                          E 5 B      21      21||
- 735. 1. 1. - 723.12.30. E 7 B      16      21||
- 735. 1. 1. - 723.12.30. + 0 +      21      21||
                          0 E      0      0||
- 735. 1. 1. - 723.12.30. E 0 E      0      21||
- 756. 1. 1. - 742.12.30. 116th position to B Pekah          21
```

16492 Bytes free.

```
(95th/116) position: - 726. 1. 1. - 714.12.30.   E Hoshea                16
Forward relations for entry Hoshea                (16/120) are generated.
Backward relations for entry Captivity of Israel (15/120) are generated.
Optimize dates...
```

```
Hoshea        D Knd S      from:      to:|
- 726. 1. 1. - 714.12.30. E 0 E      16      16||
- 727. 1. 1. - 713.12.30. E 5 B      16      16||
- 726. 1. 1. - 714.12.30. E 7 B      15      16||
                          0 E      0      0||
- 726. 1. 1. - 714.12.30. E 0 E      0      16||
```

16492 Bytes free.

```
(96th/116) position: - 756. 1. 1. - 742.12.30.   α Jotham                19
Forward relations for entry Jotham                (19/120) are generated.
Backward relations for entry Ahaz                (17/120) are generated.
Backward relations for entry Ahaz                (17/120) are generated.
Optimize dates...
```

```
Jotham        D Knd S      from:      to:|
- 756. 1. 1. - 742.12.30. α 0 α      19      19||
                          α 1 E      26      19||
- 755. 1. 1. - 739.12.30. α 3 B      21      19||
- 756. 1. 1. - 742.12.30. α 10 B     16      19||
```

```

1Y
- 755. 1. 1. - 742.12.30. α 0 α 0 0||
- 755. 1. 1. - 742.12.30. 117th position to α Jotham 19||
- 755. 1. 1. - 742.12.30. 118th position to E Azariah = Uzziah 26
- 756. 1. 1. - 743.12.30. 119th position to B Pekah 21

```

16492 Bytes free.
(97th/119) position: -1416. 1. 1. -1404.12.30. B Inheritance of Israel 81
Forward relations for entry Inheritance of Israel (81/120) are generated.
Backward relations for entry Caleb (82/120) are generated.
Backward relations for entry Joshua (83/120) are generated.
Optimize dates...

```

Inheritance of Israel D Knd S from: to:|
-1416. 1. 1. -1404.12.30. B 0 B 81 81||
B 3 B 85 81||
B 4 * 82 81||
B 7 + 82 81||
B 8 + 83 81||
-1416. 1. 1. -1404.12.30. B 10 B 13 81||
0 B 0 0||
-1416. 1. 1. -1404.12.30. B 0 B 0 81||
-1462. 1. 1. -1448.12.30. 120th position to B Explorers of Canaan 85
-1502. 1. 1. -1488.12.30. 121st position to * Caleb 82
-1416. 1. 1. ≥ 122nd position to + Caleb 82
-1416. 1. 1. ≥ 123rd position to + Joshua 83

```

16492 Bytes free.
(98th/123) position: - 716. 1. 1. - 704.12.30. E 14th Jubile Year 13
Forward relations for entry 14th Jubile Year (13/120) are generated.
Optimize dates...

```

14th Jubile Year D Knd S from: to:|
- 716. 1. 1. - 704.12.30. E 0 E 13 13||
- 716. 1. 1. - 704.12.30. E 6 B 13 13||
0 E 0 0||
- 716. 1. 1. - 704.12.30. E 0 E 0 13||

```

16492 Bytes free.
(99th/123) position: - 726. 1. 1. - 714.12.30. E Hoshea 16
Forward relations for entry Hoshea (16/120) are generated.
Backward relations for entry Captivity of Israel (15/120) are generated.
Optimize dates...

```

Hoshea D Knd S from: to:|
- 726. 1. 1. - 714.12.30. E 0 E 16 16||
- 727. 1. 1. - 713.12.30. E 5 B 16 16||
- 726. 1. 1. - 714.12.30. E 7 B 15 16||
0 E 0 0||
- 726. 1. 1. - 714.12.30. E 0 E 0 16||

```

16492 Bytes free.
(100th/123) position: - 701. 9. 1. - 693. 8.29. E Isaiah 20
Forward relations for entry Isaiah (20/120) are generated.
Backward relations for entry Hezekiah (14/120) are generated.
Backward relations for entry Azariah = Uzziah (26/120) are generated.
Optimize dates...

```

Isaiah D Knd S from: to:|
- 701. 9. 1. - 693. 8.29. E 0 E 20 20||
- 701. 9. 1. ≥ E 1 E 14 20||
≤- 693. 8.29. E 8 E 14 20||

```

0 E 0 0||
 - 701. 9. 1. - 693. 8.29. E 0 E 0 20||

16492 Bytes free.

(101st/123) position: - 731. 9. 1. - 721. 8.29. B Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kind	S	from:	to:
- 731. 9. 1. - 721. 8.29.	B	0	B	14	14
- 731. 1. 1. - 721.12.30.	B	1	E	17	14
- 733. 1. 1. - 719.12.30.	B	3	B	16	14
- 733. 1. 1. - 719.12.30.	B	4	*	14	14
- 731. 9. 1. - 721. 8.29.	B	6	E	14	14
- 733. 1. 1. - 719.12.30.	B	9	B	13	14
- 733. 1. 1. - 719.12.30.	B	9	B	15	14
		0	B	0	0
- 731. 9. 1. - 721. 8.29.	B	0	B	0	14
- 731. 9. 1. - 721. 8.29.				124th position to E Ahaz	17
- 735. 9. 1. - 723. 8.29.				125th position to B Hoshea	16
- 757. 9. 1. - 745. 8.29.				126th position to * Hezekiah	14
- 717. 9. 1. - 705. 8.29.				127th position to B 14th Jubile Year	13
- 726. 9. 1. - 714. 8.29.				128th position to B Captivity of Israel	15

16492 Bytes free.

(102nd/128) position: - 701. 9. 1. - 693. 8.29. E Isaiah 20

Forward relations for entry Isaiah (20/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Optimize dates...

Isaiah	D	Kind	S	from:	to:
- 701. 9. 1. - 693. 8.29.	E	0	E	20	20
- 701. 9. 1. ≥	E	1	E	14	20
≤- 693. 8.29.	E	8	E	14	20
		0	E	0	0
- 701. 9. 1. - 693. 8.29.	E	0	E	0	20

16492 Bytes free.

(103rd/128) position: -3059. 7.19. -3045.11. 6. * Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kind	S	from:	to:
-3059. 7.19. -3045.11. 6. *		0	*	110	110
-3061. 7.19. -3045.11. 6. *		3	*	111	110
-3061. 7.19. -3043.11. 6. *		5	+	110	110
-3059. 7.19. -3045.11. 7. *		9	B	107	110
-3059. 7.18. -3045.11. 7. *		9	E	108	110
-3061. 7.19. -3043.11. 6. *		9	*	109	110
-3059. 7.18. -3045.11. 7. *		10	Ω	107	110
-3061. 7.19. -3044.11. 6. *		10	+	111	110
		0	*	0	0
-3059. 7.19. -3045.11. 6. *		0	*	0	110

16492 Bytes free.

(104th/128) position: -3113. 7.19. -3099.11. 6. * Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kind	S	from:	to:†
-3113. 7.19. -3099.11. 6. * 0 *				111	111
-3115. 9. 6. -3099.11. 6. * 3 *				112	111
-3114. 7.19. -3097.11. 6. * 5 +				111	111
-3113. 7.19. -3097.11. 6. * 9 *				110	111
-3115. 7.19. -3098.11. 6. * 10 +				112	111
				0	0
-3113. 7.19. -3099.11. 6. * 0 *				0	111

16492 Bytes free.

(105th/128) position: -2110. 7.19. -2094.11. 6. + Noah 110
 Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kind	S	from:	to:†
-2110. 7.19. -2094.11. 6. + 0 +				110	110
-2110. 7.19. -2094.11. 6. + 5 *				110	110
-2110. 9.15. -2093. 1. 3. + 4 E				107	110
1M26D				0	0
-2110. 9.15. -2094.11. 6. + 0 +				0	110
-2110. 9.15. -2094.11. 6. 129th position to + Noah					110

16492 Bytes free.

(106th/129) position: -2460. 9. 6. -2446.12.23. B Great Flood 107
 Forward relations for entry Great Flood (107/120) are generated.
 Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood	D	Kind	S	from:	to:†
-2460. 9. 6. -2446.12.23. B 0 B				107	107
-2460. 7.19. ≥				111	107
-2461. 7.19. ≥				112	107
-2460. 9. 5. -2446.12.23. B 3 *				110	107
-2460. 9. 6. ≥				114	108
				0 B	0
-2460. 9. 6. -2446.12.23. B 0 B				0	107
-2460. 7.19. -2446.12.23. 130th position to + Lamech					111

16492 Bytes free.

(107th/130) position: -2459. 9.15. -2444. 1. 3. E Great Flood 108
 Forward relations for entry Great Flood (107/120) are generated.
 Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood	D	Kind	S	from:	to:†
-2459. 9.15. -2444. 1. 3. E 0 E				107	107
				E 9 *	105
-2461. 9.15. -2443.11. 6. E 10 +				110	107
-2459. 9.15. -2444. 1. 3. E 3 *				110	108
				0 E	0
-2459. 9.15. -2444. 1. 3. E 0 E				0	107
-2458. 9.15. -2441. 1. 3. 131st position to * Arphaxad					105

16492 Bytes free.

(108th/131) position: -2560. 7.19. -2544.11. 6. * Shem 109
 Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:†
-2560. 7.19. -2544.11. 6. * 0 *				109	109
-2560. 7.19. -2544.11. 6. * 3 *				110	109

```

-2559. 9.15. -2540. 1. 3. * 10 *      105      109||
      1Y 1M26D                0 *        0        0||
-2559. 9.15. -2544.11. 6. * 0 *        0        109||
-2559. 9.15. -2544.11. 6. 132nd position to * Shem                109
-2458. 9.15. -2443.11. 6. 133rd position to * Arphaxad            105

```

16492 Bytes free.

```

(109th/133) position: -2459. 7.19. -2445.11. 7.  Ω Great Flood      107
Forward relations for entry Great Flood      (107/120) are generated.
Forward relations for entry Great Flood      (108/120) are generated.

```

Optimize dates...

```

Great Flood      D Knd S      from:      to:|
-2459. 7.19. -2445.11. 7. Ω 0 Ω      107      107||
-2459. 7.19. -2445.11. 7. Ω 4 *      110      107||
                        0 Ω        0        0||
-2459. 7.19. -2445.11. 7. Ω 0 Ω        0        107||

```

16492 Bytes free.

```

(110th/133) position: -2460. 7.19. -2446.12.23.  + Lamech          111
Forward relations for entry Lamech            (111/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.

```

Optimize dates...

```

Lamech      D Knd S      from:      to:|
-2460. 7.19. -2446.12.23. + 0 +      111      111||
-2461. 7.19. -2445.11. 6. + 5 *      111      111||
-2460. 7.19. -2444.11. 6. + 4 *      110      111||
      ≤-2446.12.23. + 7 B      107      111||
                        0 +        0        0||
-2460. 7.19. -2446.12.23. + 0 +        0        111||

```

16492 Bytes free.

```

(111th/133) position: -2461. 7.19. -2446.11. 6.  + Methuselah        112
Forward relations for entry Methuselah        (112/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.

```

Optimize dates...

```

Methuselah      D Knd S      from:      to:|
-2461. 7.19. -2446.11. 6. + 0 +      112      112||
-2462. 9. 6. -2446.11. 6. + 5 *      112      112||
-2461. 7.19. -2445.11. 6. + 4 *      111      112||
      ≤-2446.12.23. + 8 B      107      112||
                        0 +        0        0||
-2461. 7.19. -2446.11. 6. + 0 +        0        112||

```

16492 Bytes free.

```

(112th/133) position: -2460. 7.19. -2446.12.23.  + Lamech          111
Forward relations for entry Lamech            (111/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.

```

Optimize dates...

```

Lamech      D Knd S      from:      to:|
-2460. 7.19. -2446.12.23. + 0 +      111      111||
-2461. 7.19. -2445.11. 6. + 5 *      111      111||
-2460. 7.19. -2444.11. 6. + 4 *      110      111||
      ≤-2446.12.23. + 7 B      107      111||
                        0 +        0        0||
-2460. 7.19. -2446.12.23. + 0 +        0        111||

```

16492 Bytes free.

```

(113th/133) position: - 644. 1.22. - 639. 8.29.  B Amon          11

```

Forward relations for entry Amon (11/120) are generated.
 Backward relations for entry Josiah (10/120) are generated.
 Optimize dates...

Amon	D	Kind	S	from:	to:	
- 644. 1.22. - 639. 8.29.	B	0	B	11	11	
- 645. 9. 1. - 639. 8.29.	B	1	E	12	11	
- 647. 9. 1. - 637. 8.29.	B	3	*	11	11	
- 644. 1.22. - 639. 8.29.	B	5	E	11	11	
		0	B	0	0	
- 644. 1.22. - 639. 8.29.	B	0	B	0	11	
- 644. 1.22. - 639. 8.29.				134th position to	E Manasseh	12
- 667. 1.22. - 660. 8.29.				135th position to	* Amon	11

16492 Bytes free.

(114th/135) position: - 748. 1. 1. - 736.12.30. E Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kind	S	from:	to:	
- 748. 1. 1. - 736.12.30.	E	0	E	19	19	
		E	6	B	19	
- 748. 1. 1. - 736.12.30.	E	7	B	17	19	
		0	E	0	0	
- 748. 1. 1. - 736.12.30.	E	0	E	0	19	
- 765. 1. 1. - 751.12.30.				136th position to	B Jotham	19

16492 Bytes free.

(115th/136) position: - 769. 1. 1. - 755.12.30. * Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:	
- 769. 1. 1. - 755.12.30.	*	0	*	17	17	
- 769. 1. 1. - 755.12.30.	*	10	B	17	17	
		0	*	0	0	
- 769. 1. 1. - 755.12.30.	*	0	*	0	17	

16492 Bytes free.

(116th/136) position: - 756. 1. 1. - 743.12.30. B Pekah 21
 Forward relations for entry Pekah (21/120) are generated.
 Backward relations for entry Hoshea (16/120) are generated.
 Optimize dates...

Pekah	D	Kind	S	from:	to:	
- 756. 1. 1. - 743.12.30.	B	0	B	21	21	
		B	1	E	22	
		B	3	B	26	
- 756. 1. 1. - 742.12.30.	B	5	E	21	21	
		B	9	α	17	
- 758. 1. 1. - 743.12.30.	B	9	α	19	21	
		0	B	0	0	
- 756. 1. 1. - 743.12.30.	B	0	B	0	21	
- 756. 1. 1. - 743.12.30.				137th position to	E Pekahiah	22
- 809. 1. 1. - 794.12.30.				138th position to	B Azariah = Uzziah	26
- 740. 1. 1. - 725.12.30.				139th position to	α Ahaz	17

16492 Bytes free.

(117th/139) position: - 755. 1. 1. - 742.12.30. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
- 755. 1. 1. - 742.12.30.	α	0	α	19	19	
- 755. 1. 1. - 742.12.30.	α	1	E	26	19	
- 755. 1. 1. - 740.12.30.	α	3	B	21	19	
- 756. 9. 1. - 742. 8.29.	α	10	B	16	19	
	4M 1D	0	α	0	0	
- 755. 1. 1. - 742. 8.29.	α	0	α	0	19	
- 755. 1. 1. - 742. 8.29.				140th position to α Jotham		19
- 755. 1. 1. - 742. 8.29.				141st position to E Azariah = Uzziah		26
- 756. 1. 1. - 743. 8.29.				142nd position to B Pekah		21

16492 Bytes free.

(118th/142) position: - 755. 1. 1. - 742. 8.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:	
- 755. 1. 1. - 742. 8.29.	E	0	E	26	26	
- 758. 1. 1. - 741.12.30.	E	6	B	26	26	
- 755. 1. 1. - 742. 8.29.	E	7	α	19	26	
- 755. 1. 1. - 742. 8.29.	+	0	+	26	26	
		2	B	20	26	
		0	E	0	0	
- 755. 1. 1. - 742. 8.29.	E	0	E	0	26	
- 808. 1. 1. - 794.12.30.				143rd position to B Azariah = Uzziah		26
≤- 742. 8.29.				144th position to B Isaiah		20

16492 Bytes free.

(119th/144) position: - 756. 1. 1. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kind	S	from:	to:	
- 756. 1. 1. - 743. 8.29.	B	0	B	21	21	
- 756. 1. 1. - 743.12.30.	B	1	E	22	21	
- 757. 1. 1. - 741.12.30.	B	3	B	26	21	
- 756. 1. 1. - 742.12.30.	B	5	E	21	21	
- 758. 1. 1. - 741.12.30.	B	9	α	17	21	
- 758. 1. 1. - 743. 8.29.	B	9	α	19	21	
		0	B	0	0	
- 756. 1. 1. - 743. 8.29.	B	0	B	0	21	
- 756. 1. 1. - 743. 8.29.				145th position to E Pekahiah		22
- 808. 1. 1. - 794. 8.29.				146th position to B Azariah = Uzziah		26
- 740. 1. 1. - 725. 8.29.				147th position to α Ahaz		17

16492 Bytes free.

(120th/147) position: -1462. 1. 1. -1448.12.30. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:	
-1462. 1. 1. -1448.12.30.	B	0	B	85	85	
		3	E	89	85	
		5	E	85	85	

```
-1463. 1. 1. -1447.12.30. B 4 *      82      85||
-1462. 1. 1. -1448.12.30. B 9 B      81      85||
                          B 9 B      84      85||
                          0 B       0       0||
-1462. 1. 1. -1448.12.30. B 0 B       0      85||
-1464. 1. 1. -1449.12.30. 148th position to E Israel in Egypt      89
-1462. 2.11. -1447. 2.10. 149th position to E Explorers of Canaan 85
-1425. 1. 1. -1409.12.30. 150th position to B Moses' Speech      84
```

16492 Bytes free.

(121st/150) position: -1502. 1. 1. -1488.12.30. * Caleb 82
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

```
Caleb          D Knd S   from:   to:|
-1502. 1. 1. -1488.12.30. * 0 *     82    82||
-1502. 1. 1. -1488.12.30. * 10 B    81    82||
-1503. 1. 1. -1487.12.30. * 10 B    85    82||
                          0 *       0     0||
-1502. 1. 1. -1488.12.30. * 0 *       0     82||
```

16492 Bytes free.

(122nd/150) position: -1416. 1. 1.> + Caleb 82
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

```
Caleb          D Knd S   from:   to:|
-1416. 1. 1.>      + 0 +     82    82||
-1416. 1. 1.>      + 1 B     81    82||
                          0 +       0     0||
-1416. 1. 1.>      + 0 +       0     82||
```

16492 Bytes free.

(123rd/150) position: -1416. 1. 1.> + Joshua 83
 Forward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

```
Joshua         D Knd S   from:   to:|
-1416. 1. 1.>      E 0 E     83    83||
                          E 7 B     80    83||
-1416. 1. 1.>      + 0 +     83    83||
-1416. 1. 1.>      + 2 B     81    83||
                          + 5 *     83    83||
                          0 E       0     0||
-1416. 1. 1.>      E 0 E       0     83||
-1416. 1. 1.>      151st position to B Chushanrishathaim 80
-1527. 1. 1.>      152nd position to * Joshua      83
```

16492 Bytes free.

(124th/152) position: - 731. 9. 1. - 721. 8.29. E Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

```
Ahaz          D Knd S   from:   to:|
- 731. 9. 1. - 721. 8.29. Ω 0 Ω     17    17||
- 731. 9. 1. - 721. 8.29. E 0 E     17    17||
- 731. 9. 1. - 721. 8.29. E 7 B     14    17||
- 733. 1. 1. - 719.12.30. E 5 B     18    18||
- 731. 9. 1. - 721. 8.29. + 0 +     17    17||
```


0 Ω 0 0||
 - 731. 9. 1. - 721. 8.29. Ω 0 Ω 0 17||
 - 748. 9. 1. - 736. 8.29. 153rd position to B Ahaz 18

16492 Bytes free.

(125th/153) position: - 735. 9. 1. - 723. 8.29. B Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kind	S	from:	to:	
- 735. 9. 1. - 723. 8.29.	B	0	B	16	16	
- 735. 1. 1. - 723.12.30.	B	1	E	21	16	
- 737. 9. 1. - 723. 8.29.	B	3	B	17	16	
- 736. 1. 1. - 722.12.30.	B	5	E	16	16	
- 736. 1. 1. - 721. 8.29.	B	4	α	19	16	
- 735. 9. 1. - 723. 8.29.	B	9	B	14	16	
- 736. 9. 1. - 722. 8.29.	B	10	B	15	16	
		0	B	0	0	
- 735. 9. 1. - 723. 8.29.	B	0	B	0	16	
- 735. 9. 1. - 723. 8.29.				154th position to E Pekah		21

16492 Bytes free.

(126th/154) position: - 757. 9. 1. - 745. 8.29. * Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kind	S	from:	to:	
- 757. 9. 1. - 745. 8.29.	*	0	*	14	14	
- 757. 9. 1. - 745. 8.29.	*	10	B	14	14	
		0	*	0	0	
- 757. 9. 1. - 745. 8.29.	*	0	*	0	14	

16492 Bytes free.

(127th/154) position: - 717. 9. 1. - 705. 8.29. B 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:	
- 717. 9. 1. - 705. 8.29.	B	0	B	13	13	
- 717. 9. 1. - 705. 8.29.	B	3	B	14	13	
- 717. 1. 1. - 705.12.30.	B	4	B	81	13	
- 717. 1. 1. - 705.12.30.	B	6	E	13	13	
		0	B	0	0	
- 717. 9. 1. - 705. 8.29.	B	0	B	0	13	
-1416. 9. 1. -1404. 8.29.				155th position to B Inheritance of Israel		81
- 716. 9. 1. - 704. 8.29.				156th position to E 14th Jubile Year		13

16492 Bytes free.

(128th/156) position: - 726. 9. 1. - 714. 8.29. B Captivity of Israel 15

Forward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:	
- 726. 9. 1. - 714. 8.29.	B	0	B	15	15	
- 726. 1. 1. - 714.12.30.	B	1	E	16	15	
- 726. 9. 1. - 714. 8.29.	B	3	B	14	15	
- 727. 9. 1. - 713. 8.29.	B	4	B	16	15	
		0	B	0	0	
- 726. 9. 1. - 714. 8.29.	B	0	B	0	15	

- 726. 9. 1. - 714. 8.29. 157th position to E Hoshea 16

16492 Bytes free.

(129th/157) position: -2110. 9.15. -2094.11. 6. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kind	S	from:	to:†
-2110. 9.15. -2094.11. 6.	+	0	+	110	110
-2110. 7.19. -2094.11. 6.	+	5	*	110	110
-2110. 9.15. -2093. 1. 3.	+	4	E	107	110
		0	+	0	0
-2110. 9.15. -2094.11. 6.	+	0	+	0	110

16492 Bytes free.

(130th/157) position: -2460. 7.19. -2446.12.23. + Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kind	S	from:	to:†
-2460. 7.19. -2446.12.23.	+	0	+	111	111
-2461. 7.19. -2445.11. 6.	+	5	*	111	111
-2460. 7.19. -2444.11. 6.	+	4	*	110	111
≤-2446.12.23.	+	7	B	107	111
		0	+	0	0
-2460. 7.19. -2446.12.23.	+	0	+	0	111

16492 Bytes free.

(131st/157) position: -2458. 9.15. -2443.11. 6. * Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kind	S	from:	to:†	
-2458. 9.15. -2443.11. 6.	*	0	*	105	105	
-2458. 9.15. -2441. 1. 3.	*	3	E	107	105	
-2460. 9.15. -2443.11. 6.	*	4	*	109	105	
		*	9	*	104	105
		*	10	+	109	105
		0	*	0	0	
-2458. 9.15. -2443.11. 6.	*	0	*	0	105	
-2424. 9.15. -2407.11. 6.				158th position to * Salah	104	
-1959. 9.15. -1942.11. 6.				159th position to + Shem	109	

16492 Bytes free.

(132nd/159) position: -2559. 9.15. -2544.11. 6. * Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:†
-2559. 9.15. -2544.11. 6.	*	0	*	109	109
-2560. 7.19. -2544.11. 6.	*	3	*	110	109
-2559. 9.15. -2542.11. 6.	*	10	*	105	109
		0	*	0	0
-2559. 9.15. -2544.11. 6.	*	0	*	0	109

16492 Bytes free.

(133rd/159) position: -2458. 9.15. -2443.11. 6. * Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kn	S	from:	to:†
-2458. 9.15. -2443.11. 6. * 0 *				105	105
-2458. 9.15. -2441. 1. 3. * 3 E				107	105
-2460. 9.15. -2443.11. 6. * 4 *				109	105
-2460. 9.15. -2441.11. 6. * 9 *				104	105
-2460. 9.15. -2441.11. 6. * 10 +				109	105
				0 *	0
-2458. 9.15. -2443.11. 6. * 0 *				0	105

16492 Bytes free.

(134th/159) position: - 644. 1.22. - 639. 8.29. E Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kn	S	from:	to:†
- 644. 1.22. - 639. 8.29. E 0 E				12	12
- 647. 9. 1. - 637. 8.29. E 5 B				12	12
- 644. 1.22. - 639. 8.29. E 7 B				11	12
- 644. 1.22. - 639. 8.29. + 0 +				12	12
				0 E	0
- 644. 1.22. - 639. 8.29. E 0 E				0	12
- 700. 1.22. - 693. 8.29. 160th position to B Manasseh					12

16492 Bytes free.

(135th/160) position: - 667. 1.22. - 660. 8.29. * Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

Amon	D	Kn	S	from:	to:†
- 667. 1.22. - 660. 8.29. * 0 *				11	11
- 667. 1.22. - 660. 8.29. * 9 B				11	11
				0 *	0
- 667. 1.22. - 660. 8.29. * 0 *				0	11

16492 Bytes free.

(136th/160) position: - 765. 1. 1. - 751.12.30. B Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kn	S	from:	to:†
- 765. 1. 1. - 751.12.30. B 0 B				19	19
				B 4 *	19
- 765. 1. 1. - 751.12.30. B 6 E				19	19
				0 B	0
- 765. 1. 1. - 751.12.30. B 0 B				0	19
- 791. 1. 1. - 775.12.30. 161st position to * Jotham					19

16492 Bytes free.

(137th/161) position: - 756. 1. 1. - 743. 8.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kn	S	from:	to:†
- 756. 1. 1. - 743. 8.29. E 0 E				22	22
				E 5 B	22
- 756. 1. 1. - 743. 8.29. E 7 B				21	22
- 756. 1. 1. - 743. 8.29. + 0 +				22	22

0 E 0 0||
 - 756. 1. 1. - 743. 8.29. E 0 E 0 22||
 - 759. 1. 1. - 744. 8.29. 162nd position to B Pekahiah 22

16492 Bytes free.
 (138th/162) position: - 808. 1. 1. - 794. 8.29. B Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:†	
- 808. 1. 1. - 794. 8.29.	B	0	B	26	26	
	B	1	Ω	28	26	
	B	3	*	27	26	
	B	4	*	26	26	
- 808. 1. 1. - 793. 8.29.	B	6	E	26	26	
- 809. 1. 1. - 794. 8.29.	B	9	B	21	26	
- 810. 1. 1. - 793. 8.29.	B	9	B	22	26	
	B	9	B	23	26	
	B	9	B	24	26	
	B	9	B	25	26	
	0	B		0	0	
- 808. 1. 1. - 794. 8.29.	B	0	B	0	26	
- 808. 1. 1. - 794. 8.29.				163rd position to Ω Amaziah		28
- 836. 1. 1. - 820. 8.29.				164th position to * Jeroboam (Joash)		27
- 825. 1. 1. - 809. 8.29.				165th position to * Azariah = Uzziah		26
- 770. 1. 1. - 754. 8.29.				166th position to B Menahem		23
- 770. 1. 1. - 754. 8.29.				167th position to B Shallum		24
- 771. 1. 1. - 755. 8.29.				168th position to B Zachariah		25

16492 Bytes free.
 (139th/168) position: - 740. 1. 1. - 725. 8.29. α Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
- 740. 1. 1. - 725. 8.29.	α	0	α	17	17	
	α	2	Ω	19	17	
- 740. 1. 1. - 725. 8.29.	α	3	B	21	17	
	0	α		0	0	
- 740. 1. 1. - 725. 8.29.	α	0	α	0	17	
- 740. 1. 1. - 725. 8.29.				169th position to Ω Jotham		19

16492 Bytes free.
 (140th/169) position: - 755. 1. 1. - 742. 8.29. α Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kind	S	from:	to:†	
- 755. 1. 1. - 742. 8.29.	α	0	α	19	19	
- 755. 1. 1. - 742. 8.29.	α	1	E	26	19	
- 755. 1. 1. - 740. 8.29.	α	3	B	21	19	
- 756. 9. 1. - 742. 8.29.	α	10	B	16	19	
	0	α		0	0	
- 755. 1. 1. - 742. 8.29.	α	0	α	0	19	

16492 Bytes free.

(141st/169) position: - 755. 1. 1. - 742. 8.29. E Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
- 755. 1. 1. - 742. 8.29.	E	0	E	26	26
- 757. 1. 1. - 741. 8.29.	E	6	B	26	26
- 755. 1. 1. - 742. 8.29.	E	7	α	19	26
- 755. 1. 1. - 742. 8.29.	+	0	+	26	26
	+	2	B	20	26
		0	E	0	0
- 755. 1. 1. - 742. 8.29.	E	0	E	0	26

16492 Bytes free.

(142nd/169) position: - 756. 1. 1. - 743. 8.29. B Pekah 21
 Forward relations for entry Pekah (21/120) are generated.
 Backward relations for entry Hoshea (16/120) are generated.
 Optimize dates...

Pekah	D	Kind	S	from:	to:
- 756. 1. 1. - 743. 8.29.	B	0	B	21	21
- 756. 1. 1. - 743. 8.29.	B	1	E	22	21
- 757. 1. 1. - 741. 8.29.	B	3	B	26	21
- 756. 9. 1. - 742. 8.29.	B	5	E	21	21
- 758. 1. 1. - 741. 8.29.	B	9	α	17	21
- 758. 1. 1. - 743. 8.29.	B	9	α	19	21
8M		0	B	0	0
- 756. 9. 1. - 743. 8.29.	B	0	B	0	21
- 756. 9. 1. - 743. 8.29.				170th position to B Pekah	21
- 756. 9. 1. - 743. 8.29.				171st position to E Pekahiah	22
- 740. 9. 1. - 725. 8.29.				172nd position to α Ahaz	17
- 755. 9. 1. - 742. 8.29.				173rd position to α Jotham	19

16492 Bytes free.

(143rd/173) position: - 808. 1. 1. - 794. 8.29. B Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
- 808. 1. 1. - 794. 8.29.	B	0	B	26	26
- 808. 1. 1. - 794. 8.29.	B	1	Ω	28	26
- 810. 1. 1. - 792. 8.29.	B	3	*	27	26
- 810. 1. 1. - 792. 8.29.	B	4	*	26	26
- 808. 1. 1. - 793. 8.29.	B	6	E	26	26
- 809. 9. 1. - 794. 8.29.	B	9	B	21	26
- 810. 1. 1. - 793. 8.29.	B	9	B	22	26
- 810. 1. 1. - 792. 8.29.	B	9	B	23	26
- 810. 1. 1. - 792. 8.29.	B	9	B	24	26
- 810. 1. 1. - 792. 8.29.	B	9	B	25	26
		0	B	0	0
- 808. 1. 1. - 794. 8.29.	B	0	B	0	26

16492 Bytes free.

(144th/173) position: ≤- 742. 8.29. B Isaiah 20
 Forward relations for entry Isaiah (20/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Backward relations for entry Azariah = Uzziah (26/120) are generated.
 Optimize dates...

Isaiah	D	Kind	S	from:	to:
--------	---	------	---	-------	-----

≤-	742.	8.29.	B	0	B	20	20	
≤-	742.	8.29.	B	8	+	26	20	
				0	B	0	0	
≤-	742.	8.29.	B	0	B	0	20	

16492 Bytes free.

(145th/173) position: - 756. 9. 1. - 743. 8.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kind	S	from:	to:†
- 756. 9. 1. - 743. 8.29.	E	0	E	22	22
- 758. 1. 1. - 741. 8.29.	E	5	B	22	22
- 756. 9. 1. - 743. 8.29.	E	7	B	21	22
- 756. 9. 1. - 743. 8.29.	+	0	+	22	22
		0	E	0	0
- 756. 9. 1. - 743. 8.29.	E	0	E	0	22
- 759. 9. 1. - 744. 8.29.				174th position to B Pekahiah	22

16492 Bytes free.

(146th/174) position: - 808. 1. 1. - 794. 8.29. B Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:†
- 808. 1. 1. - 794. 8.29.	B	0	B	26	26
- 808. 1. 1. - 794. 8.29.	B	1	Ω	28	26
- 810. 1. 1. - 792. 8.29.	B	3	*	27	26
- 810. 1. 1. - 792. 8.29.	B	4	*	26	26
- 808. 1. 1. - 793. 8.29.	B	6	E	26	26
- 809. 9. 1. - 794. 8.29.	B	9	B	21	26
- 810. 9. 1. - 793. 8.29.	B	9	B	22	26
- 810. 1. 1. - 792. 8.29.	B	9	B	23	26
- 810. 1. 1. - 792. 8.29.	B	9	B	24	26
- 810. 1. 1. - 792. 8.29.	B	9	B	25	26
		0	B	0	0
- 808. 1. 1. - 794. 8.29.	B	0	B	0	26

16492 Bytes free.

(147th/174) position: - 740. 9. 1. - 725. 8.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†
- 740. 9. 1. - 725. 8.29.	α	0	α	17	17
- 740. 1. 1. - 725. 8.29.	α	2	Ω	19	17
- 740. 9. 1. - 725. 8.29.	α	3	B	21	17
		0	α	0	0
- 740. 9. 1. - 725. 8.29.	α	0	α	0	17
- 740. 9. 1. - 725. 8.29.				175th position to Ω Jotham	19

16492 Bytes free.

(148th/175) position: -1464. 1. 1. -1449.12.30. E Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:†
-1464. 1. 1. -1449.12.30.	E	0	E	89	89

	E	1	B	86	89	
	E	2	B	87	89	
	E	6	B	89	89	
-1464. 1. 1. -1449.12.30.	E	9	B	85	89	
	E	9	+	88	89	
	E	10	B	55	89	
	E	10	E	56	89	
-1465. 2.30. -1448. 2.30.	E	10	B	84	89	
	0	E		0	0	
-1464. 1. 1. -1449.12.30.	E	0	E	0	89	
	≤	-1449.12.30.	176th position to B Moses		86	
	≤	-1449.12.30.	177th position to B Aaron		87	
-1895. 1. 1. -1878.12.30.			178th position to B Israel in Egypt		89	
-1425. 5. 1. -1409. 5. 1.			179th position to + Aaron		88	
- 985. 2. 1. - 969. 2.30.			180th position to B Building the Temple		55	
- 978. 8. 1. - 962. 8.30.			181st position to E Building the Temple		56	
-1425.11. 1. -1409.11. 1.			182nd position to B Moses' Speech		84	

16492 Bytes free.

(149th/182) position: -1462. 2.11. -1447. 2.10. E Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:	
-1462. 2.11. -1447. 2.10.	E	0	E	85	85	
-1462. 2.11. -1447. 2.10.	E	5	B	85	85	
		0	E	0	0	
-1462. 2.11. -1447. 2.10.	E	0	E	0	85	

16492 Bytes free.

(150th/182) position: -1425.11. 1. -1409.11. 1. B Moses' Speech 84

Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

Moses' Speech	D	Kind	S	from:	to:	
-1425.11. 1. -1409.11. 1.	B	0	B	84	84	
-1425. 1. 1. -1409.12.30.	B	3	B	85	84	
-1425.11. 1. -1409.11. 1.	B	4	E	89	84	
	B	7	E	86	84	
	B	9	B	68	84	
		0	B	0	0	
-1425.11. 1. -1409.11. 1.	B	0	B	0	84	
-1425.11. 1. -1409.11. 1.			183rd position to E Moses		86	
-1126.11. 1. -1108.11. 1.			184th position to B Jephthah		68	

16492 Bytes free.

(151st/184) position: -1416. 1. 1.≥ B Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:	
-1416. 1. 1.≥	B	0	B	80	80	
-1416. 1. 1.≥	B	1	E	83	80	
	B	5	E	80	80	
		0	B	0	0	
-1416. 1. 1.≥	B	0	B	0	80	
-1409. 1. 1.≥			185th position to E Chushanrishathaim		80	

16492 Bytes free.

(152nd/185) position: -1527. 1. 1.≥ * Joshua 83
 Forward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Chushanrishathaim (80/120) are generated.
 Optimize dates...

Joshua	D	Kind	S	from:	to:†
-1527. 1. 1.≥	*	0	*	83	83
-1527. 1. 1.≥	*	5	+	83	83
		0	*	0	0
-1527. 1. 1.≥	*	0	*	0	83

16492 Bytes free.

(153rd/185) position: - 748. 9. 1. - 736. 8.29. B Ahaz 18
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:†
- 748. 9. 1. - 736. 8.29.	B	0	B	17	17
- 748. 1. 1. - 736.12.30.	B	1	E	19	17
- 750. 1. 1. - 734.12.30.	B	4	*	17	17
- 748. 9. 1. - 734. 8.29.	B	9	B	16	17
- 748. 9. 1. - 736. 8.29.	B	5	E	18	18
		0	B	0	0
- 748. 9. 1. - 736. 8.29.	B	0	B	0	17
- 748. 9. 1. - 736. 8.29.				186th position to E Jotham	19
- 769. 9. 1. - 755. 8.29.				187th position to * Ahaz	17

16492 Bytes free.

(154th/187) position: - 735. 9. 1. - 723. 8.29. E Pekah 21
 Forward relations for entry Pekah (21/120) are generated.
 Backward relations for entry Hoshea (16/120) are generated.
 Optimize dates...

Pekah	D	Kind	S	from:	to:†
- 735. 9. 1. - 723. 8.29.	E	0	E	21	21
- 737. 9. 1. - 722. 8.29.	E	5	B	21	21
- 735. 9. 1. - 723. 8.29.	E	7	B	16	21
- 735. 9. 1. - 723. 8.29.	+	0	+	21	21
		0	E	0	0
- 735. 9. 1. - 723. 8.29.	E	0	E	0	21

16492 Bytes free.

(155th/187) position: -1416. 9. 1. -1404. 8.29. B Inheritance of Israel 81
 Forward relations for entry Inheritance of Israel (81/120) are generated.
 Backward relations for entry Caleb (82/120) are generated.
 Backward relations for entry Joshua (83/120) are generated.
 Optimize dates...

Inheritance of Israel	D	Kind	S	from:	to:†
-1416. 9. 1. -1404. 8.29.	B	0	B	81	81
-1418. 1. 1. -1402.12.30.	B	3	B	85	81
-1418. 1. 1. -1402.12.30.	B	4	*	82	81
		B	7	+	82
		B	8	+	83
-1416. 9. 1. -1404. 8.29.	B	10	B	13	81
		0	B	0	0
-1416. 9. 1. -1404. 8.29.	B	0	B	0	81
-1462. 9. 1. -1448. 8.29.				188th position to B Explorers of Canaan	85
-1502. 9. 1. -1488. 8.29.				189th position to * Caleb	82
-1416. 9. 1.≥				190th position to + Caleb	82

-1416. 9. 1. ≥ 191st position to + Joshua 83

16492 Bytes free.

(156th/191) position: - 716. 9. 1. - 704. 8.29. E 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:†
- 716. 9. 1. - 704. 8.29.	E	0	E	13	13
- 716. 9. 1. - 704. 8.29.	E	6	B	13	13
		0	E	0	0
- 716. 9. 1. - 704. 8.29.	E	0	E	0	13

16492 Bytes free.

(157th/191) position: - 726. 9. 1. - 714. 8.29. E Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kind	S	from:	to:†
- 726. 9. 1. - 714. 8.29.	E	0	E	16	16
- 727. 9. 1. - 713. 8.29.	E	5	B	16	16
- 726. 9. 1. - 714. 8.29.	E	7	B	15	16
		0	E	0	0
- 726. 9. 1. - 714. 8.29.	E	0	E	0	16

16492 Bytes free.

(158th/191) position: -2424. 9.15. -2407.11. 6. * Salah 104

Forward relations for entry Salah (104/120) are generated.

Optimize dates...

Salah	D	Kind	S	from:	to:†
-2424. 9.15. -2407.11. 6. *	0	*		104	104
-2424. 9.15. -2407.11. 6. *	3	*		105	104
	9	*		103	104
	9	+		106	104
	0	*		0	0
-2424. 9.15. -2407.11. 6. *	0	*		0	104
-2395. 9.15. -2376.11. 6.			192nd position to	* Eber	103
-2022. 9.15. -2003.11. 6.			193rd position to	+ Arphaxad	106

16492 Bytes free.

(159th/193) position: -1959. 9.15. -1942.11. 6. + Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:†
-1959. 9.15. -1942.11. 6. +	0	+		109	109
-1959. 9.15. -1942.11. 6. +	4	*		105	109
	0	+		0	0
-1959. 9.15. -1942.11. 6. +	0	+		0	109

16492 Bytes free.

(160th/193) position: - 700. 1.22. - 693. 8.29. B Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kind	S	from:	to:†
- 700. 1.22. - 693. 8.29.	B	0	B	12	12
- 701. 9. 1. - 693. 8.29.	B	1	E	14	12
- 703. 9. 1. - 691. 8.29.	B	3	*	12	12
- 700. 1.22. - 693. 8.29.	B	5	E	12	12

```

      0 B      0      0||
- 700. 1.22. - 693. 8.29. B 0 B      0      12||
- 700. 1.22. - 693. 8.29. 194th position to E Hezekiah      14
- 713. 1.22. - 704. 8.29. 195th position to * Manasseh      12

```

16492 Bytes free.

```

(161st/195) position: - 791. 1. 1. - 775.12.30. * Jotham      19
Forward relations for entry Jotham      (19/120) are generated.
Backward relations for entry Ahaz      (17/120) are generated.
Backward relations for entry Ahaz      (17/120) are generated.
Optimize dates...

```

```

Jotham      D Knd S      from:      to:|
- 791. 1. 1. - 775.12.30. * 0 *      19      19||
- 791. 1. 1. - 775.12.30. * 10 B      19      19||
      0 *      0      0||
- 791. 1. 1. - 775.12.30. * 0 *      0      19||

```

16492 Bytes free.

```

(162nd/195) position: - 759. 9. 1. - 744. 8.29. B Pekahiah      22
Forward relations for entry Pekahiah      (22/120) are generated.
Backward relations for entry Pekah      (21/120) are generated.
Optimize dates...

```

```

Pekahiah      D Knd S      from:      to:|
- 759. 9. 1. - 744. 8.29. B 0 B      22      22||
      B 1 E      23      22||
- 759. 1. 1. - 743. 8.29. B 3 B      26      22||
- 759. 9. 1. - 744. 8.29. B 5 E      22      22||
      0 B      0      0||
- 759. 9. 1. - 744. 8.29. B 0 B      0      22||
- 759. 9. 1. - 744. 8.29. 196th position to E Menahem      23

```

16492 Bytes free.

```

(163rd/196) position: - 808. 1. 1. - 794. 8.29. Ω Amaziah      28
Forward relations for entry Amaziah      (28/120) are generated.
Backward relations for entry Azariah = Uzziah      (26/120) are generated.
Forward relations for entry Amaziah      (29/120) are generated.
Optimize dates...

```

```

Amaziah      D Knd S      from:      to:|
- 808. 1. 1. - 794. 8.29. Ω 0 Ω      28      28||
- 808. 1. 1. - 794. 8.29. Ω 7 B      26      28||
      0 Ω      0      0||
- 808. 1. 1. - 794. 8.29. Ω 0 Ω      0      28||

```

16492 Bytes free.

```

(164th/196) position: - 836. 1. 1. - 820. 8.29. * Jeroboam (Joash)      27
Forward relations for entry Jeroboam (Joash)      (27/120) are generated.
Backward relations for entry Zachariah      (25/120) are generated.
Optimize dates...

```

```

Jeroboam (Joash)      D Knd S      from:      to:|
- 836. 1. 1. - 820. 8.29. * 0 *      27      27||
- 836. 1. 1. - 820. 8.29. * 9 B      26      27||
      0 *      0      0||
- 836. 1. 1. - 820. 8.29. * 0 *      0      27||

```

16492 Bytes free.

```

(165th/196) position: - 825. 1. 1. - 809. 8.29. * Azariah = Uzziah      26
Forward relations for entry Azariah = Uzziah      (26/120) are generated.
Backward relations for entry Jotham      (19/120) are generated.

```

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
- 825. 1. 1. - 809. 8.29. * 0 *				26	26
- 825. 1. 1. - 809. 8.29. * 10 B				26	26
			0 *	0	0
- 825. 1. 1. - 809. 8.29. * 0 *				0	26

16492 Bytes free.

(166th/196) position: - 770. 1. 1. - 754. 8.29. B Menahem 23
 Forward relations for entry Menahem (23/120) are generated.
 Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:
- 770. 1. 1. - 754. 8.29. B 0 B				23	23
			B 1 E	24	23
- 770. 1. 1. - 754. 8.29. B 3 B				26	23
- 770. 9. 1. - 753. 8.29. B 5 E				23	23
8M			0 B	0	0
- 770. 9. 1. - 754. 8.29. B 0 B				0	23
- 770. 9. 1. - 754. 8.29. 197th position to B Menahem					23
- 770. 9. 1. - 754. 8.29. 198th position to E Shallum					24

16492 Bytes free.

(167th/198) position: - 770. 1. 1. - 754. 8.29. B Shallum 24
 Forward relations for entry Shallum (24/120) are generated.
 Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:
- 770. 1. 1. - 754. 8.29. B 0 B				24	24
			B 1 E	25	24
- 770. 1. 1. - 754. 8.29. B 3 B				26	24
- 770. 7. 1. - 754. 8.29. B 5 E				24	24
6M			0 B	0	0
- 770. 7. 1. - 754. 8.29. B 0 B				0	24
- 770. 7. 1. - 754. 8.29. 199th position to B Shallum					24
- 770. 7. 1. - 754. 8.29. 200th position to E Zachariah					25

16492 Bytes free.

(168th/200) position: - 771. 1. 1. - 755. 8.29. B Zachariah 25
 Forward relations for entry Zachariah (25/120) are generated.
 Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:
- 771. 1. 1. - 755. 8.29. B 0 B				25	25
			B 1 E	27	25
- 771. 1. 1. - 755. 8.29. B 3 B				26	25
- 771.12. 1. - 754. 3.29. B 5 E				25	25
11M			0 B	0	0
- 771.12. 1. - 755. 8.29. B 0 B				0	25
- 771.12. 1. - 755. 8.29. 201st position to B Zachariah					25
- 771.12. 1. - 755. 8.29. 202nd position to E Jeroboam (Joash)					27
- 770. 7. 1. - 754. 3.29. 203rd position to E Zachariah					25

16492 Bytes free.

(169th/203) position: - 740. 9. 1. - 725. 8.29. Ω Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†
- 740. 9. 1. - 725. 8.29.	Ω	0	Ω	19	19
- 740. 9. 1. - 725. 8.29.	Ω	8	α	17	19
- 740. 9. 1. - 725. 8.29.	+	0	+	19	19
		0	Ω	0	0
- 740. 9. 1. - 725. 8.29.	Ω	0	Ω	0	19

16492 Bytes free.

(170th/203) position: - 756. 9. 1. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kind	S	from:	to:†
- 756. 9. 1. - 743. 8.29.	B	0	B	21	21
- 756. 9. 1. - 743. 8.29.	B	1	E	22	21
- 757. 1. 1. - 741. 8.29.	B	3	B	26	21
- 756. 9. 1. - 742. 8.29.	B	5	E	21	21
- 758. 9. 1. - 741. 8.29.	B	9	α	17	21
- 758. 9. 1. - 743. 8.29.	B	9	α	19	21
		0	B	0	0
- 756. 9. 1. - 743. 8.29.	B	0	B	0	21

16492 Bytes free.

(171st/203) position: - 756. 9. 1. - 743. 8.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kind	S	from:	to:†
- 756. 9. 1. - 743. 8.29.	E	0	E	22	22
- 758. 9. 1. - 741. 8.29.	E	5	B	22	22
- 756. 9. 1. - 743. 8.29.	E	7	B	21	22
- 756. 9. 1. - 743. 8.29.	+	0	+	22	22
		0	E	0	0
- 756. 9. 1. - 743. 8.29.	E	0	E	0	22

16492 Bytes free.

(172nd/203) position: - 740. 9. 1. - 725. 8.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†
- 740. 9. 1. - 725. 8.29.	α	0	α	17	17
- 740. 9. 1. - 725. 8.29.	α	2	Ω	19	17
- 740. 9. 1. - 725. 8.29.	α	3	B	21	17
		0	α	0	0
- 740. 9. 1. - 725. 8.29.	α	0	α	0	17

16492 Bytes free.

(173rd/203) position: - 755. 9. 1. - 742. 8.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†
- 755. 9. 1. - 742. 8.29.	α	0	α	19	19
- 755. 1. 1. - 742. 8.29.	α	1	E	26	19

```

- 755. 9. 1. - 740. 8.29. α 3 B      21      19||
- 756. 9. 1. - 742. 8.29. α 10 B     16      19||
                        0 α           0       0||
- 755. 9. 1. - 742. 8.29. α 0 α      0       19||
- 755. 9. 1. - 742. 8.29. 204th position to E Azariah = Uzziah      26

```

16492 Bytes free.

```

(174th/204) position: - 759. 9. 1. - 744. 8.29.  B Pekahiah      22
Forward relations for entry Pekahiah      (22/120) are generated.
Backward relations for entry Pekah      (21/120) are generated.
Optimize dates...

```

```

Pekahiah      D Knd S      from:      to:|
- 759. 9. 1. - 744. 8.29. B 0 B      22      22||
- 759. 9. 1. - 744. 8.29. B 1 E      23      22||
- 759. 1. 1. - 743. 8.29. B 3 B      26      22||
- 759. 9. 1. - 744. 8.29. B 5 E      22      22||
                        0 B           0       0||
- 759. 9. 1. - 744. 8.29. B 0 B           0       22||

```

16492 Bytes free.

```

(175th/204) position: - 740. 9. 1. - 725. 8.29.  Ω Jotham      19
Forward relations for entry Jotham      (19/120) are generated.
Backward relations for entry Ahaz      (17/120) are generated.
Backward relations for entry Ahaz      (17/120) are generated.
Optimize dates...

```

```

Jotham      D Knd S      from:      to:|
- 740. 9. 1. - 725. 8.29. Ω 0 Ω      19      19||
- 740. 9. 1. - 725. 8.29. Ω 8 α      17      19||
- 740. 9. 1. - 725. 8.29. + 0 +      19      19||
                        0 Ω           0       0||
- 740. 9. 1. - 725. 8.29. Ω 0 Ω           0       19||

```

16492 Bytes free.

```

(176th/204) position:      ≤-1449.12.30.  B Moses      86
Forward relations for entry Moses      (86/120) are generated.
Backward relations for entry Joshua      (83/120) are generated.
Backward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt      (89/120) are generated.
Optimize dates...

```

```

Moses      D Knd S      from:      to:|
      ≤-1449.12.30. B 0 B      86      86||
                        B 3 *      86      86||
-1466.11. 1. -1448.11. 1. B 5 E      86      86||
      ≤-1449.12.30. B 7 B      87      86||
      ≤-1449.12.30. B 7 E      89      86||
1465Y 2M      0 B           0       0||
-1466.11. 1. -1449.12.30. B 0 B           0       86||
-1466.11. 1. -1449.12.30. 205th position to B Moses      86
-1547.11. 1. -1528.12.30. 206th position to * Moses      86
-1466.11. 1. -1449.12.30. 207th position to B Aaron      87

```

16492 Bytes free.

```

(177th/207) position: -1466.11. 1. -1449.12.30.  B Aaron      87
Forward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt      (89/120) are generated.
Forward relations for entry Aaron      (88/120) are generated.
Optimize dates...

```

```

Aaron      D Knd S      from:      to:|

```

```

-1466.11. 1. -1449.12.30. B 0 B      87      87||
-1466.11. 1. -1449.12.30. B 1 B      86      87||
                        B 3 *      87      87||
      ≤-1449.12.30. B 8 E      89      87||
                        0 B      0      0||
-1466.11. 1. -1449.12.30. B 0 B      0      87||
-1550.11. 1. -1531.12.30. 208th position to * Aaron      87

```

16492 Bytes free.

```

(178th/208) position: -1895. 1. 1. -1878.12.30. B Israel in Egypt      89
Forward relations for entry Israel in Egypt      (89/120) are generated.

```

Optimize dates...

```

Israel in Egypt      D Knd S      from:      to:|
-1895. 1. 1. -1878.12.30. B 0 B      89      89||
                        B 3 *      90      89||
-1895. 1. 1. -1878.12.30. B 6 E      89      89||
                        B 10 +      90      89||
                        0 B      0      0||
-1895. 1. 1. -1878.12.30. B 0 B      0      89||
-2026. 1. 1. -2007.12.30. 209th position to * Jacob = Israel      90
-1879. 1. 1. -1860.12.30. 210th position to + Jacob = Israel      90

```

16492 Bytes free.

```

(179th/210) position: -1425. 5. 1. -1409. 5. 1. + Aaron      88
Forward relations for entry Aaron      (87/120) are generated.

```

```

Backward relations for entry Israel in Egypt      (89/120) are generated.

```

```

Forward relations for entry Aaron      (88/120) are generated.

```

Optimize dates...

```

Aaron      D Knd S      from:      to:|
-1425. 5. 1. -1409. 5. 1. E 0 E      87      87||
-1425. 5. 1. -1409. 5. 1. + 0 +      87      87||
-1428.11. 1. -1407.12.30. + 6 *      87      87||
-1425. 5. 1. -1409. 5. 1. + 3 E      89      88||
                        0 E      0      0||
-1425. 5. 1. -1409. 5. 1. E 0 E      0      87||
-1549. 5. 1. -1531. 5. 1. 211th position to * Aaron      87

```

16492 Bytes free.

```

(180th/211) position: - 985. 2. 1. - 969. 2.30. B Building the Temple      55

```

```

Forward relations for entry Building the Temple      (55/120) are generated.

```

```

Forward relations for entry Building the Temple      (56/120) are generated.

```

Optimize dates...

```

Building the Temple      D Knd S      from:      to:|
- 985. 2. 1. - 969. 2.30. B 0 B      55      55||
                        B 3 B      57      55||
- 986. 8. 1. - 968. 8.30. B 5 E      55      55||
- 985. 2. 1. - 969. 2.30. B 4 E      89      55||
                        0 B      0      0||
- 985. 2. 1. - 969. 2.30. B 0 B      0      55||
- 990. 2. 1. - 972. 2.30. 212th position to B Solomon      57

```

16492 Bytes free.

```

(181st/212) position: - 978. 8. 1. - 962. 8.30. E Building the Temple      56

```

```

Forward relations for entry Building the Temple      (55/120) are generated.

```

```

Forward relations for entry Building the Temple      (56/120) are generated.

```

Optimize dates...

```

Building the Temple      D Knd S      from:      to:|
- 978. 8. 1. - 962. 8.30. E 0 E      55      55||

```

```

- 979. 2. 1. - 961. 2.30. E 5 B      55      55||
- 980. 2. 1. - 960. 2.30. E 3 B      57      56||
- 978. 8. 1. - 962. 8.30. E 4 E      89      56||
                        0 E          0        0||
- 978. 8. 1. - 962. 8.30. E 0 E      0        55||
- 990. 8. 1. - 972. 2.30. 213th position to B Solomon      57

```

16492 Bytes free.

```

(182nd/213) position: -1425.11. 1. -1409.11. 1. B Moses' Speech      84
Forward relations for entry Moses' Speech      (84/120) are generated.
Backward relations for entry Moses      (86/120) are generated.
Optimize dates...

```

```

Moses' Speech      D Knd S      from:      to:|
-1425.11. 1. -1409.11. 1. B 0 B      84      84||
-1425. 9. 1. -1409. 8.29. B 3 B      85      84||
-1425.11. 1. -1409.11. 1. B 4 E      89      84||
-1425.11. 1. -1409.11. 1. B 7 E      86      84||
-1427.11. 1. -1407.11. 1. B 9 B      68      84||
                        2M 2D      0 B          0        0||
-1425.11. 1. -1409. 8.29. B 0 B          0        84||
-1425.11. 1. -1409. 8.29. 214th position to B Moses' Speech      84
-1464. 1. 1. -1449.10.29. 215th position to E Israel in Egypt      89
-1425.11. 1. -1409. 8.29. 216th position to E Moses      86
-1126.11. 1. -1108. 8.29. 217th position to B Jephthah      68

```

16492 Bytes free.

```

(183rd/217) position: -1425.11. 1. -1409. 8.29. E Moses      86
Forward relations for entry Moses      (86/120) are generated.
Backward relations for entry Joshua      (83/120) are generated.
Backward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt      (89/120) are generated.
Optimize dates...

```

```

Moses      D Knd S      from:      to:|
-1425.11. 1. -1409. 8.29. E 0 E      86      86||
-1425.11. 1. -1409. 8.29. E 1 B      84      86||
-1427.11. 1. -1408.12.30. E 5 B      86      86||
                        E 7 B      83      86||
-1425.11. 1. -1409. 8.29. + 0 +      86      86||
-1427.11. 1. -1407.12.30. + 6 *      86      86||
                        0 E          0        0||
-1425.11. 1. -1409. 8.29. E 0 E          0        86||
-1425.11. 1. -1409. 8.29. 218th position to B Joshua      83
-1546.11. 1. -1529. 8.29. 219th position to * Moses      86

```

16492 Bytes free.

```

(184th/219) position: -1126.11. 1. -1108. 8.29. B Jephthah      68
Forward relations for entry Jephthah      (68/120) are generated.
Backward relations for entry Philistines      (63/120) are generated.
Backward relations for entry Ibzan      (67/120) are generated.
Optimize dates...

```

```

Jephthah      D Knd S      from:      to:|
-1126.11. 1. -1108. 8.29. B 0 B      68      68||
                        B 1 E      69      68||
-1126.11. 1. -1108. 8.29. B 3 B      84      68||
                        B 6 E      68      68||
                        0 B          0        0||
-1126.11. 1. -1108. 8.29. B 0 B          0        68||
-1126.11. 1. -1108. 8.29. 220th position to E Philistines + Ammon      69

```

-1121.11. 1. -1101. 8.29. 221st position to E Jephthah 68

16492 Bytes free.

(185th/221) position: -1409. 1. 1.≥ E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:†	
-1409. 1. 1.≥	E	0	E	80	80	
-1409. 1. 1.≥	E	5	B	80	80	
	E	7	B	79	80	
		0	E	0	0	
-1409. 1. 1.≥	E	0	E	0	80	
-1409. 1. 1.≥				222nd position to B Othniel		79

16492 Bytes free.

(186th/222) position: - 748. 9. 1. - 736. 8.29. E Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†	
- 748. 9. 1. - 736. 8.29.	E	0	E	19	19	
- 750. 1. 1. - 734.12.30.	E	6	B	19	19	
- 748. 9. 1. - 736. 8.29.	E	7	B	17	19	
		0	E	0	0	
- 748. 9. 1. - 736. 8.29.	E	0	E	0	19	
- 765. 9. 1. - 751. 8.29.				223rd position to B Jotham		19

16492 Bytes free.

(187th/223) position: - 769. 9. 1. - 755. 8.29. * Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
- 769. 9. 1. - 755. 8.29.	*	0	*	17	17	
- 769. 9. 1. - 755. 8.29.	*	10	B	17	17	
		0	*	0	0	
- 769. 9. 1. - 755. 8.29.	*	0	*	0	17	

16492 Bytes free.

(188th/223) position: -1462. 9. 1. -1448. 8.29. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:†	
-1462. 9. 1. -1448. 8.29.	B	0	B	85	85	
-1463. 1. 1. -1447.10.29.	B	3	E	89	85	
-1462. 1. 1. -1448.12.30.	B	5	E	85	85	
-1463. 9. 1. -1447. 8.29.	B	4	*	82	85	
-1462. 9. 1. -1448. 8.29.	B	9	B	81	85	
-1464.11. 1. -1446. 8.29.	B	9	B	84	85	
		0	B	0	0	
-1462. 9. 1. -1448. 8.29.	B	0	B	0	85	
-1464. 9. 1. -1449. 8.29.				224th position to E Israel in Egypt		89
-1462.10.11. -1448.10. 9.				225th position to E Explorers of Canaan		85

16492 Bytes free.

(189th/225) position: -1502. 9. 1. -1488. 8.29. * Caleb 82
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kind	S	from:	to:
-1502. 9. 1. -1488. 8.29. *	0	*		82	82
-1502. 9. 1. -1488. 8.29. *	10	B		81	82
-1503. 9. 1. -1487. 8.29. *	10	B		85	82
	0	*		0	0
-1502. 9. 1. -1488. 8.29. *	0	*		0	82

16492 Bytes free.

(190th/225) position: -1416. 9. 1.> + Caleb 82
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kind	S	from:	to:
-1416. 9. 1.>	+	0	+	82	82
-1416. 9. 1.>	+	1	B	81	82
		0	+	0	0
-1416. 9. 1.>	+	0	+	0	82

16492 Bytes free.

(191st/225) position: -1416. 9. 1.> + Joshua 83
 Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:
-1416. 9. 1.>	E	0	E	83	83
	E	7	B	80	83
-1416. 9. 1.>	+	0	+	83	83
-1416. 9. 1.>	+	2	B	81	83
-1418. 1. 1.>	+	5	*	83	83
		0	E	0	0
-1416. 9. 1.>	E	0	E	0	83
-1416. 9. 1.>				226th position to B Chushanrishathaim	80
-1527. 9. 1.>				227th position to * Joshua	83

16492 Bytes free.

(192nd/227) position: -2395. 9.15. -2376.11. 6. * Eber 103
 Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber	D	Kind	S	from:	to:
-2395. 9.15. -2376.11. 6. *	0	*		103	103
-2395. 9.15. -2376.11. 6. *	3	*		104	103
	9	*		101	103
	10	+		104	103
	0	*		0	0
-2395. 9.15. -2376.11. 6. *	0	*		0	103
-2362. 9.15. -2341.11. 6.				228th position to * Peleg	101
-1993. 9.15. -1972.11. 6.				229th position to + Salah	104

16492 Bytes free.

(193rd/229) position: -2022. 9.15. -2003.11. 6. + Arphaxad 106
 Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kind	S	from:	to:
-2022. 9.15. -2003.11. 6. +	0	+		105	105
-2022. 9.15. -2003.11. 6. +	3	*		104	106

```

0 +      0      0||
-2022. 9.15. -2003.11. 6. + 0 +      0      105||

```

16492 Bytes free.

(194th/229) position: - 700. 1.22. - 693. 8.29. E Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

```

Hezekiah          D Knd S   from:   to:|
- 700. 1.22. - 693. 8.29. E 0 E     14     14||
- 701. 9. 1. >          E 2 E     20     14||
- 703. 9. 1. - 691. 8.29. E 6 B     14     14||
- 700. 1.22. - 693. 8.29. E 7 B     12     14||
      <= 693. 8.29. E 7 E     20     14||
- 700. 1.22. - 693. 8.29. + 0 +     14     14||
      0 E     0     0||
- 700. 1.22. - 693. 8.29. E 0 E     0     14||
- 730. 1.22. - 721. 8.29. 230th position to B Hezekiah 14
- 700. 1.22. - 693. 8.29. 231st position to E Isaiah 20

```

16492 Bytes free.

(195th/231) position: - 713. 1.22. - 704. 8.29. * Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

```

Manasseh          D Knd S   from:   to:|
- 713. 1.22. - 704. 8.29. * 0 *     12     12||
- 713. 1.22. - 704. 8.29. * 9 B     12     12||
      0 *     0     0||
- 713. 1.22. - 704. 8.29. * 0 *     0     12||

```

16492 Bytes free.

(196th/231) position: - 759. 9. 1. - 744. 8.29. E Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

```

Menahem           D Knd S   from:   to:|
- 759. 9. 1. - 744. 8.29. E 0 E     23     23||
- 761. 9. 1. - 743. 8.29. E 5 B     23     23||
- 759. 9. 1. - 744. 8.29. E 7 B     22     23||
- 759. 9. 1. - 744. 8.29. + 0 +     23     23||
      0 E     0     0||
- 759. 9. 1. - 744. 8.29. E 0 E     0     23||

```

16492 Bytes free.

(197th/231) position: - 770. 9. 1. - 754. 8.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

```

Menahem           D Knd S   from:   to:|
- 770. 9. 1. - 754. 8.29. B 0 B     23     23||
- 770. 9. 1. - 754. 8.29. B 1 E     24     23||
- 770. 1. 1. - 754. 8.29. B 3 B     26     23||
- 770. 9. 1. - 753. 8.29. B 5 E     23     23||
      0 B     0     0||
- 770. 9. 1. - 754. 8.29. B 0 B     0     23||

```

16492 Bytes free.
 (198th/231) position: - 770. 9. 1. - 754. 8.29. E Shallum 24
 Forward relations for entry Shallum (24/120) are generated.
 Backward relations for entry Menahem (23/120) are generated.
 Optimize dates...

Shallum	D	Kind	S	from:	to:
- 770. 9. 1. - 754. 8.29.	E	0	E	24	24
- 770. 7. 1. - 754.10.29.	E	5	B	24	24
- 770. 9. 1. - 754. 8.29.	E	7	B	23	24
- 770. 9. 1. - 754. 8.29.	+	0	+	24	24
		0	E	0	0
- 770. 9. 1. - 754. 8.29.	E	0	E	0	24

16492 Bytes free.
 (199th/231) position: - 770. 7. 1. - 754. 8.29. B Shallum 24
 Forward relations for entry Shallum (24/120) are generated.
 Backward relations for entry Menahem (23/120) are generated.
 Optimize dates...

Shallum	D	Kind	S	from:	to:
- 770. 7. 1. - 754. 8.29.	B	0	B	24	24
- 770. 7. 1. - 754. 3.29.	B	1	E	25	24
- 770. 1. 1. - 754. 8.29.	B	3	B	26	24
- 770. 7. 1. - 754. 8.29.	B	5	E	24	24
	5M	0	B	0	0
- 770. 7. 1. - 754. 3.29.	B	0	B	0	24
- 770. 7. 1. - 754. 3.29.				232nd position to B Shallum	24
- 770. 9. 1. - 754. 5.29.				233rd position to E Shallum	24

16492 Bytes free.
 (200th/233) position: - 770. 7. 1. - 754. 3.29. E Zachariah 25
 Forward relations for entry Zachariah (25/120) are generated.
 Backward relations for entry Shallum (24/120) are generated.
 Optimize dates...

Zachariah	D	Kind	S	from:	to:
- 770. 7. 1. - 754. 3.29.	E	0	E	25	25
- 770. 5. 1. - 754. 3.29.	E	5	B	25	25
- 770. 7. 1. - 754. 3.29.	E	7	B	24	25
- 770. 7. 1. - 754. 3.29.	+	0	+	25	25
		0	E	0	0
- 770. 7. 1. - 754. 3.29.	E	0	E	0	25

16492 Bytes free.
 (201st/233) position: - 771.12. 1. - 755. 8.29. B Zachariah 25
 Forward relations for entry Zachariah (25/120) are generated.
 Backward relations for entry Shallum (24/120) are generated.
 Optimize dates...

Zachariah	D	Kind	S	from:	to:
- 771.12. 1. - 755. 8.29.	B	0	B	25	25
- 771.12. 1. - 755. 8.29.	B	1	E	27	25
- 771. 1. 1. - 755. 8.29.	B	3	B	26	25
- 771.12. 1. - 755.10.29.	B	5	E	25	25
		0	B	0	0
- 771.12. 1. - 755. 8.29.	B	0	B	0	25

16492 Bytes free.
 (202nd/233) position: - 771.12. 1. - 755. 8.29. E Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.
 Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:	
- 771.12. 1. - 755. 8.29.	E	0	E	27	27	
	E	5	B	27	27	
- 771.12. 1. - 755. 8.29.	E	7	B	25	27	
- 771.12. 1. - 755. 8.29.	+	0	+	27	27	
	0	E		0	0	
- 771.12. 1. - 755. 8.29.	E	0	E	0	27	
- 813.12. 1. - 795. 8.29.				234th position to B Jeroboam (Joash)		27

16492 Bytes free.

(203rd/234) position: - 770. 7. 1. - 754. 3.29. E Zachariah 25
 Forward relations for entry Zachariah (25/120) are generated.
 Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:	
- 770. 7. 1. - 754. 3.29.	E	0	E	25	25	
- 770. 5. 1. - 754. 3.29.	E	5	B	25	25	
- 770. 7. 1. - 754. 3.29.	E	7	B	24	25	
- 770. 7. 1. - 754. 3.29.	+	0	+	25	25	
	0	E		0	0	
- 770. 7. 1. - 754. 3.29.	E	0	E	0	25	

16492 Bytes free.

(204th/234) position: - 755. 9. 1. - 742. 8.29. E Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:	
- 755. 9. 1. - 742. 8.29.	E	0	E	26	26	
- 757. 1. 1. - 741. 8.29.	E	6	B	26	26	
- 755. 9. 1. - 742. 8.29.	E	7	α	19	26	
- 755. 9. 1. - 742. 8.29.	+	0	+	26	26	
	+	2	B	20	26	
	0	E		0	0	
- 755. 9. 1. - 742. 8.29.	E	0	E	0	26	
- 808. 9. 1. - 794. 8.29.				235th position to B Azariah = Uzziah		26

16492 Bytes free.

(205th/235) position: -1466.11. 1. -1449.12.30. B Moses 86
 Forward relations for entry Moses (86/120) are generated.
 Backward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kind	S	from:	to:	
-1466.11. 1. -1449.12.30.	B	0	B	86	86	
-1467.11. 1. -1448. 8.29.	B	3	*	86	86	
-1466.11. 1. -1448. 8.29.	B	5	E	86	86	
-1466.11. 1. -1449.12.30.	B	7	B	87	86	
≤-1449. 8.29.	B	7	E	89	86	
	4M 1D	0	B	0	0	
-1466.11. 1. -1449. 8.29.	B	0	B	0	86	
-1466.11. 1. -1449. 8.29.				236th position to B Moses		86
-1466.11. 1. -1449. 8.29.				237th position to B Aaron		87

16492 Bytes free.

(206th/237) position: -1546.11. 1. -1529. 8.29. * Moses 86

Forward relations for entry Moses (86/120) are generated.
 Backward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Moses	D	Kn	S	from:	to:
-1546.11. 1. -1529. 8.29. *	0	*		86	86
-1546.11. 1. -1529. 8.29. *	6	+		86	86
-1547.11. 1. -1528. 8.29. *	9	B		86	86
	0	*		0	0
-1546.11. 1. -1529. 8.29. *	0	*		0	86

16492 Bytes free.

(207th/237) position: -1466.11. 1. -1449. 8.29. B Aaron 87
 Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.
 Optimize dates...

Aaron	D	Kn	S	from:	to:
-1466.11. 1. -1449. 8.29. B	0	B		87	87
-1466.11. 1. -1449. 8.29. B	1	B		86	87
-1467. 5. 1. -1447. 5. 1. B	3	*		87	87
≤-1449. 8.29. B	8	E		89	87
	0	B		0	0
-1466.11. 1. -1449. 8.29. B	0	B		0	87

16492 Bytes free.

(208th/237) position: -1549. 5. 1. -1531. 5. 1. * Aaron 87
 Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.
 Optimize dates...

Aaron	D	Kn	S	from:	to:
-1549. 5. 1. -1531. 5. 1. *	0	*		87	87
-1549. 5. 1. -1531. 5. 1. *	6	+		87	87
-1550.11. 1. -1531. 8.29. *	9	B		87	87
	0	*		0	0
-1549. 5. 1. -1531. 5. 1. *	0	*		0	87

16492 Bytes free.

(209th/237) position: -2026. 1. 1. -2007.12.30. * Jacob = Israel 90
 Forward relations for entry Jacob = Israel (90/120) are generated.
 Optimize dates...

Jacob = Israel	D	Kn	S	from:	to:
-2026. 1. 1. -2007.12.30. *	0	*		90	90
	*	3	*	91	90
-2027. 1. 1. -2006.12.30. *	5	+		90	90
-2026. 1. 1. -2007.12.30. *	9	B		89	90
	0	*		0	0
-2026. 1. 1. -2007.12.30. *	0	*		0	90
-2087. 1. 1. -2066.12.30.	238th position to * Isaac				91

16492 Bytes free.

(210th/238) position: -1879. 1. 1. -1860.12.30. + Jacob = Israel 90
 Forward relations for entry Jacob = Israel (90/120) are generated.
 Optimize dates...

Jacob = Israel	D	Kn	S	from:	to:
-1879. 1. 1. -1860.12.30. +	0	+		90	90

```

-1880. 1. 1. -1859.12.30. + 5 *      90      90||
-1879. 1. 1. -1860.12.30. + 4 B      89      90||
                                0 +      0      0||
-1879. 1. 1. -1860.12.30. + 0 +      0      90||

```

16492 Bytes free.

```

(211th/238) position: -1549. 5. 1. -1531. 5. 1. * Aaron      87
Forward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Forward relations for entry Aaron      (88/120) are generated.
Optimize dates...

```

```

Aaron          D Knd S      from:      to:|
-1549. 5. 1. -1531. 5. 1. * 0 *      87      87||
-1549. 5. 1. -1531. 5. 1. * 6 +      87      87||
-1550.11. 1. -1531. 8.29. * 9 B      87      87||
                                0 *      0      0||
-1549. 5. 1. -1531. 5. 1. * 0 *      0      87||

```

16492 Bytes free.

```

(212th/238) position: - 990. 8. 1. - 972. 2.30. B Solomon      57
Forward relations for entry Solomon      (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam      (54/120) are generated.
Optimize dates...

```

```

Solomon        D Knd S      from:      to:|
- 990. 8. 1. - 972. 2.30. B 0 B      57      57||
                                B 1 E      58      57||
                                B 5 E      57      57||
- 990. 2. 1. - 972. 2.30. B 9 B      55      57||
- 990. 8. 1. - 972. 8.30. B 9 E      56      57||
                                0 B      0      0||
- 990. 8. 1. - 972. 2.30. B 0 B      0      57||
- 990. 8. 1. - 972. 2.30. 239th position to E David      58
- 951. 8. 1. - 931. 2.30. 240th position to E Solomon      57

```

16492 Bytes free.

```

(213th/240) position: - 990. 8. 1. - 972. 2.30. B Solomon      57
Forward relations for entry Solomon      (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam      (54/120) are generated.
Optimize dates...

```

```

Solomon        D Knd S      from:      to:|
- 990. 8. 1. - 972. 2.30. B 0 B      57      57||
- 990. 8. 1. - 972. 2.30. B 1 E      58      57||
- 992. 8. 1. - 970. 2.30. B 5 E      57      57||
- 990. 2. 1. - 972. 2.30. B 9 B      55      57||
- 990. 8. 1. - 972. 8.30. B 9 E      56      57||
                                0 B      0      0||
- 990. 8. 1. - 972. 2.30. B 0 B      0      57||

```

16492 Bytes free.

```

(214th/240) position: -1425.11. 1. -1409. 8.29. B Moses' Speech      84
Forward relations for entry Moses' Speech (84/120) are generated.
Backward relations for entry Moses      (86/120) are generated.
Optimize dates...

```

```

Moses' Speech  D Knd S      from:      to:|
-1425.11. 1. -1409. 8.29. B 0 B      84      84||
-1425. 9. 1. -1409. 8.29. B 3 B      85      84||

```

```

-1424. 7. 1. -1409. 6.30. B 4 E      89      84||
-1425.11. 1. -1409. 8.29. B 7 E      86      84||
-1427.11. 1. -1407. 8.29. B 9 B      68      84||
   Y 8M          1M29D    0 B        0        0||
-1424. 7. 1. -1409. 6.30. B 0 B        0      84||
-1424. 7. 1. -1409. 6.30. 241st position to B Moses' Speech      84
-1424. 7. 1. -1409. 6.30. 242nd position to E Moses      86
-1125. 7. 1. -1108. 6.30. 243rd position to B Jephthah      68

```

16492 Bytes free.

(215th/243) position: -1464. 9. 1. -1449. 8.29. E Israel in Egypt 89
 Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Israel in Egypt      D Knd S      from:      to:|
-1464. 9. 1. -1449. 8.29. E 0 E      89      89||
-1466.11. 1. >          E 1 B      86      89||
-1466.11. 1. >          E 2 B      87      89||
-1466. 1. 1. -1447.12.30. E 6 B      89      89||
-1464. 9. 1. -1449. 8.29. E 9 B      85      89||
-1465.12.30. -1448. 1. 1. E 9 +      88      89||
-1465.12. 1. -1448. 1.30. E 10 B     55      89||
-1465.12. 1. -1448. 1.30. E 10 E     56      89||
-1464. 8.30. -1449. 8.30. E 10 B     84      89||
                          0 E        0        0||
-1464. 9. 1. -1449. 8.29. E 0 E        0      89||
-1895. 9. 1. -1878. 8.29. 244th position to B Israel in Egypt      89
-1424. 1. 1. -1410.12.30. 245th position to + Aaron      88
- 985.10. 1. - 970.10.29. 246th position to B Building the Temple 55
- 977. 4. 1. - 962. 4.29. 247th position to E Building the Temple 56

```

16492 Bytes free.

(216th/247) position: -1424. 7. 1. -1409. 6.30. E Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Moses      D Knd S      from:      to:|
-1424. 7. 1. -1409. 6.30. E 0 E      86      86||
-1424. 7. 1. -1409. 6.30. E 1 B      84      86||
-1427.11. 1. -1408. 8.29. E 5 B      86      86||
-1425.11. 1. -1409. 8.29. E 7 B      83      86||
-1424. 7. 1. -1409. 6.30. + 0 +      86      86||
-1426.11. 1. -1408. 8.29. + 6 *      86      86||
                          0 E        0        0||
-1424. 7. 1. -1409. 6.30. E 0 E        0      86||
-1465. 7. 1. -1449. 8.29. 248th position to B Moses      86
-1424. 7. 1. -1409. 6.30. 249th position to B Joshua      83
-1545. 7. 1. -1529. 6.30. 250th position to * Moses      86

```

16492 Bytes free.

(217th/250) position: -1125. 7. 1. -1108. 6.30. B Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

```

Jephthah      D Knd S      from:      to:|
-1125. 7. 1. -1108. 6.30. B 0 B        68      68||

```

```

-1126.11. 1. -1108. 8.29. B 1 E      69      68||
-1125. 7. 1. -1108. 6.30. B 3 B      84      68||
-1128.11. 1. -1106. 8.29. B 6 E      68      68||
                        0 B      0      0||
-1125. 7. 1. -1108. 6.30. B 0 B      0      68||
-1125. 7. 1. -1108. 6.30. 251st position to E Philistines + Ammon 69
-1120. 7. 1. -1101. 6.30. 252nd position to E Jephthah 68

```

16492 Bytes free.

```

(218th/252) position: -1424. 7. 1. -1409. 6.30. B Joshua 83
Forward relations for entry Joshua (83/120) are generated.
Backward relations for entry Chushanrishathaim (80/120) are generated.
Optimize dates...

```

```

Joshua D Knd S from: to:|
-1424. 7. 1. -1409. 6.30. B 0 B 83 83||
-1424. 7. 1. -1409. 6.30. B 1 E 86 83||
                        0 B 0 0||
-1424. 7. 1. -1409. 6.30. B 0 B 0 83||

```

16492 Bytes free.

```

(219th/252) position: -1545. 7. 1. -1529. 6.30. * Moses 86
Forward relations for entry Moses (86/120) are generated.
Backward relations for entry Joshua (83/120) are generated.
Backward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Optimize dates...

```

```

Moses D Knd S from: to:|
-1545. 7. 1. -1529. 6.30. * 0 * 86 86||
-1545. 7. 1. -1529. 6.30. * 6 + 86 86||
-1546. 7. 1. -1528. 8.29. * 9 B 86 86||
                        0 * 0 0||
-1545. 7. 1. -1529. 6.30. * 0 * 0 86||

```

16492 Bytes free.

```

(220th/252) position: -1125. 7. 1. -1108. 6.30. E Philistines + Ammon 69
Forward relations for entry Philistines + Ammon (69/120) are generated.
Backward relations for entry Jephthah (68/120) are generated.
Optimize dates...

```

```

Philistines + Ammon D Knd S from: to:|
-1125. 7. 1. -1108. 6.30. E 0 E 69 69||
                        E 5 B 69 69||
-1125. 7. 1. -1108. 6.30. E 7 B 68 69||
                        0 E 0 0||
-1125. 7. 1. -1108. 6.30. E 0 E 0 69||
-1144. 7. 1. -1125. 6.30. 253rd position to B Philistines + Ammon 69

```

16492 Bytes free.

```

(221st/253) position: -1120. 7. 1. -1101. 6.30. E Jephthah 68
Forward relations for entry Jephthah (68/120) are generated.
Backward relations for entry Philistines (63/120) are generated.
Backward relations for entry Ibzan (67/120) are generated.
Optimize dates...

```

```

Jephthah D Knd S from: to:|
-1120. 7. 1. -1101. 6.30. E 0 E 68 68||
-1120. 7. 1. -1101. 6.30. E 6 B 68 68||
                        E 7 B 63 68||
                        E 7 B 67 68||
-1120. 7. 1. -1101. 6.30. + 0 + 68 68||

```



```

          0 E      0      0||
-1120. 7. 1. -1101. 6.30. E 0 E      0      68||
-1120. 7. 1. ≥           254th position to B Philistines      63
-1120. 7. 1. ≥           255th position to B Ibzan            67

```

16492 Bytes free.

```

(222nd/255) position: -1409. 1. 1. ≥           B Othniel      79
Forward relations for entry Othniel           (79/120) are generated.
Backward relations for entry Eglon            (78/120) are generated.
Optimize dates...

```

```

Othniel          D Knd S      from:      to:|
-1409. 1. 1. ≥      B 0 B      79      79||
-1409. 1. 1. ≥      B 1 E      80      79||
                  B 5 E      79      79||
                  0 B      0      0||
-1409. 1. 1. ≥      B 0 B      0      79||
-1370. 1. 1. ≥      256th position to E Othniel      79

```

16492 Bytes free.

```

(223rd/256) position: - 765. 9. 1. - 751. 8.29. B Jotham      19
Forward relations for entry Jotham           (19/120) are generated.
Backward relations for entry Ahaz            (17/120) are generated.
Backward relations for entry Ahaz            (17/120) are generated.
Optimize dates...

```

```

Jotham          D Knd S      from:      to:|
- 765. 9. 1. - 751. 8.29. B 0 B      19      19||
- 767. 1. 1. - 749.12.30. B 4 *      19      19||
- 765. 9. 1. - 751. 8.29. B 6 E      19      19||
                  0 B      0      0||
- 765. 9. 1. - 751. 8.29. B 0 B      0      19||
- 791. 9. 1. - 775. 8.29. 257th position to * Jotham      19

```

16492 Bytes free.

```

(224th/257) position: -1464. 9. 1. -1449. 8.29. E Israel in Egypt      89
Forward relations for entry Israel in Egypt  (89/120) are generated.
Optimize dates...

```

```

Israel in Egypt D Knd S      from:      to:|
-1464. 9. 1. -1449. 8.29. E 0 E      89      89||
-1465. 7. 1. ≥           E 1 B      86      89||
-1466.11. 1. ≥           E 2 B      87      89||
-1466. 9. 1. -1447. 8.29. E 6 B      89      89||
-1464. 9. 1. -1449. 8.29. E 9 B      85      89||
-1464. 8.30. -1449. 8.30. E 9 +      88      89||
-1464. 8. 1. -1449. 9.29. E 10 B     55      89||
-1464. 8. 1. -1449. 9.29. E 10 E     56      89||
-1464. 8.30. -1449. 8.30. E 10 B     84      89||
                  0 E      0      0||
-1464. 9. 1. -1449. 8.29. E 0 E      0      89||

```

16492 Bytes free.

```

(225th/257) position: -1462.10.11. -1448.10. 9. E Explorers of Canaan      85
Forward relations for entry Explorers of Canaan (85/120) are generated.
Optimize dates...

```

```

Explorers of Canaan D Knd S      from:      to:|
-1462.10.11. -1448.10. 9. E 0 E      85      85||
-1462.10.11. -1448.10. 9. E 5 B      85      85||
                  0 E      0      0||
-1462.10.11. -1448.10. 9. E 0 E      0      85||

```

16492 Bytes free.
 (226th/257) position: -1416. 9. 1.≥ B Chushanrishathaim 80
 Forward relations for entry Chushanrishathaim (80/120) are generated.
 Backward relations for entry Othniel (79/120) are generated.
 Optimize dates...
 Chushanrishathaim D Knd S from: to:†
 -1416. 9. 1.≥ B 0 B 80 80||
 -1416. 9. 1.≥ B 1 E 83 80||
 -1418. 1. 1.≥ B 5 E 80 80||
 0 B 0 0||
 -1416. 9. 1.≥ B 0 B 0 80||
 -1409. 9. 1.≥ 258th position to E Chushanrishathaim 80

16492 Bytes free.
 (227th/258) position: -1527. 9. 1.≥ * Joshua 83
 Forward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Chushanrishathaim (80/120) are generated.
 Optimize dates...
 Joshua D Knd S from: to:†
 -1527. 9. 1.≥ * 0 * 83 83||
 -1527. 9. 1.≥ * 5 + 83 83||
 0 * 0 0||
 -1527. 9. 1.≥ * 0 * 0 83||

16492 Bytes free.
 (228th/258) position: -2362. 9.15. -2341.11. 6. * Peleg 101
 Forward relations for entry Peleg (101/120) are generated.
 Optimize dates...
 Peleg D Knd S from: to:†
 -2362. 9.15. -2341.11. 6. * 0 * 101 101||
 * 1 B 102 101||
 -2362. 9.15. -2341.11. 6. * 3 * 103 101||
 * 9 * 100 101||
 * 10 + 103 101||
 0 * 0 0||
 -2362. 9.15. -2341.11. 6. * 0 * 0 101||
 -2362. 9.15. -2341.11. 6. 259th position to B Tower of Babel 102
 -2333. 9.15. -2310.11. 6. 260th position to * Reu 100
 -1933. 9.15. -1910.11. 6. 261st position to + Eber 103

16492 Bytes free.
 (229th/261) position: -1993. 9.15. -1972.11. 6. + Salah 104
 Forward relations for entry Salah (104/120) are generated.
 Optimize dates...
 Salah D Knd S from: to:†
 -1993. 9.15. -1972.11. 6. + 0 + 104 104||
 -1993. 9.15. -1972.11. 6. + 4 * 103 104||
 0 + 0 0||
 -1993. 9.15. -1972.11. 6. + 0 + 0 104||

16492 Bytes free.
 (230th/261) position: - 730. 1.22. - 721. 8.29. B Hezekiah 14
 Forward relations for entry Hezekiah (14/120) are generated.
 Backward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Isaiah (20/120) are generated.
 Optimize dates...
 Hezekiah D Knd S from: to:†

```

- 730. 1.22. - 721. 8.29. B 0 B      14      14||
- 731. 9. 1. - 721. 8.29. B 1 E      17      14||
- 733. 9. 1. - 719. 8.29. B 3 B      16      14||
- 733. 9. 1. - 719. 8.29. B 4 *      14      14||
- 730. 1.22. - 721. 8.29. B 6 E      14      14||
- 733. 9. 1. - 719. 8.29. B 9 B      13      14||
- 733. 9. 1. - 719. 8.29. B 9 B      15      14||
- 733. 9. 1. - 719. 8.29. B 9 B      15      14||
- 733. 9. 1. - 719. 8.29. B 9 B      15      14||
- 730. 1.22. - 721. 8.29. B 0 B      0       0||
- 730. 1.22. - 721. 8.29. B 0 B      0       0||
- 730. 1.22. - 721. 8.29. B 0 B      0       14||
- 730. 1.22. - 721. 8.29. 262nd position to E Ahaz      17
- 734. 1.22. - 723. 8.29. 263rd position to B Hoshea      16
- 756. 1.22. - 745. 8.29. 264th position to * Hezekiah      14
- 716. 1.22. - 705. 8.29. 265th position to B 14th Jubile Year      13
- 725. 1.22. - 714. 8.29. 266th position to B Captivity of Israel      15

```

16492 Bytes free.

```

(231st/266) position: - 700. 1.22. - 693. 8.29. E Isaiah      20
Forward relations for entry Isaiah      (20/120) are generated.
Backward relations for entry Hezekiah    (14/120) are generated.
Backward relations for entry Azariah = Uzziah (26/120) are generated.

```

Optimize dates...

```

Isaiah      D Knd S      from:      to:|
- 700. 1.22. - 693. 8.29. E 0 E      20      20||
- 700. 1.22. ≥      E 1 E      14      20||
      ≤- 693. 8.29. E 8 E      14      20||
      0 E      0       0||
- 700. 1.22. - 693. 8.29. E 0 E      0       20||

```

16492 Bytes free.

```

(232nd/266) position: - 770. 7. 1. - 754. 3.29. B Shallum      24
Forward relations for entry Shallum      (24/120) are generated.
Backward relations for entry Menahem      (23/120) are generated.

```

Optimize dates...

```

Shallum     D Knd S      from:      to:|
- 770. 7. 1. - 754. 3.29. B 0 B      24      24||
- 770. 7. 1. - 754. 3.29. B 1 E      25      24||
- 770. 9. 1. - 754. 8.29. B 3 B      26      24||
- 770. 7. 1. - 754. 5.29. B 5 E      24      24||
      2M      0 B      0       0||
- 770. 9. 1. - 754. 3.29. B 0 B      0       24||
- 770. 9. 1. - 754. 3.29. 267th position to B Shallum      24
- 770. 9. 1. - 754. 3.29. 268th position to E Zachariah      25

```

16492 Bytes free.

```

(233rd/268) position: - 770. 9. 1. - 754. 5.29. E Shallum      24
Forward relations for entry Shallum      (24/120) are generated.
Backward relations for entry Menahem      (23/120) are generated.

```

Optimize dates...

```

Shallum     D Knd S      from:      to:|
- 770. 9. 1. - 754. 5.29. E 0 E      24      24||
- 770. 9. 1. - 754. 5.29. E 5 B      24      24||
- 770. 9. 1. - 754. 8.29. E 7 B      23      24||
- 770. 9. 1. - 754. 5.29. + 0 +      24      24||
      0 E      0       0||
- 770. 9. 1. - 754. 5.29. E 0 E      0       24||
- 770. 9. 1. - 754. 5.29. 269th position to B Menahem      23

```

16492 Bytes free.

(234th/269) position: - 813.12. 1. - 795. 8.29. B Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.
 Backward relations for entry Zachariah (25/120) are generated.
 Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:†	
- 813.12. 1. - 795. 8.29.	B	0	B	27	27	
	B	1	E	30	27	
	B	3	B	28	27	
- 813.12. 1. - 795. 8.29.	B	5	E	27	27	
	0	B		0	0	
- 813.12. 1. - 795. 8.29.	B	0	B	0	27	
- 813.12. 1. - 795. 8.29.				270th position to E	Joash (Jehoahaz)	30
- 829.12. 1. - 809. 8.29.				271st position to B	Amaziah	28

16492 Bytes free.

(235th/271) position: - 808. 9. 1. - 794. 8.29. B Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:†	
- 808. 9. 1. - 794. 8.29.	B	0	B	26	26	
- 808. 1. 1. - 794. 8.29.	B	1	Ω	28	26	
- 810. 1. 1. - 792. 8.29.	B	3	*	27	26	
- 810. 1. 1. - 792. 8.29.	B	4	*	26	26	
- 808. 9. 1. - 793. 8.29.	B	6	E	26	26	
- 809. 9. 1. - 794. 8.29.	B	9	B	21	26	
- 810. 9. 1. - 793. 8.29.	B	9	B	22	26	
- 810. 9. 1. - 792. 5.29.	B	9	B	23	26	
- 810. 9. 1. - 792. 3.29.	B	9	B	24	26	
- 810.12. 1. - 792. 8.29.	B	9	B	25	26	
	0	B		0	0	
- 808. 9. 1. - 794. 8.29.	B	0	B	0	26	
- 808. 9. 1. - 794. 8.29.				272nd position to Ω	Amaziah	28
- 836. 9. 1. - 820. 8.29.				273rd position to *	Jeroboam (Joash)	27
- 825. 9. 1. - 809. 8.29.				274th position to *	Azariah = Uzziah	26

16492 Bytes free.

(236th/274) position: -1465. 7. 1. -1449. 8.29. B Moses 86
 Forward relations for entry Moses (86/120) are generated.
 Backward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Moses	D	Kind	S	from:	to:†	
-1465. 7. 1. -1449. 8.29.	B	0	B	86	86	
-1466. 7. 1. -1448. 6.30.	B	3	*	86	86	
-1465. 7. 1. -1448. 6.30.	B	5	E	86	86	
-1466.11. 1. -1449. 8.29.	B	7	B	87	86	
≤-1449. 8.29.	B	7	E	89	86	
	0	B		0	0	
-1465. 7. 1. -1449. 8.29.	B	0	B	0	86	
-1465. 7. 1. -1449. 8.29.				275th position to B	Aaron	87

16492 Bytes free.

(237th/275) position: -1465. 7. 1. -1449. 8.29. B Aaron 87
 Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kind	S	from:	to:	
-1465. 7. 1. -1449. 8.29. B	0	B		87	87	
-1465. 7. 1. -1449. 8.29. B	1	B		86	87	
-1467. 5. 1. -1447. 5. 1. B	3	*		87	87	
≤-1449. 8.29. B	8	E		89	87	
	0	B		0	0	
-1465. 7. 1. -1449. 8.29. B	0	B		0	87	
-1549. 7. 1. -1531. 5. 1.	276th position to * Aaron					87

16492 Bytes free.

(238th/276) position: -2087. 1. 1. -2066.12.30. * Isaac 91
 Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kind	S	from:	to:	
-2087. 1. 1. -2066.12.30. *	0	*		91	91	
	*	1	B	92	91	
	*	3	*	96	91	
	*	5	+	91	91	
	*	4	*	95	91	
-2087. 1. 1. -2066.12.30. *	9	*		90	91	
	0	*		0	0	
-2087. 1. 1. -2066.12.30. *	0	*		0	91	
≤-2066.12.30.	277th position to B Fire upon Sodom					92
-2188. 1. 1. -2165.12.30.	278th position to * Abram = Abraham					96
-1908. 1. 1. -1885.12.30.	279th position to + Isaac					91
-2178. 1. 1. -2155.12.30.	280th position to * Sarai = Sarah					95

16492 Bytes free.

(239th/280) position: - 990. 8. 1. - 972. 2.30. E David 58
 Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:	
- 990. 8. 1. - 972. 2.30. Ω	0	Ω		58	58	
	Ω	6	α	58	58	
- 990. 8. 1. - 972. 2.30. E	0	E		58	58	
	E	5	B	58	58	
- 990. 8. 1. - 972. 2.30. E	7	B		57	58	
- 990. 8. 1. - 972. 2.30. +	0	+		58	58	
	0	Ω		0	0	
- 990. 8. 1. - 972. 2.30. Ω	0	Ω		0	58	
-1024. 8. 1. -1004. 2.30.	281st position to α David					58
-1031. 8. 1. -1011. 2.30.	282nd position to B David					58

16492 Bytes free.

(240th/282) position: - 951. 8. 1. - 931. 2.30. E Solomon 57
 Forward relations for entry Solomon (57/120) are generated.
 Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
 Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kind	S	from:	to:	
- 951. 8. 1. - 931. 2.30. E	0	E		57	57	
- 951. 8. 1. - 931. 2.30. E	5	B		57	57	
	E	7	B	53	57	
	E	7	B	54	57	
- 951. 8. 1. - 931. 2.30. +	0	+		57	57	
	0	E		0	0	

- 951. 8. 1. - 931. 2.30. E 0 E 0 57||
 - 951. 8. 1. - 931. 2.30. 283rd position to B Jeroboam (Nebat) 53
 - 951. 8. 1. - 931. 2.30. 284th position to B Rehoboam 54

16492 Bytes free.

(241st/284) position: -1424. 7. 1. -1409. 6.30. B Moses' Speech 84
 Forward relations for entry Moses' Speech (84/120) are generated.
 Backward relations for entry Moses (86/120) are generated.
 Optimize dates...

Moses' Speech	D	Kind	S	from:	to:
-1424. 7. 1. -1409. 6.30.	B	0	B	84	84
-1425. 9. 1. -1409. 8.29.	B	3	B	85	84
-1424. 7. 1. -1409. 6.30.	B	4	E	89	84
-1424. 7. 1. -1409. 6.30.	B	7	E	86	84
-1426. 7. 1. -1407. 6.30.	B	9	B	68	84
		0	B	0	0
-1424. 7. 1. -1409. 6.30.	B	0	B	0	84

16492 Bytes free.

(242nd/284) position: -1424. 7. 1. -1409. 6.30. E Moses 86
 Forward relations for entry Moses (86/120) are generated.
 Backward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Moses	D	Kind	S	from:	to:
-1424. 7. 1. -1409. 6.30.	E	0	E	86	86
-1424. 7. 1. -1409. 6.30.	E	1	B	84	86
-1426. 7. 1. -1408. 8.29.	E	5	B	86	86
-1424. 7. 1. -1409. 6.30.	E	7	B	83	86
-1424. 7. 1. -1409. 6.30.	+	0	+	86	86
-1425. 7. 1. -1408. 6.30.	+	6	*	86	86
		0	E	0	0
-1424. 7. 1. -1409. 6.30.	E	0	E	0	86

16492 Bytes free.

(243rd/284) position: -1125. 7. 1. -1108. 6.30. B Jephthah 68
 Forward relations for entry Jephthah (68/120) are generated.
 Backward relations for entry Philistines (63/120) are generated.
 Backward relations for entry Ibzan (67/120) are generated.
 Optimize dates...

Jephthah	D	Kind	S	from:	to:
-1125. 7. 1. -1108. 6.30.	B	0	B	68	68
-1125. 7. 1. -1108. 6.30.	B	1	E	69	68
-1125. 7. 1. -1108. 6.30.	B	3	B	84	68
-1127. 7. 1. -1106. 6.30.	B	6	E	68	68
		0	B	0	0
-1125. 7. 1. -1108. 6.30.	B	0	B	0	68

16492 Bytes free.

(244th/284) position: -1895. 9. 1. -1878. 8.29. B Israel in Egypt 89
 Forward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:
-1895. 9. 1. -1878. 8.29.	B	0	B	89	89
-1897. 1. 1. -1876.12.30.	B	3	*	90	89
-1895. 9. 1. -1878. 8.29.	B	6	E	89	89
-1897. 1. 1. -1876.12.30.	B	10	+	90	89

```

          0 B      0      0||
-1895. 9. 1. -1878. 8.29. B 0 B      0      89||
-2026. 9. 1. -2007. 8.29. 285th position to * Jacob = Israel      90
-1879. 9. 1. -1860. 8.29. 286th position to + Jacob = Israel      90

```

16492 Bytes free.

```

(245th/286) position: -1424. 1. 1. -1410.12.30. + Aaron      88
Forward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt      (89/120) are generated.
Forward relations for entry Aaron      (88/120) are generated.

```

Optimize dates...

```

Aaron          D Knd S      from:      to:|
-1424. 1. 1. -1410.12.30. E 0 E      87      87||
-1424. 1. 1. -1410.12.30. + 0 +      87      87||
-1427. 7. 1. -1407. 5. 1. + 6 *      87      87||
-1424. 1. 1. -1410.12.30. + 3 E      89      88||
          0 E      0      0||
-1424. 1. 1. -1410.12.30. E 0 E      0      87||
-1548. 1. 1. -1532.12.30. 287th position to * Aaron      87

```

16492 Bytes free.

```

(246th/287) position: - 985.10. 1. - 970.10.29. B Building the Temple 55
Forward relations for entry Building the Temple      (55/120) are generated.
Forward relations for entry Building the Temple      (56/120) are generated.

```

Optimize dates...

```

Building the Temple      D Knd S      from:      to:|
- 985.10. 1. - 970.10.29. B 0 B      55      55||
- 987. 8. 1. - 967. 2.30. B 3 B      57      55||
- 985. 4. 1. - 968. 4.29. B 5 E      55      55||
- 985.10. 1. - 970.10.29. B 4 E      89      55||
          0 B      0      0||
- 985.10. 1. - 970.10.29. B 0 B      0      55||
- 990.10. 1. - 973.10.29. 288th position to B Solomon      57

```

16492 Bytes free.

```

(247th/288) position: - 977. 4. 1. - 962. 4.29. E Building the Temple 56
Forward relations for entry Building the Temple      (55/120) are generated.
Forward relations for entry Building the Temple      (56/120) are generated.

```

Optimize dates...

```

Building the Temple      D Knd S      from:      to:|
- 977. 4. 1. - 962. 4.29. E 0 E      55      55||
- 979.10. 1. - 962.10.29. E 5 B      55      55||
- 980.10. 1. - 961.10.29. E 3 B      57      56||
- 977. 4. 1. - 962. 4.29. E 4 E      89      56||
          0 E      0      0||
- 977. 4. 1. - 962. 4.29. E 0 E      0      55||
- 989. 4. 1. - 973.10.29. 289th position to B Solomon      57

```

16492 Bytes free.

```

(248th/289) position: -1465. 7. 1. -1449. 8.29. B Moses      86
Forward relations for entry Moses      (86/120) are generated.
Backward relations for entry Joshua      (83/120) are generated.
Backward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt      (89/120) are generated.

```

Optimize dates...

```

Moses          D Knd S      from:      to:|
-1465. 7. 1. -1449. 8.29. B 0 B      86      86||
-1466. 7. 1. -1448. 6.30. B 3 *      86      86||

```

```

-1465. 7. 1. -1448. 6.30. B 5 E      86      86||
-1465. 7. 1. -1449. 8.29. B 7 B      87      86||
          ≤-1449. 8.29. B 7 E      89      86||
                          0 B      0      0||
-1465. 7. 1. -1449. 8.29. B 0 B      0      86||

```

16492 Bytes free.

```

(249th/289) position: -1424. 7. 1. -1409. 6.30.   B Joshua                83
Forward relations for entry Joshua                (83/120) are generated.
Backward relations for entry Chushanrithaim      (80/120) are generated.
Optimize dates...

```

```

Joshua          D Knd S   from:   to:|
-1424. 7. 1. -1409. 6.30. B 0 B     83     83||
-1424. 7. 1. -1409. 6.30. B 1 E     86     83||
                          0 B     0     0||
-1424. 7. 1. -1409. 6.30. B 0 B     0     83||

```

16492 Bytes free.

```

(250th/289) position: -1545. 7. 1. -1529. 6.30.   * Moses                86
Forward relations for entry Moses                (86/120) are generated.
Backward relations for entry Joshua              (83/120) are generated.
Backward relations for entry Aaron               (87/120) are generated.
Backward relations for entry Israel in Egypt    (89/120) are generated.
Optimize dates...

```

```

Moses          D Knd S   from:   to:|
-1545. 7. 1. -1529. 6.30. * 0 *     86     86||
-1545. 7. 1. -1529. 6.30. * 6 +     86     86||
-1546. 7. 1. -1528. 8.29. * 9 B     86     86||
                          0 *     0     0||
-1545. 7. 1. -1529. 6.30. * 0 *     0     86||

```

16492 Bytes free.

```

(251st/289) position: -1125. 7. 1. -1108. 6.30.   E Philistines + Ammon  69
Forward relations for entry Philistines + Ammon (69/120) are generated.
Backward relations for entry Jephthah          (68/120) are generated.
Optimize dates...

```

```

Philistines + Ammon D Knd S   from:   to:|
-1125. 7. 1. -1108. 6.30. E 0 E     69     69||
-1127. 7. 1. -1106. 6.30. E 5 B     69     69||
-1125. 7. 1. -1108. 6.30. E 7 B     68     69||
                          0 E     0     0||
-1125. 7. 1. -1108. 6.30. E 0 E     0     69||

```

16492 Bytes free.

```

(252nd/289) position: -1120. 7. 1. -1101. 6.30.   E Jephthah             68
Forward relations for entry Jephthah            (68/120) are generated.
Backward relations for entry Philistines        (63/120) are generated.
Backward relations for entry Ibzan              (67/120) are generated.
Optimize dates...

```

```

Jephthah       D Knd S   from:   to:|
-1120. 7. 1. -1101. 6.30. E 0 E     68     68||
-1120. 7. 1. -1101. 6.30. E 6 B     68     68||
                          E 7 B     63     68||
                          E 7 B     67     68||
-1120. 7. 1. -1101. 6.30. + 0 +     68     68||
                          0 E     0     0||
-1120. 7. 1. -1101. 6.30. E 0 E     0     68||

```


16492 Bytes free.
 (253rd/289) position: -1144. 7. 1. -1125. 6.30. B Philistines + Ammon 69
 Forward relations for entry Philistines + Ammon (69/120) are generated.
 Backward relations for entry Jephthah (68/120) are generated.
 Optimize dates...

Philistines + Ammon	D	Kind	S	from:	to:†	
-1144. 7. 1. -1125. 6.30.	B	0	B	69	69	69
	B	1	E	72	69	69
-1144. 7. 1. -1125. 6.30.	B	5	E	69	69	69
		0	B	0	0	0
-1144. 7. 1. -1125. 6.30.	B	0	B	0	69	69
≤-1125. 6.30.				290th position to E Abimelech		72

16492 Bytes free.
 (254th/290) position: -1120. 7. 1.≥ B Philistines 63
 Forward relations for entry Philistines (63/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Samson (62/120) are generated.
 Backward relations for entry Saul (60/120) are generated.
 Optimize dates...

Philistines	D	Kind	S	from:	to:†	
-1120. 7. 1.≥	B	0	B	63	63	63
-1120. 7. 1.≥	B	1	E	68	63	63
	B	6	E	63	63	63
	B	7	B	62	63	63
		0	B	0	0	0
-1120. 7. 1.≥	B	0	B	0	63	63
-1081. 7. 1.≥				291st position to E Philistines		63
-1120. 7. 1.≥				292nd position to B Samson		62

16492 Bytes free.
 (255th/292) position: -1120. 7. 1.≥ B Ibzan 67
 Forward relations for entry Ibzan (67/120) are generated.
 Backward relations for entry Elon (66/120) are generated.
 Optimize dates...

Ibzan	D	Kind	S	from:	to:†	
-1120. 7. 1.≥	B	0	B	67	67	67
-1120. 7. 1.≥	B	1	E	68	67	67
	B	5	E	67	67	67
		0	B	0	0	0
-1120. 7. 1.≥	B	0	B	0	67	67
-1114. 7. 1.≥				293rd position to E Ibzan		67

16492 Bytes free.
 (256th/293) position: -1370. 1. 1.≥ E Othniel 79
 Forward relations for entry Othniel (79/120) are generated.
 Backward relations for entry Eglon (78/120) are generated.
 Optimize dates...

Othniel	D	Kind	S	from:	to:†	
-1370. 1. 1.≥	E	0	E	79	79	79
-1370. 1. 1.≥	E	5	B	79	79	79
	E	7	B	78	79	79
-1370. 1. 1.≥	+	0	+	79	79	79
		0	E	0	0	0
-1370. 1. 1.≥	E	0	E	0	79	79
-1370. 1. 1.≥				294th position to B Eglon		78

16492 Bytes free.

(257th/294) position: - 791. 9. 1. - 775. 8.29. * Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kind	S	from:	to:†
- 791. 9. 1. - 775. 8.29. *	0	*		19	19
- 791. 9. 1. - 775. 8.29. *	10	B		19	19
	0	*		0	0
- 791. 9. 1. - 775. 8.29. *	0	*		0	19

16492 Bytes free.

(258th/294) position: -1409. 9. 1. ≥ E Chushanrishathaim 80
 Forward relations for entry Chushanrishathaim (80/120) are generated.
 Backward relations for entry Othniel (79/120) are generated.
 Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:†
-1409. 9. 1. ≥	E	0	E	80	80
-1409. 9. 1. ≥	E	5	B	80	80
-1409. 1. 1. ≥	E	7	B	79	80
	0	E		0	0
-1409. 9. 1. ≥	E	0	E	0	80
-1409. 9. 1. ≥	295th position to B Othniel				79

16492 Bytes free.

(259th/295) position: -2362. 9.15. -2341.11. 6. B Tower of Babel 102
 Forward relations for entry Tower of Babel (102/120) are generated.
 Backward relations for entry Peleg (101/120) are generated.
 Optimize dates...

Tower of Babel	D	Kind	S	from:	to:†
-2362. 9.15. -2341.11. 6. B	0	B		102	102
-2362. 9.15. -2341.11. 6. B	7	*		101	102
	0	B		0	0
-2362. 9.15. -2341.11. 6. B	0	B		0	102

16492 Bytes free.

(260th/295) position: -2333. 9.15. -2310.11. 6. * Reu 100
 Forward relations for entry Reu (100/120) are generated.
 Optimize dates...

Reu	D	Kind	S	from:	to:†
-2333. 9.15. -2310.11. 6. *	0	*		100	100
-2333. 9.15. -2310.11. 6. *	3	*		101	100
	9	*		99	100
	10	+		101	100
	0	*		0	0
-2333. 9.15. -2310.11. 6. *	0	*		0	100
-2302. 9.15. -2277.11. 6.	296th position to * Serug				99
-2125. 9.15. -2100.11. 6.	297th position to + Peleg				101

16492 Bytes free.

(261st/297) position: -1933. 9.15. -1910.11. 6. + Eber 103
 Forward relations for entry Eber (103/120) are generated.
 Optimize dates...

Eber	D	Kind	S	from:	to:†
-1933. 9.15. -1910.11. 6. +	0	+		103	103
-1933. 9.15. -1910.11. 6. +	4	*		101	103
	0	+		0	0
-1933. 9.15. -1910.11. 6. +	0	+		0	103

16492 Bytes free.
 (262nd/297) position: - 730. 1.22. - 721. 8.29. E Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...
 Ahaz D Knd S from: to:|
 - 730. 1.22. - 721. 8.29. Ω 0 Ω 17 17||
 - 730. 1.22. - 721. 8.29. E 0 E 17 17||
 - 730. 1.22. - 721. 8.29. E 7 B 14 17||
 - 733. 9. 1. - 719. 8.29. E 5 B 18 18||
 - 730. 1.22. - 721. 8.29. + 0 + 17 17||
 0 Ω 0 0||
 - 730. 1.22. - 721. 8.29. Ω 0 Ω 0 17||
 - 747. 1.22. - 736. 8.29. 298th position to B Ahaz 18

16492 Bytes free.
 (263rd/298) position: - 734. 1.22. - 723. 8.29. B Hoshea 16
 Forward relations for entry Hoshea (16/120) are generated.
 Backward relations for entry Captivity of Israel (15/120) are generated.
 Optimize dates...
 Hoshea D Knd S from: to:|
 - 734. 1.22. - 723. 8.29. B 0 B 16 16||
 - 735. 9. 1. - 723. 8.29. B 1 E 21 16||
 - 736. 1.22. - 723. 8.29. B 3 B 17 16||
 - 736. 9. 1. - 722. 8.29. B 5 E 16 16||
 - 736. 9. 1. - 721. 8.29. B 4 α 19 16||
 - 734. 1.22. - 723. 8.29. B 9 B 14 16||
 - 735. 1.22. - 722. 8.29. B 10 B 15 16||
 0 B 0 0||
 - 734. 1.22. - 723. 8.29. B 0 B 0 16||
 - 734. 1.22. - 723. 8.29. 299th position to E Pekah 21

16492 Bytes free.
 (264th/299) position: - 756. 1.22. - 745. 8.29. * Hezekiah 14
 Forward relations for entry Hezekiah (14/120) are generated.
 Backward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Isaiah (20/120) are generated.
 Optimize dates...
 Hezekiah D Knd S from: to:|
 - 756. 1.22. - 745. 8.29. * 0 * 14 14||
 - 756. 1.22. - 745. 8.29. * 10 B 14 14||
 0 * 0 0||
 - 756. 1.22. - 745. 8.29. * 0 * 0 14||

16492 Bytes free.
 (265th/299) position: - 716. 1.22. - 705. 8.29. B 14th Jubile Year 13
 Forward relations for entry 14th Jubile Year (13/120) are generated.
 Optimize dates...
 14th Jubile Year D Knd S from: to:|
 - 716. 1.22. - 705. 8.29. B 0 B 13 13||
 - 716. 1.22. - 705. 8.29. B 3 B 14 13||
 - 717. 9. 1. - 705. 8.29. B 4 B 81 13||
 - 717. 9. 1. - 705. 8.29. B 6 E 13 13||
 0 B 0 0||
 - 716. 1.22. - 705. 8.29. B 0 B 0 13||
 -1415. 1.22. -1404. 8.29. 300th position to B Inheritance of Israel 81

- 715. 1.22. - 704. 8.29. 301st position to E 14th Jubile Year 13

16492 Bytes free.

(266th/301) position: - 725. 1.22. - 714. 8.29. B Captivity of Israel 15

Forward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:
- 725. 1.22. - 714. 8.29.	B	0	B	15	15
- 726. 9. 1. - 714. 8.29.	B	1	E	16	15
- 725. 1.22. - 714. 8.29.	B	3	B	14	15
- 726. 1.22. - 713. 8.29.	B	4	B	16	15
		0	B	0	0
- 725. 1.22. - 714. 8.29.	B	0	B	0	15
- 725. 1.22. - 714. 8.29.					

302nd position to E Hoshea

16

16492 Bytes free.

(267th/302) position: - 770. 9. 1. - 754. 3.29. B Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:
- 770. 9. 1. - 754. 3.29.	B	0	B	24	24
- 770. 9. 1. - 754. 3.29.	B	1	E	25	24
- 770. 9. 1. - 754. 8.29.	B	3	B	26	24
- 770. 7. 1. - 754. 5.29.	B	5	E	24	24
		0	B	0	0
- 770. 9. 1. - 754. 3.29.	B	0	B	0	24

16492 Bytes free.

(268th/302) position: - 770. 9. 1. - 754. 3.29. E Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:
- 770. 9. 1. - 754. 3.29.	E	0	E	25	25
- 770. 5. 1. - 754. 3.29.	E	5	B	25	25
- 770. 9. 1. - 754. 3.29.	E	7	B	24	25
- 770. 9. 1. - 754. 3.29.	+	0	+	25	25
		0	E	0	0
- 770. 9. 1. - 754. 3.29.	E	0	E	0	25
- 770. 2. 1. - 755. 8.29.					

303rd position to B Zachariah

25

16492 Bytes free.

(269th/303) position: - 770. 9. 1. - 754. 5.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:
- 770. 9. 1. - 754. 5.29.	B	0	B	23	23
- 770. 9. 1. - 754. 5.29.	B	1	E	24	23
- 770. 9. 1. - 754. 8.29.	B	3	B	26	23
- 770. 9. 1. - 753. 8.29.	B	5	E	23	23
		0	B	0	0
- 770. 9. 1. - 754. 5.29.	B	0	B	0	23

16492 Bytes free.

(270th/303) position: - 813.12. 1. - 795. 8.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:	
- 813.12. 1. - 795. 8.29.	E	0	E	30	30	
	E	2	+	39	30	
	E	5	B	30	30	
- 813.12. 1. - 795. 8.29.	E	7	B	27	30	
- 813.12. 1. - 795. 8.29.	+	0	+	30	30	
	+	9	+	29	30	
	0	E		0	0	
- 813.12. 1. - 795. 8.29.	E	0	E	0	30	
	≤-			795. 8.29.		304th position to + Elisha 39
- 830.12. 1. - 810. 8.29.						305th position to B Joash (Jehoahaz) 30
- 799.12. 1. - 779. 8.29.						306th position to + Amaziah 29

16492 Bytes free.

(271st/306) position: - 829.12. 1. - 809. 8.29. B Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:	
- 829.12. 1. - 809. 8.29.	B	0	B	28	28	
	B	1	E	32	28	
- 829.12. 1. - 807. 8.29.	B	3	B	30	28	
	B	4	*	28	28	
- 829.12. 1. - 807. 8.29.	B	6	E	28	28	
- 829.12. 1. - 809. 8.29.	B	9	B	27	28	
	0	B		0	0	
- 829.12. 1. - 809. 8.29.	B	0	B	0	28	
- 829.12. 1. - 809. 8.29.						307th position to E Joash (Ahaziah) 32
- 855.12. 1. - 833. 8.29.						308th position to * Amaziah 28

16492 Bytes free.

(272nd/308) position: - 808. 9. 1. - 794. 8.29. Ω Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:	
- 808. 9. 1. - 794. 8.29.	Ω	0	Ω	28	28	
- 808. 9. 1. - 794. 8.29.	Ω	7	B	26	28	
	0	Ω		0	0	
- 808. 9. 1. - 794. 8.29.	Ω	0	Ω	0	28	

16492 Bytes free.

(273rd/308) position: - 836. 9. 1. - 820. 8.29. * Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:	
- 836. 9. 1. - 820. 8.29.	*	0	*	27	27	
- 836. 9. 1. - 820. 8.29.	*	9	B	26	27	
	0	*		0	0	
- 836. 9. 1. - 820. 8.29.	*	0	*	0	27	

16492 Bytes free.

(274th/308) position: - 825. 9. 1. - 809. 8.29. * Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:†
- 825. 9. 1. - 809. 8.29. * 0 *				26	26
- 825. 9. 1. - 809. 8.29. * 10 B				26	26
			0 *	0	0
- 825. 9. 1. - 809. 8.29. * 0 *				0	26

16492 Bytes free.

(275th/308) position: -1465. 7. 1. -1449. 8.29. B Aaron 87
 Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.
 Optimize dates...

Aaron	D	Kind	S	from:	to:†
-1465. 7. 1. -1449. 8.29. B 0 B				87	87
-1465. 7. 1. -1449. 8.29. B 1 B				86	87
-1466. 1. 1. -1448.12.30. B 3 *				87	87
≤-1449. 8.29. B 8 E				89	87
			0 B	0	0
-1465. 7. 1. -1449. 8.29. B 0 B				0	87

16492 Bytes free.

(276th/308) position: -1548. 1. 1. -1532.12.30. * Aaron 87
 Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.
 Optimize dates...

Aaron	D	Kind	S	from:	to:†
-1548. 1. 1. -1532.12.30. * 0 *				87	87
-1548. 1. 1. -1532.12.30. * 6 +				87	87
-1549. 7. 1. -1531. 8.29. * 9 B				87	87
			0 *	0	0
-1548. 1. 1. -1532.12.30. * 0 *				0	87

16492 Bytes free.

(277th/308) position: ≤-2066.12.30. B Fire upon Sodom 92
 Forward relations for entry Fire upon Sodom (92/120) are generated.
 Backward relations for entry Isaac (91/120) are generated.
 Optimize dates...

Fire upon Sodom	D	Kind	S	from:	to:†
≤-2066.12.30. B 0 B				92	92
-2090. 1. 1. -2065.12.30. B 3 *				96	92
≤-2066.12.30. B 7 *				91	92
2090Y			0 B	0	0
-2090. 1. 1. -2066.12.30. B 0 B				0	92
-2090. 1. 1. -2066.12.30.				309th position to B Fire upon Sodom	92

16492 Bytes free.

(278th/309) position: -2188. 1. 1. -2165.12.30. * Abram = Abraham 96
 Forward relations for entry Abram = Abraham (96/120) are generated.
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:†
-2188. 1. 1. -2165.12.30. * 0 *				96	96
			* 3 *	97	96

```

* 5 +      96      96||
-2188. 1. 1. -2165.12.30. * 9 *      91      96||
-2190. 1. 1. -2164.12.30. * 9 B      92      96||
* 9 *      93      96||
* 10 B     96      96||
0 *        0        0||
-2188. 1. 1. -2165.12.30. * 0 *        0        96||
-2259. 1. 1. -2234.12.30. 310th position to * Terah      97
-2014. 1. 1. -1989.12.30. 311th position to + Abram = Abraham 96
-2103. 1. 1. -2078.12.30. 312th position to * Ishmael      93
-2114. 1. 1. -2089.12.30. 313th position to B Abram = Abraham 96

```

16492 Bytes free.

(279th/313) position: -1908. 1. 1. -1885.12.30. + Isaac 91
Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

```

Isaac          D Knd S   from:   to:|
-1908. 1. 1. -1885.12.30. + 0 +     91     91||
-1908. 1. 1. -1885.12.30. + 5 *     91     91||
0 +           0        0||
-1908. 1. 1. -1885.12.30. + 0 +     0        91||

```

16492 Bytes free.

(280th/313) position: -2178. 1. 1. -2155.12.30. * Sarai = Sarah 95
Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

```

Sarai = Sarah  D Knd S   from:   to:|
-2178. 1. 1. -2155.12.30. * 0 *     95     95||
* 5 +           95     95||
-2178. 1. 1. -2155.12.30. * 10 *    91     95||
0 *            0        0||
-2178. 1. 1. -2155.12.30. * 0 *     0        95||
-2052. 1. 1. -2027.12.30. 314th position to + Sarai = Sarah 95

```

16492 Bytes free.

(281st/314) position: -1024. 8. 1. -1004. 2.30. α David 58
Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

```

David          D Knd S   from:   to:|
-1024. 8. 1. -1004. 2.30. α 0 α     58     58||
α 1 E         59     58||
-1023. 1. 1. -1004. 9.30. α 4 B     58     58||
-1024. 8. 1. -1004. 2.30. α 6 Ω     58     58||
5M            0 α     0        0||
-1023. 1. 1. -1004. 2.30. α 0 α     0        58||
-1023. 1. 1. -1004. 2.30. 315th position to α David      58
≤-1004. 2.30. 316th position to E Ishbosheth 59
-1031. 8. 1. -1012. 9.30. 317th position to B David      58

```

16492 Bytes free.

(282nd/317) position: -1031. 8. 1. -1012. 9.30. B David 58
Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

```

David          D Knd S   from:   to:|
-1031. 8. 1. -1012. 9.30. B 0 B     58     58||
B 2 E         60     58||

```

```

          B 3 *      58      58||
-1031. 8. 1. -1011. 2.30. B 5 E      58      58||
-1031. 6. 1. -1012. 9.30. B 10 α     58      58||
          0 B        0        0||
-1031. 8. 1. -1012. 9.30. B 0 B      0      58||
-1031. 8. 1. -1012. 9.30. 318th position to E Saul      60
-1062. 8. 1. -1041. 9.30. 319th position to * David      58

```

16492 Bytes free.

```

(283rd/319) position: - 951. 8. 1. - 931. 2.30. B Jeroboam (Nebat)      53
Forward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Nadab (50/120) are generated.
Optimize dates...

```

```

Jeroboam (Nebat)      D Knd S      from:      to:|
- 951. 8. 1. - 931. 2.30. B 0 B      53      53||
- 951. 8. 1. - 931. 2.30. B 1 E      57      53||
          B 5 E      53      53||
          B 9 B      51      53||
          B 9 B      52      53||
          0 B        0        0||
- 951. 8. 1. - 931. 2.30. B 0 B      0      53||
- 930. 8. 1. - 908. 2.30. 320th position to E Jeroboam (Nebat)      53
- 932. 8. 1. - 910. 2.30. 321st position to B Asa      51
- 934. 8. 1. - 912. 2.30. 322nd position to B Abijam = Abijah      52

```

16492 Bytes free.

```

(284th/322) position: - 951. 8. 1. - 931. 2.30. B Rehoboam      54
Forward relations for entry Rehoboam (54/120) are generated.
Backward relations for entry Abijam = Abijah (52/120) are generated.
Optimize dates...

```

```

Rehoboam      D Knd S      from:      to:|
- 951. 8. 1. - 931. 2.30. B 0 B      54      54||
- 951. 8. 1. - 931. 2.30. B 1 E      57      54||
          B 3 *      54      54||
          B 5 E      54      54||
          0 B        0        0||
- 951. 8. 1. - 931. 2.30. B 0 B      0      54||
- 993. 8. 1. - 971. 2.30. 323rd position to * Rehoboam      54
- 935. 8. 1. - 913. 2.30. 324th position to E Rehoboam      54

```

16492 Bytes free.

```

(285th/324) position: -2026. 9. 1. -2007. 8.29. * Jacob = Israel      90
Forward relations for entry Jacob = Israel (90/120) are generated.
Optimize dates...

```

```

Jacob = Israel      D Knd S      from:      to:|
-2026. 9. 1. -2007. 8.29. * 0 *      90      90||
-2028. 1. 1. -2005.12.30. * 3 *      91      90||
-2027. 9. 1. -2006. 8.29. * 5 +      90      90||
-2026. 9. 1. -2007. 8.29. * 9 B      89      90||
          0 *        0        0||
-2026. 9. 1. -2007. 8.29. * 0 *      0      90||
-2087. 9. 1. -2066. 8.29. 325th position to * Isaac      91

```

16492 Bytes free.

```

(286th/325) position: -1879. 9. 1. -1860. 8.29. + Jacob = Israel      90
Forward relations for entry Jacob = Israel (90/120) are generated.
Optimize dates...

```

```

Jacob = Israel      D Knd S      from:      to:|

```



```

-1879. 9. 1. -1860. 8.29. + 0 +      90      90||
-1880. 9. 1. -1859. 8.29. + 5 *      90      90||
-1879. 9. 1. -1860. 8.29. + 4 B      89      90||
                          0 +          0        0||
-1879. 9. 1. -1860. 8.29. + 0 +          0        90||

```

16492 Bytes free.

```

(287th/325) position: -1548. 1. 1. -1532.12.30. * Aaron      87
Forward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Forward relations for entry Aaron      (88/120) are generated.

```

Optimize dates...

```

Aaron          D Knd S      from:      to:|
-1548. 1. 1. -1532.12.30. * 0 *      87      87||
-1548. 1. 1. -1532.12.30. * 6 +      87      87||
-1549. 7. 1. -1531. 8.29. * 9 B      87      87||
                          0 *          0        0||
-1548. 1. 1. -1532.12.30. * 0 *          0        87||

```

16492 Bytes free.

```

(288th/325) position: - 989. 4. 1. - 973.10.29. B Solomon    57
Forward relations for entry Solomon      (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam    (54/120) are generated.

```

Optimize dates...

```

Solomon        D Knd S      from:      to:|
- 989. 4. 1. - 973.10.29. B 0 B      57      57||
- 990. 8. 1. - 972. 2.30. B 1 E      58      57||
- 992. 8. 1. - 970. 2.30. B 5 E      57      57||
- 990.10. 1. - 973.10.29. B 9 B      55      57||
- 989. 4. 1. - 972. 4.29. B 9 E      56      57||
                          0 B          0        0||
- 989. 4. 1. - 973.10.29. B 0 B          0        57||
- 989. 4. 1. - 973.10.29. 326th position to E David      58
- 950. 4. 1. - 932.10.29. 327th position to E Solomon    57

```

16492 Bytes free.

```

(289th/327) position: - 989. 4. 1. - 973.10.29. B Solomon    57
Forward relations for entry Solomon      (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam    (54/120) are generated.

```

Optimize dates...

```

Solomon        D Knd S      from:      to:|
- 989. 4. 1. - 973.10.29. B 0 B      57      57||
- 989. 4. 1. - 973.10.29. B 1 E      58      57||
- 991. 4. 1. - 971.10.29. B 5 E      57      57||
- 990.10. 1. - 973.10.29. B 9 B      55      57||
- 989. 4. 1. - 972. 4.29. B 9 E      56      57||
                          0 B          0        0||
- 989. 4. 1. - 973.10.29. B 0 B          0        57||

```

16492 Bytes free.

```

(290th/327) position:          ≤-1125. 6.30. E Abimelech    72
Forward relations for entry Abimelech    (72/120) are generated.
Backward relations for entry Philistines + Ammon (69/120) are generated.
Backward relations for entry Tola        (71/120) are generated.

```

Optimize dates...

```

Abimelech      D Knd S      from:      to:|

```

```

≤-1125. 6.30. E 0 E      72      72||
                    E 5 B      72      72||
≤-1125. 6.30. E 7 B      69      72||
                    E 7 B      71      72||
≤-1125. 6.30. + 0 +      72      72||
                    0 E        0        0||
≤-1125. 6.30. E 0 E        0        72||
≤-1127. 6.30. 328th position to B Abimelech      72

```

16492 Bytes free.

```

(291st/328) position: -1081. 7. 1.≥      E Philistines      63
Forward relations for entry Philistines    (63/120) are generated.
Backward relations for entry Samuel        (61/120) are generated.
Backward relations for entry Samson        (62/120) are generated.
Backward relations for entry Saul          (60/120) are generated.

```

Optimize dates...

```

Philistines      D Knd S      from:      to:|
-1081. 7. 1.≥   E 0 E      63      63||
                  E 2 E      62      63||
                  E 3 B      61      63||
-1081. 7. 1.≥   E 6 B      63      63||
                  E 7 E      61      63||
                  E 8 B      60      63||
                  0 E        0        0||
-1081. 7. 1.≥   E 0 E        0      63||
-1102. 7. 1.≥   329th position to B Samuel      61
-1081. 7. 1.≥   330th position to E Samuel    61
-1081. 7. 1.≥   331st position to B Saul      60

```

16492 Bytes free.

```

(292nd/331) position: -1120. 7. 1.≥      B Samson      62
Forward relations for entry Samson        (62/120) are generated.
Backward relations for entry Philistines  (63/120) are generated.

```

Optimize dates...

```

Samson      D Knd S      from:      to:|
-1120. 7. 1.≥   B 0 B      62      62||
-1120. 7. 1.≥   B 1 B      63      62||
                  B 5 E      62      62||
                  0 B        0        0||
-1120. 7. 1.≥   B 0 B        0      62||
-1101. 7. 1.≥   332nd position to E Samson      62

```

16492 Bytes free.

```

(293rd/332) position: -1114. 7. 1.≥      E Ibzan      67
Forward relations for entry Ibzan        (67/120) are generated.
Backward relations for entry Elon        (66/120) are generated.

```

Optimize dates...

```

Ibzan      D Knd S      from:      to:|
-1114. 7. 1.≥   E 0 E      67      67||
-1114. 7. 1.≥   E 5 B      67      67||
                  E 7 B      66      67||
-1114. 7. 1.≥   + 0 +      67      67||
                  0 E        0        0||
-1114. 7. 1.≥   E 0 E        0      67||
-1114. 7. 1.≥   333rd position to B Elon      66

```

16492 Bytes free.

```

(294th/333) position: -1370. 1. 1.≥      B Eglon      78

```

Forward relations for entry Eglon (78/120) are generated.
 Backward relations for entry Ehud (77/120) are generated.
 Optimize dates...

Eglon	D	Kind	S	from:	to:	
-1370. 1. 1. ≥	B	0	B	78	78	
-1370. 1. 1. ≥	B	1	E	79	78	
	B	5	E	78	78	
		0	B	0	0	
-1370. 1. 1. ≥	B	0	B	0	78	
-1353. 1. 1. ≥				334th position to E Eglon		78

16492 Bytes free.
 (295th/334) position: -1409. 9. 1. ≥ B Othniel 79
 Forward relations for entry Othniel (79/120) are generated.
 Backward relations for entry Eglon (78/120) are generated.
 Optimize dates...

Othniel	D	Kind	S	from:	to:	
-1409. 9. 1. ≥	B	0	B	79	79	
-1409. 9. 1. ≥	B	1	E	80	79	
-1411. 1. 1. ≥	B	5	E	79	79	
		0	B	0	0	
-1409. 9. 1. ≥	B	0	B	0	79	
-1370. 9. 1. ≥				335th position to E Othniel		79

16492 Bytes free.
 (296th/335) position: -2302. 9.15. -2277.11. 6. * Serug 99
 Forward relations for entry Serug (99/120) are generated.
 Optimize dates...

Serug	D	Kind	S	from:	to:	
-2302. 9.15. -2277.11. 6. *	0	*		99	99	
-2302. 9.15. -2277.11. 6. *	3	*		100	99	
	9	*		98	99	
	10	+		100	99	
	0	*		0	0	
-2302. 9.15. -2277.11. 6. *	0	*		0	99	
-2273. 9.15. -2246.11. 6.				336th position to * Nahor		98
-2096. 9.15. -2069.11. 6.				337th position to + Reu		100

16492 Bytes free.
 (297th/337) position: -2125. 9.15. -2100.11. 6. + Peleg 101
 Forward relations for entry Peleg (101/120) are generated.
 Optimize dates...

Peleg	D	Kind	S	from:	to:	
-2125. 9.15. -2100.11. 6. +	0	+		101	101	
-2125. 9.15. -2100.11. 6. +	4	*		100	101	
	0	+		0	0	
-2125. 9.15. -2100.11. 6. +	0	+		0	101	

16492 Bytes free.
 (298th/337) position: - 747. 1.22. - 736. 8.29. B Ahaz 18
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:	
- 747. 1.22. - 736. 8.29.	B	0	B	17	17	
- 748. 9. 1. - 736. 8.29.	B	1	E	19	17	
- 750. 9. 1. - 734. 8.29.	B	4	*	17	17	

```

- 747. 1.22. - 734. 8.29. B 9 B      16      17||
- 747. 1.22. - 736. 8.29. B 5 E      18      18||
                        0 B          0        0||
- 747. 1.22. - 736. 8.29. B 0 B          0      17||
- 747. 1.22. - 736. 8.29. 338th position to E Jotham      19
- 768. 1.22. - 755. 8.29. 339th position to * Ahaz        17

```

16492 Bytes free.

```

(299th/339) position: - 734. 1.22. - 723. 8.29.  E Pekah      21
Forward relations for entry Pekah      (21/120) are generated.
Backward relations for entry Hoshea    (16/120) are generated.
Optimize dates...

```

```

Pekah      D Knd S      from:      to:|
- 734. 1.22. - 723. 8.29. E 0 E      21      21||
- 737. 9. 1. - 722. 8.29. E 5 B      21      21||
- 734. 1.22. - 723. 8.29. E 7 B      16      21||
- 734. 1.22. - 723. 8.29. + 0 +      21      21||
                        0 E          0        0||
- 734. 1.22. - 723. 8.29. E 0 E          0      21||
- 755. 1.22. - 743. 8.29. 340th position to B Pekah      21

```

16492 Bytes free.

```

(300th/340) position: -1415. 1.22. -1404. 8.29.  B Inheritance of Israel 81
Forward relations for entry Inheritance of Israel (81/120) are generated.
Backward relations for entry Caleb      (82/120) are generated.
Backward relations for entry Joshua    (83/120) are generated.
Optimize dates...

```

```

Inheritance of Israel  D Knd S      from:      to:|
-1415. 1.22. -1404. 8.29. B 0 B      81      81||
-1418. 9. 1. -1402. 8.29. B 3 B      85      81||
-1418. 9. 1. -1402. 8.29. B 4 *      82      81||
                        B 7 +      82      81||
                        B 8 +      83      81||
-1415. 1.22. -1404. 8.29. B 10 B     13      81||
                        0 B          0        0||
-1415. 1.22. -1404. 8.29. B 0 B          0      81||
-1461. 1.22. -1448. 8.29. 341st position to B Explorers of Canaan 85
-1501. 1.22. -1488. 8.29. 342nd position to * Caleb      82
-1415. 1.22. ≥      343rd position to + Caleb      82
-1415. 1.22. ≥      344th position to + Joshua      83

```

16492 Bytes free.

```

(301st/344) position: - 715. 1.22. - 704. 8.29.  E 14th Jubile Year      13
Forward relations for entry 14th Jubile Year      (13/120) are generated.
Optimize dates...

```

```

14th Jubile Year      D Knd S      from:      to:|
- 715. 1.22. - 704. 8.29. E 0 E      13      13||
- 715. 1.22. - 704. 8.29. E 6 B      13      13||
                        0 E          0        0||
- 715. 1.22. - 704. 8.29. E 0 E          0      13||

```

16492 Bytes free.

```

(302nd/344) position: - 725. 1.22. - 714. 8.29.  E Hoshea      16
Forward relations for entry Hoshea      (16/120) are generated.
Backward relations for entry Captivity of Israel (15/120) are generated.
Optimize dates...

```

```

Hoshea      D Knd S      from:      to:|
- 725. 1.22. - 714. 8.29. E 0 E      16      16||

```

```

- 726. 1.22. - 713. 8.29. E 5 B      16      16||
- 725. 1.22. - 714. 8.29. E 7 B      15      16||
                                0 E      0       0||
- 725. 1.22. - 714. 8.29. E 0 E      0       16||

```

16492 Bytes free.

```

(303rd/344) position: - 770. 2. 1. - 755. 8.29.   B Zachariah           25
Forward relations for entry Zachariah             (25/120) are generated.
Backward relations for entry Shallum              (24/120) are generated.
Optimize dates...

```

```

Zachariah          D Knd S   from:   to:|
- 770. 2. 1. - 755. 8.29. B 0 B     25     25||
- 771.12. 1. - 755. 8.29. B 1 E     27     25||
- 771. 9. 1. - 755. 8.29. B 3 B     26     25||
- 770. 2. 1. - 755.10.29. B 5 E     25     25||
                                0 B     0      0||
- 770. 2. 1. - 755. 8.29. B 0 B     0      25||
- 770. 2. 1. - 755. 8.29. 345th position to E Jeroboam (Joash) 27

```

16492 Bytes free.

```

(304th/345) position: ≤- 795. 8.29.   + Elisha           39
Forward relations for entry Elisha                (39/120) are generated.
Backward relations for entry Joash (Jehoahaz)     (30/120) are generated.
Optimize dates...

```

```

Elisha             D Knd S   from:   to:|
≤- 795. 8.29. E 0 E   39     39||
- 830.12. 1. ≥      E 2 B   30     39||
≤- 795. 8.29. + 0 +   39     39||
≤- 795. 8.29. + 8 E   30     39||
829Y 1M            0 E     0      0||
- 830.12. 1. - 795. 8.29. E 0 E     0     39||
- 830.12. 1. - 795. 8.29. 346th position to E Elisha           39

```

16492 Bytes free.

```

(305th/346) position: - 830.12. 1. - 810. 8.29.   B Joash (Jehoahaz)       30
Forward relations for entry Joash (Jehoahaz)     (30/120) are generated.
Backward relations for entry Jeroboam (Joash)    (27/120) are generated.
Backward relations for entry Elisha              (39/120) are generated.
Optimize dates...

```

```

Joash (Jehoahaz)  D Knd S   from:   to:|
- 830.12. 1. - 810. 8.29. B 0 B     30     30||
                                B 1 E     31     30||
                                B 3 B     32     30||
- 830.12. 1. - 810. 8.29. B 5 E     30     30||
≤- 795. 8.29. B 8 E     39     30||
- 832.12. 1. - 810. 8.29. B 9 B     28     30||
                                0 B     0      0||
- 830.12. 1. - 810. 8.29. B 0 B     0     30||
- 830.12. 1. - 810. 8.29. 347th position to E Jehoahaz (Jehu) 31
- 868.12. 1. - 846. 8.29. 348th position to B Joash (Ahaziah) 32

```

16492 Bytes free.

```

(306th/348) position: - 799.12. 1. - 779. 8.29.   + Amaziah           29
Forward relations for entry Amaziah              (28/120) are generated.
Backward relations for entry Azariah = Uzziah    (26/120) are generated.
Forward relations for entry Amaziah              (29/120) are generated.
Optimize dates...

```

```

Amaziah           D Knd S   from:   to:|

```

```

- 799.12. 1. - 779. 8.29. E 0 E      28      28||
- 801.12. 1. - 779. 8.29. E 6 B      28      28||
- 799.12. 1. - 779. 8.29. + 0 +      28      28||
- 799.12. 1. - 779. 8.29. + 3 +      30      29||
                               0 E      0      0||
- 799.12. 1. - 779. 8.29. E 0 E      0      28||

```

16492 Bytes free.

```

(307th/348) position: - 829.12. 1. - 809. 8.29.   E Joash (Ahaziah)      32
Forward relations for entry Joash (Ahaziah)        (32/120) are generated.
Backward relations for entry Amaziah                (28/120) are generated.

```

Optimize dates...

```

Joash (Ahaziah)          D Knd S   from:   to:|
- 829.12. 1. - 809. 8.29. E 0 E     32     32||
- 829.12. 1. - 805. 8.29. E 5 B     32     32||
- 829.12. 1. - 809. 8.29. E 7 B     28     32||
- 829.12. 1. - 809. 8.29. + 0 +     32     32||
                               0 E     0     0||
- 829.12. 1. - 809. 8.29. E 0 E     0     32||
- 868.12. 1. - 848. 8.29.   349th position to B Joash (Ahaziah)      32

```

16492 Bytes free.

```

(308th/349) position: - 855.12. 1. - 833. 8.29.   * Amaziah                28
Forward relations for entry Amaziah                (28/120) are generated.
Backward relations for entry Azariah = Uzziah      (26/120) are generated.
Forward relations for entry Amaziah                (29/120) are generated.

```

Optimize dates...

```

Amaziah                  D Knd S   from:   to:|
- 855.12. 1. - 833. 8.29. * 0 *     28     28||
- 855.12. 1. - 833. 8.29. * 10 B    28     28||
                               0 *     0     0||
- 855.12. 1. - 833. 8.29. * 0 *     0     28||

```

16492 Bytes free.

```

(309th/349) position: -2090. 1. 1. -2066.12.30.   B Fire upon Sodom      92
Forward relations for entry Fire upon Sodom        (92/120) are generated.
Backward relations for entry Isaac                 (91/120) are generated.

```

Optimize dates...

```

Fire upon Sodom          D Knd S   from:   to:|
-2090. 1. 1. -2066.12.30. B 0 B     92     92||
-2090. 1. 1. -2065.12.30. B 3 *     96     92||
    <-2066. 8.29. B 7 *     91     92||
                               4M 1D    0 B     0     0||
-2090. 1. 1. -2066. 8.29. B 0 B     0     92||
-2090. 1. 1. -2066. 8.29.   350th position to B Fire upon Sodom      92

```

16492 Bytes free.

```

(310th/350) position: -2259. 1. 1. -2234.12.30.   * Terah                97
Forward relations for entry Terah                  (97/120) are generated.
Backward relations for entry Abram = Abraham       (96/120) are generated.

```

Optimize dates...

```

Terah                    D Knd S   from:   to:|
-2259. 1. 1. -2234.12.30. * 0 *     97     97||
-2245. 9.15. -2216.11. 6. * 3 *     98     97||
                               * 5 +     97     97||
-2259. 1. 1. -2234.12.30. * 9 *     96     97||
                               * 10 +    98     97||
    14Y 8M14D           0 *     0     0||

```

```

-2245. 9.15. -2234.12.30. * 0 *      0      97||
-2245. 9.15. -2234.12.30. 351st position to * Terah      97
-2273. 9.15. -2262.12.30. 352nd position to * Nahor      98
-2101. 9.15. -2088.12.30. 353rd position to + Terah      97
-2176. 9.15. -2165.12.30. 354th position to * Abram = Abraham 96
-2127. 9.15. -2114.12.30. 355th position to + Nahor      98

```

16492 Bytes free.

```

(311th/355) position: -2014. 1. 1. -1989.12.30. + Abram = Abraham      96
Forward relations for entry Abram = Abraham      (96/120) are generated.
Backward relations for entry Battle in Siddim Vale (94/120) are generated.
Optimize dates...

```

```

Abram = Abraham      D Knd S      from:      to:|
-2014. 1. 1. -1989.12.30. E 0 E      96      96||
-2014. 1. 1. -1989.12.30. + 0 +      96      96||
-2002. 9.15. -1989.12.30. + 5 *      96      96||
  12Y 8M14D      0 E      0      0||
-2002. 9.15. -1989.12.30. E 0 E      0      96||
-2002. 9.15. -1989.12.30. 356th position to E Abram = Abraham      96

```

16492 Bytes free.

```

(312th/356) position: -2103. 1. 1. -2078.12.30. * Ishmael      93
Forward relations for entry Ishmael      (93/120) are generated.
Optimize dates...

```

```

Ishmael      D Knd S      from:      to:|
-2103. 1. 1. -2078.12.30. * 0 *      93      93||
      * 1 B      94      93||
-2091. 9.15. -2078.12.30. * 3 *      96      93||
      * 5 +      93      93||
  12Y 8M14D      0 *      0      0||
-2091. 9.15. -2078.12.30. * 0 *      0      93||
-2091. 9.15. -2078.12.30. 357th position to * Ishmael      93
      ≤-2078.12.30. 358th position to B Battle in Siddim Vale 94
-1955. 9.15. -1940.12.30. 359th position to + Ishmael      93

```

16492 Bytes free.

```

(313th/359) position: -2114. 1. 1. -2089.12.30. B Abram = Abraham      96
Forward relations for entry Abram = Abraham      (96/120) are generated.
Backward relations for entry Battle in Siddim Vale (94/120) are generated.
Optimize dates...

```

```

Abram = Abraham      D Knd S      from:      to:|
-2114. 1. 1. -2089.12.30. B 0 B      96      96||
-2101. 9.15. ≥      B 1 +      97      96||
-2102. 9.15. -2089.12.30. B 4 *      96      96||
      ≤-2078.12.30. B 7 B      94      96||
  13Y 8M14D      0 B      0      0||
-2101. 9.15. -2089.12.30. B 0 B      0      96||
-2101. 9.15. -2089.12.30. 360th position to B Abram = Abraham      96
-2101. 9.15. -2089.12.30. 361st position to + Terah      97
-2101. 9.15. -2078.12.30. 362nd position to B Battle in Siddim Vale 94

```

16492 Bytes free.

```

(314th/362) position: -2052. 1. 1. -2027.12.30. + Sarai = Sarah      95
Forward relations for entry Sarai = Sarah      (95/120) are generated.
Optimize dates...

```

```

Sarai = Sarah      D Knd S      from:      to:|
-2052. 1. 1. -2027.12.30. + 0 +      95      95||
-2052. 1. 1. -2027.12.30. + 5 *      95      95||

```

0 + 0 0||
 -2052. 1. 1. -2027.12.30. + 0 + 0 95||

16492 Bytes free.
 (315th/362) position: -1023. 1. 1. -1004. 2.30. α David 58
 Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kn	S	from:	to:	
-1023. 1. 1. -1004. 2.30.	α	0	α	58	58	
		α	1	E	59	58
-1023. 1. 1. -1004. 4.30.	α	4	B	58	58	
-1023. 4. 1. -1005.10.29.	α	6	Ω	58	58	
Y 3M 4M 1D	0	α		0	0	
-1023. 4. 1. -1005.10.29.	α	0	α	0	58	
-1023. 4. 1. -1005.10.29.				363rd position to α David		58
≤-1005.10.29.				364th position to E Ishbosheth		59
-1031. 9. 1. -1012. 5.29.				365th position to B David		58

16492 Bytes free.
 (316th/365) position: ≤-1005.10.29. E Ishbosheth 59
 Forward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Ishbosheth	D	Kn	S	from:	to:	
≤-1005.10.29.	E	0	E	59	59	
		E	5	B	59	59
≤-1005.10.29.	E	7	α	58	59	
≤-1005.10.29.	+	0	+	59	59	
		0	E	0	0	
≤-1005.10.29.	E	0	E	0	59	
≤-1006.10.29.				366th position to B Ishbosheth		59

16492 Bytes free.
 (317th/366) position: -1031. 9. 1. -1012. 5.29. B David 58
 Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kn	S	from:	to:	
-1031. 9. 1. -1012. 5.29.	B	0	B	58	58	
-1031. 8. 1. -1012. 9.30.	B	2	E	60	58	
-1033. 8. 1. -1010. 9.30.	B	3	*	58	58	
-1030. 4. 1. -1012.10.29.	B	5	E	58	58	
-1031. 9. 1. -1012. 5.29.	B	10	α	58	58	
7M	0	B		0	0	
-1030. 4. 1. -1012. 5.29.	B	0	B	0	58	
-1030. 4. 1. -1012. 5.29.				367th position to B David		58
-1030. 4. 1. -1012. 5.29.				368th position to E Saul		60
-1061. 4. 1. -1041. 5.29.				369th position to * David		58
-1023. 9. 1. -1005.10.29.				370th position to α David		58

16492 Bytes free.
 (318th/370) position: -1030. 4. 1. -1012. 5.29. E Saul 60
 Forward relations for entry Saul (60/120) are generated.
 Backward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Saul	D	Kn	S	from:	to:	
------	---	----	---	-------	-----	--


```

-1030. 4. 1. -1012. 5.29. E 0 E      60      60||
-1042. 7. 1. ≥                E 5 B      60      60||
           ≤-1006.10.29. E 7 B      59      60||
-1030. 4. 1. -1012. 5.29. E 8 B      58      60||
-1030. 4. 1. -1012. 5.29. + 0 +      60      60||
                           0 E        0      0||
-1030. 4. 1. -1012. 5.29. E 0 E        0      60||
-1071. 4. 1. -1051. 5.29. 371st position to B Saul          60
-1030. 4. 1. -1012. 5.29. 372nd position to B Ishbosheth    59

```

16492 Bytes free.

(319th/372) position: -1061. 4. 1. -1041. 5.29. * David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

```

David          D Knd S   from:   to:|
-1061. 4. 1. -1041. 5.29. * 0 *     58     58||
-1061. 4. 1. -1041. 5.29. * 9 B     58     58||
                           0 *       0      0||
-1061. 4. 1. -1041. 5.29. * 0 *       0     58||

```

16492 Bytes free.

(320th/372) position: - 930. 8. 1. - 908. 2.30. E Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

```

Jeroboam (Nebat) D Knd S   from:   to:|
- 930. 8. 1. - 908. 2.30. E 0 E     53     53||
- 930. 8. 1. - 908. 2.30. E 5 B     53     53||
                           E 7 B     50     53||
- 930. 8. 1. - 908. 2.30. + 0 +     53     53||
                           0 E       0      0||
- 930. 8. 1. - 908. 2.30. E 0 E       0     53||
- 930. 8. 1. - 908. 2.30. 373rd position to B Nadab          50

```

16492 Bytes free.

(321st/373) position: - 932. 8. 1. - 910. 2.30. B Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

```

Asa          D Knd S   from:   to:|
- 932. 8. 1. - 910. 2.30. B 0 B     51     51||
                           B 1 E     52     51||
- 932. 8. 1. - 910. 2.30. B 3 B     53     51||
                           B 5 E     51     51||
                           B 9 B     44     51||
                           B 9 α     45     51||
                           B 9 B     47     51||
                           B 9 B     48     51||
                           B 9 B     49     51||
- 933. 8. 1. - 909. 2.30. B 9 B     50     51||
                           B 10 +    48     51||
                           B 10 +    50     51||
                           0 B       0      0||
- 932. 8. 1. - 910. 2.30. B 0 B       0     51||
- 932. 8. 1. - 910. 2.30. 374th position to E Abijam = Abijah 52
- 892. 8. 1. - 868. 2.30. 375th position to E Asa          51
- 895. 8. 1. - 871. 2.30. 376th position to B Ahab          44

```

```

- 902. 8. 1. - 878. 2.30. 377th position to α Omri 45
- 906. 8. 1. - 882. 2.30. 378th position to B Zimri 47
- 907. 8. 1. - 883. 2.30. 379th position to B Elah 48
- 930. 8. 1. - 906. 2.30. 380th position to B Baasha 49
- 906. 8. 1. - 882. 2.30. 381st position to + Elah 48
- 930. 8. 1. - 906. 2.30. 382nd position to + Nadab 50

```

16492 Bytes free.

```

(322nd/382) position: - 934. 8. 1. - 912. 2.30. B Abijam = Abijah 52
Forward relations for entry Abijam = Abijah (52/120) are generated.
Backward relations for entry Asa (51/120) are generated.

```

Optimize dates...

```

Abijam = Abijah      D Knd S   from:   to:|
- 934. 8. 1. - 912. 2.30. B 0 B     52     52||
- 935. 8. 1. - 913. 2.30. B 1 E     54     52||
- 934. 8. 1. - 912. 2.30. B 3 B     53     52||
- 936. 8. 1. - 912. 2.30. B 5 E     52     52||
      1Y           0 B     0       0||
- 934. 8. 1. - 913. 2.30. B 0 B     0       52||
- 934. 8. 1. - 913. 2.30. 383rd position to B Abijam = Abijah 52
- 934. 8. 1. - 913. 2.30. 384th position to E Rehoboam 54

```

16492 Bytes free.

```

(323rd/384) position: - 993. 8. 1. - 971. 2.30. * Rehoboam 54
Forward relations for entry Rehoboam (54/120) are generated.
Backward relations for entry Abijam = Abijah (52/120) are generated.

```

Optimize dates...

```

Rehoboam      D Knd S   from:   to:|
- 993. 8. 1. - 971. 2.30. * 0 *     54     54||
- 993. 8. 1. - 971. 2.30. * 9 B     54     54||
      0 *       0       0||
- 993. 8. 1. - 971. 2.30. * 0 *     0       54||

```

16492 Bytes free.

```

(324th/384) position: - 934. 8. 1. - 913. 2.30. E Rehoboam 54
Forward relations for entry Rehoboam (54/120) are generated.
Backward relations for entry Abijam = Abijah (52/120) are generated.

```

Optimize dates...

```

Rehoboam      D Knd S   from:   to:|
- 934. 8. 1. - 913. 2.30. E 0 E     54     54||
- 935. 8. 1. - 913. 2.30. E 5 B     54     54||
- 934. 8. 1. - 913. 2.30. E 7 B     52     54||
- 934. 8. 1. - 913. 2.30. + 0 +     54     54||
      0 E       0       0||
- 934. 8. 1. - 913. 2.30. E 0 E     0       54||

```

16492 Bytes free.

```

(325th/384) position: -2087. 9. 1. -2066. 8.29. * Isaac 91
Forward relations for entry Isaac (91/120) are generated.

```

Optimize dates...

```

Isaac      D Knd S   from:   to:|
-2087. 9. 1. -2066. 8.29. * 0 *     91     91||
-2090. 1. 1. ≥           * 1 B     92     91||
-2077. 9.15. -2064.12.30. * 3 *     96     91||
-2089. 1. 1. -2064.12.30. * 5 +     91     91||
-2089. 1. 1. -2064.12.30. * 4 *     95     91||
-2087. 9. 1. -2066. 8.29. * 9 *     90     91||
      10Y 14D           0 *     0       0||

```

```

-2077. 9.15. -2066. 8.29. * 0 *      0      91||
-2077. 9.15. -2066. 8.29. 385th position to * Isaac      91
-2176. 9.15. -2165. 8.29. 386th position to * Abram = Abraham 96
-1898. 9.15. -1885. 8.29. 387th position to + Isaac      91
-2168. 9.15. -2155. 8.29. 388th position to * Sarai = Sarah 95
-2018. 9.15. -2007. 8.29. 389th position to * Jacob = Israel 90

```

16492 Bytes free.

```

(326th/389) position: - 989. 4. 1. - 973.10.29.   E David      58
Forward relations for entry David      (58/120) are generated.
Backward relations for entry Solomon    (57/120) are generated.
Optimize dates...

```

```

David      D Knd S   from:   to:|
- 989. 4. 1. - 973.10.29. Ω 0 Ω     58    58||
- 991. 9. 1. - 971.10.29. Ω 6 α     58    58||
- 989. 4. 1. - 973.10.29. E 0 E     58    58||
- 991. 4. 1. - 971. 5.29. E 5 B     58    58||
- 989. 4. 1. - 973.10.29. E 7 B     57    58||
- 989. 4. 1. - 973.10.29. + 0 +     58    58||
                                0 Ω     0     0||
- 989. 4. 1. - 973.10.29. Ω 0 Ω     0     58||

```

16492 Bytes free.

```

(327th/389) position: - 950. 4. 1. - 932.10.29.   E Solomon     57
Forward relations for entry Solomon    (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam    (54/120) are generated.
Optimize dates...

```

```

Solomon    D Knd S   from:   to:|
- 950. 4. 1. - 932.10.29. E 0 E     57    57||
- 950. 4. 1. - 932.10.29. E 5 B     57    57||
- 951. 8. 1. - 931. 2.30. E 7 B     53    57||
- 951. 8. 1. - 931. 2.30. E 7 B     54    57||
- 950. 4. 1. - 932.10.29. + 0 +     57    57||
                                0 E     0     0||
- 950. 4. 1. - 932.10.29. E 0 E     0     57||
- 950. 4. 1. - 932.10.29. 390th position to B Jeroboam (Nebat) 53
- 950. 4. 1. - 932.10.29. 391st position to B Rehoboam      54

```

16492 Bytes free.

```

(328th/391) position: ≤-1127. 6.30.   B Abimelech   72
Forward relations for entry Abimelech   (72/120) are generated.
Backward relations for entry Philistines + Ammon (69/120) are generated.
Backward relations for entry Tola       (71/120) are generated.
Optimize dates...

```

```

Abimelech  D Knd S   from:   to:|
≤-1127. 6.30. B 0 B     72    72||
                B 1 E     73    72||
≤-1127. 6.30. B 5 E     72    72||
                0 B     0     0||
≤-1127. 6.30. B 0 B     0     72||
≤-1127. 6.30. 392nd position to E Gideon = Jerubbaal 73

```

16492 Bytes free.

```

(329th/392) position: -1102. 7. 1. ≥      B Samuel      61
Forward relations for entry Samuel      (61/120) are generated.
Backward relations for entry Saul       (60/120) are generated.
Optimize dates...

```

Samuel	D	Kind	S	from:	to:†	
-1102. 7. 1.≥	B	0	B	61	61	
	B	2	E	64	61	
-1102. 7. 1.≥	B	9	E	63	61	
	0	B		0	0	
-1102. 7. 1.≥	B	0	B	0	61	
-1102. 7. 1.≥				393rd position to E Eli		64

16492 Bytes free.

(330th/393) position: -1081. 7. 1.≥ E Samuel 61
 Forward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Saul (60/120) are generated.
 Optimize dates...

Samuel	D	Kind	S	from:	to:†	
-1081. 7. 1.≥	E	0	E	61	61	
-1081. 7. 1.≥	E	1	E	63	61	
-1071. 4. 1. -1051. 5.29.	E	7	B	60	61	
9Y 9M 1050Y 7M 2D	0	E		0	0	
-1071. 4. 1. -1051. 5.29.	E	0	E	0	61	
-1071. 4. 1. -1051. 5.29.				394th position to E Samuel		61
-1081. 7. 1. -1051. 5.29.				395th position to E Philistines		63

16492 Bytes free.

(331st/395) position: -1071. 4. 1. -1051. 5.29. B Saul 60
 Forward relations for entry Saul (60/120) are generated.
 Backward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Saul	D	Kind	S	from:	to:†	
-1071. 4. 1. -1051. 5.29.	B	0	B	60	60	
-1071. 4. 1. -1051. 5.29.	B	1	E	61	60	
-1081. 7. 1.≥	B	2	E	63	60	
-1071. 4. 1. -1051. 5.29.	B	5	E	60	60	
	0	B		0	0	
-1071. 4. 1. -1051. 5.29.	B	0	B	0	60	

16492 Bytes free.

(332nd/395) position: -1101. 7. 1.≥ E Samson 62
 Forward relations for entry Samson (62/120) are generated.
 Backward relations for entry Philistines (63/120) are generated.
 Optimize dates...

Samson	D	Kind	S	from:	to:†	
-1101. 7. 1.≥	E	0	E	62	62	
-1101. 7. 1.≥	E	5	B	62	62	
≤-1051. 5.29.	E	8	E	63	62	
-1101. 7. 1.≥	+	0	+	62	62	
1050Y 7M 2D	0	E		0	0	
-1101. 7. 1. -1051. 5.29.	E	0	E	0	62	
-1101. 7. 1. -1051. 5.29.				396th position to E Samson		62
-1120. 7. 1. -1070. 5.29.				397th position to B Samson		62

16492 Bytes free.

(333rd/397) position: -1114. 7. 1.≥ B Elon 66
 Forward relations for entry Elon (66/120) are generated.
 Backward relations for entry Abdon (65/120) are generated.
 Optimize dates...

Elon	D	Kind	S	from:	to:†	
-1114. 7. 1.≥	B	0	B	66	66	

```

-1114. 7. 1.>          B 1 E      67      66||
                      B 5 E      66      66||
                      0 B       0       0||
-1114. 7. 1.>          B 0 B       0      66||
-1105. 7. 1.>          398th position to E Elon          66

```

```

16492 Bytes free.
(334th/398) position: -1353. 1. 1.>          E Eglon          78
Forward relations for entry Eglon          (78/120) are generated.
Backward relations for entry Ehud          (77/120) are generated.
Optimize dates...

```

```

Eglon          D Knd S      from:      to:|
-1353. 1. 1.>          E 0 E      78      78||
-1353. 1. 1.>          E 5 B      78      78||
                      E 7 B      77      78||
-1353. 1. 1.>          + 0 +      78      78||
                      0 E       0       0||
-1353. 1. 1.>          E 0 E       0      78||
-1353. 1. 1.>          399th position to B Ehud          77

```

```

16492 Bytes free.
(335th/399) position: -1370. 9. 1.>          E Othniel          79
Forward relations for entry Othniel          (79/120) are generated.
Backward relations for entry Eglon          (78/120) are generated.
Optimize dates...

```

```

Othniel        D Knd S      from:      to:|
-1370. 9. 1.>          E 0 E      79      79||
-1370. 9. 1.>          E 5 B      79      79||
-1370. 1. 1.>          E 7 B      78      79||
-1370. 9. 1.>          + 0 +      79      79||
                      0 E       0       0||
-1370. 9. 1.>          E 0 E       0      79||
-1370. 9. 1.>          400th position to B Eglon          78

```

```

16492 Bytes free.
(336th/400) position: -2273. 9.15. -2262.12.30. * Nahor          98
Forward relations for entry Nahor          (98/120) are generated.
Optimize dates...

```

```

Nahor          D Knd S      from:      to:|
-2273. 9.15. -2262.12.30. * 0 *      98      98||
-2273. 9.15. -2246.11. 6. * 3 *      99      98||
-2275. 9.15. -2262.12.30. * 9 *      97      98||
                      * 10 +      99      98||
                      0 *       0       0||
-2273. 9.15. -2262.12.30. * 0 *       0      98||
-2302. 9.15. -2291.12.30. 401st position to * Serug          99
-2074. 9.15. -2061.12.30. 402nd position to + Serug          99

```

```

16492 Bytes free.
(337th/402) position: -2096. 9.15. -2069.11. 6. + Reu          100
Forward relations for entry Reu          (100/120) are generated.
Optimize dates...

```

```

Reu          D Knd S      from:      to:|
-2096. 9.15. -2069.11. 6. + 0 +      100     100||
-2096. 9.15. -2083.12.30. + 4 *      99      100||
                      13Y10M 6D 0 +      0       0||
-2096. 9.15. -2083.12.30. + 0 +      0      100||
-2096. 9.15. -2083.12.30. 403rd position to + Reu          100

```

16492 Bytes free.
 (338th/403) position: - 747. 1.22. - 736. 8.29. E Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kind	S	from:	to:
- 747. 1.22. - 736. 8.29.	E	0	E	19	19
- 750. 9. 1. - 734. 8.29.	E	6	B	19	19
- 747. 1.22. - 736. 8.29.	E	7	B	17	19
		0	E	0	0
- 747. 1.22. - 736. 8.29.	E	0	E	0	19
- 764. 1.22. - 751. 8.29.				404th position to B Jotham	19

16492 Bytes free.
 (339th/404) position: - 768. 1.22. - 755. 8.29. * Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:
- 768. 1.22. - 755. 8.29.	*	0	*	17	17
- 768. 1.22. - 755. 8.29.	*	10	B	17	17
		0	*	0	0
- 768. 1.22. - 755. 8.29.	*	0	*	0	17

16492 Bytes free.
 (340th/404) position: - 755. 1.22. - 743. 8.29. B Pekah 21
 Forward relations for entry Pekah (21/120) are generated.
 Backward relations for entry Hoshea (16/120) are generated.
 Optimize dates...

Pekah	D	Kind	S	from:	to:
- 755. 1.22. - 743. 8.29.	B	0	B	21	21
- 756. 9. 1. - 743. 8.29.	B	1	E	22	21
- 757. 9. 1. - 741. 8.29.	B	3	B	26	21
- 755. 1.22. - 742. 8.29.	B	5	E	21	21
- 758. 9. 1. - 741. 8.29.	B	9	α	17	21
- 758. 9. 1. - 743. 8.29.	B	9	α	19	21
		0	B	0	0
- 755. 1.22. - 743. 8.29.	B	0	B	0	21
- 755. 1.22. - 743. 8.29.				405th position to E Pekahiah	22
- 739. 1.22. - 725. 8.29.				406th position to α Ahaz	17
- 754. 1.22. - 742. 8.29.				407th position to α Jotham	19

16492 Bytes free.
 (341st/407) position: -1461. 1.22. -1448. 8.29. B Explorers of Canaan 85
 Forward relations for entry Explorers of Canaan (85/120) are generated.
 Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:
-1461. 1.22. -1448. 8.29.	B	0	B	85	85
-1463. 9. 1. -1447. 8.29.	B	3	E	89	85
-1462. 9. 1. -1448. 8.29.	B	5	E	85	85
-1462. 1.22. -1447. 8.29.	B	4	*	82	85
-1461. 1.22. -1448. 8.29.	B	9	B	81	85
-1463. 7. 1. -1446. 6.30.	B	9	B	84	85
		0	B	0	0
-1461. 1.22. -1448. 8.29.	B	0	B	0	85

-1463. 1.22. -1449. 8.29. 408th position to E Israel in Egypt 89
 -1461. 3. 2. -1448.10. 9. 409th position to E Explorers of Canaan 85

16492 Bytes free.

(342nd/409) position: -1501. 1.22. -1488. 8.29. * Caleb 82
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kn	S	from:	to:
-1501. 1.22. -1488. 8.29. * 0 *				82	82
-1501. 1.22. -1488. 8.29. * 10 B				81	82
-1502. 1.22. -1487. 8.29. * 10 B				85	82
			0 *	0	0
-1501. 1.22. -1488. 8.29. * 0 *				0	82

16492 Bytes free.

(343rd/409) position: -1415. 1.22.> + Caleb 82
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kn	S	from:	to:
-1415. 1.22.>			+ 0 +	82	82
-1415. 1.22.>			+ 1 B	81	82
			0 +	0	0
-1415. 1.22.>			+ 0 +	0	82

16492 Bytes free.

(344th/409) position: -1415. 1.22.> + Joshua 83
 Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kn	S	from:	to:
-1415. 1.22.>			E 0 E	83	83
			E 7 B	80	83
-1415. 1.22.>			+ 0 +	83	83
-1415. 1.22.>			+ 2 B	81	83
-1418. 9. 1.>			+ 5 *	83	83
			0 E	0	0
-1415. 1.22.>			E 0 E	0	83
-1415. 1.22.>				410th position to B Chushanrishathaim	80
-1526. 1.22.>				411th position to * Joshua	83

16492 Bytes free.

(345th/411) position: - 770. 2. 1. - 755. 8.29. E Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kn	S	from:	to:
- 770. 2. 1. - 755. 8.29. E 0 E				27	27
- 773.12. 1. - 753. 8.29. E 5 B				27	27
- 770. 2. 1. - 755. 8.29. E 7 B				25	27
- 770. 2. 1. - 755. 8.29. + 0 +				27	27
			0 E	0	0
- 770. 2. 1. - 755. 8.29. E 0 E				0	27
- 812. 2. 1. - 795. 8.29.				412th position to B Jeroboam (Joash)	27

16492 Bytes free.

(346th/412) position: - 830.12. 1. - 795. 8.29. E Elisha 39
 Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:
- 830.12. 1. - 795. 8.29.	E	0	E	39	39
- 830.12. 1. ≥	E	2	B	30	39
- 830.12. 1. - 795. 8.29. +	0	+		39	39
≤- 795. 8.29. +	8	E		30	39
	0	E		0	0
- 830.12. 1. - 795. 8.29.	E	0	E	0	39

16492 Bytes free.

(347th/412) position: - 830.12. 1. - 810. 8.29. E Jehoahaz (Jehu) 31
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:
- 830.12. 1. - 810. 8.29.	E	0	E	31	31
	E	5	B	31	31
- 830.12. 1. - 810. 8.29.	E	7	B	30	31
- 830.12. 1. - 810. 8.29. +	0	+		31	31
	0	E		0	0
- 830.12. 1. - 810. 8.29.	E	0	E	0	31
- 848.12. 1. - 826. 8.29.				413th position to B	Jehoahaz (Jehu) 31

16492 Bytes free.

(348th/413) position: - 868.12. 1. - 848. 8.29. B Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 868.12. 1. - 848. 8.29.	B	0	B	32	32
	B	1	E	34	32
	B	3	B	33	32
- 870.12. 1. - 848. 8.29.	B	5	E	32	32
	B	4	*	32	32
- 868.12. 1. - 846. 8.29.	B	9	B	30	32
- 872.12. 1. - 848. 8.29.	B	9	B	31	32
	0	B		0	0
- 868.12. 1. - 848. 8.29.	B	0	B	0	32
- 868.12. 1. - 848. 8.29.				414th position to E	Athaliah 34
- 876.12. 1. - 854. 8.29.				415th position to B	Jehu 33
- 876.12. 1. - 854. 8.29.				416th position to *	Joash (Ahaziah) 32
- 846.12. 1. - 826. 8.29.				417th position to B	Jehoahaz (Jehu) 31

16492 Bytes free.

(349th/417) position: - 868.12. 1. - 848. 8.29. B Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 868.12. 1. - 848. 8.29.	B	0	B	32	32
- 868.12. 1. - 848. 8.29.	B	1	E	34	32
- 870.12. 1. - 846. 8.29.	B	3	B	33	32
- 870.12. 1. - 848. 8.29.	B	5	E	32	32
- 870.12. 1. - 846. 8.29.	B	4	*	32	32
- 868.12. 1. - 846. 8.29.	B	9	B	30	32
- 870.12. 1. - 848. 8.29.	B	9	B	31	32
	0	B		0	0
- 868.12. 1. - 848. 8.29.	B	0	B	0	32

16492 Bytes free.
 (350th/417) position: -2090. 1. 1. -2066. 8.29. B Fire upon Sodom 92
 Forward relations for entry Fire upon Sodom (92/120) are generated.
 Backward relations for entry Isaac (91/120) are generated.
 Optimize dates...
 Fire upon Sodom D Knd S from: to:†
 -2090. 1. 1. -2066. 8.29. B 0 B 92 92||
 -2078. 9.15. -2065. 8.29. B 3 * 96 92||
 ≤-2066. 8.29. B 7 * 91 92||
 12Y 8M14D 0 B 0 0||
 -2078. 9.15. -2066. 8.29. B 0 B 0 92||
 -2078. 9.15. -2066. 8.29. 418th position to B Fire upon Sodom 92

16492 Bytes free.
 (351st/418) position: -2245. 9.15. -2234.12.30. * Terah 97
 Forward relations for entry Terah (97/120) are generated.
 Backward relations for entry Abram = Abraham (96/120) are generated.
 Optimize dates...
 Terah D Knd S from: to:†
 -2245. 9.15. -2234.12.30. * 0 * 97 97||
 -2245. 9.15. -2232.12.30. * 3 * 98 97||
 -2247. 9.15. -2233.12.30. * 5 + 97 97||
 -2247. 9.15. -2234. 8.29. * 9 * 96 97||
 -2247. 9.15. -2232.12.30. * 10 + 98 97||
 4M 1D 0 * 0 0||
 -2245. 9.15. -2234. 8.29. * 0 * 0 97||
 -2245. 9.15. -2234. 8.29. 419th position to * Terah 97
 -2273. 9.15. -2262. 8.29. 420th position to * Nahor 98
 -2127. 9.15. -2114. 8.29. 421st position to + Nahor 98

16492 Bytes free.
 (352nd/421) position: -2273. 9.15. -2262. 8.29. * Nahor 98
 Forward relations for entry Nahor (98/120) are generated.
 Optimize dates...
 Nahor D Knd S from: to:†
 -2273. 9.15. -2262. 8.29. * 0 * 98 98||
 -2273. 9.15. -2260.12.30. * 3 * 99 98||
 -2275. 9.15. -2262. 8.29. * 9 * 97 98||
 -2275. 9.15. -2260.12.30. * 10 + 99 98||
 0 * 0 0||
 -2273. 9.15. -2262. 8.29. * 0 * 0 98||
 -2302. 9.15. -2291. 8.29. 422nd position to * Serug 99
 -2074. 9.15. -2061. 8.29. 423rd position to + Serug 99

16492 Bytes free.
 (353rd/423) position: -2101. 9.15. -2089.12.30. + Terah 97
 Forward relations for entry Terah (97/120) are generated.
 Backward relations for entry Abram = Abraham (96/120) are generated.
 Optimize dates...
 Terah D Knd S from: to:†
 -2101. 9.15. -2089.12.30. + 0 + 97 97||
 -2101. 9.15. -2088. 8.29. + 5 * 97 97||
 ≤-2089.12.30. + 7 B 96 97||
 0 + 0 0||
 -2101. 9.15. -2089.12.30. + 0 + 0 97||

16492 Bytes free.

(354th/423) position: -2176. 9.15. -2165. 8.29. * Abram = Abraham 96
 Forward relations for entry Abram = Abraham (96/120) are generated.
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:	
-2176. 9.15. -2165. 8.29.	*	0	*	96	96	
-2176. 9.15. -2163. 8.29.	*	3	*	97	96	
-2178. 9.15. -2163.12.30.	*	5	+	96	96	
-2178. 9.15. -2165. 8.29.	*	9	*	91	96	
-2178. 9.15. -2164. 8.29.	*	9	B	92	96	
-2178. 9.15. -2163.12.30.	*	9	*	93	96	
-2177. 9.15. -2163.12.30.	*	10	B	96	96	
		0	*	0	0	
-2176. 9.15. -2165. 8.29.	*	0	*	0	96	
-2002. 9.15. -1989. 8.29.		424th position to + Abram = Abraham				96
-2091. 9.15. -2078. 8.29.		425th position to * Ishmael				93
-2101. 9.15. -2089. 8.29.		426th position to B Abram = Abraham				96

16492 Bytes free.

(355th/426) position: -2127. 9.15. -2114. 8.29. + Nahor 98
 Forward relations for entry Nahor (98/120) are generated.
 Optimize dates...

Nahor	D	Kind	S	from:	to:	
-2127. 9.15. -2114. 8.29.	+	0	+	98	98	
-2127. 9.15. -2114. 8.29.	+	4	*	97	98	
		0	+	0	0	
-2127. 9.15. -2114. 8.29.	+	0	+	0	98	

16492 Bytes free.

(356th/426) position: -2002. 9.15. -1989. 8.29. E Abram = Abraham 96
 Forward relations for entry Abram = Abraham (96/120) are generated.
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:	
-2002. 9.15. -1989. 8.29.	E	0	E	96	96	
-2002. 9.15. -1989. 8.29.	+	0	+	96	96	
-2002. 9.15. -1989. 8.29.	+	5	*	96	96	
		0	E	0	0	
-2002. 9.15. -1989. 8.29.	E	0	E	0	96	

16492 Bytes free.

(357th/426) position: -2091. 9.15. -2078. 8.29. * Ishmael 93
 Forward relations for entry Ishmael (93/120) are generated.
 Optimize dates...

Ishmael	D	Kind	S	from:	to:	
-2091. 9.15. -2078. 8.29.	*	0	*	93	93	
-2101. 9.15. ≥	*	1	B	94	93	
-2091. 9.15. -2078. 8.29.	*	3	*	96	93	
-2093. 9.15. -2076.12.30.	*	5	+	93	93	
		0	*	0	0	
-2091. 9.15. -2078. 8.29.	*	0	*	0	93	
-2101. 9.15. -2078. 8.29.		427th position to B Battle in Siddim Vale				94
-1955. 9.15. -1940. 8.29.		428th position to + Ishmael				93

16492 Bytes free.

(358th/428) position: -2101. 9.15. -2078. 8.29. B Battle in Siddim Vale 94
 Forward relations for entry Battle in Siddim Vale (94/120) are generated.
 Backward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Battle in Siddim Vale	D	Kn	S	from:	to:
-2101. 9.15. -2078. 8.29.	B	0	B	94	94
-2101. 9.15. ≥	B	1	B	96	94
≤-2078. 8.29.	B	7	*	93	94
		0	B	0	0
-2101. 9.15. -2078. 8.29.	B	0	B	0	94

16492 Bytes free.

(359th/428) position: -1955. 9.15. -1940. 8.29. + Ishmael 93
Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Ishmael	D	Kn	S	from:	to:
-1955. 9.15. -1940. 8.29.	+	0	+	93	93
-1955. 9.15. -1940. 8.29.	+	5	*	93	93
		0	+	0	0
-1955. 9.15. -1940. 8.29.	+	0	+	0	93

16492 Bytes free.

(360th/428) position: -2101. 9.15. -2089. 8.29. B Abram = Abraham 96
Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kn	S	from:	to:
-2101. 9.15. -2089. 8.29.	B	0	B	96	96
-2101. 9.15. ≥	B	1	+	97	96
-2102. 9.15. -2089. 8.29.	B	4	*	96	96
≤-2078. 8.29.	B	7	B	94	96
		0	B	0	0
-2101. 9.15. -2089. 8.29.	B	0	B	0	96
-2101. 9.15. -2089. 8.29.				429th position to + Terah	97

16492 Bytes free.

(361st/429) position: -2101. 9.15. -2089. 8.29. + Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah	D	Kn	S	from:	to:
-2101. 9.15. -2089. 8.29.	+	0	+	97	97
-2101. 9.15. -2088. 8.29.	+	5	*	97	97
≤-2089. 8.29.	+	7	B	96	97
		0	+	0	0
-2101. 9.15. -2089. 8.29.	+	0	+	0	97

16492 Bytes free.

(362nd/429) position: -2101. 9.15. -2078. 8.29. B Battle in Siddim Vale 94

Forward relations for entry Battle in Siddim Vale (94/120) are generated.

Backward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Battle in Siddim Vale	D	Kn	S	from:	to:
-2101. 9.15. -2078. 8.29.	B	0	B	94	94
-2101. 9.15. ≥	B	1	B	96	94
≤-2078. 8.29.	B	7	*	93	94
		0	B	0	0
-2101. 9.15. -2078. 8.29.	B	0	B	0	94

16492 Bytes free.

(363rd/429) position: -1023. 9. 1. -1005.10.29. α David

58

Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kind	S	from:	to:
-1023. 9. 1. -1005.10.29.	α	0	α	58	58
	α	1	E	59	58
-1023. 9. 1. -1005.12.29.	α	4	B	58	58
-1023. 4. 1. -1005.10.29.	α	6	Ω	58	58
		0	α	0	0
-1023. 9. 1. -1005.10.29.	α	0	α	0	58

16492 Bytes free.
 (364th/429) position: ≤-1005.10.29. E Ishbosheth 59
 Forward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Ishbosheth	D	Kind	S	from:	to:
≤-1005.10.29.	E	0	E	59	59
-1029. 4. 1. -1009. 5.29.	E	5	B	59	59
≤-1005.10.29.	E	7	α	58	59
≤-1005.10.29.	+	0	+	59	59
1028Y 9M 4Y 5M		0	E	0	0
-1029. 4. 1. -1009. 5.29.	E	0	E	0	59
-1029. 4. 1. -1009. 5.29.				430th position to E Ishbosheth	59

16492 Bytes free.
 (365th/430) position: -1030. 4. 1. -1012. 5.29. B David 58
 Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kind	S	from:	to:
-1030. 4. 1. -1012. 5.29.	B	0	B	58	58
-1030. 4. 1. -1012. 5.29.	B	2	E	60	58
-1032. 4. 1. -1010. 5.29.	B	3	*	58	58
-1030. 4. 1. -1012.10.29.	B	5	E	58	58
-1030. 2. 1. -1012. 5.29.	B	10	α	58	58
		0	B	0	0
-1030. 4. 1. -1012. 5.29.	B	0	B	0	58

16492 Bytes free.
 (366th/430) position: -1030. 4. 1. -1012. 5.29. B Ishbosheth 59
 Forward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Ishbosheth	D	Kind	S	from:	to:
-1030. 4. 1. -1012. 5.29.	B	0	B	59	59
-1030. 4. 1. -1012. 5.29.	B	1	E	60	59
	B	3	*	59	59
-1032. 4. 1. -1010. 5.29.	B	5	E	59	59
		0	B	0	0
-1030. 4. 1. -1012. 5.29.	B	0	B	0	59
-1071. 4. 1. -1051. 5.29.				431st position to * Ishbosheth	59

16492 Bytes free.
 (367th/431) position: -1030. 4. 1. -1012. 5.29. B David 58
 Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kn	S	from:	to:†
-1030. 4. 1. -1012. 5.29. B 0 B				58	58
-1030. 4. 1. -1012. 5.29. B 2 E				60	58
-1032. 4. 1. -1010. 5.29. B 3 *				58	58
-1030. 4. 1. -1012.10.29. B 5 E				58	58
-1030. 2. 1. -1012. 5.29. B 10 α				58	58
				0 B	0
				0	0
-1030. 4. 1. -1012. 5.29. B 0 B				0	58

16492 Bytes free.

(368th/431) position: -1030. 4. 1. -1012. 5.29. E Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kn	S	from:	to:†
-1030. 4. 1. -1012. 5.29. E 0 E				60	60
-1032. 4. 1. -1010. 5.29. E 5 B				60	60
-1030. 4. 1. -1012. 5.29. E 7 B				59	60
-1030. 4. 1. -1012. 5.29. E 8 B				58	60
-1030. 4. 1. -1012. 5.29. + 0 +				60	60
				0 E	0
				0	0
-1030. 4. 1. -1012. 5.29. E 0 E				0	60

16492 Bytes free.

(369th/431) position: -1061. 4. 1. -1041. 5.29. * David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:†
-1061. 4. 1. -1041. 5.29. * 0 *				58	58
-1061. 4. 1. -1041. 5.29. * 9 B				58	58
				0 *	0
				0	0
-1061. 4. 1. -1041. 5.29. * 0 *				0	58

16492 Bytes free.

(370th/431) position: -1023. 9. 1. -1005.10.29. α David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:†
-1023. 9. 1. -1005.10.29. α 0 α				58	58
-1029. 4. 1. ≥				α 1 E	58
				59	58
-1023. 9. 1. -1005.12.29. α 4 B				58	58
-1023. 4. 1. -1005.10.29. α 6 Ω				58	58
				0 α	0
				0	0
-1023. 9. 1. -1005.10.29. α 0 α				0	58

16492 Bytes free.

(371st/431) position: -1071. 4. 1. -1051. 5.29. B Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kn	S	from:	to:†
-1071. 4. 1. -1051. 5.29. B 0 B				60	60
-1071. 4. 1. -1051. 5.29. B 1 E				61	60
-1081. 7. 1. ≥				B 2 E	63
				63	60

```
-1071. 4. 1. -1051. 5.29. B 5 E      60      60||
                                0 B      0      0||
-1071. 4. 1. -1051. 5.29. B 0 B      0      60||
```

16492 Bytes free.

(372nd/431) position: -1030. 4. 1. -1012. 5.29. B Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

```
Ishbosheth          D Knd S   from:   to:|
-1030. 4. 1. -1012. 5.29. B 0 B     59     59||
-1030. 4. 1. -1012. 5.29. B 1 E     60     59||
-1032. 4. 1. -1010. 5.29. B 3 *     59     59||
-1032. 4. 1. -1010. 5.29. B 5 E     59     59||
                                0 B     0     0||
-1030. 4. 1. -1012. 5.29. B 0 B     0     59||
```

16492 Bytes free.

(373rd/431) position: - 930. 8. 1. - 908. 2.30. B Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```
Nadab              D Knd S   from:   to:|
- 930. 8. 1. - 908. 2.30. B 0 B     50     50||
- 930. 8. 1. - 908. 2.30. B 1 E     53     50||
- 931. 8. 1. - 907. 2.30. B 3 B     51     50||
- 933. 8. 1. - 907. 2.30. B 5 E     50     50||
                                0 B     0     0||
- 930. 8. 1. - 908. 2.30. B 0 B     0     50||
- 929. 8. 1. - 906. 2.30. 432nd position to E Nadab 50
```

16492 Bytes free.

(374th/432) position: - 932. 8. 1. - 910. 2.30. E Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```
Abijam = Abijah    D Knd S   from:   to:|
- 932. 8. 1. - 910. 2.30. E 0 E     52     52||
- 932. 8. 1. - 909. 2.30. E 5 B     52     52||
- 932. 8. 1. - 910. 2.30. E 7 B     51     52||
- 932. 8. 1. - 910. 2.30. + 0 +     52     52||
                                0 E     0     0||
- 932. 8. 1. - 910. 2.30. E 0 E     0     52||
```

16492 Bytes free.

(375th/432) position: - 892. 8. 1. - 868. 2.30. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

```
Asa                D Knd S   from:   to:|
- 892. 8. 1. - 868. 2.30. E 0 E     51     51||
- 892. 8. 1. - 868. 2.30. E 5 B     51     51||
                                E 7 B     42     51||
- 892. 8. 1. - 868. 2.30. + 0 +     51     51||
                                0 E     0     0||
- 892. 8. 1. - 868. 2.30. E 0 E     0     51||
- 892. 8. 1. - 868. 2.30. 433rd position to B Jehoshaphat 42
```

16492 Bytes free.
 (376th/433) position: - 895. 8. 1. - 871. 2.30. B Ahab 44
 Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahab	D	Kind	S	from:	to:	
- 895. 8. 1. - 871. 2.30.	B	0	B	44	44	
		B	1	E	45	44
- 895. 8. 1. - 871. 2.30.	B	3	B	51	44	
		B	5	E	44	44
		B	7	B	43	44
- 897. 8. 1. - 871. 2.30.	B	9	B	42	44	
		0	B	0	0	
- 895. 8. 1. - 871. 2.30.	B	0	B	0	44	
- 895. 8. 1. - 871. 2.30.				434th position to	E Omri	45
- 874. 8. 1. - 848. 2.30.				435th position to	E Ahab	44
- 895. 8. 1. ≥				436th position to	B Elijah	43

16492 Bytes free.
 (377th/436) position: - 902. 8. 1. - 878. 2.30. α Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:	
- 902. 8. 1. - 878. 2.30.	α	0	α	45	45	
		α	1	E	46	45
- 902. 8. 1. - 878. 2.30.	α	3	B	51	45	
		0	α	0	0	
- 902. 8. 1. - 878. 2.30.	α	0	α	0	45	
- 902. 8. 1. - 878. 2.30.				437th position to	E Tibni	46

16492 Bytes free.
 (378th/437) position: - 906. 8. 1. - 882. 2.30. B Zimri 47
 Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.
 Optimize dates...

Zimri	D	Kind	S	from:	to:	
- 906. 8. 1. - 882. 2.30.	B	0	B	47	47	
- 906. 8. 1. - 882. 2.30.	B	1	E	48	47	
- 906. 8. 1. - 882. 2.30.	B	3	B	51	47	
		B	5	E	47	47
		0	B	0	0	
- 906. 8. 1. - 882. 2.30.	B	0	B	0	47	
- 906. 8. 7. - 882. 3. 8.				438th position to	E Zimri	47

16492 Bytes free.
 (379th/438) position: - 907. 8. 1. - 883. 2.30. B Elah 48
 Forward relations for entry Elah (48/120) are generated.
 Backward relations for entry Zimri (47/120) are generated.
 Optimize dates...

Elah	D	Kind	S	from:	to:	
- 907. 8. 1. - 883. 2.30.	B	0	B	48	48	
		B	1	E	49	48
- 907. 8. 1. - 883. 2.30.	B	3	B	51	48	
- 909. 8. 1. - 883. 2.30.	B	5	E	48	48	
		0	B	0	0	

- 907. 8. 1. - 883. 2.30. B 0 B 0 48||
 - 907. 8. 1. - 883. 2.30. 439th position to E Baasha 49

16492 Bytes free.

(380th/439) position: - 930. 8. 1. - 906. 2.30. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:	
- 930. 8. 1. - 906. 2.30.	B	0	B	49	49	
- 929. 8. 1. - 906. 2.30.	B	1	E	50	49	
- 930. 8. 1. - 906. 2.30.	B	3	B	51	49	
- 932. 8. 1. - 906. 2.30.	B	5	E	49	49	
1Y		0	B	0	0	
- 929. 8. 1. - 906. 2.30.	B	0	B	0	49	
- 929. 8. 1. - 906. 2.30.				440th position to B Baasha		49
- 906. 8. 1. - 883. 2.30.				441st position to E Baasha		49

16492 Bytes free.

(381st/441) position: - 906. 8. 1. - 882. 2.30. + Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:	
- 906. 8. 1. - 882. 2.30.	E	0	E	48	48	
- 906. 8. 1. - 880. 2.30.	E	5	B	48	48	
- 906. 8. 1. - 882. 2.30.	E	7	B	47	48	
- 906. 8. 1. - 882. 2.30.	+	0	+	48	48	
- 906. 8. 1. - 882. 2.30.	+	4	B	51	48	
		0	E	0	0	
- 906. 8. 1. - 882. 2.30.	E	0	E	0	48	

16492 Bytes free.

(382nd/441) position: - 929. 8. 1. - 906. 2.30. + Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:	
- 929. 8. 1. - 906. 2.30.	E	0	E	50	50	
- 929. 8. 1. - 905. 2.30.	E	5	B	50	50	
- 929. 8. 1. - 906. 2.30.	E	7	B	49	50	
- 929. 8. 1. - 906. 2.30.	+	0	+	50	50	
- 930. 8. 1. - 906. 2.30.	+	4	B	51	50	
		0	E	0	0	
- 929. 8. 1. - 906. 2.30.	E	0	E	0	50	

16492 Bytes free.

(383rd/441) position: - 934. 8. 1. - 913. 2.30. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:	
- 934. 8. 1. - 913. 2.30.	B	0	B	52	52	
- 934. 8. 1. - 913. 2.30.	B	1	E	54	52	
- 933. 4. 1. - 913.10.29.	B	3	B	53	52	
- 936. 8. 1. - 912. 2.30.	B	5	E	52	52	
8M		0	B	0	0	
- 933. 4. 1. - 913. 2.30.	B	0	B	0	52	

- 933. 4. 1. - 913. 2.30. 442nd position to B Abijam = Abijah 52
 - 933. 4. 1. - 913. 2.30. 443rd position to E Rehoboam 54
 - 931. 4. 1. - 910. 2.30. 444th position to E Abijam = Abijah 52

16492 Bytes free.

(384th/444) position: - 933. 4. 1. - 913. 2.30. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:	
- 933. 4. 1. - 913. 2.30.	E	0	E	54	54	
- 934. 4. 1. - 914.10.29.	E	5	B	54	54	
- 933. 4. 1. - 913. 2.30.	E	7	B	52	54	
- 933. 4. 1. - 913. 2.30.	+	0	+	54	54	
	4M	1D	0	E	0	0
- 933. 4. 1. - 914.10.29.	E	0	E	0	54	
- 933. 4. 1. - 914.10.29.				445th position to E Rehoboam		54
- 933. 4. 1. - 914.10.29.				446th position to B Abijam = Abijah		52

16492 Bytes free.

(385th/446) position: -2077. 9.15. -2066. 8.29. * Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kind	S	from:	to:	
-2077. 9.15. -2066. 8.29.	*	0	*	91	91	
-2078. 9.15. ≥	*	1	B	92	91	
-2077. 9.15. -2064. 8.29.	*	3	*	96	91	
-2079. 9.15. -2064. 8.29.	*	5	+	91	91	
-2079. 9.15. -2064. 8.29.	*	4	*	95	91	
-2079. 9.15. -2066. 8.29.	*	9	*	90	91	
		0	*	0	0	
-2077. 9.15. -2066. 8.29.	*	0	*	0	91	

16492 Bytes free.

(386th/446) position: -2176. 9.15. -2165. 8.29. * Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:	
-2176. 9.15. -2165. 8.29.	*	0	*	96	96	
-2176. 9.15. -2163. 8.29.	*	3	*	97	96	
-2178. 9.15. -2163. 8.29.	*	5	+	96	96	
-2178. 9.15. -2165. 8.29.	*	9	*	91	96	
-2178. 9.15. -2164. 8.29.	*	9	B	92	96	
-2178. 9.15. -2163. 8.29.	*	9	*	93	96	
-2177. 9.15. -2163. 8.29.	*	10	B	96	96	
		0	*	0	0	
-2176. 9.15. -2165. 8.29.	*	0	*	0	96	

16492 Bytes free.

(387th/446) position: -1898. 9.15. -1885. 8.29. + Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kind	S	from:	to:	
-1898. 9.15. -1885. 8.29.	+	0	+	91	91	
-1898. 9.15. -1885. 8.29.	+	5	*	91	91	
		0	+	0	0	
-1898. 9.15. -1885. 8.29.	+	0	+	0	91	

16492 Bytes free.
 (388th/446) position: -2168. 9.15. -2155. 8.29. * Sarai = Sarah 95
 Forward relations for entry Sarai = Sarah (95/120) are generated.
 Optimize dates...
 Sarai = Sarah D Knd S from: to:|
 -2168. 9.15. -2155. 8.29. * 0 * 95 95||
 -2180. 1. 1. -2153.12.30. * 5 + 95 95||
 -2168. 9.15. -2155. 8.29. * 10 * 91 95||
 0 * 0 0||
 -2168. 9.15. -2155. 8.29. * 0 * 0 95||
 -2042. 9.15. -2027. 8.29. 447th position to + Sarai = Sarah 95

16492 Bytes free.
 (389th/447) position: -2018. 9.15. -2007. 8.29. * Jacob = Israel 90
 Forward relations for entry Jacob = Israel (90/120) are generated.
 Optimize dates...
 Jacob = Israel D Knd S from: to:|
 -2018. 9.15. -2007. 8.29. * 0 * 90 90||
 -2018. 9.15. -2005. 8.29. * 3 * 91 90||
 -2027. 9. 1. -2006. 8.29. * 5 + 90 90||
 -2026. 9. 1. -2007. 8.29. * 9 B 89 90||
 0 * 0 0||
 -2018. 9.15. -2007. 8.29. * 0 * 0 90||
 -1872. 9.15. -1860. 8.29. 448th position to + Jacob = Israel 90
 -1889. 9.15. -1878. 8.29. 449th position to B Israel in Egypt 89

16492 Bytes free.
 (390th/449) position: - 950. 4. 1. - 932.10.29. B Jeroboam (Nebat) 53
 Forward relations for entry Jeroboam (Nebat) (53/120) are generated.
 Backward relations for entry Nadab (50/120) are generated.
 Optimize dates...
 Jeroboam (Nebat) D Knd S from: to:|
 - 950. 4. 1. - 932.10.29. B 0 B 53 53||
 - 950. 4. 1. - 932.10.29. B 1 E 57 53||
 - 953. 8. 1. - 929. 2.30. B 5 E 53 53||
 - 953. 8. 1. - 929. 2.30. B 9 B 51 53||
 - 952. 4. 1. - 931.10.29. B 9 B 52 53||
 0 B 0 0||
 - 950. 4. 1. - 932.10.29. B 0 B 0 53||
 - 929. 4. 1. - 909.10.29. 450th position to E Jeroboam (Nebat) 53
 - 931. 4. 1. - 911.10.29. 451st position to B Asa 51

16492 Bytes free.
 (391st/451) position: - 950. 4. 1. - 932.10.29. B Rehoboam 54
 Forward relations for entry Rehoboam (54/120) are generated.
 Backward relations for entry Abijam = Abijah (52/120) are generated.
 Optimize dates...
 Rehoboam D Knd S from: to:|
 - 950. 4. 1. - 932.10.29. B 0 B 54 54||
 - 950. 4. 1. - 932.10.29. B 1 E 57 54||
 - 953. 8. 1. - 929. 2.30. B 3 * 54 54||
 - 951. 4. 1. - 930.10.29. B 5 E 54 54||
 0 B 0 0||
 - 950. 4. 1. - 932.10.29. B 0 B 0 54||
 - 992. 4. 1. - 972.10.29. 452nd position to * Rehoboam 54

16492 Bytes free.

(392nd/452) position: ≤-1127. 6.30. E Gideon = Jerubbaal 73
 Forward relations for entry Gideon = Jerubbaal (73/120) are generated.
 Backward relations for entry Abimelech (72/120) are generated.
 Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
≤-1127. 6.30.	E	0	E	73	73
	E	5	B	73	73
≤-1127. 6.30.	E	7	B	72	73
≤-1127. 6.30.	+	0	+	73	73
		0	E	0	0
≤-1127. 6.30.	E	0	E	0	73
≤-1166. 6.30.				453rd position to B Gideon = Jerubbaal	73

16492 Bytes free.

(393rd/453) position: -1102. 7. 1.≥ E Eli 64
 Forward relations for entry Eli (64/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Optimize dates...

Eli	D	Kind	S	from:	to:
-1102. 7. 1.≥	E	0	E	64	64
	E	6	B	64	64
-1102. 7. 1.≥	E	8	B	61	64
-1102. 7. 1.≥	+	0	+	64	64
	+	5	*	64	64
		0	E	0	0
-1102. 7. 1.≥	E	0	E	0	64
-1143. 7. 1.≥				454th position to B Eli	64
-1201. 7. 1.≥				455th position to * Eli	64

16492 Bytes free.

(394th/455) position: -1071. 4. 1. -1051. 5.29. E Samuel 61
 Forward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Saul (60/120) are generated.
 Optimize dates...

Samuel	D	Kind	S	from:	to:
-1071. 4. 1. -1051. 5.29.	E	0	E	61	61
-1081. 7. 1.≥	E	1	E	63	61
-1071. 4. 1. -1051. 5.29.	E	7	B	60	61
		0	E	0	0
-1071. 4. 1. -1051. 5.29.	E	0	E	0	61

16492 Bytes free.

(395th/455) position: -1081. 7. 1. -1051. 5.29. E Philistines 63
 Forward relations for entry Philistines (63/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Samson (62/120) are generated.
 Backward relations for entry Saul (60/120) are generated.
 Optimize dates...

Philistines	D	Kind	S	from:	to:
-1081. 7. 1. -1051. 5.29.	E	0	E	63	63
-1101. 7. 1.≥	E	2	E	62	63
-1083. 7. 1.≥	E	3	B	61	63
-1081. 7. 1.≥	E	6	B	63	63
≤-1051. 5.29.	E	7	E	61	63
≤-1051. 5.29.	E	8	B	60	63
		0	E	0	0
-1081. 7. 1. -1051. 5.29.	E	0	E	0	63
-1102. 7. 1. -1070. 5.29.				456th position to B Samuel	61

-1120. 7. 1. -1090. 5.29. 457th position to B Philistines 63

16492 Bytes free.

(396th/457) position: -1101. 7. 1. -1051. 5.29. E Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kind	S	from:	to:†
-1101. 7. 1. -1051. 5.29.	E	0	E	62	62
-1101. 7. 1. -1049. 5.29.	E	5	B	62	62
≤-1051. 5.29.	E	8	E	63	62
-1101. 7. 1. -1051. 5.29.	+	0	+	62	62
		0	E	0	0
-1101. 7. 1. -1051. 5.29.	E	0	E	0	62

16492 Bytes free.

(397th/457) position: -1120. 7. 1. -1070. 5.29. B Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kind	S	from:	to:†
-1120. 7. 1. -1070. 5.29.	B	0	B	62	62
-1120. 7. 1. ≥	B	1	B	63	62
-1122. 7. 1. -1070. 5.29.	B	5	E	62	62
		0	B	0	0
-1120. 7. 1. -1070. 5.29.	B	0	B	0	62

16492 Bytes free.

(398th/457) position: -1105. 7. 1. ≥ E Elon 66

Forward relations for entry Elon (66/120) are generated.

Backward relations for entry Abdon (65/120) are generated.

Optimize dates...

Elon	D	Kind	S	from:	to:†
-1105. 7. 1. ≥	E	0	E	66	66
-1105. 7. 1. ≥	E	5	B	66	66
	E	7	B	65	66
-1105. 7. 1. ≥	+	0	+	66	66
		0	E	0	0
-1105. 7. 1. ≥	E	0	E	0	66
-1105. 7. 1. ≥				458th position to B Abdon	65

16492 Bytes free.

(399th/458) position: -1353. 1. 1. ≥ B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:†
-1353. 1. 1. ≥	B	0	B	77	77
-1353. 1. 1. ≥	B	1	E	78	77
	B	5	E	77	77
		0	B	0	0
-1353. 1. 1. ≥	B	0	B	0	77
-1274. 1. 1. ≥				459th position to E Ehud	77

16492 Bytes free.

(400th/459) position: -1370. 9. 1. ≥ B Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Kind	S	from:	to:	
-1370. 9. 1. ≥	B	0	B	78	78	
-1370. 9. 1. ≥	B	1	E	79	78	
-1372. 1. 1. ≥	B	5	E	78	78	
		0	B	0	0	
-1370. 9. 1. ≥	B	0	B	0	78	
-1353. 9. 1. ≥				460th position to E Eglon		78

16492 Bytes free.

(401st/460) position: -2302. 9.15. -2291. 8.29. * Serug 99
Forward relations for entry Serug (99/120) are generated.

Optimize dates...

Serug	D	Kind	S	from:	to:	
-2302. 9.15. -2291. 8.29. *	0	*		99	99	
-2302. 9.15. -2277.11. 6. *	3	*		100	99	
-2304. 9.15. -2291. 8.29. *	9	*		98	99	
-2304. 9.15. -2289.12.30. *	10	+		100	99	
	0	*		0	0	
-2302. 9.15. -2291. 8.29. *	0	*		0	99	
-2333. 9.15. -2322. 8.29.				461st position to * Reu		100
-2096. 9.15. -2083. 8.29.				462nd position to + Reu		100

16492 Bytes free.

(402nd/462) position: -2074. 9.15. -2061. 8.29. + Serug 99
Forward relations for entry Serug (99/120) are generated.

Optimize dates...

Serug	D	Kind	S	from:	to:	
-2074. 9.15. -2061. 8.29. +	0	+		99	99	
-2074. 9.15. -2061. 8.29. +	4	*		98	99	
	0	+		0	0	
-2074. 9.15. -2061. 8.29. +	0	+		0	99	

16492 Bytes free.

(403rd/462) position: -2096. 9.15. -2083. 8.29. + Reu 100
Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D	Kind	S	from:	to:	
-2096. 9.15. -2083. 8.29. +	0	+		100	100	
-2096. 9.15. -2083. 8.29. +	4	*		99	100	
	0	+		0	0	
-2096. 9.15. -2083. 8.29. +	0	+		0	100	

16492 Bytes free.

(404th/462) position: - 764. 1.22. - 751. 8.29. B Jotham 19
Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
- 764. 1.22. - 751. 8.29. B	0	B		19	19	
- 767. 9. 1. - 749. 8.29. B	4	*		19	19	
- 764. 1.22. - 751. 8.29. B	6	E		19	19	
	0	B		0	0	
- 764. 1.22. - 751. 8.29. B	0	B		0	19	
- 790. 1.22. - 775. 8.29.				463rd position to * Jotham		19

16492 Bytes free.

(405th/463) position: - 755. 1.22. - 743. 8.29. E Pekahiah 22
 Forward relations for entry Pekahiah (22/120) are generated.
 Backward relations for entry Pekah (21/120) are generated.
 Optimize dates...

Pekahiah	D	Kind	S	from:	to:	
- 755. 1.22. - 743. 8.29.	E	0	E	22	22	
- 758. 9. 1. - 741. 8.29.	E	5	B	22	22	
- 755. 1.22. - 743. 8.29.	E	7	B	21	22	
- 755. 1.22. - 743. 8.29.	+	0	+	22	22	
		0	E	0	0	
- 755. 1.22. - 743. 8.29.	E	0	E	0	22	
- 758. 1.22. - 744. 8.29.				464th position to B Pekahiah		22

16492 Bytes free.

(406th/464) position: - 739. 1.22. - 725. 8.29. α Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:	
- 739. 1.22. - 725. 8.29.	α	0	α	17	17	
- 740. 9. 1. - 725. 8.29.	α	2	Ω	19	17	
- 739. 1.22. - 725. 8.29.	α	3	B	21	17	
		0	α	0	0	
- 739. 1.22. - 725. 8.29.	α	0	α	0	17	
- 739. 1.22. - 725. 8.29.				465th position to Ω Jotham		19

16492 Bytes free.

(407th/465) position: - 754. 1.22. - 742. 8.29. α Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kind	S	from:	to:	
- 754. 1.22. - 742. 8.29.	α	0	α	19	19	
- 755. 9. 1. - 742. 8.29.	α	1	E	26	19	
- 754. 1.22. - 740. 8.29.	α	3	B	21	19	
- 755. 1.22. - 742. 8.29.	α	10	B	16	19	
		0	α	0	0	
- 754. 1.22. - 742. 8.29.	α	0	α	0	19	
- 754. 1.22. - 742. 8.29.				466th position to E Azariah = Uzziah		26

16492 Bytes free.

(408th/466) position: -1463. 1.22. -1449. 8.29. E Israel in Egypt 89
 Forward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:	
-1463. 1.22. -1449. 8.29.	E	0	E	89	89	
-1465. 7. 1. ≥	E	1	B	86	89	
-1465. 7. 1. ≥	E	2	B	87	89	
-1460. 9.15. -1447. 8.29.	E	6	B	89	89	
-1463. 1.22. -1449. 8.29.	E	9	B	85	89	
-1464. 8.30. -1449. 8.30.	E	9	+	88	89	
-1464. 8. 1. -1449. 9.29.	E	10	B	55	89	
-1464. 8. 1. -1449. 9.29.	E	10	E	56	89	
-1464. 8.30. -1449. 8.30.	E	10	B	84	89	
3Y 7M23D		0	E	0	0	
-1460. 9.15. -1449. 8.29.	E	0	E	0	89	

-1460. 9.15. -1449. 8.29. 467th position to E Israel in Egypt 89
 -1459. 9.15. -1448. 8.29. 468th position to B Explorers of Canaan 85
 -1420. 1.15. -1410.12.30. 469th position to + Aaron 88
 - 981.10.15. - 970.10.29. 470th position to B Building the Temple 55
 - 973. 4.15. - 962. 4.29. 471st position to E Building the Temple 56
 -1420. 7.15. -1409. 6.30. 472nd position to B Moses' Speech 84

16492 Bytes free.

(409th/472) position: -1461. 3. 2. -1448.10. 9. E Explorers of Canaan 85
 Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:	
-1461. 3. 2. -1448.10. 9.	E	0	E	85	85	
-1459.10.25. -1448.10. 9.	E	5	B	85	85	
2Y 7M23D		0	E	0	0	
-1459.10.25. -1448.10. 9.	E	0	E	0	85	
-1459.10.25. -1448.10. 9.				473rd position to E Explorers of Canaan		85

16492 Bytes free.

(410th/473) position: -1415. 1.22.> B Chushanrishathaim 80
 Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:	
-1415. 1.22.>	B	0	B	80	80	
-1415. 1.22.>	B	1	E	83	80	
-1418. 9. 1.>	B	5	E	80	80	
		0	B	0	0	
-1415. 1.22.>	B	0	B	0	80	
-1408. 1.22.>				474th position to E Chushanrishathaim		80

16492 Bytes free.

(411th/474) position: -1526. 1.22.> * Joshua 83
 Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:	
-1526. 1.22.>	*	0	*	83	83	
-1526. 1.22.>	*	5	+	83	83	
		0	*	0	0	
-1526. 1.22.>	*	0	*	0	83	

16492 Bytes free.

(412th/474) position: - 812. 2. 1. - 795. 8.29. B Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:	
- 812. 2. 1. - 795. 8.29.	B	0	B	27	27	
- 813.12. 1. - 795. 8.29.	B	1	E	30	27	
- 815.12. 1. - 793. 8.29.	B	3	B	28	27	
- 812. 2. 1. - 795. 8.29.	B	5	E	27	27	
		0	B	0	0	
- 812. 2. 1. - 795. 8.29.	B	0	B	0	27	
- 812. 2. 1. - 795. 8.29.				475th position to E Joash (Jehoahaz)		30
- 828. 2. 1. - 809. 8.29.				476th position to B Amaziah		28

16492 Bytes free.

(413th/476) position: - 846.12. 1. - 826. 8.29. B Jehoahaz (Jehu) 31
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
 Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:	
- 846.12. 1. - 826. 8.29.	B	0	B	31	31	
	B	1	E	33	31	
- 846.12. 1. - 824. 8.29.	B	3	B	32	31	
- 848.12. 1. - 826. 8.29.	B	5	E	31	31	
	0	B		0	0	
- 846.12. 1. - 826. 8.29.	B	0	B	0	31	
- 846.12. 1. - 826. 8.29.				477th position to E Jehu		33

16492 Bytes free.

(414th/477) position: - 868.12. 1. - 848. 8.29. E Athaliah 34
 Forward relations for entry Athaliah (34/120) are generated.
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.
 Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 868.12. 1. - 848. 8.29.	E	0	E	34	34	
	E	5	B	34	34	
- 868.12. 1. - 848. 8.29.	E	7	B	32	34	
- 868.12. 1. - 848. 8.29.	+	0	+	34	34	
	0	E		0	0	
- 868.12. 1. - 848. 8.29.	E	0	E	0	34	
- 875.12. 1. - 853. 8.29.				478th position to B Athaliah		34

16492 Bytes free.

(415th/478) position: - 876.12. 1. - 854. 8.29. B Jehu 33
 Forward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Optimize dates...

Jehu	D	Kind	S	from:	to:	
- 876.12. 1. - 854. 8.29.	B	0	B	33	33	
	B	1	E	35	33	
	B	2	E	37	33	
- 875.12. 1. - 853. 8.29.	B	5	E	33	33	
- 876.12. 1. - 854. 8.29.	B	9	B	32	33	
1Y	0	B		0	0	
- 875.12. 1. - 854. 8.29.	B	0	B	0	33	
- 875.12. 1. - 854. 8.29.				479th position to B Jehu		33
- 875.12. 1. - 854. 8.29.				480th position to E Ahaziah (Joram)		35
- 875.12. 1. - 854. 8.29.				481st position to E Joram (Ahab)		37

16492 Bytes free.

(416th/481) position: - 876.12. 1. - 854. 8.29. * Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 876.12. 1. - 854. 8.29.	*	0	*	32	32	
- 876.12. 1. - 854. 8.29.	*	10	B	32	32	
	0	*		0	0	
- 876.12. 1. - 854. 8.29.	*	0	*	0	32	

16492 Bytes free.

(417th/481) position: - 846.12. 1. - 826. 8.29. B Jehoahaz (Jehu) 31
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:
- 846.12. 1. - 826. 8.29. B	0	B		31	31
- 846.12. 1. - 826. 8.29. B	1	E		33	31
- 846.12. 1. - 824. 8.29. B	3	B		32	31
- 848.12. 1. - 826. 8.29. B	5	E		31	31
	0	B		0	0
- 846.12. 1. - 826. 8.29. B	0	B		0	31

16492 Bytes free.

(418th/481) position: -2078. 9.15. -2066. 8.29. B Fire upon Sodom 92

Forward relations for entry Fire upon Sodom (92/120) are generated.

Backward relations for entry Isaac (91/120) are generated.

Optimize dates...

Fire upon Sodom	D	Kind	S	from:	to:
-2078. 9.15. -2066. 8.29. B	0	B		92	92
-2078. 9.15. -2065. 8.29. B	3	*		96	92
≤-2066. 8.29. B	7	*		91	92
	0	B		0	0
-2078. 9.15. -2066. 8.29. B	0	B		0	92

16492 Bytes free.

(419th/481) position: -2245. 9.15. -2234. 8.29. * Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah	D	Kind	S	from:	to:
-2245. 9.15. -2234. 8.29. *	0	*		97	97
-2245. 9.15. -2232. 8.29. *	3	*		98	97
-2247. 9.15. -2233. 8.29. *	5	+		97	97
-2247. 9.15. -2234. 8.29. *	9	*		96	97
-2247. 9.15. -2232. 8.29. *	10	+		98	97
	0	*		0	0
-2245. 9.15. -2234. 8.29. *	0	*		0	97

16492 Bytes free.

(420th/481) position: -2273. 9.15. -2262. 8.29. * Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

Nahor	D	Kind	S	from:	to:
-2273. 9.15. -2262. 8.29. *	0	*		98	98
-2273. 9.15. -2260. 8.29. *	3	*		99	98
-2275. 9.15. -2262. 8.29. *	9	*		97	98
-2275. 9.15. -2260. 8.29. *	10	+		99	98
	0	*		0	0
-2273. 9.15. -2262. 8.29. *	0	*		0	98

16492 Bytes free.

(421st/481) position: -2127. 9.15. -2114. 8.29. + Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

Nahor	D	Kind	S	from:	to:
-2127. 9.15. -2114. 8.29. +	0	+		98	98
-2127. 9.15. -2114. 8.29. +	4	*		97	98
	0	+		0	0
-2127. 9.15. -2114. 8.29. +	0	+		0	98

16492 Bytes free.
 (422nd/481) position: -2302. 9.15. -2291. 8.29. * Serug 99
 Forward relations for entry Serug (99/120) are generated.
 Optimize dates...

Serug	D	Kind	S	from:	to:
-2302. 9.15. -2291. 8.29.	*	0	*	99	99
-2302. 9.15. -2289. 8.29.	*	3	*	100	99
-2304. 9.15. -2291. 8.29.	*	9	*	98	99
-2304. 9.15. -2289. 8.29.	*	10	+	100	99
		0	*	0	0
-2302. 9.15. -2291. 8.29.	*	0	*	0	99

16492 Bytes free.
 (423rd/481) position: -2074. 9.15. -2061. 8.29. + Serug 99
 Forward relations for entry Serug (99/120) are generated.
 Optimize dates...

Serug	D	Kind	S	from:	to:
-2074. 9.15. -2061. 8.29.	+	0	+	99	99
-2074. 9.15. -2061. 8.29.	+	4	*	98	99
		0	+	0	0
-2074. 9.15. -2061. 8.29.	+	0	+	0	99

16492 Bytes free.
 (424th/481) position: -2002. 9.15. -1989. 8.29. + Abram = Abraham 96
 Forward relations for entry Abram = Abraham (96/120) are generated.
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:
-2002. 9.15. -1989. 8.29.	E	0	E	96	96
-2002. 9.15. -1989. 8.29.	+	0	+	96	96
-2002. 9.15. -1989. 8.29.	+	5	*	96	96
		0	E	0	0
-2002. 9.15. -1989. 8.29.	E	0	E	0	96

16492 Bytes free.
 (425th/481) position: -2091. 9.15. -2078. 8.29. * Ishmael 93
 Forward relations for entry Ishmael (93/120) are generated.
 Optimize dates...

Ishmael	D	Kind	S	from:	to:
-2091. 9.15. -2078. 8.29.	*	0	*	93	93
-2101. 9.15. >	*	1	B	94	93
-2091. 9.15. -2078. 8.29.	*	3	*	96	93
-2093. 9.15. -2076. 8.29.	*	5	+	93	93
		0	*	0	0
-2091. 9.15. -2078. 8.29.	*	0	*	0	93

16492 Bytes free.
 (426th/481) position: -2101. 9.15. -2089. 8.29. B Abram = Abraham 96
 Forward relations for entry Abram = Abraham (96/120) are generated.
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:
-2101. 9.15. -2089. 8.29.	B	0	B	96	96
-2101. 9.15. >	B	1	+	97	96
-2102. 9.15. -2089. 8.29.	B	4	*	96	96
≤-2078. 8.29.	B	7	B	94	96
		0	B	0	0
-2101. 9.15. -2089. 8.29.	B	0	B	0	96

16492 Bytes free.
 (427th/481) position: -2101. 9.15. -2078. 8.29. B Battle in Siddim Vale 94
 Forward relations for entry Battle in Siddim Vale (94/120) are generated.
 Backward relations for entry Ishmael (93/120) are generated.
 Optimize dates...

Battle in Siddim Vale	D	Kn	S	from:	to:
-2101. 9.15. -2078. 8.29.	B	0	B	94	94
-2101. 9.15. ≥		B	1	B	94
≤-2078. 8.29.	B	7	*	93	94
		0	B	0	0
-2101. 9.15. -2078. 8.29.	B	0	B	0	94

16492 Bytes free.
 (428th/481) position: -1955. 9.15. -1940. 8.29. + Ishmael 93
 Forward relations for entry Ishmael (93/120) are generated.
 Optimize dates...

Ishmael	D	Kn	S	from:	to:
-1955. 9.15. -1940. 8.29.	+	0	+	93	93
-1955. 9.15. -1940. 8.29.	+	5	*	93	93
		0	+	0	0
-1955. 9.15. -1940. 8.29.	+	0	+	0	93

16492 Bytes free.
 (429th/481) position: -2101. 9.15. -2089. 8.29. + Terah 97
 Forward relations for entry Terah (97/120) are generated.
 Backward relations for entry Abram = Abraham (96/120) are generated.
 Optimize dates...

Terah	D	Kn	S	from:	to:
-2101. 9.15. -2089. 8.29.	+	0	+	97	97
-2101. 9.15. -2088. 8.29.	+	5	*	97	97
≤-2089. 8.29.	+	7	B	96	97
		0	+	0	0
-2101. 9.15. -2089. 8.29.	+	0	+	0	97

16492 Bytes free.
 (430th/481) position: -1029. 4. 1. -1009. 5.29. E Ishbosheth 59
 Forward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Ishbosheth	D	Kn	S	from:	to:
-1029. 4. 1. -1009. 5.29.	E	0	E	59	59
-1029. 4. 1. -1009. 5.29.	E	5	B	59	59
≤-1005.10.29.	E	7	α	58	59
-1029. 4. 1. -1009. 5.29.	+	0	+	59	59
		0	E	0	0
-1029. 4. 1. -1009. 5.29.	E	0	E	0	59

16492 Bytes free.
 (431st/481) position: -1071. 4. 1. -1051. 5.29. * Ishbosheth 59
 Forward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Ishbosheth	D	Kn	S	from:	to:
-1071. 4. 1. -1051. 5.29.	*	0	*	59	59
-1071. 4. 1. -1051. 5.29.	*	9	B	59	59
		0	*	0	0
-1071. 4. 1. -1051. 5.29.	*	0	*	0	59

16492 Bytes free.
 (432nd/481) position: - 929. 8. 1. - 906. 2.30. E Nadab 50
 Forward relations for entry Nadab (50/120) are generated.
 Backward relations for entry Baasha (49/120) are generated.
 Optimize dates...

Nadab	D	Kind	S	from:	to:†	
- 929. 8. 1. - 906. 2.30.	E	0	E	50	50	
- 929. 8. 1. - 905. 2.30.	E	5	B	50	50	
- 929. 8. 1. - 906. 2.30.	E	7	B	49	50	
- 929. 8. 1. - 906. 2.30.	+	0	+	50	50	
- 929. 4. 1. - 907.10.29.	+	4	B	51	50	
	4M	1D	0	E	0	
- 929. 8. 1. - 907.10.29.	E	0	E	0	50	
- 929. 8. 1. - 907.10.29.				482nd position to E	Nadab	50
- 929. 8. 1. - 907.10.29.				483rd position to B	Baasha	49

16492 Bytes free.
 (433rd/483) position: - 892. 8. 1. - 868. 2.30. B Jehoshaphat 42
 Forward relations for entry Jehoshaphat (42/120) are generated.
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†	
- 892. 8. 1. - 868. 2.30.	B	0	B	42	42	
- 892. 8. 1. - 868. 2.30.	B	1	E	51	42	
- 892. 8. 1. - 866. 2.30.	B	3	B	44	42	
	B	4	*	42	42	
	B	6	E	42	42	
	B	9	B	41	42	
	B	10	α	37	42	
	0	B		0	0	
- 892. 8. 1. - 868. 2.30.	B	0	B	0	42	
- 928. 8. 1. - 902. 2.30.				484th position to *	Jehoshaphat	42
- 868. 8. 1. - 842. 2.30.				485th position to E	Jehoshaphat	42
- 876. 8. 1. - 850. 2.30.				486th position to B	Ahaziah (Ahab)	41
- 875. 8. 1. - 849. 2.30.				487th position to α	Joram (Ahab)	37

16492 Bytes free.
 (434th/487) position: - 895. 8. 1. - 871. 2.30. E Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:†	
- 895. 8. 1. - 871. 2.30.	E	0	E	45	45	
	E	6	B	45	45	
- 895. 8. 1. - 871. 2.30.	E	7	B	44	45	
- 895. 8. 1. - 871. 2.30.	+	0	+	45	45	
	0	E		0	0	
- 895. 8. 1. - 871. 2.30.	E	0	E	0	45	
- 908. 8. 1. - 882. 2.30.				488th position to B	Omri	45

16492 Bytes free.
 (435th/488) position: - 874. 8. 1. - 848. 2.30. E Ahab 44
 Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahab	D	Kind	S	from:	to:†	
------	---	------	---	-------	------	--

```

- 874. 8. 1. - 848. 2.30. E 0 E      44      44||
- 895. 8. 1. ≥                E 2 B      43      44||
- 874. 8. 1. - 848. 2.30. E 5 B      44      44||
- 876. 8. 1. - 850. 2.30. E 7 B      41      44||
- 874. 8. 1. - 848. 2.30. + 0 +      44      44||
                        2Y          0 E      0      0||
- 874. 8. 1. - 850. 2.30. E 0 E      0      44||
- 874. 8. 1. - 850. 2.30. 489th position to E Ahab      44
- 895. 8. 1. - 850. 2.30. 490th position to B Elijah      43
- 874. 8. 1. - 850. 2.30. 491st position to B Ahaziah (Ahab)      41

```

16492 Bytes free.

```

(436th/491) position: - 895. 8. 1. - 850. 2.30. B Elijah      43
Forward relations for entry Elijah (43/120) are generated.
Backward relations for entry Elisha (39/120) are generated.
Backward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Ahab (44/120) are generated.

```

Optimize dates...

```

Elijah          D Knd S   from:   to:|
- 895. 8. 1. - 850. 2.30. B 0 B     43     43||
- 895. 8. 1. ≥                B 1 B     44     43||
                        ≤- 850. 2.30. B 8 E     44     43||
                        0 B           0       0||
- 895. 8. 1. - 850. 2.30. B 0 B           0     43||

```

16492 Bytes free.

```

(437th/491) position: - 902. 8. 1. - 878. 2.30. E Tibni      46
Forward relations for entry Tibni (46/120) are generated.
Backward relations for entry Omri (45/120) are generated.

```

Optimize dates...

```

Tibni          D Knd S   from:   to:|
- 902. 8. 1. - 878. 2.30. E 0 E     46     46||
- 902. 8. 1. - 878. 2.30. E 7 α     45     46||
- 902. 8. 1. - 878. 2.30. + 0 +     46     46||
                        0 E           0       0||
- 902. 8. 1. - 878. 2.30. E 0 E           0     46||

```

16492 Bytes free.

```

(438th/491) position: - 906. 8. 7. - 882. 3. 8. E Zimri      47
Forward relations for entry Zimri (47/120) are generated.
Backward relations for entry Tibni (46/120) are generated.
Backward relations for entry Omri (45/120) are generated.

```

Optimize dates...

```

Zimri          D Knd S   from:   to:|
- 906. 8. 7. - 882. 3. 8. E 0 E     47     47||
- 906. 8. 7. - 882. 3. 8. E 5 B     47     47||
                        E 7 B     46     47||
- 908. 8. 1. - 882. 2.30. E 8 B     45     47||
- 906. 8. 7. - 882. 3. 8. + 0 +     47     47||
                        8D 0 E     0       0||
- 906. 8. 7. - 882. 2.30. E 0 E     0     47||
- 906. 8. 7. - 882. 2.30. 492nd position to E Zimri      47
- 906. 8. 1. - 882. 2.24. 493rd position to B Zimri      47
- 906. 8. 7. - 882. 2.30. 494th position to B Tibni      46
- 906. 8. 7. - 882. 2.30. 495th position to B Omri      45

```

16492 Bytes free.

```

(439th/495) position: - 906. 8. 1. - 883. 2.30. E Baasha      49

```

Forward relations for entry Baasha (49/120) are generated.
 Backward relations for entry Elah (48/120) are generated.
 Optimize dates...

Baasha	D	Kind	S	from:	to:
- 906. 8. 1. - 883. 2.30.	E	0	E	49	49
- 906. 8. 1. - 882.10.29.	E	5	B	49	49
- 907. 8. 1. - 883. 2.30.	E	7	B	48	49
- 906. 8. 1. - 883. 2.30.	+	0	+	49	49
		0	E	0	0
- 906. 8. 1. - 883. 2.30.	E	0	E	0	49
- 906. 8. 1. - 883. 2.30.				496th position to B Elah	48

16492 Bytes free.

(440th/496) position: - 929. 8. 1. - 907.10.29. B Baasha 49
 Forward relations for entry Baasha (49/120) are generated.
 Backward relations for entry Elah (48/120) are generated.
 Optimize dates...

Baasha	D	Kind	S	from:	to:
- 929. 8. 1. - 907.10.29.	B	0	B	49	49
- 929. 8. 1. - 907.10.29.	B	1	E	50	49
- 929. 4. 1. - 907.10.29.	B	3	B	51	49
- 931. 8. 1. - 906. 2.30.	B	5	E	49	49
		0	B	0	0
- 929. 8. 1. - 907.10.29.	B	0	B	0	49

16492 Bytes free.

(441st/496) position: - 906. 8. 1. - 883. 2.30. E Baasha 49
 Forward relations for entry Baasha (49/120) are generated.
 Backward relations for entry Elah (48/120) are generated.
 Optimize dates...

Baasha	D	Kind	S	from:	to:
- 906. 8. 1. - 883. 2.30.	E	0	E	49	49
- 906. 8. 1. - 882.10.29.	E	5	B	49	49
- 906. 8. 1. - 883. 2.30.	E	7	B	48	49
- 906. 8. 1. - 883. 2.30.	+	0	+	49	49
		0	E	0	0
- 906. 8. 1. - 883. 2.30.	E	0	E	0	49

16492 Bytes free.

(442nd/496) position: - 933. 4. 1. - 914.10.29. B Abijam = Abijah 52
 Forward relations for entry Abijam = Abijah (52/120) are generated.
 Backward relations for entry Asa (51/120) are generated.
 Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:
- 933. 4. 1. - 914.10.29.	B	0	B	52	52
- 933. 4. 1. - 914.10.29.	B	1	E	54	52
- 933. 4. 1. - 913.10.29.	B	3	B	53	52
- 935. 4. 1. - 912. 2.30.	B	5	E	52	52
		0	B	0	0
- 933. 4. 1. - 914.10.29.	B	0	B	0	52

16492 Bytes free.

(443rd/496) position: - 933. 4. 1. - 914.10.29. E Rehoboam 54
 Forward relations for entry Rehoboam (54/120) are generated.
 Backward relations for entry Abijam = Abijah (52/120) are generated.
 Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 933. 4. 1. - 914.10.29.	E	0	E	54	54

```

- 934. 4. 1. - 914.10.29. E 5 B      54      54||
- 933. 4. 1. - 914.10.29. E 7 B      52      54||
- 933. 4. 1. - 914.10.29. + 0 +      54      54||
                          0 E        0        0||
- 933. 4. 1. - 914.10.29. E 0 E        0      54||

```

16492 Bytes free.

(444th/496) position: - 931. 4. 1. - 910. 2.30. E Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```

Abijam = Abijah          D Knd S   from:   to:|
- 931. 4. 1. - 910. 2.30. E 0 E     52     52||
- 931. 4. 1. - 910.10.29. E 5 B     52     52||
- 931. 4. 1. - 911.10.29. E 7 B     51     52||
- 931. 4. 1. - 910. 2.30. + 0 +     52     52||
                          4M 1D   0 E     0       0||
- 931. 4. 1. - 911.10.29. E 0 E     0      52||
- 931. 4. 1. - 911.10.29. 497th position to E Abijam = Abijah 52

```

16492 Bytes free.

(445th/497) position: - 933. 4. 1. - 914.10.29. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam                D Knd S   from:   to:|
- 933. 4. 1. - 914.10.29. E 0 E     54     54||
- 934. 4. 1. - 914.10.29. E 5 B     54     54||
- 933. 4. 1. - 914.10.29. E 7 B     52     54||
- 933. 4. 1. - 914.10.29. + 0 +     54     54||
                          0 E        0       0||
- 933. 4. 1. - 914.10.29. E 0 E     0      54||

```

16492 Bytes free.

(446th/497) position: - 933. 4. 1. - 914.10.29. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```

Abijam = Abijah          D Knd S   from:   to:|
- 933. 4. 1. - 914.10.29. B 0 B     52     52||
- 933. 4. 1. - 914.10.29. B 1 E     54     52||
- 933. 4. 1. - 913.10.29. B 3 B     53     52||
- 935. 4. 1. - 913.10.29. B 5 E     52     52||
                          0 B        0       0||
- 933. 4. 1. - 914.10.29. B 0 B     0      52||

```

16492 Bytes free.

(447th/497) position: -2042. 9.15. -2027. 8.29. + Sarai = Sarah 95

Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

```

Sarai = Sarah            D Knd S   from:   to:|
-2042. 9.15. -2027. 8.29. + 0 +     95     95||
-2042. 9.15. -2027. 8.29. + 5 *     95     95||
                          0 +        0       0||
-2042. 9.15. -2027. 8.29. + 0 +     0      95||

```

16492 Bytes free.

(448th/497) position: -1872. 9.15. -1860. 8.29. + Jacob = Israel 90

Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

Jacob = Israel	D	Kind	S	from:	to:
-1872. 9.15. -1860. 8.29. + 0 +				90	90
-1872. 9.15. -1859. 8.29. + 5 *				90	90
-1873. 9.15. -1860. 8.29. + 4 B				89	90
			0 +	0	0
-1872. 9.15. -1860. 8.29. + 0 +				0	90

16492 Bytes free.

(449th/497) position: -1889. 9.15. -1878. 8.29. B Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:
-1889. 9.15. -1878. 8.29. B 0 B				89	89
-1889. 9.15. -1876. 8.29. B 3 *				90	89
-1891. 9.15. -1878. 8.29. B 6 E				89	89
-1890. 9.15. -1876. 8.29. B 10 +				90	89
			0 B	0	0
-1889. 9.15. -1878. 8.29. B 0 B				0	89

16492 Bytes free.

(450th/497) position: - 929. 4. 1. - 909.10.29. E Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
- 929. 4. 1. - 909.10.29. E 0 E				53	53
- 929. 4. 1. - 909.10.29. E 5 B				53	53
- 930. 8. 1. - 908. 2.30. E 7 B				50	53
- 929. 4. 1. - 909.10.29. + 0 +				53	53
			0 E	0	0
- 929. 4. 1. - 909.10.29. E 0 E				0	53
- 929. 4. 1. - 909.10.29. 498th position to B Nadab					50

16492 Bytes free.

(451st/498) position: - 931. 4. 1. - 911.10.29. B Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:
- 931. 4. 1. - 911.10.29. B 0 B				51	51
- 931. 4. 1. - 911.10.29. B 1 E				52	51
- 931. 4. 1. - 911.10.29. B 3 B				53	51
- 934. 8. 1. - 908. 2.30. B 5 E				51	51
- 934. 8. 1. - 908. 2.30. B 9 B				44	51
- 934. 8. 1. - 908. 2.30. B 9 α				45	51
- 934. 8. 1. - 908. 2.24. B 9 B				47	51
- 933. 8. 1. - 908. 2.30. B 9 B				48	51
- 933. 8. 1. - 909.10.29. B 9 B				49	51
- 932. 4. 1. - 910.10.29. B 9 B				50	51
- 934. 8. 1. - 908. 2.30. B 10 +				48	51
- 933. 8. 1. - 909.10.29. B 10 +				50	51
			0 B	0	0
- 931. 4. 1. - 911.10.29. B 0 B				0	51
- 891. 4. 1. - 869.10.29. 499th position to E Asa					51
- 894. 4. 1. - 872.10.29. 500th position to B Ahab					44
- 901. 4. 1. - 879.10.29. 501st position to α Omri					45

- 905. 4. 1. - 883.10.29. 502nd position to B Zimri 47
 - 906. 8. 1. - 884.10.29. 503rd position to B Elah 48
 - 905. 4. 1. - 883.10.29. 504th position to + Elah 48

16492 Bytes free.

(452nd/504) position: - 992. 4. 1. - 972.10.29. * Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:†
- 992. 4. 1. - 972.10.29. *	0	*		54	54
- 992. 4. 1. - 972.10.29. *	9	B		54	54
	0	*		0	0
- 992. 4. 1. - 972.10.29. *	0	*		0	54

16492 Bytes free.

(453rd/504) position: ≤-1166. 6.30. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:†
≤-1166. 6.30. B	0	B		73	73
	B	1	E	74	73
≤-1166. 6.30. B	5	E		73	73
	0	B		0	0
≤-1166. 6.30. B	0	B		0	73
≤-1166. 6.30.				505th position to E Midianites	74

16492 Bytes free.

(454th/505) position: -1143. 7. 1.≥ B Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:†
-1143. 7. 1.≥	B	0	B	64	64
-1143. 7. 1.≥	B	6	E	64	64
	0	B		0	0
-1143. 7. 1.≥	B	0	B	0	64

16492 Bytes free.

(455th/505) position: -1201. 7. 1.≥ * Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:†
-1201. 7. 1.≥	*	0	*	64	64
-1201. 7. 1.≥	*	5	+	64	64
	0	*		0	0
-1201. 7. 1.≥	*	0	*	0	64

16492 Bytes free.

(456th/505) position: -1102. 7. 1. -1070. 5.29. B Samuel 61

Forward relations for entry Samuel (61/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel	D	Kind	S	from:	to:†
-1102. 7. 1. -1070. 5.29. B	0	B		61	61
-1102. 7. 1.≥	B	2	E	64	61

```

-1102. 7. 1. -1070. 5.29. B 9 E      63      61||
                          0 B      0      0||
-1102. 7. 1. -1070. 5.29. B 0 B      0      61||
-1102. 7. 1. -1070. 5.29. 506th position to E Eli

```

64

16492 Bytes free.

```

(457th/506) position: -1120. 7. 1. -1090. 5.29. B Philistines      63
Forward relations for entry Philistines      (63/120) are generated.
Backward relations for entry Samuel          (61/120) are generated.
Backward relations for entry Samson          (62/120) are generated.
Backward relations for entry Saul            (60/120) are generated.

```

Optimize dates...

```

Philistines      D Knd S      from:      to:|
-1120. 7. 1. -1090. 5.29. B 0 B      63      63||
-1120. 7. 1. >          B 1 E      68      63||
-1122. 7. 1. -1090. 5.29. B 6 E      63      63||
          ≤-1070. 5.29. B 7 B      62      63||
                          0 B      0      0||
-1120. 7. 1. -1090. 5.29. B 0 B      0      63||

```

16492 Bytes free.

```

(458th/506) position: -1105. 7. 1. >          B Abdon      65
Forward relations for entry Abdon            (65/120) are generated.

```

Optimize dates...

```

Abdon      D Knd S      from:      to:|
-1105. 7. 1. >          B 0 B      65      65||
-1105. 7. 1. >          B 1 E      66      65||
          B 5 E      65      65||
          0 B      0      0||
-1105. 7. 1. >          B 0 B      0      65||
-1098. 7. 1. >          507th position to E Abdon

```

65

16492 Bytes free.

```

(459th/507) position: -1274. 1. 1. >          E Ehud      77
Forward relations for entry Ehud            (77/120) are generated.
Backward relations for entry Sisera          (76/120) are generated.

```

Optimize dates...

```

Ehud      D Knd S      from:      to:|
-1274. 1. 1. >          E 0 E      77      77||
-1274. 1. 1. >          E 5 B      77      77||
          E 7 B      76      77||
          0 E      0      0||
-1274. 1. 1. >          E 0 E      0      77||
-1274. 1. 1. >          508th position to B Sisera

```

76

16492 Bytes free.

```

(460th/508) position: -1353. 9. 1. >          E Eglon     78
Forward relations for entry Eglon            (78/120) are generated.
Backward relations for entry Ehud            (77/120) are generated.

```

Optimize dates...

```

Eglon      D Knd S      from:      to:|
-1353. 9. 1. >          E 0 E      78      78||
-1353. 9. 1. >          E 5 B      78      78||
-1353. 1. 1. >          E 7 B      77      78||
-1353. 9. 1. >          + 0 +      78      78||
          0 E      0      0||
-1353. 9. 1. >          E 0 E      0      78||
-1353. 9. 1. >          509th position to B Ehud

```

77

16492 Bytes free.
 (461st/509) position: -2333. 9.15. -2322. 8.29. * Reu 100
 Forward relations for entry Reu (100/120) are generated.
 Optimize dates...

Reu	D	Kn	S	from:	to:†	
-2333. 9.15. -2322. 8.29.	*	0	*	100	100	100
-2333. 9.15. -2310.11. 6.	*	3	*	101	100	100
-2335. 9.15. -2322. 8.29.	*	9	*	99	100	100
-2335. 9.15. -2308.11. 6.	*	10	+	101	100	100
		0	*	0	0	0
-2333. 9.15. -2322. 8.29.	*	0	*	0	100	100
-2362. 9.15. -2351. 8.29.				510th position to *	Peleg	101
-2125. 9.15. -2112. 8.29.				511th position to +	Peleg	101

16492 Bytes free.
 (462nd/511) position: -2096. 9.15. -2083. 8.29. + Reu 100
 Forward relations for entry Reu (100/120) are generated.
 Optimize dates...

Reu	D	Kn	S	from:	to:†	
-2096. 9.15. -2083. 8.29.	+	0	+	100	100	100
-2096. 9.15. -2083. 8.29.	+	4	*	99	100	100
		0	+	0	0	0
-2096. 9.15. -2083. 8.29.	+	0	+	0	100	100

16492 Bytes free.
 (463rd/511) position: - 790. 1.22. - 775. 8.29. * Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kn	S	from:	to:†	
- 790. 1.22. - 775. 8.29.	*	0	*	19	19	19
- 790. 1.22. - 775. 8.29.	*	10	B	19	19	19
		0	*	0	0	0
- 790. 1.22. - 775. 8.29.	*	0	*	0	19	19

16492 Bytes free.
 (464th/511) position: - 758. 1.22. - 744. 8.29. B Pekahiah 22
 Forward relations for entry Pekahiah (22/120) are generated.
 Backward relations for entry Pekah (21/120) are generated.
 Optimize dates...

Pekahiah	D	Kn	S	from:	to:†	
- 758. 1.22. - 744. 8.29.	B	0	B	22	22	22
- 759. 9. 1. - 744. 8.29.	B	1	E	23	22	22
- 759. 9. 1. - 743. 8.29.	B	3	B	26	22	22
- 758. 1.22. - 744. 8.29.	B	5	E	22	22	22
		0	B	0	0	0
- 758. 1.22. - 744. 8.29.	B	0	B	0	22	22
- 758. 1.22. - 744. 8.29.				512th position to E	Menahem	23

16492 Bytes free.
 (465th/512) position: - 739. 1.22. - 725. 8.29. Ω Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kn	S	from:	to:†	
--------	---	----	---	-------	------	--

```

- 739. 1.22. - 725. 8.29. Ω 0 Ω      19      19||
- 739. 1.22. - 725. 8.29. Ω 8 α      17      19||
- 739. 1.22. - 725. 8.29. + 0 +      19      19||
                               0 Ω      0       0||
- 739. 1.22. - 725. 8.29. Ω 0 Ω      0       19||

```

16492 Bytes free.

(466th/512) position: - 754. 1.22. - 742. 8.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

```

Azariah = Uzziah          D Knd S   from:   to:|
- 754. 1.22. - 742. 8.29. E 0 E      26      26||
- 757. 9. 1. - 741. 8.29. E 6 B      26      26||
- 754. 1.22. - 742. 8.29. E 7 α      19      26||
- 754. 1.22. - 742. 8.29. + 0 +      26      26||
                               + 2 B      20      26||
                               0 E      0       0||
- 754. 1.22. - 742. 8.29. E 0 E      0       26||
- 807. 1.22. - 794. 8.29. 513th position to B Azariah = Uzziah 26

```

16492 Bytes free.

(467th/513) position: -1460. 9.15. -1449. 8.29. E Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Israel in Egypt          D Knd S   from:   to:|
-1460. 9.15. -1449. 8.29. E 0 E      89      89||
-1465. 7. 1. ≥           E 1 B      86      89||
-1465. 7. 1. ≥           E 2 B      87      89||
-1460. 9.15. -1447. 8.29. E 6 B      89      89||
-1461. 9.15. -1449. 8.29. E 9 B      85      89||
-1460. 9.14. -1449. 8.30. E 9 +      88      89||
-1460. 8.15. -1449. 9.29. E 10 B     55      89||
-1460. 8.15. -1449. 9.29. E 10 E     56      89||
-1460. 9.14. -1449. 8.30. E 10 B     84      89||
                               0 E      0       0||
-1460. 9.15. -1449. 8.29. E 0 E      0       89||

```

16492 Bytes free.

(468th/513) position: -1459. 9.15. -1448. 8.29. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

```

Explorers of Canaan     D Knd S   from:   to:|
-1459. 9.15. -1448. 8.29. B 0 B      85      85||
-1459. 9.15. -1447. 8.29. B 3 E      89      85||
-1459. 9.15. -1448. 8.29. B 5 E      85      85||
-1462. 1.22. -1447. 8.29. B 4 *      82      85||
-1461. 1.22. -1448. 8.29. B 9 B      81      85||
-1459. 7.15. -1446. 6.30. B 9 B      84      85||
                               0 B      0       0||
-1459. 9.15. -1448. 8.29. B 0 B      0       85||
-1500. 9.15. -1488. 8.29. 514th position to * Caleb 82
-1415. 9.15. -1404. 8.29. 515th position to B Inheritance of Israel 81

```

16492 Bytes free.

(469th/515) position: -1420. 1.15. -1410.12.30. + Aaron 88

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.
Optimize dates...

Aaron	D	Kind	S	from:	to:	
-1420. 1.15. -1410.12.30.	E	0	E	87	87	
-1420. 1.15. -1410.12.30.	+	0	+	87	87	
-1426. 1. 1. -1408.12.30.	+	6	*	87	87	
-1420. 1.15. -1410.12.30.	+	3	E	89	88	
		0	E	0	0	
-1420. 1.15. -1410.12.30.	E	0	E	0	87	
-1544. 1.15. -1532.12.30.				516th position to * Aaron		87

16492 Bytes free.
(470th/516) position: - 981.10.15. - 970.10.29. B Building the Temple 55
Forward relations for entry Building the Temple (55/120) are generated.
Forward relations for entry Building the Temple (56/120) are generated.
Optimize dates...

Building the Temple	D	Kind	S	from:	to:	
- 981.10.15. - 970.10.29.	B	0	B	55	55	
- 986. 4. 1. - 968.10.29.	B	3	B	57	55	
- 981. 4.15. - 968. 4.29.	B	5	E	55	55	
- 981.10.15. - 970.10.29.	B	4	E	89	55	
		0	B	0	0	
- 981.10.15. - 970.10.29.	B	0	B	0	55	
- 986.10.15. - 973.10.29.				517th position to B Solomon		57

16492 Bytes free.
(471st/517) position: - 973. 4.15. - 962. 4.29. E Building the Temple 56
Forward relations for entry Building the Temple (55/120) are generated.
Forward relations for entry Building the Temple (56/120) are generated.
Optimize dates...

Building the Temple	D	Kind	S	from:	to:	
- 973. 4.15. - 962. 4.29.	E	0	E	55	55	
- 975.10.15. - 962.10.29.	E	5	B	55	55	
- 976.10.15. - 961.10.29.	E	3	B	57	56	
- 973. 4.15. - 962. 4.29.	E	4	E	89	56	
		0	E	0	0	
- 973. 4.15. - 962. 4.29.	E	0	E	0	55	
- 985. 4.15. - 973.10.29.				518th position to B Solomon		57

16492 Bytes free.
(472nd/518) position: -1420. 7.15. -1409. 6.30. B Moses' Speech 84
Forward relations for entry Moses' Speech (84/120) are generated.
Backward relations for entry Moses (86/120) are generated.
Optimize dates...

Moses' Speech	D	Kind	S	from:	to:	
-1420. 7.15. -1409. 6.30.	B	0	B	84	84	
-1422. 9.15. -1409. 8.29.	B	3	B	85	84	
-1420. 7.15. -1409. 6.30.	B	4	E	89	84	
-1424. 7. 1. -1409. 6.30.	B	7	E	86	84	
-1426. 7. 1. -1407. 6.30.	B	9	B	68	84	
		0	B	0	0	
-1420. 7.15. -1409. 6.30.	B	0	B	0	84	
-1420. 7.15. -1409. 6.30.				519th position to E Moses		86
-1121. 7.15. -1108. 6.30.				520th position to B Jephthah		68

16492 Bytes free.
(473rd/520) position: -1459.10.25. -1448.10. 9. E Explorers of Canaan 85
Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:
-1459.10.25. -1448.10. 9.	E	0	E	85	85
-1459.10.25. -1448.10. 9.	E	5	B	85	85
		0	E	0	0
-1459.10.25. -1448.10. 9.	E	0	E	0	85

16492 Bytes free.

(474th/520) position: -1408. 1.22.> E Chushanrithaim 80
 Forward relations for entry Chushanrithaim (80/120) are generated.
 Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrithaim	D	Kind	S	from:	to:
-1408. 1.22.>	E	0	E	80	80
-1408. 1.22.>	E	5	B	80	80
-1409. 9. 1.>	E	7	B	79	80
		0	E	0	0
-1408. 1.22.>	E	0	E	0	80
-1408. 1.22.>		521st position to B Othniel			79

16492 Bytes free.

(475th/521) position: - 812. 2. 1. - 795. 8.29. E Joash (Jehoahaz) 30
 Forward relations for entry Joash (Jehoahaz) (30/120) are generated.
 Backward relations for entry Jeroboam (Joash) (27/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:
- 812. 2. 1. - 795. 8.29.	E	0	E	30	30
- 830.12. 1.>	E	2	+	39	30
- 815.12. 1. - 793. 8.29.	E	5	B	30	30
- 812. 2. 1. - 795. 8.29.	E	7	B	27	30
- 812. 2. 1. - 795. 8.29.	+	0	+	30	30
- 815.12. 1. - 793. 8.29.	+	9	+	29	30
		0	E	0	0
- 812. 2. 1. - 795. 8.29.	E	0	E	0	30
- 829. 2. 1. - 810. 8.29.		522nd position to B Joash (Jehoahaz)			30
- 798. 2. 1. - 779. 8.29.		523rd position to + Amaziah			29

16492 Bytes free.

(476th/523) position: - 828. 2. 1. - 809. 8.29. B Amaziah 28
 Forward relations for entry Amaziah (28/120) are generated.
 Backward relations for entry Azariah = Uzziah (26/120) are generated.
 Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:
- 828. 2. 1. - 809. 8.29.	B	0	B	28	28
- 829.12. 1. - 809. 8.29.	B	1	E	32	28
- 828. 2. 1. - 807. 8.29.	B	3	B	30	28
- 831.12. 1. - 807. 8.29.	B	4	*	28	28
- 828. 2. 1. - 807. 8.29.	B	6	E	28	28
- 828. 2. 1. - 809. 8.29.	B	9	B	27	28
		0	B	0	0
- 828. 2. 1. - 809. 8.29.	B	0	B	0	28
- 828. 2. 1. - 809. 8.29.		524th position to E Joash (Ahaziah)			32
- 854. 2. 1. - 833. 8.29.		525th position to * Amaziah			28

16492 Bytes free.

(477th/525) position: - 846.12. 1. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Optimize dates...

Jehu	D	Kind	S	from:	to:
- 846.12. 1. - 826. 8.29. E	0	E		33	33
- 848.12. 1. - 825. 8.29. E	5	B		33	33
- 846.12. 1. - 826. 8.29. E	7	B		31	33
- 846.12. 1. - 826. 8.29. +	0	+		33	33
	0	E		0	0
- 846.12. 1. - 826. 8.29. E	0	E		0	33

16492 Bytes free.

(478th/525) position: - 875.12. 1. - 853. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.
 Optimize dates...

Athaliah	D	Kind	S	from:	to:
- 875.12. 1. - 853. 8.29. B	0	B		34	34
- 875.12. 1. - 854. 8.29. B	1	E		35	34
- 875.12. 1. - 854. 8.29. B	2	E		37	34
- 875.12. 1. - 853. 8.29. B	5	E		34	34
	1Y	0	B	0	0
- 875.12. 1. - 854. 8.29. B	0	B		0	34
- 875.12. 1. - 854. 8.29.				526th position to B Athaliah	34

16492 Bytes free.

(479th/526) position: - 875.12. 1. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Optimize dates...

Jehu	D	Kind	S	from:	to:
- 875.12. 1. - 854. 8.29. B	0	B		33	33
- 875.12. 1. - 854. 8.29. B	1	E		35	33
- 875.12. 1. - 854. 8.29. B	2	E		37	33
- 875.12. 1. - 853. 8.29. B	5	E		33	33
- 876.12. 1. - 854. 8.29. B	9	B		32	33
	0	B		0	0
- 875.12. 1. - 854. 8.29. B	0	B		0	33

16492 Bytes free.

(480th/526) position: - 875.12. 1. - 854. 8.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.
 Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
- 875.12. 1. - 854. 8.29. E	0	E		35	35
		E	6	B	35
- 875.12. 1. - 854. 8.29. E	7	B		33	35
- 875.12. 1. - 854. 8.29. E	7	B		34	35
- 875.12. 1. - 854. 8.29. +	0	+		35	35
	0	E		0	0
- 875.12. 1. - 854. 8.29. E	0	E		0	35
- 877.12. 1. - 854. 8.29.				527th position to B Ahaziah (Joram)	35

16492 Bytes free.

(481st/527) position: - 875.12. 1. - 854. 8.29. E Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
- 875.12. 1. - 854. 8.29.	E	0	E	37	37	
- 875.12. 1. - 854. 8.29.	E	8	B	33	37	
- 875.12. 1. - 854. 8.29.	E	8	B	34	37	
	E	5	B	38	38	
- 875.12. 1. - 854. 8.29.	+	0	+	37	37	
		0	E	0	0	
- 875.12. 1. - 854. 8.29.	E	0	E	0	37	
- 888.12. 1. - 865. 8.29.				528th position to B Joram (Ahab)		38

16492 Bytes free.

(482nd/528) position: - 929. 8. 1. - 907.10.29. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:	
- 929. 8. 1. - 907.10.29.	E	0	E	50	50	
- 928. 4. 1. - 906.10.29.	E	5	B	50	50	
- 929. 8. 1. - 907.10.29.	E	7	B	49	50	
- 929. 8. 1. - 907.10.29.	+	0	+	50	50	
- 929. 4. 1. - 907.10.29.	+	4	B	51	50	
8M		0	E	0	0	
- 928. 4. 1. - 907.10.29.	E	0	E	0	50	
- 928. 4. 1. - 907.10.29.				529th position to E Nadab		50
- 928. 4. 1. - 907.10.29.				530th position to B Baasha		49

16492 Bytes free.

(483rd/530) position: - 928. 4. 1. - 907.10.29. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:	
- 928. 4. 1. - 907.10.29.	B	0	B	49	49	
- 928. 4. 1. - 907.10.29.	B	1	E	50	49	
- 929. 4. 1. - 907.10.29.	B	3	B	51	49	
- 931. 8. 1. - 906. 2.30.	B	5	E	49	49	
		0	B	0	0	
- 928. 4. 1. - 907.10.29.	B	0	B	0	49	
- 905. 4. 1. - 883. 2.30.				531st position to E Baasha		49

16492 Bytes free.

(484th/531) position: - 928. 8. 1. - 902. 2.30. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
- 928. 8. 1. - 902. 2.30.	*	0	*	42	42	
- 928. 8. 1. - 902. 2.30.	*	10	B	42	42	
		0	*	0	0	
- 928. 8. 1. - 902. 2.30.	*	0	*	0	42	

16492 Bytes free.

(485th/531) position: - 868. 8. 1. - 842. 2.30. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 868. 8. 1. - 842. 2.30.	E	0	E	42	42
- 868. 8. 1. - 842. 2.30.	E	6	B	42	42
	E	7	α	40	42
- 868. 8. 1. - 842. 2.30.	+	0	+	42	42
	0	E		0	0
- 868. 8. 1. - 842. 2.30.	E	0	E	0	42
- 868. 8. 1. - 842. 2.30.				532nd position to α Jehoram (Jehoshaphat)	40

16492 Bytes free.

(486th/532) position: - 874. 8. 1. - 850. 2.30. B Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
- 874. 8. 1. - 850. 2.30.	B	0	B	41	41
- 874. 8. 1. - 850. 2.30.	B	1	E	44	41
- 876. 8. 1. - 850. 2.30.	B	3	B	42	41
	B	5	E	41	41
	0	B		0	0
- 874. 8. 1. - 850. 2.30.	B	0	B	0	41
- 873. 8. 1. - 847. 2.30.				533rd position to E Ahaziah (Ahab)	41

16492 Bytes free.

(487th/533) position: - 875. 8. 1. - 849. 2.30. α Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 875. 8. 1. - 849. 2.30.	α	0	α	37	37
- 873. 8. 1. - 847. 2.30.	α	1	E	41	37
	α	2	E	43	37
	α	3	B	40	37
- 875. 8. 1. - 849. 2.30.	α	4	B	42	37
2Y	0	α		0	0
- 873. 8. 1. - 849. 2.30.	α	0	α	0	37
- 873. 8. 1. - 849. 2.30.				534th position to α Joram (Ahab)	37
- 873. 8. 1. - 849. 2.30.				535th position to E Ahaziah (Ahab)	41
≤-				849. 2.30. 536th position to E Elijah	43
- 876. 8. 1. - 850. 2.30.				537th position to B Jehoram (Jehoshaphat)	40

16492 Bytes free.

(488th/537) position: - 906. 8. 7. - 882. 2.30. B Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:
- 906. 8. 7. - 882. 2.30.	B	0	B	45	45
- 906. 8. 7. - 882. 2.30.	B	2	E	47	45
- 908. 8. 1. - 882. 2.30.	B	6	E	45	45
	0	B		0	0
- 906. 8. 7. - 882. 2.30.	B	0	B	0	45

- 895. 8. 7. - 871. 2.30. 538th position to E Omri 45

16492 Bytes free.

(489th/538) position: - 874. 8. 1. - 850. 2.30. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:	
- 874. 8. 1. - 850. 2.30.	E	0	E	44	44	
- 895. 8. 1. >	E	2	B	43	44	
- 873. 4. 1. - 849.10.29.	E	5	B	44	44	
- 874. 8. 1. - 850. 2.30.	E	7	B	41	44	
- 874. 8. 1. - 850. 2.30.	+	0	+	44	44	
8M		0	E	0	0	
- 873. 4. 1. - 850. 2.30.	E	0	E	0	44	
- 873. 4. 1. - 850. 2.30.				539th position to E Ahab		44
- 873. 4. 1. - 850. 2.30.				540th position to B Ahaziah (Ahab)		41

16492 Bytes free.

(490th/540) position: - 895. 8. 1. - 850. 2.30. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
- 895. 8. 1. - 850. 2.30.	B	0	B	43	43	
- 894. 4. 1. >	B	1	B	44	43	
≤- 850. 2.30.	B	8	E	44	43	
8M		0	B	0	0	
- 894. 4. 1. - 850. 2.30.	B	0	B	0	43	
- 894. 4. 1. - 850. 2.30.				541st position to B Elijah		43

16492 Bytes free.

(491st/541) position: - 873. 4. 1. - 850. 2.30. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 873. 4. 1. - 850. 2.30.	B	0	B	41	41	
- 873. 4. 1. - 850. 2.30.	B	1	E	44	41	
- 876. 8. 1. - 850. 2.30.	B	3	B	42	41	
- 876. 8. 1. - 850. 2.30.	B	5	E	41	41	
		0	B	0	0	
- 873. 4. 1. - 850. 2.30.	B	0	B	0	41	
- 891. 4. 1. - 868. 2.30.				542nd position to B Jehoshaphat		42
- 872. 4. 1. - 849. 2.30.				543rd position to E Ahaziah (Ahab)		41

16492 Bytes free.

(492nd/543) position: - 906. 8. 7. - 882. 2.30. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:	
- 906. 8. 7. - 882. 2.30.	E	0	E	47	47	

```

- 905. 4. 7. - 883.11. 7. E 5 B      47      47||
- 906. 8. 7. - 882. 2.30. E 7 B      46      47||
- 906. 8. 7. - 882. 2.30. E 8 B      45      47||
- 906. 8. 7. - 882. 2.30. + 0 +      47      47||
  Y 8M          3M23D      0 E      0      0||
- 905. 4. 7. - 883.11. 7. E 0 E      0      47||
- 905. 4. 7. - 883.11. 7. 544th position to E Zimri      47
- 905. 4. 7. - 883.11. 7. 545th position to B Tibni      46
- 905. 4. 7. - 883.11. 7. 546th position to B Omri      45

```

16492 Bytes free.

```

(493rd/546) position: - 905. 4. 1. - 883.10.29. B Zimri      47
Forward relations for entry Zimri      (47/120) are generated.
Backward relations for entry Tibni      (46/120) are generated.
Backward relations for entry Omri      (45/120) are generated.

```

Optimize dates...

```

Zimri          D Knd S      from:      to:|
- 905. 4. 1. - 883.10.29. B 0 B      47      47||
- 905. 4. 1. - 883.10.29. B 1 E      48      47||
- 905. 4. 1. - 883.10.29. B 3 B      51      47||
- 905. 3.29. - 883.11. 1. B 5 E      47      47||
              0 B      0      0||
- 905. 4. 1. - 883.10.29. B 0 B      0      47||

```

16492 Bytes free.

```

(494th/546) position: - 905. 4. 7. - 883.11. 7. B Tibni      46
Forward relations for entry Tibni      (46/120) are generated.
Backward relations for entry Omri      (45/120) are generated.

```

Optimize dates...

```

Tibni          D Knd S      from:      to:|
- 905. 4. 7. - 883.11. 7. B 0 B      46      46||
- 905. 4. 7. - 883.11. 7. B 1 E      47      46||
              0 B      0      0||
- 905. 4. 7. - 883.11. 7. B 0 B      0      46||

```

16492 Bytes free.

```

(495th/546) position: - 905. 4. 7. - 883.11. 7. B Omri      45
Forward relations for entry Omri      (45/120) are generated.
Backward relations for entry Ahab      (44/120) are generated.

```

Optimize dates...

```

Omri          D Knd S      from:      to:|
- 905. 4. 7. - 883.11. 7. B 0 B      45      45||
- 905. 4. 7. - 883.11. 7. B 2 E      47      45||
- 908. 8. 7. - 882. 2.30. B 6 E      45      45||
              0 B      0      0||
- 905. 4. 7. - 883.11. 7. B 0 B      0      45||
- 894. 4. 7. - 871. 2.30. 547th position to E Omri      45

```

16492 Bytes free.

```

(496th/547) position: - 906. 8. 1. - 884.10.29. B Elah      48
Forward relations for entry Elah      (48/120) are generated.
Backward relations for entry Zimri      (47/120) are generated.

```

Optimize dates...

```

Elah          D Knd S      from:      to:|
- 906. 8. 1. - 884.10.29. B 0 B      48      48||
- 905. 4. 1. - 883. 2.30. B 1 E      49      48||
- 906. 4. 1. - 884.10.29. B 3 B      51      48||
- 908. 4. 1. - 884.10.29. B 5 E      48      48||

```

```

      8M                0 B      0      0||
- 905. 4. 1. - 884.10.29. B 0 B      0      48||
- 905. 4. 1. - 884.10.29. 548th position to B Elah                48
- 905. 4. 1. - 884.10.29. 549th position to E Baasha                49
- 904. 4. 1. - 883.10.29. 550th position to E Elah                48

```

16492 Bytes free.

```

(497th/550) position: - 931. 4. 1. - 911.10.29.  E Abijam = Abijah      52
Forward relations for entry Abijam = Abijah      (52/120) are generated.
Backward relations for entry Asa                  (51/120) are generated.
Optimize dates...

```

```

Abijam = Abijah      D Knd S      from:      to:|
- 931. 4. 1. - 911.10.29. E 0 E      52      52||
- 931. 4. 1. - 910.10.29. E 5 B      52      52||
- 931. 4. 1. - 911.10.29. E 7 B      51      52||
- 931. 4. 1. - 911.10.29. + 0 +      52      52||
                          0 E      0      0||
- 931. 4. 1. - 911.10.29. E 0 E      0      52||

```

16492 Bytes free.

```

(498th/550) position: - 929. 4. 1. - 909.10.29.  B Nadab                50
Forward relations for entry Nadab                (50/120) are generated.
Backward relations for entry Baasha              (49/120) are generated.
Optimize dates...

```

```

Nadab                D Knd S      from:      to:|
- 929. 4. 1. - 909.10.29. B 0 B      50      50||
- 929. 4. 1. - 909.10.29. B 1 E      53      50||
- 930. 4. 1. - 908.10.29. B 3 B      51      50||
- 931. 4. 1. - 908.10.29. B 5 E      50      50||
                          0 B      0      0||
- 929. 4. 1. - 909.10.29. B 0 B      0      50||

```

16492 Bytes free.

```

(499th/550) position: - 891. 4. 1. - 869.10.29.  E Asa                51
Forward relations for entry Asa                  (51/120) are generated.
Backward relations for entry Jehoshaphat         (42/120) are generated.
Optimize dates...

```

```

Asa                  D Knd S      from:      to:|
- 891. 4. 1. - 869.10.29. E 0 E      51      51||
- 891. 4. 1. - 869.10.29. E 5 B      51      51||
- 891. 4. 1. - 868. 2.30. E 7 B      42      51||
- 891. 4. 1. - 869.10.29. + 0 +      51      51||
                          0 E      0      0||
- 891. 4. 1. - 869.10.29. E 0 E      0      51||
- 891. 4. 1. - 869.10.29. 551st position to B Jehoshaphat      42

```

16492 Bytes free.

```

(500th/551) position: - 894. 4. 1. - 872.10.29.  B Ahab                44
Forward relations for entry Ahab                (44/120) are generated.
Backward relations for entry Ahaziah (Ahab)     (41/120) are generated.
Backward relations for entry Elijah            (43/120) are generated.
Optimize dates...

```

```

Ahab                  D Knd S      from:      to:|
- 894. 4. 1. - 872.10.29. B 0 B      44      44||
- 894. 4. 7. - 871. 2.30. B 1 E      45      44||
- 894. 4. 1. - 872.10.29. B 3 B      51      44||
- 896. 4. 1. - 871. 2.30. B 5 E      44      44||
      ≤- 850. 2.30. B 7 B      43      44||

```

```

- 896. 4. 1. - 872.10.29. B 9 B      42      44||
                   6D                0 B      0      0||
- 894. 4. 7. - 872.10.29. B 0 B      0      44||
- 894. 4. 7. - 872.10.29. 552nd position to B Ahab      44
- 894. 4. 7. - 872.10.29. 553rd position to E Omri      45
- 873. 4. 7. - 850. 2.30. 554th position to E Ahab      44
- 894. 4. 7. - 850. 2.30. 555th position to B Elijah     43
- 891. 4. 7. - 869.10.29. 556th position to B Jehoshaphat 42

```

16492 Bytes free.

```

(501st/556) position: - 901. 4. 1. - 879.10.29.  α Omri      45
Forward relations for entry Omri      (45/120) are generated.
Backward relations for entry Ahab     (44/120) are generated.

```

Optimize dates...

```

Omri          D Knd S   from:   to:|
- 901. 4. 1. - 879.10.29. α 0 α     45     45||
- 902. 8. 1. - 878. 2.30. α 1 E     46     45||
- 901. 4. 1. - 879.10.29. α 3 B     51     45||
                   0 α         0      0||
- 901. 4. 1. - 879.10.29. α 0 α         0     45||
- 901. 4. 1. - 879.10.29. 557th position to E Tibni      46

```

16492 Bytes free.

```

(502nd/557) position: - 905. 4. 1. - 883.10.29.  B Zimri     47
Forward relations for entry Zimri     (47/120) are generated.
Backward relations for entry Tibni    (46/120) are generated.
Backward relations for entry Omri     (45/120) are generated.

```

Optimize dates...

```

Zimri         D Knd S   from:   to:|
- 905. 4. 1. - 883.10.29. B 0 B     47     47||
- 904. 4. 1. - 883.10.29. B 1 E     48     47||
- 905. 4. 1. - 883.10.29. B 3 B     51     47||
- 905. 3.29. - 883.11. 1. B 5 E     47     47||
                   1Y         0 B     0      0||
- 904. 4. 1. - 883.10.29. B 0 B         0     47||
- 904. 4. 1. - 883.10.29. 558th position to B Zimri      47
- 904. 4. 7. - 883.11. 7. 559th position to E Zimri      47

```

16492 Bytes free.

```

(503rd/559) position: - 905. 4. 1. - 884.10.29.  B Elah      48
Forward relations for entry Elah      (48/120) are generated.
Backward relations for entry Zimri    (47/120) are generated.

```

Optimize dates...

```

Elah          D Knd S   from:   to:|
- 905. 4. 1. - 884.10.29. B 0 B     48     48||
- 905. 4. 1. - 884.10.29. B 1 E     49     48||
- 906. 4. 1. - 884.10.29. B 3 B     51     48||
- 907. 4. 1. - 884.10.29. B 5 E     48     48||
                   0 B         0      0||
- 905. 4. 1. - 884.10.29. B 0 B         0     48||

```

16492 Bytes free.

```

(504th/559) position: - 904. 4. 1. - 883.10.29.  + Elah     48
Forward relations for entry Elah      (48/120) are generated.
Backward relations for entry Zimri    (47/120) are generated.

```

Optimize dates...

```

Elah          D Knd S   from:   to:|
- 904. 4. 1. - 883.10.29. E 0 E     48     48||

```

```

- 904. 4. 1. - 881.10.29. E 5 B      48      48||
- 904. 4. 1. - 883.10.29. E 7 B      47      48||
- 904. 4. 1. - 883.10.29. + 0 +      48      48||
- 905. 4. 1. - 883.10.29. + 4 B      51      48||
                               0 E      0       0||
- 904. 4. 1. - 883.10.29. E 0 E      0       48||

```

16492 Bytes free.

(505th/559) position: ≤-1166. 6.30. E Midianites 74
 Forward relations for entry Midianites (74/120) are generated.
 Backward relations for entry Gideon = Jerubbaal (73/120) are generated.
 Optimize dates...

```

Midianites          D Knd S      from:      to:|
≤-1166. 6.30. E 0 E      74       74||
                   E 5 B      74       74||
≤-1166. 6.30. E 7 B      73       74||
                   0 E      0        0||
≤-1166. 6.30. E 0 E      0        74||
≤-1172. 6.30.      560th position to B Midianites      74

```

16492 Bytes free.

(506th/560) position: -1102. 7. 1. -1070. 5.29. E Eli 64
 Forward relations for entry Eli (64/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Optimize dates...

```

Eli                 D Knd S      from:      to:|
-1102. 7. 1. -1070. 5.29. E 0 E      64       64||
-1104. 7. 1. ≥      E 6 B      64       64||
-1102. 7. 1. -1070. 5.29. E 8 B      61       64||
-1102. 7. 1. -1070. 5.29. + 0 +      64       64||
-1104. 7. 1. ≥      + 5 *      64       64||
                   0 E      0        0||
-1102. 7. 1. -1070. 5.29. E 0 E      0        64||
-1143. 7. 1. -1109. 5.29.      561st position to B Eli      64
-1201. 7. 1. -1167. 5.29.      562nd position to * Eli      64

```

16492 Bytes free.

(507th/562) position: -1098. 7. 1. ≥ E Abdon 65
 Forward relations for entry Abdon (65/120) are generated.
 Optimize dates...

```

Abdon              D Knd S      from:      to:|
-1098. 7. 1. ≥      E 0 E      65       65||
-1098. 7. 1. ≥      E 5 B      65       65||
-1098. 7. 1. ≥      + 0 +      65       65||
                   0 E      0        0||
-1098. 7. 1. ≥      E 0 E      0        65||

```

16492 Bytes free.

(508th/562) position: -1274. 1. 1. ≥ B Sisera 76
 Forward relations for entry Sisera (76/120) are generated.
 Backward relations for entry Deborah and Barak (75/120) are generated.
 Optimize dates...

```

Sisera            D Knd S      from:      to:|
-1274. 1. 1. ≥      B 0 B      76       76||
-1274. 1. 1. ≥      B 1 E      77       76||
                   B 5 E      76       76||
                   0 B      0        0||
-1274. 1. 1. ≥      B 0 B      0        76||

```

-1255. 1. 1.≥ 563rd position to E Sisera 76

16492 Bytes free.
 (509th/563) position: -1353. 9. 1.≥ B Ehud 77
 Forward relations for entry Ehud (77/120) are generated.
 Backward relations for entry Sisera (76/120) are generated.
 Optimize dates...

Ehud	D	Kind	S	from:	to:†	
-1353. 9. 1.≥	B	0	B	77	77	
-1353. 9. 1.≥	B	1	E	78	77	
-1355. 1. 1.≥	B	5	E	77	77	
		0	B	0	0	
-1353. 9. 1.≥	B	0	B	0	77	
-1274. 9. 1.≥				564th position to E Ehud		77

16492 Bytes free.
 (510th/564) position: -2362. 9.15. -2351. 8.29. * Peleg 101
 Forward relations for entry Peleg (101/120) are generated.
 Optimize dates...

Peleg	D	Kind	S	from:	to:†	
-2362. 9.15. -2351. 8.29. *	0	*		101	101	
-2362. 9.15. -2341.11. 6. *	1	B		102	101	
-2362. 9.15. -2341.11. 6. *	3	*		103	101	
-2364. 9.15. -2351. 8.29. *	9	*		100	101	
-2364. 9.15. -2339.11. 6. *	10	+		103	101	
	0	*		0	0	
-2362. 9.15. -2351. 8.29. *	0	*		0	101	
-2362. 9.15. -2351. 8.29.				565th position to B Tower of Babel		102
-2395. 9.15. -2384. 8.29.				566th position to * Eber		103
-1933. 9.15. -1920. 8.29.				567th position to + Eber		103

16492 Bytes free.
 (511th/567) position: -2125. 9.15. -2112. 8.29. + Peleg 101
 Forward relations for entry Peleg (101/120) are generated.
 Optimize dates...

Peleg	D	Kind	S	from:	to:†	
-2125. 9.15. -2112. 8.29. +	0	+		101	101	
-2125. 9.15. -2112. 8.29. +	4	*		100	101	
	0	+		0	0	
-2125. 9.15. -2112. 8.29. +	0	+		0	101	

16492 Bytes free.
 (512th/567) position: - 758. 1.22. - 744. 8.29. E Menahem 23
 Forward relations for entry Menahem (23/120) are generated.
 Backward relations for entry Pekahiah (22/120) are generated.
 Optimize dates...

Menahem	D	Kind	S	from:	to:†	
- 758. 1.22. - 744. 8.29. E	0	E		23	23	
- 761. 9. 1. - 743. 5.29. E	5	B		23	23	
- 758. 1.22. - 744. 8.29. E	7	B		22	23	
- 758. 1.22. - 744. 8.29. +	0	+		23	23	
	0	E		0	0	
- 758. 1.22. - 744. 8.29. E	0	E		0	23	
- 769. 1.22. - 754. 5.29.				568th position to B Menahem		23

16492 Bytes free.
 (513th/568) position: - 807. 1.22. - 794. 8.29. B Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:	
- 807. 1.22. - 794. 8.29. B 0 B				26	26	
- 808. 9. 1. - 794. 8.29. B 1 Ω				28	26	
- 810. 9. 1. - 792. 8.29. B 3 *				27	26	
- 810. 9. 1. - 792. 8.29. B 4 *				26	26	
- 807. 1.22. - 793. 8.29. B 6 E				26	26	
- 808. 1.22. - 794. 8.29. B 9 B				21	26	
- 809. 1.22. - 793. 8.29. B 9 B				22	26	
- 809. 1.22. - 792. 5.29. B 9 B				23	26	
- 810. 9. 1. - 792. 3.29. B 9 B				24	26	
- 809. 2. 1. - 792. 8.29. B 9 B				25	26	
			0 B	0	0	
- 807. 1.22. - 794. 8.29. B 0 B				0	26	
- 807. 1.22. - 794. 8.29.			569th position to Ω Amaziah			28
- 835. 1.22. - 820. 8.29.			570th position to * Jeroboam (Joash)			27
- 824. 1.22. - 809. 8.29.			571st position to * Azariah = Uzziah			26
- 769. 1.22. - 754. 3.29.			572nd position to B Shallum			24

16492 Bytes free.

(514th/572) position: -1500. 9.15. -1488. 8.29. * Caleb 82

Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kn	S	from:	to:
-1500. 9.15. -1488. 8.29. * 0 *				82	82
-1501. 9.15. -1488. 8.29. * 10 B				81	82
-1500. 9.15. -1487. 8.29. * 10 B				85	82
			0 *	0	0
-1500. 9.15. -1488. 8.29. * 0 *				0	82

16492 Bytes free.

(515th/572) position: -1415. 9.15. -1404. 8.29. B Inheritance of Israel 81

Forward relations for entry Inheritance of Israel (81/120) are generated.

Backward relations for entry Caleb (82/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Optimize dates...

Inheritance of Israel	D	Kn	S	from:	to:	
-1415. 9.15. -1404. 8.29. B 0 B				81	81	
-1415. 9.15. -1402. 8.29. B 3 B				85	81	
-1416. 9.15. -1402. 8.29. B 4 *				82	81	
			B 7 +	82	81	
			B 8 +	83	81	
-1415. 1.22. -1404. 8.29. B 10 B				13	81	
			0 B	0	0	
-1415. 9.15. -1404. 8.29. B 0 B				0	81	
-1415. 9.15. ≥			573rd position to + Caleb			82
-1415. 9.15. ≥			574th position to + Joshua			83
- 716. 9.15. - 705. 8.29.			575th position to B 14th Jubile Year			13

16492 Bytes free.

(516th/575) position: -1544. 1.15. -1532.12.30. * Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kn	S	from:	to:
-1544. 1.15. -1532.12.30. * 0 *				87	87


```

-1544. 1.15. -1532.12.30. * 6 +      87      87||
-1549. 7. 1. -1531. 8.29. * 9 B      87      87||
                                0 *      0      0||
-1544. 1.15. -1532.12.30. * 0 *      0      87||
-1462. 1.15. -1449. 8.29. 576th position to B Aaron      87

16492 Bytes free.
(517th/576) position: - 985. 4.15. - 973.10.29. B Solomon      57
Forward relations for entry Solomon (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam (54/120) are generated.
Optimize dates...
Solomon D Knd S from: to:|
- 985. 4.15. - 973.10.29. B 0 B 57 57||
- 989. 4. 1. - 973.10.29. B 1 E 58 57||
- 991. 4. 1. - 971.10.29. B 5 E 57 57||
- 986.10.15. - 973.10.29. B 9 B 55 57||
- 985. 4.15. - 972. 4.29. B 9 E 56 57||
                                0 B 0 0||
- 985. 4.15. - 973.10.29. B 0 B 0 57||
- 985. 4.15. - 973.10.29. 577th position to E David      58
- 946. 4.15. - 932.10.29. 578th position to E Solomon      57

16492 Bytes free.
(518th/578) position: - 985. 4.15. - 973.10.29. B Solomon      57
Forward relations for entry Solomon (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam (54/120) are generated.
Optimize dates...
Solomon D Knd S from: to:|
- 985. 4.15. - 973.10.29. B 0 B 57 57||
- 985. 4.15. - 973.10.29. B 1 E 58 57||
- 987. 4.15. - 971.10.29. B 5 E 57 57||
- 986.10.15. - 973.10.29. B 9 B 55 57||
- 985. 4.15. - 972. 4.29. B 9 E 56 57||
                                0 B 0 0||
- 985. 4.15. - 973.10.29. B 0 B 0 57||

16492 Bytes free.
(519th/578) position: -1420. 7.15. -1409. 6.30. E Moses      86
Forward relations for entry Moses (86/120) are generated.
Backward relations for entry Joshua (83/120) are generated.
Backward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Optimize dates...
Moses D Knd S from: to:|
-1420. 7.15. -1409. 6.30. E 0 E 86 86||
-1420. 7.15. -1409. 6.30. E 1 B 84 86||
-1426. 7. 1. -1408. 8.29. E 5 B 86 86||
-1424. 7. 1. -1409. 6.30. E 7 B 83 86||
-1420. 7.15. -1409. 6.30. + 0 + 86 86||
-1425. 7. 1. -1408. 6.30. + 6 * 86 86||
                                0 E 0 0||
-1420. 7.15. -1409. 6.30. E 0 E 0 86||
-1461. 7.15. -1449. 8.29. 579th position to B Moses      86
-1420. 7.15. -1409. 6.30. 580th position to B Joshua      83
-1541. 7.15. -1529. 6.30. 581st position to * Moses      86

```

16492 Bytes free.
(520th/581) position: -1121. 7.15. -1108. 6.30. B Jephthah 68
Forward relations for entry Jephthah (68/120) are generated.
Backward relations for entry Philistines (63/120) are generated.
Backward relations for entry Ibzan (67/120) are generated.
Optimize dates...
Jephthah D Knd S from: to:†
-1121. 7.15. -1108. 6.30. B 0 B 68 68||
-1125. 7. 1. -1108. 6.30. B 1 E 69 68||
-1121. 7.15. -1108. 6.30. B 3 B 84 68||
-1127. 7. 1. -1106. 6.30. B 6 E 68 68||
0 B 0 0||
-1121. 7.15. -1108. 6.30. B 0 B 0 68||
-1121. 7.15. -1108. 6.30. 582nd position to E Philistines + Ammon 69
-1116. 7.15. -1101. 6.30. 583rd position to E Jephthah 68

16492 Bytes free.
(521st/583) position: -1408. 1.22.≥ B Othniel 79
Forward relations for entry Othniel (79/120) are generated.
Backward relations for entry Eglon (78/120) are generated.
Optimize dates...
Othniel D Knd S from: to:†
-1408. 1.22.≥ B 0 B 79 79||
-1408. 1.22.≥ B 1 E 80 79||
-1411. 9. 1.≥ B 5 E 79 79||
0 B 0 0||
-1408. 1.22.≥ B 0 B 0 79||
-1369. 1.22.≥ 584th position to E Othniel 79

16492 Bytes free.
(522nd/584) position: - 829. 2. 1. - 810. 8.29. B Joash (Jehoahaz) 30
Forward relations for entry Joash (Jehoahaz) (30/120) are generated.
Backward relations for entry Jeroboam (Joash) (27/120) are generated.
Backward relations for entry Elisha (39/120) are generated.
Optimize dates...
Joash (Jehoahaz) D Knd S from: to:†
- 829. 2. 1. - 810. 8.29. B 0 B 30 30||
- 830.12. 1. - 810. 8.29. B 1 E 31 30||
- 832.12. 1. - 810. 8.29. B 3 B 32 30||
- 829. 2. 1. - 810. 8.29. B 5 E 30 30||
≤- 795. 8.29. B 8 E 39 30||
- 831. 2. 1. - 810. 8.29. B 9 B 28 30||
0 B 0 0||
- 829. 2. 1. - 810. 8.29. B 0 B 0 30||
- 829. 2. 1. - 810. 8.29. 585th position to E Jehoahaz (Jehu) 31
- 867. 2. 1. - 848. 8.29. 586th position to B Joash (Ahaziah) 32
- 829. 2. 1. - 795. 8.29. 587th position to E Elisha 39

16492 Bytes free.
(523rd/587) position: - 798. 2. 1. - 779. 8.29. + Amaziah 29
Forward relations for entry Amaziah (28/120) are generated.
Backward relations for entry Azariah = Uzziah (26/120) are generated.
Forward relations for entry Amaziah (29/120) are generated.
Optimize dates...
Amaziah D Knd S from: to:†
- 798. 2. 1. - 779. 8.29. E 0 E 28 28||
- 800. 2. 1. - 779. 8.29. E 6 B 28 28||
- 798. 2. 1. - 779. 8.29. + 0 + 28 28||

```

- 798. 2. 1. - 779. 8.29. + 3 +      30      29||
                          0 E      0      0||
- 798. 2. 1. - 779. 8.29. E 0 E      0      28||

```

16492 Bytes free.

```

(524th/587) position: - 828. 2. 1. - 809. 8.29.   E Joash (Ahaziah)      32
Forward relations for entry Joash (Ahaziah)      (32/120) are generated.
Backward relations for entry Amaziah              (28/120) are generated.
Optimize dates...

```

```

Joash (Ahaziah)          D Knd S   from:   to:|
- 828. 2. 1. - 809. 8.29. E 0 E     32     32||
- 828. 2. 1. - 807. 8.29. E 5 B     32     32||
- 828. 2. 1. - 809. 8.29. E 7 B     28     32||
- 828. 2. 1. - 809. 8.29. + 0 +     32     32||
                          0 E     0     0||
- 828. 2. 1. - 809. 8.29. E 0 E     0     32||

```

16492 Bytes free.

```

(525th/587) position: - 854. 2. 1. - 833. 8.29.   * Amaziah      28
Forward relations for entry Amaziah              (28/120) are generated.
Backward relations for entry Azariah = Uzziah     (26/120) are generated.
Forward relations for entry Amaziah              (29/120) are generated.
Optimize dates...

```

```

Amaziah                  D Knd S   from:   to:|
- 854. 2. 1. - 833. 8.29. * 0 *     28     28||
- 854. 2. 1. - 833. 8.29. * 10 B    28     28||
                          0 *     0     0||
- 854. 2. 1. - 833. 8.29. * 0 *     0     28||

```

16492 Bytes free.

```

(526th/587) position: - 875.12. 1. - 854. 8.29.   B Athaliah     34
Forward relations for entry Athaliah             (34/120) are generated.
Backward relations for entry Joash (Ahaziah)     (32/120) are generated.
Optimize dates...

```

```

Athaliah                  D Knd S   from:   to:|
- 875.12. 1. - 854. 8.29. B 0 B     34     34||
- 875.12. 1. - 854. 8.29. B 1 E     35     34||
- 875.12. 1. - 854. 8.29. B 2 E     37     34||
- 875.12. 1. - 853. 8.29. B 5 E     34     34||
                          0 B     0     0||
- 875.12. 1. - 854. 8.29. B 0 B     0     34||

```

16492 Bytes free.

```

(527th/587) position: - 877.12. 1. - 854. 8.29.   B Ahaziah (Joram)  35
Forward relations for entry Ahaziah (Joram)     (35/120) are generated.
Backward relations for entry Jehu               (33/120) are generated.
Backward relations for entry Athaliah          (34/120) are generated.
Forward relations for entry Ahaziah (Joram)     (36/120) are generated.
Optimize dates...

```

```

Ahaziah (Joram)          D Knd S   from:   to:|
- 877.12. 1. - 854. 8.29. B 0 B     35     35||
                          B 1 E     40     35||
- 877.12. 1. - 852. 8.29. B 3 B     37     35||
                          B 4 *     35     35||
- 877.12. 1. - 854. 8.29. B 6 E     35     35||
- 878.12. 1. - 853. 8.29. B 3 B     37     36||
                          0 B     0     0||
- 877.12. 1. - 854. 8.29. B 0 B     0     35||

```

- 877.12. 1. - 854. 8.29. 588th position to E Jehoram (Jehoshaphat) 40
 - 900.12. 1. - 875. 8.29. 589th position to * Ahaziah (Joram) 35

16492 Bytes free.

(528th/589) position: - 888.12. 1. - 865. 8.29. B Joram (Ahab) 38
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
- 888.12. 1. - 865. 8.29.	B	0	B	37	37
- 890.12. 1. - 865. 8.29.	B	9	B	35	37
- 889.12. 1. - 864. 8.29.	B	9	B	36	37
- 882. 8. 1. - 854. 2.30.	B	9	B	40	37
- 888.12. 1. - 865. 8.29.	B	5	E	38	38
5Y 8M		0	B	0	0
- 882. 8. 1. - 865. 8.29.	B	0	B	0	37
- 882. 8. 1. - 865. 8.29.				590th position to B Joram (Ahab)	38
- 871. 8. 1. - 854. 8.29.				591st position to B Ahaziah (Joram)	35
- 876. 8. 1. - 859. 8.29.				592nd position to B Jehoram (Jehoshaphat)	40
- 871. 8. 1. - 854. 8.29.				593rd position to E Joram (Ahab)	38

16492 Bytes free.

(529th/593) position: - 928. 4. 1. - 907.10.29. E Nadab 50
 Forward relations for entry Nadab (50/120) are generated.
 Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:†
- 928. 4. 1. - 907.10.29.	E	0	E	50	50
- 928. 4. 1. - 906.10.29.	E	5	B	50	50
- 928. 4. 1. - 907.10.29.	E	7	B	49	50
- 928. 4. 1. - 907.10.29.	+	0	+	50	50
- 929. 4. 1. - 907.10.29.	+	4	B	51	50
		0	E	0	0
- 928. 4. 1. - 907.10.29.	E	0	E	0	50

16492 Bytes free.

(530th/593) position: - 928. 4. 1. - 907.10.29. B Baasha 49
 Forward relations for entry Baasha (49/120) are generated.
 Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:†
- 928. 4. 1. - 907.10.29.	B	0	B	49	49
- 928. 4. 1. - 907.10.29.	B	1	E	50	49
- 929. 4. 1. - 907.10.29.	B	3	B	51	49
- 930. 4. 1. - 907.10.29.	B	5	E	49	49
		0	B	0	0
- 928. 4. 1. - 907.10.29.	B	0	B	0	49

16492 Bytes free.

(531st/593) position: - 905. 4. 1. - 884.10.29. E Baasha 49
 Forward relations for entry Baasha (49/120) are generated.
 Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:†
- 905. 4. 1. - 884.10.29.	E	0	E	49	49
- 905. 4. 1. - 882.10.29.	E	5	B	49	49

```

- 905. 4. 1. - 884.10.29. E 7 B      48      49||
- 905. 4. 1. - 884.10.29. + 0 +      49      49||
                                0 E      0      0||
- 905. 4. 1. - 884.10.29. E 0 E      0      49||

```

16492 Bytes free.

(532nd/593) position: - 868. 8. 1. - 842. 2.30. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)   D Knd S   from:   to:|
- 868. 8. 1. - 842. 2.30. α 0 α     40     40||
- 868. 8. 1. - 842. 2.30. α 1 E     42     40||
                                0 α     0     0||
- 868. 8. 1. - 842. 2.30. α 0 α     0     40||

```

16492 Bytes free.

(533rd/593) position: - 872. 4. 1. - 849. 2.30. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab)         D Knd S   from:   to:|
- 872. 4. 1. - 849. 2.30. E 0 E     41     41||
- 872. 4. 1. - 847. 2.30. E 5 B     41     41||
- 873. 8. 1. - 849. 2.30. E 7 α     37     41||
    ≤- 849. 2.30. E 8 E     43     41||
- 872. 4. 1. - 849. 2.30. + 0 +     41     41||
                                0 E     0     0||
- 872. 4. 1. - 849. 2.30. E 0 E     0     41||
- 872. 4. 1. - 849. 2.30.   594th position to α Joram (Ahab)       37
- 872. 4. 1. - 849. 2.30.   595th position to E Elijah           43

```

16492 Bytes free.

(534th/595) position: - 872. 4. 1. - 849. 2.30. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)          D Knd S   from:   to:|
- 872. 4. 1. - 849. 2.30. α 0 α     37     37||
- 872. 4. 1. - 849. 2.30. α 1 E     41     37||
- 872. 4. 1. ≥         α 2 E     43     37||
- 875. 8. 1. - 856. 8.29. α 3 B     40     37||
- 874. 4. 7. - 850.10.29. α 4 B     42     37||
                                6Y 6M 1D 0 α     0     0||
- 872. 4. 1. - 856. 8.29. α 0 α     0     37||
- 872. 4. 1. - 856. 8.29.   596th position to α Joram (Ahab)       37
- 872. 4. 1. - 856. 8.29.   597th position to E Ahaziah (Ahab)     41
- 872. 4. 1. - 856. 8.29.   598th position to E Elijah           43
- 875. 4. 1. - 859. 8.29.   599th position to B Jehoram (Jehoshaphat) 40
- 891. 4. 7. - 873. 8.29.   600th position to B Jehoshaphat       42

```

16492 Bytes free.

(535th/600) position: - 872. 4. 1. - 856. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:†		
- 872. 4. 1. - 856. 8.29.	E	0	E	41	41		
- 872. 4. 1. - 847. 2.30.	E	5	B	41	41		
- 872. 4. 1. - 856. 8.29.	E	7	α	37	41		
≤-	856. 8.29.	E	8	E	43	41	
- 872. 4. 1. - 856. 8.29.	+	0	+	41	41		
		0	E	0	0		
- 872. 4. 1. - 856. 8.29.	E	0	E	0	41		
- 873. 4. 1. - 857. 8.29.				601st position to B Ahaziah (Ahab)		41	

16492 Bytes free.

(536th/601) position: - 872. 4. 1. - 856. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:†		
- 872. 4. 1. - 856. 8.29.	E	0	E	43	43		
- 872. 4. 1. ≥	E	2	E	41	43		
	E	7	B	39	43		
≤-	856. 8.29.	E	8	α	37	43	
- 872. 4. 1. - 856. 8.29.	+	0	+	43	43		
		0	E	0	0		
- 872. 4. 1. - 856. 8.29.	E	0	E	0	43		
- 872. 4. 1. - 856. 8.29.				602nd position to B Elisha		39	

16492 Bytes free.

(537th/602) position: - 875. 4. 1. - 859. 8.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†	
- 875. 4. 1. - 859. 8.29.	B	0	B	40	40	
- 878. 8. 1. - 859. 8.29.	B	3	B	37	40	
	B	4	*	40	40	
- 886.12. 1. - 861. 8.29.	B	6	E	40	40	
- 875. 4. 1. - 857. 8.29.	B	9	α	37	40	
2Y		0	B	0	0	
- 875. 4. 1. - 861. 8.29.	B	0	B	0	40	
- 875. 4. 1. - 861. 8.29.				603rd position to B Jehoram (Jehoshaphat)		40
- 881. 4. 1. - 865. 8.29.				604th position to B Joram (Ahab)		37
- 908. 4. 1. - 892. 8.29.				605th position to * Jehoram (Jehoshaphat)		40
- 868. 4. 1. - 854. 8.29.				606th position to E Jehoram (Jehoshaphat)		40
- 872. 4. 1. - 858. 8.29.				607th position to α Joram (Ahab)		37

16492 Bytes free.

(538th/607) position: - 894. 4. 7. - 872.10.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:†	
- 894. 4. 7. - 872.10.29.	E	0	E	45	45	
- 894. 4. 7. - 870.11. 7.	E	6	B	45	45	
- 894. 4. 7. - 872.10.29.	E	7	B	44	45	
- 894. 4. 7. - 872.10.29.	+	0	+	45	45	

```

      0 E      0      0||
- 894. 4. 7. - 872.10.29. E 0 E      0      45||
- 905. 4. 7. - 883.10.29. 608th position to B Omri      45

```

16492 Bytes free.

```

(539th/608) position: - 873. 4. 7. - 850. 2.30.   E Ahab      44
Forward relations for entry Ahab      (44/120) are generated.
Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
Backward relations for entry Elijah      (43/120) are generated.
Optimize dates...

```

```

Ahab      D Knd S      from:      to:|
- 873. 4. 7. - 850. 2.30. E 0 E      44      44||
- 894. 4. 7. ≥      E 2 B      43      44||
- 873. 4. 7. - 849.10.29. E 5 B      44      44||
- 873. 4. 1. - 857. 8.29. E 7 B      41      44||
- 873. 4. 7. - 850. 2.30. + 0 +      44      44||
      6Y 6M 1D      0 E      0      0||
- 873. 4. 7. - 857. 8.29. E 0 E      0      44||
- 873. 4. 7. - 857. 8.29. 609th position to E Ahab      44
- 894. 4. 7. - 857. 8.29. 610th position to B Elijah      43
- 894. 4. 7. - 878. 8.29. 611th position to B Ahab      44
- 873. 4. 7. - 857. 8.29. 612th position to B Ahaziah (Ahab) 41

```

16492 Bytes free.

```

(540th/612) position: - 873. 4. 7. - 857. 8.29.   B Ahaziah (Ahab) 41
Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
Backward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Elijah      (43/120) are generated.
Optimize dates...

```

```

Ahaziah (Ahab) D Knd S      from:      to:|
- 873. 4. 7. - 857. 8.29. B 0 B      41      41||
- 873. 4. 7. - 857. 8.29. B 1 E      44      41||
- 875. 4. 7. - 855. 8.29. B 3 B      42      41||
- 875. 4. 1. - 857. 8.29. B 5 E      41      41||
      0 B      0      0||
- 873. 4. 7. - 857. 8.29. B 0 B      0      41||
- 872. 4. 7. - 856. 8.29. 613th position to E Ahaziah (Ahab) 41

```

16492 Bytes free.

```

(541st/613) position: - 894. 4. 7. - 857. 8.29.   B Elijah      43
Forward relations for entry Elijah      (43/120) are generated.
Backward relations for entry Elisha      (39/120) are generated.
Backward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Ahab      (44/120) are generated.
Optimize dates...

```

```

Elijah      D Knd S      from:      to:|
- 894. 4. 7. - 857. 8.29. B 0 B      43      43||
- 894. 4. 7. ≥      B 1 B      44      43||
      ≤- 857. 8.29. B 8 E      44      43||
      0 B      0      0||
- 894. 4. 7. - 857. 8.29. B 0 B      0      43||

```

16492 Bytes free.

```

(542nd/613) position: - 891. 4. 7. - 873. 8.29.   B Jehoshaphat 42
Forward relations for entry Jehoshaphat (42/120) are generated.
Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
Optimize dates...

```

```

Jehoshaphat D Knd S      from:      to:|

```

```

- 891. 4. 7. - 873. 8.29. B 0 B      42      42||
- 891. 4. 1. - 869.10.29. B 1 E      51      42||
- 891. 4. 7. - 873. 8.29. B 3 B      44      42||
- 894. 8. 1. - 866. 2.30. B 4 *      42      42||
- 894. 8. 1. - 866. 2.30. B 6 E      42      42||
- 891. 4. 7. - 873. 8.29. B 9 B      41      42||
- 891. 4. 1. - 875. 8.29. B 10 α     37      42||
      2Y              0 B              0      0||
- 891. 4. 7. - 875. 8.29. B 0 B              0      42||
- 891. 4. 7. - 875. 8.29. 614th position to B Jehoshaphat      42
- 891. 4. 7. - 875. 8.29. 615th position to E Asa              51
- 927. 4. 7. - 909. 8.29. 616th position to * Jehoshaphat      42
- 867. 4. 7. - 849. 8.29. 617th position to E Jehoshaphat      42

```

16492 Bytes free.

(543rd/617) position: - 872. 4. 7. - 856. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab)          D Knd S   from:   to:|
- 872. 4. 7. - 856. 8.29. E 0 E     41     41||
- 872. 4. 7. - 854. 8.29. E 5 B     41     41||
- 872. 4. 1. - 858. 8.29. E 7 α     37     41||
      ≤- 856. 8.29. E 8 E     43     41||
- 872. 4. 7. - 856. 8.29. + 0 +     41     41||
      2Y              0 E              0     0||
- 872. 4. 7. - 858. 8.29. E 0 E              0     41||
- 872. 4. 7. - 858. 8.29. 618th position to E Ahaziah (Ahab)      41
- 873. 4. 7. - 859. 8.29. 619th position to B Ahaziah (Ahab)      41
- 872. 4. 7. - 858. 8.29. 620th position to α Joram (Ahab)        37
- 872. 4. 7. - 856. 8.29. 621st position to E Elijah              43

```

16492 Bytes free.

(544th/621) position: - 904. 4. 7. - 883.11. 7. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri                  D Knd S   from:   to:|
- 904. 4. 7. - 883.11. 7. E 0 E     47     47||
- 904. 4. 7. - 883.11. 7. E 5 B     47     47||
- 905. 4. 7. - 883.11. 7. E 7 B     46     47||
- 905. 4. 7. - 883.10.29. E 8 B     45     47||
- 904. 4. 7. - 883.11. 7. + 0 +     47     47||
      8D              0 E              0     0||
- 904. 4. 7. - 883.10.29. E 0 E              0     47||
- 904. 4. 7. - 883.10.29. 622nd position to E Zimri              47
- 904. 4. 1. - 883.10.23. 623rd position to B Zimri              47
- 904. 4. 7. - 883.10.29. 624th position to B Tibni              46
- 904. 4. 7. - 883.10.29. 625th position to B Omri              45

```

16492 Bytes free.

(545th/625) position: - 904. 4. 7. - 883.10.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Tibni                  D Knd S   from:   to:|

```



```

- 904. 4. 7. - 883.10.29. B 0 B      46      46||
- 904. 4. 7. - 883.10.29. B 1 E      47      46||
                          0 B          0        0||
- 904. 4. 7. - 883.10.29. B 0 B          0      46||

```

16492 Bytes free.

(546th/625) position: - 904. 4. 7. - 883.10.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri          D Knd S      from:      to:|
- 904. 4. 7. - 883.10.29. B 0 B      45      45||
- 904. 4. 7. - 883.10.29. B 2 E      47      45||
- 907. 4. 7. - 883.10.29. B 6 E      45      45||
                          0 B          0        0||
- 904. 4. 7. - 883.10.29. B 0 B          0      45||
- 893. 4. 7. - 872.10.29. 626th position to E Omri 45

```

16492 Bytes free.

(547th/626) position: - 893. 4. 7. - 872.10.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri          D Knd S      from:      to:|
- 893. 4. 7. - 872.10.29. E 0 E      45      45||
- 893. 4. 7. - 870.10.29. E 6 B      45      45||
- 894. 4. 7. - 878. 8.29. E 7 B      44      45||
- 893. 4. 7. - 872.10.29. + 0 +      45      45||
                          6Y 2M      0 E          0        0||
- 893. 4. 7. - 878. 8.29. E 0 E          0      45||
- 893. 4. 7. - 878. 8.29. 627th position to E Omri 45
- 904. 4. 7. - 889. 8.29. 628th position to B Omri 45
- 893. 4. 7. - 878. 8.29. 629th position to B Ahab 44

```

16492 Bytes free.

(548th/629) position: - 905. 4. 1. - 884.10.29. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

```

Elah          D Knd S      from:      to:|
- 905. 4. 1. - 884.10.29. B 0 B      48      48||
- 905. 4. 1. - 884.10.29. B 1 E      49      48||
- 906. 4. 1. - 884.10.29. B 3 B      51      48||
- 907. 4. 1. - 884.10.29. B 5 E      48      48||
                          0 B          0        0||
- 905. 4. 1. - 884.10.29. B 0 B          0      48||

```

16492 Bytes free.

(549th/629) position: - 905. 4. 1. - 884.10.29. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

```

Baasha        D Knd S      from:      to:|
- 905. 4. 1. - 884.10.29. E 0 E      49      49||
- 905. 4. 1. - 882.10.29. E 5 B      49      49||
- 905. 4. 1. - 884.10.29. E 7 B      48      49||
- 905. 4. 1. - 884.10.29. + 0 +      49      49||
                          0 E          0        0||

```

- 905. 4. 1. - 884.10.29. E 0 E 0 49||

16492 Bytes free.

(550th/629) position: - 904. 4. 1. - 883.10.29. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:	
- 904. 4. 1. - 883.10.29.	E	0	E	48	48	
- 904. 4. 1. - 881.10.29.	E	5	B	48	48	
- 904. 4. 1. - 883.10.23.	E	7	B	47	48	
- 904. 4. 1. - 883.10.29.	+	0	+	48	48	
- 905. 4. 1. - 883.10.29.	+	4	B	51	48	
	6D	0	E	0	0	
- 904. 4. 1. - 883.10.23.	E	0	E	0	48	
- 904. 4. 1. - 883.10.23.				630th position to E Elah		48
- 905. 4. 1. - 884.10.23.				631st position to B Elah		48

16492 Bytes free.

(551st/631) position: - 891. 4. 7. - 875. 8.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
- 891. 4. 7. - 875. 8.29.	B	0	B	42	42	
- 891. 4. 7. - 875. 8.29.	B	1	E	51	42	
- 890. 4. 7. - 873. 8.29.	B	3	B	44	42	
- 893. 4. 7. - 873. 8.29.	B	4	*	42	42	
- 893. 4. 7. - 873. 8.29.	B	6	E	42	42	
- 891. 4. 7. - 875. 8.29.	B	9	B	41	42	
- 891. 4. 7. - 875. 8.29.	B	10	α	37	42	
1Y		0	B	0	0	
- 890. 4. 7. - 875. 8.29.	B	0	B	0	42	
- 890. 4. 7. - 875. 8.29.				632nd position to B Jehoshaphat		42
- 890. 4. 7. - 875. 8.29.				633rd position to E Asa		51
- 926. 4. 7. - 909. 8.29.				634th position to * Jehoshaphat		42
- 866. 4. 7. - 849. 8.29.				635th position to E Jehoshaphat		42

16492 Bytes free.

(552nd/635) position: - 893. 4. 7. - 878. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:	
- 893. 4. 7. - 878. 8.29.	B	0	B	44	44	
- 893. 4. 7. - 878. 8.29.	B	1	E	45	44	
- 894. 4. 1. - 872.10.29.	B	3	B	51	44	
- 896. 4. 7. - 878. 8.29.	B	5	E	44	44	
≤-	857. 8.29.	B	7	B	43	44
- 895. 4. 7. - 878. 8.29.	B	9	B	42	44	
		0	B	0	0	
- 893. 4. 7. - 878. 8.29.	B	0	B	0	44	
- 931. 4. 1. - 915. 8.29.				636th position to B Asa		51
- 872. 4. 7. - 857. 8.29.				637th position to E Ahab		44
- 893. 4. 7. - 857. 8.29.				638th position to B Elijah		43

16492 Bytes free.

(553rd/638) position: - 893. 4. 7. - 878. 8.29. E Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:
- 893. 4. 7. - 878. 8.29.	E	0	E	45	45
- 893. 4. 7. - 876. 8.29.	E	6	B	45	45
- 893. 4. 7. - 878. 8.29.	E	7	B	44	45
- 893. 4. 7. - 878. 8.29.	+	0	+	45	45
		0	E	0	0
- 893. 4. 7. - 878. 8.29.	E	0	E	0	45

16492 Bytes free.

(554th/638) position: - 872. 4. 7. - 857. 8.29. E Ahab 44
 Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahab	D	Kind	S	from:	to:
- 872. 4. 7. - 857. 8.29.	E	0	E	44	44
- 893. 4. 7. >	E	2	B	43	44
- 872. 4. 7. - 855. 8.29.	E	5	B	44	44
- 873. 4. 7. - 859. 8.29.	E	7	B	41	44
- 872. 4. 7. - 857. 8.29.	+	0	+	44	44
		0	E	0	0
		2Y			
- 872. 4. 7. - 859. 8.29.	E	0	E	0	44
- 872. 4. 7. - 859. 8.29.				639th position to E Ahab	44
- 893. 4. 7. - 859. 8.29.				640th position to B Elijah	43
- 893. 4. 7. - 880. 8.29.				641st position to B Ahab	44
- 872. 4. 7. - 859. 8.29.				642nd position to B Ahaziah (Ahab)	41

16492 Bytes free.

(555th/642) position: - 893. 4. 7. - 859. 8.29. B Elijah 43
 Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Elijah	D	Kind	S	from:	to:
- 893. 4. 7. - 859. 8.29.	B	0	B	43	43
- 893. 4. 7. >	B	1	B	44	43
		<=			
				859. 8.29.	B 8 E 44 43
				0 B 0 0	
- 893. 4. 7. - 859. 8.29.	B	0	B	0	43

16492 Bytes free.

(556th/642) position: - 890. 4. 7. - 875. 8.29. B Jehoshaphat 42
 Forward relations for entry Jehoshaphat (42/120) are generated.
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 890. 4. 7. - 875. 8.29.	B	0	B	42	42
- 890. 4. 7. - 875. 8.29.	B	1	E	51	42
- 890. 4. 7. - 875. 8.29.	B	3	B	44	42
- 892. 4. 7. - 873. 8.29.	B	4	*	42	42
- 892. 4. 7. - 873. 8.29.	B	6	E	42	42
- 890. 4. 7. - 875. 8.29.	B	9	B	41	42
- 891. 4. 7. - 875. 8.29.	B	10	α	37	42

0 B 0 0||
 - 890. 4. 7. - 875. 8.29. B 0 B 0 42||

16492 Bytes free.

(557th/642) position: - 901. 4. 1. - 879.10.29. E Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kind	S	from:	to:
- 901. 4. 1. - 879.10.29.	E	0	E	46	46
- 901. 4. 1. - 879.10.29.	E	7	α	45	46
- 901. 4. 1. - 879.10.29.	+	0	+	46	46
		0	E	0	0
- 901. 4. 1. - 879.10.29.	E	0	E	0	46

16492 Bytes free.

(558th/642) position: - 904. 4. 1. - 883.10.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
- 904. 4. 1. - 883.10.23.	B	0	B	47	47
- 904. 4. 1. - 883.10.23.	B	1	E	48	47
- 905. 4. 1. - 887. 8.29.	B	3	B	51	47
- 904. 3.29. - 883.10.23.	B	5	E	47	47
		4Y 1M24D	0	B	0
- 904. 4. 1. - 887. 8.29.	B	0	B	0	47
- 904. 4. 1. - 887. 8.29.				643rd position to B Zimri	47
- 904. 4. 1. - 887. 8.29.				644th position to E Elah	48
- 904. 4. 7. - 887. 9. 7.				645th position to E Zimri	47

16492 Bytes free.

(559th/645) position: - 904. 4. 7. - 887. 9. 7. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
- 904. 4. 7. - 887. 9. 7.	E	0	E	47	47
- 904. 4. 7. - 887. 9. 7.	E	5	B	47	47
- 904. 4. 7. - 883.10.29.	E	7	B	46	47
- 904. 4. 7. - 889. 8.29.	E	8	B	45	47
- 904. 4. 7. - 887. 9. 7.	+	0	+	47	47
		2Y 8D	0	E	0
- 904. 4. 7. - 889. 8.29.	E	0	E	0	47
- 904. 4. 7. - 889. 8.29.				646th position to E Zimri	47
- 904. 4. 1. - 889. 8.23.				647th position to B Zimri	47
- 904. 4. 7. - 889. 8.29.				648th position to B Tibni	46

16492 Bytes free.

(560th/648) position: ≤-1172. 6.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D	Kind	S	from:	to:
≤-1172. 6.30.	B	0	B	74	74
	B	1	E	75	74

```

≤-1172. 6.30. B 5 E      74      74||
                    0 B      0      0||
≤-1172. 6.30. B 0 B      0      74||
≤-1172. 6.30.   649th position to E Deborah and Barak      75

```

16492 Bytes free.

```

(561st/649) position: -1143. 7. 1. -1109. 5.29.   B Eli      64
Forward relations for entry Eli      (64/120) are generated.
Backward relations for entry Samuel   (61/120) are generated.
Optimize dates...

```

```

Eli      D Knd S   from:   to:|
-1143. 7. 1. -1109. 5.29. B 0 B     64     64||
-1143. 7. 1. -1109. 5.29. B 6 E     64     64||
                    0 B     0     0||
-1143. 7. 1. -1109. 5.29. B 0 B     0     64||

```

16492 Bytes free.

```

(562nd/649) position: -1201. 7. 1. -1167. 5.29.   * Eli      64
Forward relations for entry Eli      (64/120) are generated.
Backward relations for entry Samuel   (61/120) are generated.
Optimize dates...

```

```

Eli      D Knd S   from:   to:|
-1201. 7. 1. -1167. 5.29. * 0 *    64     64||
-1201. 7. 1. -1167. 5.29. * 5 +    64     64||
                    0 *     0     0||
-1201. 7. 1. -1167. 5.29. * 0 *     0     64||

```

16492 Bytes free.

```

(563rd/649) position: -1255. 1. 1.>                E Sisera   76
Forward relations for entry Sisera   (76/120) are generated.
Backward relations for entry Deborah and Barak (75/120) are generated.
Optimize dates...

```

```

Sisera   D Knd S   from:   to:|
-1255. 1. 1.>      E 0 E     76     76||
-1255. 1. 1.>      E 5 B     76     76||
                    E 7 B     75     76||
-1255. 1. 1.>      + 0 +     76     76||
                    0 E     0     0||
-1255. 1. 1.>      E 0 E     0     76||
-1255. 1. 1.>      650th position to B Deborah and Barak      75

```

16492 Bytes free.

```

(564th/650) position: -1274. 9. 1.>                E Ehud     77
Forward relations for entry Ehud     (77/120) are generated.
Backward relations for entry Sisera   (76/120) are generated.
Optimize dates...

```

```

Ehud     D Knd S   from:   to:|
-1274. 9. 1.>      E 0 E     77     77||
-1274. 9. 1.>      E 5 B     77     77||
-1274. 1. 1.>      E 7 B     76     77||
                    0 E     0     0||
-1274. 9. 1.>      E 0 E     0     77||
-1274. 9. 1.>      651st position to B Sisera      76

```

16492 Bytes free.

```

(565th/651) position: -2362. 9.15. -2351. 8.29.   B Tower of Babel      102
Forward relations for entry Tower of Babel (102/120) are generated.
Backward relations for entry Peleg      (101/120) are generated.

```

Optimize dates...

Tower of Babel	D	Kn	S	from:	to:
-2362. 9.15. -2351. 8.29. B	0	B		102	102
-2362. 9.15. -2351. 8.29. B	7	*		101	102
	0	B		0	0
-2362. 9.15. -2351. 8.29. B	0	B		0	102

16492 Bytes free.

(566th/651) position: -2395. 9.15. -2384. 8.29. * Eber 103
 Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber	D	Kn	S	from:	to:
-2395. 9.15. -2384. 8.29. *	0	*		103	103
-2395. 9.15. -2376.11. 6. *	3	*		104	103
-2397. 9.15. -2384. 8.29. *	9	*		101	103
-2397. 9.15. -2374.11. 6. *	10	+		104	103
	0	*		0	0
-2395. 9.15. -2384. 8.29. *	0	*		0	103
-2424. 9.15. -2413. 8.29.	652nd position to * Salah				104
-1993. 9.15. -1980. 8.29.	653rd position to + Salah				104

16492 Bytes free.

(567th/653) position: -1933. 9.15. -1920. 8.29. + Eber 103
 Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber	D	Kn	S	from:	to:
-1933. 9.15. -1920. 8.29. +	0	+		103	103
-1933. 9.15. -1920. 8.29. +	4	*		101	103
	0	+		0	0
-1933. 9.15. -1920. 8.29. +	0	+		0	103

16492 Bytes free.

(568th/653) position: - 769. 1.22. - 754. 5.29. B Menahem 23
 Forward relations for entry Menahem (23/120) are generated.
 Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kn	S	from:	to:
- 769. 1.22. - 754. 5.29. B	0	B		23	23
- 770. 9. 1. - 754. 5.29. B	1	E		24	23
- 769. 1.22. - 754. 8.29. B	3	B		26	23
- 769. 1.22. - 753. 8.29. B	5	E		23	23
	0	B		0	0
- 769. 1.22. - 754. 5.29. B	0	B		0	23
- 769. 1.22. - 754. 5.29.	654th position to E Shallum				24

16492 Bytes free.

(569th/654) position: - 807. 1.22. - 794. 8.29. Ω Amaziah 28
 Forward relations for entry Amaziah (28/120) are generated.
 Backward relations for entry Azariah = Uzziah (26/120) are generated.
 Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kn	S	from:	to:
- 807. 1.22. - 794. 8.29. Ω	0	Ω		28	28
- 807. 1.22. - 794. 8.29. Ω	7	B		26	28
	0	Ω		0	0
- 807. 1.22. - 794. 8.29. Ω	0	Ω		0	28

16492 Bytes free.

(570th/654) position: - 835. 1.22. - 820. 8.29. * Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.
 Backward relations for entry Zachariah (25/120) are generated.
 Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:
- 835. 1.22. - 820. 8.29. * 0 *				27	27
- 835. 1.22. - 820. 8.29. * 9 B				26	27
				0	0
- 835. 1.22. - 820. 8.29. * 0 *				0	27

16492 Bytes free.

(571st/654) position: - 824. 1.22. - 809. 8.29. * Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
- 824. 1.22. - 809. 8.29. * 0 *				26	26
- 824. 1.22. - 809. 8.29. * 10 B				26	26
				0	0
- 824. 1.22. - 809. 8.29. * 0 *				0	26

16492 Bytes free.

(572nd/654) position: - 769. 1.22. - 754. 3.29. B Shallum 24
 Forward relations for entry Shallum (24/120) are generated.
 Backward relations for entry Menahem (23/120) are generated.
 Optimize dates...

Shallum	D	Kind	S	from:	to:
- 769. 1.22. - 754. 3.29. B 0 B				24	24
- 770. 9. 1. - 754. 3.29. B 1 E				25	24
- 769. 1.22. - 754. 8.29. B 3 B				26	24
- 770.11.22. - 754. 5.29. B 5 E				24	24
				0	0
- 769. 1.22. - 754. 3.29. B 0 B				0	24
- 769. 1.22. - 754. 3.29. 655th position to E Zachariah					25

16492 Bytes free.

(573rd/655) position: -1415. 9.15.≥ + Caleb 82
 Forward relations for entry Caleb (82/120) are generated.
 Optimize dates...

Caleb	D	Kind	S	from:	to:
-1415. 9.15.≥				82	82
-1415. 9.15.≥				81	82
				0	0
-1415. 9.15.≥				0	82

16492 Bytes free.

(574th/655) position: -1415. 9.15.≥ + Joshua 83
 Forward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Chushanrishathaim (80/120) are generated.
 Optimize dates...

Joshua	D	Kind	S	from:	to:
-1415. 9.15.≥				83	83
				80	83
-1415. 9.15.≥				83	83
-1415. 9.15.≥				81	83
-1417. 1.22.≥				83	83
				0	0
-1415. 9.15.≥				0	83

-1415. 9.15.≥ 656th position to B Chushanrishathaim 80
 -1526. 9.15.≥ 657th position to * Joshua 83

16492 Bytes free.

(575th/657) position: - 716. 9.15. - 705. 8.29. B 14th Jubile Year 13
 Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kn	S	from:	to:†	
- 716. 9.15. - 705. 8.29.	B	0	B	13	13	
- 716. 1.22. - 705. 8.29.	B	3	B	14	13	
- 716. 9.15. - 705. 8.29.	B	4	B	81	13	
- 716. 1.22. - 705. 8.29.	B	6	E	13	13	
		0	B	0	0	
- 716. 9.15. - 705. 8.29.	B	0	B	0	13	
- 715. 9.15. - 704. 8.29.				658th position to E	14th Jubile Year	13

16492 Bytes free.

(576th/658) position: -1462. 1.15. -1449. 8.29. B Aaron 87
 Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kn	S	from:	to:†	
-1462. 1.15. -1449. 8.29.	B	0	B	87	87	
-1461. 7.15. -1449. 8.29.	B	1	B	86	87	
-1462. 1.15. -1448.12.30.	B	3	*	87	87	
≤-1449. 8.29.	B	8	E	89	87	
1Y 6M		0	B	0	0	
-1461. 7.15. -1449. 8.29.	B	0	B	0	87	
-1461. 7.15. -1449. 8.29.				659th position to B	Aaron	87

16492 Bytes free.

(577th/659) position: - 985. 4.15. - 973.10.29. E David 58
 Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:†	
- 985. 4.15. - 973.10.29.	Ω	0	Ω	58	58	
- 991. 9. 1. - 971.10.29.	Ω	6	α	58	58	
- 985. 4.15. - 973.10.29.	E	0	E	58	58	
- 991. 4. 1. - 971. 5.29.	E	5	B	58	58	
- 985. 4.15. - 973.10.29.	E	7	B	57	58	
- 985. 4.15. - 973.10.29.	+	0	+	58	58	
		0	Ω	0	0	
- 985. 4.15. - 973.10.29.	Ω	0	Ω	0	58	
-1019. 4.15. -1005.10.29.				660th position to α	David	58
-1026. 4.15. -1012. 5.29.				661st position to B	David	58

16492 Bytes free.

(578th/661) position: - 946. 4.15. - 932.10.29. E Solomon 57
 Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebath) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kn	S	from:	to:†	
- 946. 4.15. - 932.10.29.	E	0	E	57	57	
- 946. 4.15. - 932.10.29.	E	5	B	57	57	
- 950. 4. 1. - 932.10.29.	E	7	B	53	57	


```

- 950. 4. 1. - 932.10.29. E 7 B      54      57||
- 946. 4.15. - 932.10.29. + 0 +      57      57||
                          0 E      0      0||
- 946. 4.15. - 932.10.29. E 0 E      0      57||
- 946. 4.15. - 932.10.29. 662nd position to B Jeroboam (Nebat)      53
- 946. 4.15. - 932.10.29. 663rd position to B Rehoboam      54

```

16492 Bytes free.

```

(579th/663) position: -1461. 7.15. -1449. 8.29. B Moses      86
Forward relations for entry Moses      (86/120) are generated.
Backward relations for entry Joshua      (83/120) are generated.
Backward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt      (89/120) are generated.

```

Optimize dates...

```

Moses          D Knd S      from:      to:|
-1461. 7.15. -1449. 8.29. B 0 B      86      86||
-1462. 7.15. -1448. 6.30. B 3 *      86      86||
-1461. 7.15. -1448. 6.30. B 5 E      86      86||
-1461. 7.15. -1449. 8.29. B 7 B      87      86||
          ≤-1449. 8.29. B 7 E      89      86||
          0 B      0      0||
-1461. 7.15. -1449. 8.29. B 0 B      0      86||

```

16492 Bytes free.

```

(580th/663) position: -1420. 7.15. -1409. 6.30. B Joshua      83
Forward relations for entry Joshua      (83/120) are generated.
Backward relations for entry Chushanrishathaim      (80/120) are generated.

```

Optimize dates...

```

Joshua         D Knd S      from:      to:|
-1420. 7.15. -1409. 6.30. B 0 B      83      83||
-1420. 7.15. -1409. 6.30. B 1 E      86      83||
          0 B      0      0||
-1420. 7.15. -1409. 6.30. B 0 B      0      83||

```

16492 Bytes free.

```

(581st/663) position: -1541. 7.15. -1529. 6.30. * Moses      86
Forward relations for entry Moses      (86/120) are generated.
Backward relations for entry Joshua      (83/120) are generated.
Backward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt      (89/120) are generated.

```

Optimize dates...

```

Moses          D Knd S      from:      to:|
-1541. 7.15. -1529. 6.30. * 0 *      86      86||
-1541. 7.15. -1529. 6.30. * 6 +      86      86||
-1542. 7.15. -1528. 8.29. * 9 B      86      86||
          0 *      0      0||
-1541. 7.15. -1529. 6.30. * 0 *      0      86||

```

16492 Bytes free.

```

(582nd/663) position: -1121. 7.15. -1108. 6.30. E Philistines + Ammon      69
Forward relations for entry Philistines + Ammon      (69/120) are generated.
Backward relations for entry Jephthah      (68/120) are generated.

```

Optimize dates...

```

Philistines + Ammon D Knd S      from:      to:|
-1121. 7.15. -1108. 6.30. E 0 E      69      69||
-1127. 7. 1. -1106. 6.30. E 5 B      69      69||
-1121. 7.15. -1108. 6.30. E 7 B      68      69||
          0 E      0      0||

```

-1121. 7.15. -1108. 6.30. E 0 E 0 69||
 -1140. 7.15. -1125. 6.30. 664th position to B Philistines + Ammon 69

16492 Bytes free.

(583rd/664) position: -1116. 7.15. -1101. 6.30. E Jephthah 68
 Forward relations for entry Jephthah (68/120) are generated.
 Backward relations for entry Philistines (63/120) are generated.
 Backward relations for entry Ibzan (67/120) are generated.
 Optimize dates...

Jephthah	D	Kind	S	from:	to:	
-1116. 7.15. -1101. 6.30.	E	0	E	68	68	
-1116. 7.15. -1101. 6.30.	E	6	B	68	68	
≤-1090. 5.29.	E	7	B	63	68	
	E	7	B	67	68	
-1116. 7.15. -1101. 6.30.	+	0	+	68	68	
	0	E	0	0	0	
-1116. 7.15. -1101. 6.30.	E	0	E	0	68	
-1116. 7.15. -1090. 5.29.				665th position to B Philistines		63
-1116. 7.15. ≥				666th position to B Ibzan		67

16492 Bytes free.

(584th/666) position: -1369. 1.22. ≥ E Othniel 79
 Forward relations for entry Othniel (79/120) are generated.
 Backward relations for entry Eglon (78/120) are generated.
 Optimize dates...

Othniel	D	Kind	S	from:	to:	
-1369. 1.22. ≥	E	0	E	79	79	
-1369. 1.22. ≥	E	5	B	79	79	
-1370. 9. 1. ≥	E	7	B	78	79	
-1369. 1.22. ≥	+	0	+	79	79	
	0	E	0	0	0	
-1369. 1.22. ≥	E	0	E	0	79	
-1369. 1.22. ≥				667th position to B Eglon		78

16492 Bytes free.

(585th/667) position: - 829. 2. 1. - 810. 8.29. E Jehoahaz (Jehu) 31
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
 Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:	
- 829. 2. 1. - 810. 8.29.	E	0	E	31	31	
- 830.12. 1. - 808. 8.29.	E	5	B	31	31	
- 829. 2. 1. - 810. 8.29.	E	7	B	30	31	
- 829. 2. 1. - 810. 8.29.	+	0	+	31	31	
	0	E	0	0	0	
- 829. 2. 1. - 810. 8.29.	E	0	E	0	31	

16492 Bytes free.

(586th/667) position: - 867. 2. 1. - 848. 8.29. B Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 867. 2. 1. - 848. 8.29.	B	0	B	32	32	
- 868.12. 1. - 848. 8.29.	B	1	E	34	32	
- 869.12. 1. - 846. 8.29.	B	3	B	33	32	
- 869. 2. 1. - 848. 8.29.	B	5	E	32	32	
- 870.12. 1. - 846. 8.29.	B	4	*	32	32	

```

- 867. 2. 1. - 846. 8.29. B 9 B      30      32||
- 870.12. 1. - 848. 8.29. B 9 B      31      32||
                               0 B      0      0||
- 867. 2. 1. - 848. 8.29. B 0 B      0      32||
- 867. 2. 1. - 848. 8.29. 668th position to E Athaliah      34
- 875. 2. 1. - 854. 8.29. 669th position to * Joash (Ahaziah) 32
- 845. 2. 1. - 826. 8.29. 670th position to B Jehoahaz (Jehu) 31

```

16492 Bytes free.

```

(587th/670) position: - 829. 2. 1. - 795. 8.29.  E Elisha      39
Forward relations for entry Elisha      (39/120) are generated.
Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
Optimize dates...

```

```

Elisha      D Knd S      from:      to:|
- 829. 2. 1. - 795. 8.29. E 0 E      39      39||
- 829. 2. 1. >      E 2 B      30      39||
- 829. 2. 1. - 795. 8.29. + 0 +      39      39||
      <= 795. 8.29. + 8 E      30      39||
                               0 E      0      0||
- 829. 2. 1. - 795. 8.29. E 0 E      0      39||

```

16492 Bytes free.

```

(588th/670) position: - 868. 4. 1. - 854. 8.29.  E Jehoram (Jehoshaphat) 40
Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
Backward relations for entry Ahaziah (Joram) (35/120) are generated.
Optimize dates...

```

```

Jehoram (Jehoshaphat) D Knd S      from:      to:|
- 868. 4. 1. - 854. 8.29. E 0 E      40      40||
- 868. 4. 1. - 852. 8.29. E 6 B      40      40||
- 871. 8. 1. - 854. 8.29. E 7 B      35      40||
- 868. 4. 1. - 854. 8.29. + 0 +      40      40||
                               0 E      0      0||
- 868. 4. 1. - 854. 8.29. E 0 E      0      40||
- 868. 4. 1. - 854. 8.29. 671st position to B Ahaziah (Joram) 35

```

16492 Bytes free.

```

(589th/671) position: - 900.12. 1. - 875. 8.29.  * Ahaziah (Joram) 35
Forward relations for entry Ahaziah (Joram) (35/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Ahaziah (Joram) (36/120) are generated.
Optimize dates...

```

```

Ahaziah (Joram)      D Knd S      from:      to:|
- 900.12. 1. - 875. 8.29. * 0 *      35      35||
- 891. 4. 1. - 875. 8.29. * 10 B      35      35||
      8Y 4M      0 *      0      0||
- 891. 4. 1. - 875. 8.29. * 0 *      0      35||
- 891. 4. 1. - 875. 8.29. 672nd position to * Ahaziah (Joram) 35

```

16492 Bytes free.

```

(590th/672) position: - 881. 4. 1. - 865. 8.29.  B Joram (Ahab)      38
Forward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Joram (Ahab) (38/120) are generated.
Optimize dates...

```

```

Joram (Ahab)      D Knd S      from:      to:|
- 881. 4. 1. - 865. 8.29. B 0 B      37      37||

```

```

- 881. 4. 1. - 865. 8.29. B 9 B      35      37||
- 880. 4. 1. - 864. 8.29. B 9 B      36      37||
- 881. 4. 1. - 865. 8.29. B 9 B      40      37||
- 884. 8. 1. - 865. 8.29. B 5 E      38      38||
  1Y                                0 B      0      0||
- 880. 4. 1. - 865. 8.29. B 0 B      0      37||
- 880. 4. 1. - 865. 8.29. 673rd position to B Joram (Ahab)      38
- 869. 4. 1. - 854. 8.29. 674th position to E Joram (Ahab)      38

```

16492 Bytes free.

```

(591st/674) position: - 868. 4. 1. - 854. 8.29.  B Ahaziah (Joram)      35
Forward relations for entry Ahaziah (Joram)      (35/120) are generated.
Backward relations for entry Jehu                  (33/120) are generated.
Backward relations for entry Athaliah              (34/120) are generated.
Forward relations for entry Ahaziah (Joram)        (36/120) are generated.

```

Optimize dates...

```

Ahaziah (Joram)          D Knd S   from:   to:|
- 868. 4. 1. - 854. 8.29. B 0 B     35     35||
- 868. 4. 1. - 854. 8.29. B 1 E     40     35||
- 869. 4. 1. - 852. 8.29. B 3 B     37     35||
- 870. 4. 1. - 852. 8.29. B 4 *     35     35||
- 877.12. 1. - 854. 8.29. B 6 E     35     35||
- 870. 4. 1. - 853. 8.29. B 3 B     37     36||
  0 B      0      0||
- 868. 4. 1. - 854. 8.29. B 0 B     0      35||
- 868. 4. 1. - 854. 8.29. 675th position to E Ahaziah (Joram)      35

```

16492 Bytes free.

```

(592nd/675) position: - 875. 4. 1. - 861. 8.29.  B Jehoram (Jehoshaphat) 40
Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
Backward relations for entry Ahaziah (Joram)      (35/120) are generated.
Optimize dates...

```

```

Jehoram (Jehoshaphat)   D Knd S   from:   to:|
- 875. 4. 1. - 861. 8.29. B 0 B     40     40||
- 876. 4. 1. - 859. 8.29. B 3 B     37     40||
- 877. 4. 1. - 859. 8.29. B 4 *     40     40||
- 877. 4. 1. - 861. 8.29. B 6 E     40     40||
- 875. 4. 7. - 859. 8.29. B 9 α     37     40||
  6D                                0 B     0      0||
- 875. 4. 7. - 861. 8.29. B 0 B     0      40||
- 875. 4. 7. - 861. 8.29. 676th position to B Jehoram (Jehoshaphat) 40
- 908. 4. 7. - 892. 8.29. 677th position to * Jehoram (Jehoshaphat) 40
- 868. 4. 7. - 854. 8.29. 678th position to E Jehoram (Jehoshaphat) 40

```

16492 Bytes free.

```

(593rd/678) position: - 869. 4. 1. - 854. 8.29.  E Joram (Ahab)      38
Forward relations for entry Joram (Ahab)          (37/120) are generated.
Backward relations for entry Jehu                  (33/120) are generated.
Backward relations for entry Athaliah              (34/120) are generated.
Forward relations for entry Joram (Ahab)           (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab)            D Knd S   from:   to:|
- 869. 4. 1. - 854. 8.29. E 0 E     37     37||
- 875.12. 1. - 854. 8.29. E 8 B     33     37||
- 875.12. 1. - 854. 8.29. E 8 B     34     37||
- 869. 4. 1. - 852. 8.29. E 5 B     38     38||
- 869. 4. 1. - 854. 8.29. + 0 +     37     37||
  0 E      0      0||

```

- 869. 4. 1. - 854. 8.29. E 0 E 0 37||
 - 869. 4. 1. - 854. 8.29. 679th position to B Jehu 33
 - 869. 4. 1. - 854. 8.29. 680th position to B Athaliah 34

16492 Bytes free.

(594th/680) position: - 872. 4. 7. - 858. 8.29. α Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 872. 4. 7. - 858. 8.29. α	0	α		37	37
- 872. 4. 7. - 858. 8.29. α	1	E		41	37
- 872. 4. 7. ≥		α	2	E 43	37
- 874. 4. 7. - 858. 8.29. α	3	B		40	37
- 873. 4. 7. - 856. 8.29. α	4	B		42	37
	0	α		0	0
- 872. 4. 7. - 858. 8.29. α	0	α		0	37
- 872. 4. 7. - 858. 8.29.				681st position to E Elijah	43

16492 Bytes free.

(595th/681) position: - 872. 4. 7. - 858. 8.29. E Elijah 43
 Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:
- 872. 4. 7. - 858. 8.29. E	0	E		43	43
- 872. 4. 7. ≥		E	2	E 41	43
- 872. 4. 1. - 856. 8.29. E	7	B		39	43
≤- 858. 8.29. E	8	α		37	43
- 872. 4. 7. - 858. 8.29. +	0	+		43	43
	0	E		0	0
- 872. 4. 7. - 858. 8.29. E	0	E		0	43
- 872. 4. 7. - 858. 8.29.				682nd position to B Elisha	39

16492 Bytes free.

(596th/682) position: - 872. 4. 7. - 858. 8.29. α Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 872. 4. 7. - 858. 8.29. α	0	α		37	37
- 872. 4. 7. - 858. 8.29. α	1	E		41	37
- 872. 4. 7. ≥		α	2	E 43	37
- 874. 4. 7. - 858. 8.29. α	3	B		40	37
- 873. 4. 7. - 856. 8.29. α	4	B		42	37
	0	α		0	0
- 872. 4. 7. - 858. 8.29. α	0	α		0	37

16492 Bytes free.

(597th/682) position: - 872. 4. 7. - 858. 8.29. E Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 872. 4. 7. - 858. 8.29.	E	0	E	41	41	
- 871. 4. 7. - 856. 8.29.	E	5	B	41	41	
- 872. 4. 7. - 858. 8.29.	E	7	α	37	41	
≤-	858. 8.29.	E	8	E	43	41
- 872. 4. 7. - 858. 8.29.	+	0	+	41	41	
1Y		0	E	0	0	
- 871. 4. 7. - 858. 8.29.	E	0	E	0	41	
- 871. 4. 7. - 858. 8.29.				683rd position to	E Ahaziah (Ahab)	41
- 871. 4. 7. - 858. 8.29.				684th position to	α Joram (Ahab)	37
- 871. 4. 7. - 858. 8.29.				685th position to	E Elijah	43

16492 Bytes free.

(598th/685) position: - 871. 4. 7. - 858. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
- 871. 4. 7. - 858. 8.29.	E	0	E	43	43	
- 871. 4. 7. ≥	E	2	E	41	43	
- 872. 4. 7. - 858. 8.29.	E	7	B	39	43	
≤-	858. 8.29.	E	8	α	37	43
- 871. 4. 7. - 858. 8.29.	+	0	+	43	43	
		0	E	0	0	
- 871. 4. 7. - 858. 8.29.	E	0	E	0	43	
- 871. 4. 7. - 858. 8.29.				686th position to	B Elisha	39

16492 Bytes free.

(599th/686) position: - 875. 4. 7. - 861. 8.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
- 875. 4. 7. - 861. 8.29.	B	0	B	40	40	
- 876. 4. 1. - 859. 8.29.	B	3	B	37	40	
- 877. 4. 7. - 859. 8.29.	B	4	*	40	40	
- 877. 4. 7. - 861. 8.29.	B	6	E	40	40	
- 874. 4. 7. - 859. 8.29.	B	9	α	37	40	
1Y		0	B	0	0	
- 874. 4. 7. - 861. 8.29.	B	0	B	0	40	
- 874. 4. 7. - 861. 8.29.				687th position to	B Jehoram (Jehoshaphat)	40
- 880. 4. 7. - 865. 8.29.				688th position to	B Joram (Ahab)	37
- 907. 4. 7. - 892. 8.29.				689th position to	* Jehoram (Jehoshaphat)	40
- 867. 4. 7. - 854. 8.29.				690th position to	E Jehoram (Jehoshaphat)	40

16492 Bytes free.

(600th/690) position: - 890. 4. 7. - 875. 8.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
- 890. 4. 7. - 875. 8.29.	B	0	B	42	42	
- 890. 4. 7. - 875. 8.29.	B	1	E	51	42	
- 890. 4. 7. - 875. 8.29.	B	3	B	44	42	

```

- 892. 4. 7. - 873. 8.29. B 4 *      42      42||
- 892. 4. 7. - 873. 8.29. B 6 E      42      42||
- 890. 4. 7. - 875. 8.29. B 9 B      41      42||
- 890. 4. 7. - 875. 8.29. B 10 α     37      42||
                               0 B      0       0||
- 890. 4. 7. - 875. 8.29. B 0 B      0       42||

```

16492 Bytes free.

(601st/690) position: - 872. 4. 7. - 859. 8.29. B Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab)          D Knd S   from:   to:|
- 872. 4. 7. - 859. 8.29. B 0 B     41     41||
- 872. 4. 7. - 859. 8.29. B 1 E     44     41||
- 874. 4. 7. - 857. 8.29. B 3 B     42     41||
- 874. 4. 7. - 859. 8.29. B 5 E     41     41||
                               0 B      0      0||
- 872. 4. 7. - 859. 8.29. B 0 B      0      41||

```

16492 Bytes free.

(602nd/690) position: - 871. 4. 7. - 858. 8.29. B Elisha 39
 Forward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Elisha                  D Knd S   from:   to:|
- 871. 4. 7. - 858. 8.29. B 0 B     39     39||
- 871. 4. 7. - 858. 8.29. B 1 E     43     39||
                               0 B      0      0||
- 871. 4. 7. - 858. 8.29. B 0 B      0     39||

```

16492 Bytes free.

(603rd/690) position: - 874. 4. 7. - 861. 8.29. B Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)  D Knd S   from:   to:|
- 874. 4. 7. - 861. 8.29. B 0 B     40     40||
- 876. 4. 7. - 859. 8.29. B 3 B     37     40||
- 876. 4. 7. - 859. 8.29. B 4 *     40     40||
- 876. 4. 7. - 861. 8.29. B 6 E     40     40||
- 874. 4. 7. - 859. 8.29. B 9 α     37     40||
                               0 B      0      0||
- 874. 4. 7. - 861. 8.29. B 0 B      0     40||

```

16492 Bytes free.

(604th/690) position: - 880. 4. 7. - 865. 8.29. B Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)           D Knd S   from:   to:|
- 880. 4. 7. - 865. 8.29. B 0 B     37     37||
- 881. 4. 1. - 865. 8.29. B 9 B     35     37||
- 880. 4. 1. - 864. 8.29. B 9 B     36     37||
- 880. 4. 7. - 865. 8.29. B 9 B     40     37||

```

```

- 882. 4. 1. - 865. 8.29. B 5 E      38      38||
                          0 B      0      0||
- 880. 4. 7. - 865. 8.29. B 0 B      0      37||
- 869. 4. 7. - 854. 8.29. 691st position to E Joram (Ahab)      38

```

16492 Bytes free.

(605th/691) position: - 907. 4. 7. - 892. 8.29. * Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.
 Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 907. 4. 7. - 892. 8.29. * 0 *      40      40||
- 907. 4. 7. - 892. 8.29. * 10 B     40      40||
                          0 *      0      0||
- 907. 4. 7. - 892. 8.29. * 0 *      0      40||

```

16492 Bytes free.

(606th/691) position: - 867. 4. 7. - 854. 8.29. E Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.
 Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 867. 4. 7. - 854. 8.29. E 0 E      40      40||
- 867. 4. 7. - 852. 8.29. E 6 B      40      40||
- 868. 4. 1. - 854. 8.29. E 7 B      35      40||
- 867. 4. 7. - 854. 8.29. + 0 +      40      40||
                          0 E      0      0||
- 867. 4. 7. - 854. 8.29. E 0 E      0      40||
- 867. 4. 7. - 854. 8.29. 692nd position to B Ahaziah (Joram)      35

```

16492 Bytes free.

(607th/692) position: - 871. 4. 7. - 858. 8.29. α Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.
 Optimize dates...

```

Joram (Ahab)                D Knd S      from:      to:|
- 871. 4. 7. - 858. 8.29. α 0 α      37      37||
- 871. 4. 7. - 858. 8.29. α 1 E      41      37||
- 871. 4. 7. ≥              α 2 E      43      37||
- 873. 4. 7. - 858. 8.29. α 3 B      40      37||
- 873. 4. 7. - 856. 8.29. α 4 B      42      37||
                          0 α      0      0||
- 871. 4. 7. - 858. 8.29. α 0 α      0      37||

```

16492 Bytes free.

(608th/692) position: - 904. 4. 7. - 889. 8.29. B Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

```

Omri                        D Knd S      from:      to:|
- 904. 4. 7. - 889. 8.29. B 0 B      45      45||
- 904. 4. 7. - 889. 8.29. B 2 E      47      45||
- 906. 4. 7. - 889. 8.29. B 6 E      45      45||
                          0 B      0      0||
- 904. 4. 7. - 889. 8.29. B 0 B      0      45||

```


16492 Bytes free.
 (609th/692) position: - 872. 4. 7. - 859. 8.29. E Ahab 44
 Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahab	D	Kind	S	from:	to:†
- 872. 4. 7. - 859. 8.29.	E	0	E	44	44
- 893. 4. 7. ≥	E	2	B	43	44
- 872. 4. 7. - 857. 8.29.	E	5	B	44	44
- 872. 4. 7. - 859. 8.29.	E	7	B	41	44
- 872. 4. 7. - 859. 8.29. +	0	+		44	44
	0	E		0	0
- 872. 4. 7. - 859. 8.29. E	0	E		0	44

16492 Bytes free.
 (610th/692) position: - 893. 4. 7. - 859. 8.29. B Elijah 43
 Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Elijah	D	Kind	S	from:	to:†
- 893. 4. 7. - 859. 8.29.	B	0	B	43	43
- 893. 4. 7. ≥	B	1	B	44	43
≤- 859. 8.29.	B	8	E	44	43
	0	B		0	0
- 893. 4. 7. - 859. 8.29. B	0	B		0	43

16492 Bytes free.
 (611th/692) position: - 893. 4. 7. - 880. 8.29. B Ahab 44
 Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahab	D	Kind	S	from:	to:†
- 893. 4. 7. - 880. 8.29.	B	0	B	44	44
- 893. 4. 7. - 878. 8.29.	B	1	E	45	44
- 894. 4. 1. - 876. 8.29.	B	3	B	51	44
- 895. 4. 7. - 880. 8.29.	B	5	E	44	44
≤- 859. 8.29.	B	7	B	43	44
- 895. 4. 7. - 878. 8.29.	B	9	B	42	44
	0	B		0	0
- 893. 4. 7. - 880. 8.29. B	0	B		0	44
- 893. 4. 7. - 880. 8.29.				693rd position to E Omri	45
- 931. 4. 1. - 917. 8.29.				694th position to B Asa	51

16492 Bytes free.
 (612th/694) position: - 872. 4. 7. - 859. 8.29. B Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:†
- 872. 4. 7. - 859. 8.29.	B	0	B	41	41
- 872. 4. 7. - 859. 8.29.	B	1	E	44	41
- 874. 4. 7. - 857. 8.29.	B	3	B	42	41
- 874. 4. 7. - 859. 8.29.	B	5	E	41	41

```

                                0 B      0      0||
- 872. 4. 7. - 859. 8.29. B 0 B      0      41||

```

16492 Bytes free.

(613th/694) position: - 871. 4. 7. - 858. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab)          D Knd S   from:   to:|
- 871. 4. 7. - 858. 8.29. E 0 E     41     41||
- 871. 4. 7. - 856. 8.29. E 5 B     41     41||
- 871. 4. 7. - 858. 8.29. E 7 α     37     41||
      ≤- 858. 8.29. E 8 E     43     41||
- 871. 4. 7. - 858. 8.29. + 0 +     41     41||
                                0 E     0      0||
- 871. 4. 7. - 858. 8.29. E 0 E     0      41||

```

16492 Bytes free.

(614th/694) position: - 890. 4. 7. - 875. 8.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```

Jehoshaphat          D Knd S   from:   to:|
- 890. 4. 7. - 875. 8.29. B 0 B     42     42||
- 890. 4. 7. - 875. 8.29. B 1 E     51     42||
- 890. 4. 7. - 875. 8.29. B 3 B     44     42||
- 892. 4. 7. - 873. 8.29. B 4 *     42     42||
- 892. 4. 7. - 873. 8.29. B 6 E     42     42||
- 890. 4. 7. - 875. 8.29. B 9 B     41     42||
- 890. 4. 7. - 875. 8.29. B 10 α    37     42||
                                0 B     0      0||
- 890. 4. 7. - 875. 8.29. B 0 B     0      42||

```

16492 Bytes free.

(615th/694) position: - 890. 4. 7. - 875. 8.29. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

```

Asa                  D Knd S   from:   to:|
- 890. 4. 7. - 875. 8.29. E 0 E     51     51||
- 891. 4. 1. - 875. 8.29. E 5 B     51     51||
- 890. 4. 7. - 875. 8.29. E 7 B     42     51||
- 890. 4. 7. - 875. 8.29. + 0 +     51     51||
                                0 E     0      0||
- 890. 4. 7. - 875. 8.29. E 0 E     0      51||

```

16492 Bytes free.

(616th/694) position: - 926. 4. 7. - 909. 8.29. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```

Jehoshaphat          D Knd S   from:   to:|
- 926. 4. 7. - 909. 8.29. * 0 *     42     42||
- 926. 4. 7. - 909. 8.29. * 10 B    42     42||
                                0 *     0      0||
- 926. 4. 7. - 909. 8.29. * 0 *     0      42||

```

16492 Bytes free.
 (617th/694) position: - 866. 4. 7. - 849. 8.29. E Jehoshaphat 42
 Forward relations for entry Jehoshaphat (42/120) are generated.
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
- 866. 4. 7. - 849. 8.29.	E	0	E	42	42
- 866. 4. 7. - 849. 8.29.	E	6	B	42	42
- 868. 8. 1. - 842. 2.30.	E	7	α	40	42
- 866. 4. 7. - 849. 8.29.	+	0	+	42	42
		0	E	0	0
- 866. 4. 7. - 849. 8.29.	E	0	E	0	42
- 866. 4. 7. - 849. 8.29.				695th position to α Jehoram (Jehoshaphat)	40

16492 Bytes free.
 (618th/695) position: - 871. 4. 7. - 858. 8.29. E Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:†	
- 871. 4. 7. - 858. 8.29.	E	0	E	41	41	
- 871. 4. 7. - 856. 8.29.	E	5	B	41	41	
- 871. 4. 7. - 858. 8.29.	E	7	α	37	41	
≤-	858. 8.29.	E	8	E	43	41
- 871. 4. 7. - 858. 8.29.	+	0	+	41	41	
		0	E	0	0	
- 871. 4. 7. - 858. 8.29.	E	0	E	0	41	

16492 Bytes free.
 (619th/695) position: - 872. 4. 7. - 859. 8.29. B Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:†
- 872. 4. 7. - 859. 8.29.	B	0	B	41	41
- 872. 4. 7. - 859. 8.29.	B	1	E	44	41
- 874. 4. 7. - 857. 8.29.	B	3	B	42	41
- 874. 4. 7. - 859. 8.29.	B	5	E	41	41
		0	B	0	0
- 872. 4. 7. - 859. 8.29.	B	0	B	0	41

16492 Bytes free.
 (620th/695) position: - 871. 4. 7. - 858. 8.29. α Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
- 871. 4. 7. - 858. 8.29.	α	0	α	37	37
- 871. 4. 7. - 858. 8.29.	α	1	E	41	37
- 871. 4. 7. ≥	α	2	E	43	37
- 873. 4. 7. - 858. 8.29.	α	3	B	40	37
- 873. 4. 7. - 856. 8.29.	α	4	B	42	37
		0	α	0	0
- 871. 4. 7. - 858. 8.29.	α	0	α	0	37

16492 Bytes free.

(621st/695) position: - 871. 4. 7. - 858. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:
- 871. 4. 7. - 858. 8.29.	E	0	E	43	43
- 871. 4. 7. >	E	2	E	41	43
- 871. 4. 7. - 858. 8.29.	E	7	B	39	43
≤- 858. 8.29.	E	8	α	37	43
- 871. 4. 7. - 858. 8.29.	+	0	+	43	43
	0	E		0	0
- 871. 4. 7. - 858. 8.29.	E	0	E	0	43

16492 Bytes free.

(622nd/695) position: - 904. 4. 7. - 889. 8.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
- 904. 4. 7. - 889. 8.29.	E	0	E	47	47
- 904. 4. 7. - 889. 9. 1.	E	5	B	47	47
- 904. 4. 7. - 889. 8.29.	E	7	B	46	47
- 904. 4. 7. - 889. 8.29.	E	8	B	45	47
- 904. 4. 7. - 889. 8.29.	+	0	+	47	47
	0	E		0	0
- 904. 4. 7. - 889. 8.29.	E	0	E	0	47

16492 Bytes free.

(623rd/695) position: - 904. 4. 1. - 889. 8.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
- 904. 4. 1. - 889. 8.23.	B	0	B	47	47
- 904. 4. 1. - 887. 8.29.	B	1	E	48	47
- 905. 4. 1. - 889. 8.29.	B	3	B	51	47
- 904. 3.29. - 889. 8.23.	B	5	E	47	47
	0	B		0	0
- 904. 4. 1. - 889. 8.23.	B	0	B	0	47
- 904. 4. 1. - 889. 8.23.				696th position to E Elah	48

16492 Bytes free.

(624th/696) position: - 904. 4. 7. - 889. 8.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kind	S	from:	to:
- 904. 4. 7. - 889. 8.29.	B	0	B	46	46
- 904. 4. 7. - 889. 8.29.	B	1	E	47	46
	0	B		0	0
- 904. 4. 7. - 889. 8.29.	B	0	B	0	46

16492 Bytes free.
 (625th/696) position: - 904. 4. 7. - 889. 8.29. B Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:	
- 904. 4. 7. - 889. 8.29.	B	0	B	45	45	
- 904. 4. 7. - 889. 8.29.	B	2	E	47	45	
- 906. 4. 7. - 891. 8.29.	B	6	E	45	45	
	2Y	0	B	0	0	
- 904. 4. 7. - 891. 8.29.	B	0	B	0	45	
- 904. 4. 7. - 891. 8.29.				697th position to B Omri		45
- 904. 4. 7. - 891. 8.29.				698th position to E Zimri		47

16492 Bytes free.
 (626th/698) position: - 893. 4. 7. - 880. 8.29. E Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:	
- 893. 4. 7. - 880. 8.29.	E	0	E	45	45	
- 893. 4. 7. - 878. 8.29.	E	6	B	45	45	
- 893. 4. 7. - 880. 8.29.	E	7	B	44	45	
- 893. 4. 7. - 880. 8.29.	+	0	+	45	45	
		0	E	0	0	
- 893. 4. 7. - 880. 8.29.	E	0	E	0	45	

16492 Bytes free.
 (627th/698) position: - 893. 4. 7. - 880. 8.29. E Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:	
- 893. 4. 7. - 880. 8.29.	E	0	E	45	45	
- 893. 4. 7. - 878. 8.29.	E	6	B	45	45	
- 893. 4. 7. - 880. 8.29.	E	7	B	44	45	
- 893. 4. 7. - 880. 8.29.	+	0	+	45	45	
		0	E	0	0	
- 893. 4. 7. - 880. 8.29.	E	0	E	0	45	

16492 Bytes free.
 (628th/698) position: - 904. 4. 7. - 891. 8.29. B Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:	
- 904. 4. 7. - 891. 8.29.	B	0	B	45	45	
- 904. 4. 7. - 891. 8.29.	B	2	E	47	45	
- 906. 4. 7. - 891. 8.29.	B	6	E	45	45	
		0	B	0	0	
- 904. 4. 7. - 891. 8.29.	B	0	B	0	45	

16492 Bytes free.
 (629th/698) position: - 893. 4. 7. - 880. 8.29. B Ahab 44
 Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahab	D	Kind	S	from:	to:†
- 893. 4. 7. - 880. 8.29. B	0	B		44	44
- 893. 4. 7. - 880. 8.29. B	1	E		45	44
- 894. 4. 1. - 878. 8.29. B	3	B		51	44
- 895. 4. 7. - 880. 8.29. B	5	E		44	44
≤- 859. 8.29. B	7	B		43	44
- 895. 4. 7. - 878. 8.29. B	9	B		42	44
	0	B		0	0
- 893. 4. 7. - 880. 8.29. B	0	B		0	44

16492 Bytes free.

(630th/698) position: - 904. 4. 1. - 889. 8.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:†
- 904. 4. 1. - 889. 8.23. E	0	E		48	48
- 904. 4. 1. - 881.10.23. E	5	B		48	48
- 904. 4. 1. - 889. 8.23. E	7	B		47	48
- 904. 4. 1. - 889. 8.23. +	0	+		48	48
- 905. 4. 1. - 889. 8.29. +	4	B		51	48
	0	E		0	0
- 904. 4. 1. - 889. 8.23. E	0	E		0	48
- 905. 4. 1. - 890. 8.23. 699th position to B Elah					48

16492 Bytes free.

(631st/699) position: - 905. 4. 1. - 890. 8.23. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:†
- 905. 4. 1. - 890. 8.23. B	0	B		48	48
- 905. 4. 1. - 884.10.29. B	1	E		49	48
- 906. 4. 1. - 890. 8.29. B	3	B		51	48
- 907. 4. 1. - 890. 8.23. B	5	E		48	48
	0	B		0	0
- 905. 4. 1. - 890. 8.23. B	0	B		0	48
- 905. 4. 1. - 890. 8.23. 700th position to E Baasha					49

16492 Bytes free.

(632nd/700) position: - 890. 4. 7. - 875. 8.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
- 890. 4. 7. - 875. 8.29. B	0	B		42	42
- 890. 4. 7. - 875. 8.29. B	1	E		51	42
- 890. 4. 7. - 875. 8.29. B	3	B		44	42
- 892. 4. 7. - 873. 8.29. B	4	*		42	42
- 892. 4. 7. - 873. 8.29. B	6	E		42	42
- 890. 4. 7. - 875. 8.29. B	9	B		41	42
- 890. 4. 7. - 875. 8.29. B	10	α		37	42
	0	B		0	0
- 890. 4. 7. - 875. 8.29. B	0	B		0	42

16492 Bytes free.

(633rd/700) position: - 890. 4. 7. - 875. 8.29. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.
Optimize dates...

Asa	D	Kind	S	from:	to:†
- 890. 4. 7. - 875. 8.29.	E	0	E	51	51
- 891. 4. 1. - 875. 8.29.	E	5	B	51	51
- 890. 4. 7. - 875. 8.29.	E	7	B	42	51
- 890. 4. 7. - 875. 8.29.	+	0	+	51	51
		0	E	0	0
- 890. 4. 7. - 875. 8.29.	E	0	E	0	51

16492 Bytes free.

(634th/700) position: - 926. 4. 7. - 909. 8.29. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
- 926. 4. 7. - 909. 8.29.	*	0	*	42	42
- 926. 4. 7. - 909. 8.29.	*	10	B	42	42
		0	*	0	0
- 926. 4. 7. - 909. 8.29.	*	0	*	0	42

16492 Bytes free.

(635th/700) position: - 866. 4. 7. - 849. 8.29. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
- 866. 4. 7. - 849. 8.29.	E	0	E	42	42
- 866. 4. 7. - 849. 8.29.	E	6	B	42	42
- 866. 4. 7. - 849. 8.29.	E	7	α	40	42
- 866. 4. 7. - 849. 8.29.	+	0	+	42	42
		0	E	0	0
- 866. 4. 7. - 849. 8.29.	E	0	E	0	42

16492 Bytes free.

(636th/700) position: - 931. 4. 1. - 917. 8.29. B Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:†
- 931. 4. 1. - 917. 8.29.	B	0	B	51	51
- 931. 4. 1. - 911.10.29.	B	1	E	52	51
- 927. 4.15. - 911.10.29.	B	3	B	53	51
- 932. 4. 7. - 915. 8.29.	B	5	E	51	51
- 932. 4. 7. - 917. 8.29.	B	9	B	44	51
- 933. 4. 1. - 909.10.29.	B	9	α	45	51
- 932. 4. 1. - 915. 8.23.	B	9	B	47	51
- 932. 4. 1. - 915. 8.23.	B	9	B	48	51
- 932. 4. 1. - 909.10.29.	B	9	B	49	51
- 932. 4. 1. - 910.10.29.	B	9	B	50	51
- 932. 4. 1. - 915. 8.23.	B	10	+	48	51
- 932. 4. 1. - 909.10.29.	B	10	+	50	51
4Y 14D		0	B	0	0
- 927. 4.15. - 917. 8.29.	B	0	B	0	51
- 927. 4.15. - 917. 8.29.		701st	position to B Asa		51
- 927. 4.15. - 917. 8.29.		702nd	position to E Abijam = Abijah		52
- 946. 4.15. - 936. 8.29.		703rd	position to B Jeroboam (Nebat)		53
- 887. 4.15. - 875. 8.29.		704th	position to E Asa		51

```

- 890. 4.15. - 880. 8.29. 705th position to B Ahab 44
- 897. 4.15. - 885. 8.29. 706th position to α Omri 45
- 901. 4.15. - 889. 8.23. 707th position to B Zimri 47
- 902. 4.15. - 890. 8.23. 708th position to B Elah 48
- 925. 4.15. - 913. 8.29. 709th position to B Baasha 49
- 926. 4.15. - 914. 8.29. 710th position to B Nadab 50
- 901. 4.15. - 889. 8.23. 711th position to + Elah 48
- 925. 4.15. - 913. 8.29. 712th position to + Nadab 50

```

16492 Bytes free.

(637th/712) position: - 872. 4. 7. - 859. 8.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahab          D Knd S   from:   to:|
- 872. 4. 7. - 859. 8.29. E 0 E    44    44||
- 893. 4. 7. ≥           E 2 B    43    44||
- 869. 4.15. - 857. 8.29. E 5 B    44    44||
- 872. 4. 7. - 859. 8.29. E 7 B    41    44||
- 872. 4. 7. - 859. 8.29. + 0 +    44    44||
   3Y   8D           0 E     0     0||
- 869. 4.15. - 859. 8.29. E 0 E     0    44||
- 869. 4.15. - 859. 8.29. 713th position to E Ahab 44
- 869. 4.15. - 859. 8.29. 714th position to B Ahaziah (Ahab) 41

```

16492 Bytes free.

(638th/714) position: - 893. 4. 7. - 859. 8.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Elijah        D Knd S   from:   to:|
- 893. 4. 7. - 859. 8.29. B 0 B    43    43||
- 890. 4.15. ≥           B 1 B    44    43||
   ≤- 859. 8.29. B 8 E    44    43||
   3Y   8D           0 B     0     0||
- 890. 4.15. - 859. 8.29. B 0 B     0    43||
- 890. 4.15. - 859. 8.29. 715th position to B Elijah 43

```

16492 Bytes free.

(639th/715) position: - 869. 4.15. - 859. 8.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahab          D Knd S   from:   to:|
- 869. 4.15. - 859. 8.29. E 0 E    44    44||
- 890. 4.15. ≥           E 2 B    43    44||
- 869. 4.15. - 857. 8.29. E 5 B    44    44||
- 869. 4.15. - 859. 8.29. E 7 B    41    44||
- 869. 4.15. - 859. 8.29. + 0 +    44    44||
   0 E     0     0||
- 869. 4.15. - 859. 8.29. E 0 E     0    44||

```

16492 Bytes free.

(640th/715) position: - 890. 4.15. - 859. 8.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:
- 890. 4.15. - 859. 8.29.	B	0	B	43	43
- 890. 4.15. ≥	B	1	B	44	43
≤- 859. 8.29.	B	8	E	44	43
		0	B	0	0
- 890. 4.15. - 859. 8.29.	B	0	B	0	43

16492 Bytes free.

(641st/715) position: - 890. 4.15. - 880. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:
- 890. 4.15. - 880. 8.29.	B	0	B	44	44
- 893. 4. 7. - 880. 8.29.	B	1	E	45	44
- 890. 4.15. - 878. 8.29.	B	3	B	51	44
- 892. 4.15. - 880. 8.29.	B	5	E	44	44
≤- 859. 8.29.	B	7	B	43	44
- 895. 4. 7. - 878. 8.29.	B	9	B	42	44
		0	B	0	0
- 890. 4.15. - 880. 8.29.	B	0	B	0	44
- 890. 4.15. - 880. 8.29.				716th position to E Omri	45
- 887. 4.15. - 875. 8.29.				717th position to B Jehoshaphat	42

16492 Bytes free.

(642nd/717) position: - 869. 4.15. - 859. 8.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
- 869. 4.15. - 859. 8.29.	B	0	B	41	41
- 869. 4.15. - 859. 8.29.	B	1	E	44	41
- 871. 4.15. - 857. 8.29.	B	3	B	42	41
- 874. 4. 7. - 859. 8.29.	B	5	E	41	41
		0	B	0	0
- 869. 4.15. - 859. 8.29.	B	0	B	0	41
- 868. 4.15. - 858. 8.29.				718th position to E Ahaziah (Ahab)	41

16492 Bytes free.

(643rd/718) position: - 901. 4.15. - 889. 8.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
- 901. 4.15. - 889. 8.23.	B	0	B	47	47
- 901. 4.15. - 889. 8.23.	B	1	E	48	47
- 901. 4.15. - 889. 8.29.	B	3	B	51	47
- 904. 3.29. - 891. 8.23.	B	5	E	47	47
2Y		0	B	0	0
- 901. 4.15. - 891. 8.23.	B	0	B	0	47

- 901. 4.15. - 891. 8.23. 719th position to B Zimri 47
 - 901. 4.15. - 891. 8.23. 720th position to E Elah 48
 - 927. 4.15. - 917. 8.23. 721st position to B Asa 51
 - 901. 4.21. - 891. 8.29. 722nd position to E Zimri 47

16492 Bytes free.

(644th/722) position: - 901. 4.15. - 891. 8.23. E Elah 48
 Forward relations for entry Elah (48/120) are generated.
 Backward relations for entry Zimri (47/120) are generated.
 Optimize dates...

Elah	D	Kind	S	from:	to:†	
- 901. 4.15. - 891. 8.23.	E	0	E	48	48	48
- 901. 4.15. - 887. 8.23.	E	5	B	48	48	48
- 901. 4.15. - 891. 8.23.	E	7	B	47	48	48
- 901. 4.15. - 891. 8.23.	+	0	+	48	48	48
- 901. 4.15. - 889. 8.23.	+	4	B	51	48	48
		0	E	0	0	0
- 901. 4.15. - 891. 8.23.	E	0	E	0	48	48
- 902. 4.15. - 892. 8.23.				723rd position to B Elah		48

16492 Bytes free.

(645th/723) position: - 901. 4.21. - 891. 8.29. E Zimri 47
 Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.
 Optimize dates...

Zimri	D	Kind	S	from:	to:†	
- 901. 4.21. - 891. 8.29.	E	0	E	47	47	47
- 901. 4.21. - 891. 9. 1.	E	5	B	47	47	47
- 904. 4. 7. - 889. 8.29.	E	7	B	46	47	47
- 904. 4. 7. - 891. 8.29.	E	8	B	45	47	47
- 901. 4.21. - 891. 8.29.	+	0	+	47	47	47
		0	E	0	0	0
- 901. 4.21. - 891. 8.29.	E	0	E	0	47	47
- 901. 4.21. - 891. 8.29.				724th position to B Tibni		46
- 901. 4.21. - 891. 8.29.				725th position to B Omri		45

16492 Bytes free.

(646th/725) position: - 901. 4.21. - 891. 8.29. E Zimri 47
 Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.
 Optimize dates...

Zimri	D	Kind	S	from:	to:†	
- 901. 4.21. - 891. 8.29.	E	0	E	47	47	47
- 901. 4.21. - 891. 9. 1.	E	5	B	47	47	47
- 901. 4.21. - 891. 8.29.	E	7	B	46	47	47
- 901. 4.21. - 891. 8.29.	E	8	B	45	47	47
- 901. 4.21. - 891. 8.29.	+	0	+	47	47	47
		0	E	0	0	0
- 901. 4.21. - 891. 8.29.	E	0	E	0	47	47

16492 Bytes free.

(647th/725) position: - 901. 4.15. - 891. 8.23. B Zimri 47
 Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.
 Optimize dates...

Zimri	D	Kind	S	from:	to:
- 901. 4.15. - 891. 8.23. B	0	B		47	47
- 901. 4.15. - 891. 8.23. B	1	E		48	47
- 901. 4.15. - 889. 8.23. B	3	B		51	47
- 901. 4.13. - 891. 8.23. B	5	E		47	47
	0	B		0	0
- 901. 4.15. - 891. 8.23. B	0	B		0	47

16492 Bytes free.

(648th/725) position: - 901. 4.21. - 891. 8.29. B Tibni 46
 Forward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.
 Optimize dates...

Tibni	D	Kind	S	from:	to:
- 901. 4.21. - 891. 8.29. B	0	B		46	46
- 901. 4.21. - 891. 8.29. B	1	E		47	46
	0	B		0	0
- 901. 4.21. - 891. 8.29. B	0	B		0	46

16492 Bytes free.

(649th/725) position: ≤-1172. 6.30. E Deborah and Barak 75
 Forward relations for entry Deborah and Barak (75/120) are generated.
 Backward relations for entry Midianites (74/120) are generated.
 Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:
≤-1172. 6.30. E	0	E		75	75
-1216. 1. 1. ≥	5	B		75	75
≤-1172. 6.30. E	7	B		74	75
1216Y	0	E		0	0
-1216. 1. 1. -1172. 6.30. E	0	E		0	75
-1216. 1. 1. -1172. 6.30.				726th position to E Deborah and Barak	75
-1255. 1. 1. -1211. 6.30.				727th position to B Deborah and Barak	75
-1216. 1. 1. -1172. 6.30.				728th position to B Midianites	74

16492 Bytes free.

(650th/728) position: -1255. 1. 1. -1211. 6.30. B Deborah and Barak 75
 Forward relations for entry Deborah and Barak (75/120) are generated.
 Backward relations for entry Midianites (74/120) are generated.
 Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:
-1255. 1. 1. -1211. 6.30. B	0	B		75	75
-1255. 1. 1. ≥	1	E		76	75
-1257. 1. 1. -1211. 6.30. B	5	E		75	75
	0	B		0	0
-1255. 1. 1. -1211. 6.30. B	0	B		0	75
-1255. 1. 1. -1211. 6.30.				729th position to E Sisera	76

16492 Bytes free.

(651st/729) position: -1274. 9. 1. ≥ B Sisera 76
 Forward relations for entry Sisera (76/120) are generated.
 Backward relations for entry Deborah and Barak (75/120) are generated.
 Optimize dates...

Sisera	D	Kind	S	from:	to:
-1274. 9. 1. ≥	0	B		76	76
-1274. 9. 1. ≥	1	E		77	76
-1276. 1. 1. -1230. 6.30. B	5	E		76	76
	1229Y	6M	1D	0	0
-1274. 9. 1. -1230. 6.30. B	0	B		0	76

-1274. 9. 1. -1230. 6.30. 730th position to B Sisera 76
 -1274. 9. 1. -1230. 6.30. 731st position to E Ehud 77
 -1255. 9. 1. -1211. 6.30. 732nd position to E Sisera 76

16492 Bytes free.

(652nd/732) position: -2424. 9.15. -2413. 8.29. * Salah 104
 Forward relations for entry Salah (104/120) are generated.

Optimize dates...

Salah	D	Kind	S	from:	to:
-2424. 9.15. -2413. 8.29.	*	0	*	104	104
-2424. 9.15. -2407.11. 6.	*	3	*	105	104
-2426. 9.15. -2413. 8.29.	*	9	*	103	104
-2426. 9.15. -2405.11. 6.	*	9	+	106	104
		0	*	0	0
-2424. 9.15. -2413. 8.29.	*	0	*	0	104
-2458. 9.15. -2447. 8.29.				733rd position to * Arphaxad	105
-2022. 9.15. -2009. 8.29.				734th position to + Arphaxad	106

16492 Bytes free.

(653rd/734) position: -1993. 9.15. -1980. 8.29. + Salah 104
 Forward relations for entry Salah (104/120) are generated.

Optimize dates...

Salah	D	Kind	S	from:	to:
-1993. 9.15. -1980. 8.29.	+	0	+	104	104
-1993. 9.15. -1980. 8.29.	+	4	*	103	104
		0	+	0	0
-1993. 9.15. -1980. 8.29.	+	0	+	0	104

16492 Bytes free.

(654th/734) position: - 769. 1.22. - 754. 5.29. E Shallum 24
 Forward relations for entry Shallum (24/120) are generated.
 Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:
- 769. 1.22. - 754. 5.29.	E	0	E	24	24
- 769. 1.22. - 754. 5.29.	E	5	B	24	24
- 769. 1.22. - 754. 5.29.	E	7	B	23	24
- 769. 1.22. - 754. 5.29.	+	0	+	24	24
		0	E	0	0
- 769. 1.22. - 754. 5.29.	E	0	E	0	24

16492 Bytes free.

(655th/734) position: - 769. 1.22. - 754. 3.29. E Zachariah 25
 Forward relations for entry Zachariah (25/120) are generated.
 Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:
- 769. 1.22. - 754. 3.29.	E	0	E	25	25
- 770. 7. 1. - 754. 3.29.	E	5	B	25	25
- 769. 1.22. - 754. 3.29.	E	7	B	24	25
- 769. 1.22. - 754. 3.29.	+	0	+	25	25
		0	E	0	0
- 769. 1.22. - 754. 3.29.	E	0	E	0	25
- 770. 6.22. - 755. 8.29.				735th position to B Zachariah	25

16492 Bytes free.

(656th/735) position: -1415. 9.15. > B Chushanrishathaim 80
 Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
-1415. 9.15.≥	B	0	B	80	80
-1415. 9.15.≥	B	1	E	83	80
-1417. 1.22.≥	B	5	E	80	80
		0	B	0	0
-1415. 9.15.≥	B	0	B	0	80
-1408. 9.15.≥				736th position to E Chushanrishathaim	80

16492 Bytes free.

(657th/736) position: -1526. 9.15.≥ * Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:
-1526. 9.15.≥	*	0	*	83	83
-1526. 9.15.≥	*	5	+	83	83
		0	*	0	0
-1526. 9.15.≥	*	0	*	0	83

16492 Bytes free.

(658th/736) position: - 715. 9.15. - 704. 8.29. E 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:
- 715. 9.15. - 704. 8.29. E	0	E		13	13
- 715. 9.15. - 704. 8.29. E	6	B		13	13
	0	E		0	0
- 715. 9.15. - 704. 8.29. E	0	E		0	13

16492 Bytes free.

(659th/736) position: -1461. 7.15. -1449. 8.29. B Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kind	S	from:	to:
-1461. 7.15. -1449. 8.29. B	0	B		87	87
-1461. 7.15. -1449. 8.29. B	1	B		86	87
-1462. 1.15. -1448.12.30. B	3	*		87	87
≤-1449. 8.29. B	8	E		89	87
	0	B		0	0
-1461. 7.15. -1449. 8.29. B	0	B		0	87

16492 Bytes free.

(660th/736) position: -1019. 4.15. -1005.10.29. α David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
-1019. 4.15. -1005.10.29. α	0	α		58	58
-1029. 4. 1.≥	α	1	E	59	58
-1019. 9.15. -1005.12.29. α	4	B		58	58
-1019. 4.15. -1005.10.29. α	6	Ω		58	58
5M	0	α		0	0
-1019. 9.15. -1005.10.29. α	0	α		0	58
-1019. 9.15. -1005.10.29.				737th position to α David	58

16492 Bytes free.
 (661st/737) position: -1026. 4.15. -1012. 5.29. B David 58
 Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kind	S	from:	to:	
-1026. 4.15. -1012. 5.29.	B	0	B	58	58	
-1030. 4. 1. -1012. 5.29.	B	2	E	60	58	
-1032. 4. 1. -1010. 5.29.	B	3	*	58	58	
-1026. 4.15. -1012.10.29.	B	5	E	58	58	
-1026. 2.15. -1012. 5.29.	B	10	α	58	58	
		0	B	0	0	
-1026. 4.15. -1012. 5.29.	B	0	B	0	58	
-1026. 4.15. -1012. 5.29.				738th position to	E Saul	60
-1057. 4.15. -1041. 5.29.				739th position to	* David	58

16492 Bytes free.
 (662nd/739) position: - 946. 4.15. - 936. 8.29. B Jeroboam (Nebat) 53
 Forward relations for entry Jeroboam (Nebat) (53/120) are generated.
 Backward relations for entry Nadab (50/120) are generated.
 Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:	
- 946. 4.15. - 936. 8.29.	B	0	B	53	53	
- 946. 4.15. - 932.10.29.	B	1	E	57	53	
- 952. 4. 1. - 930.10.29.	B	5	E	53	53	
- 948. 4.15. - 936. 8.23.	B	9	B	51	53	
- 952. 4. 1. - 931.10.29.	B	9	B	52	53	
	6D	0	B	0	0	
- 946. 4.15. - 936. 8.23.	B	0	B	0	53	
- 946. 4.15. - 936. 8.23.				740th position to	B Jeroboam (Nebat)	53
- 946. 4.15. - 936. 8.23.				741st position to	E Solomon	57
- 925. 4.15. - 913. 8.23.				742nd position to	E Jeroboam (Nebat)	53
- 929. 4.15. - 917. 8.23.				743rd position to	B Abijam = Abijah	52

16492 Bytes free.
 (663rd/743) position: - 946. 4.15. - 932.10.29. B Rehoboam 54
 Forward relations for entry Rehoboam (54/120) are generated.
 Backward relations for entry Abijam = Abijah (52/120) are generated.
 Optimize dates...

Rehoboam	D	Kind	S	from:	to:	
- 946. 4.15. - 932.10.29.	B	0	B	54	54	
- 946. 4.15. - 936. 8.23.	B	1	E	57	54	
- 952. 4. 1. - 930.10.29.	B	3	*	54	54	
- 951. 4. 1. - 930.10.29.	B	5	E	54	54	
	4Y 2M 6D	0	B	0	0	
- 946. 4.15. - 936. 8.23.	B	0	B	0	54	
- 946. 4.15. - 936. 8.23.				744th position to	B Rehoboam	54
- 988. 4.15. - 976. 8.23.				745th position to	* Rehoboam	54
- 930. 4.15. - 918. 8.23.				746th position to	E Rehoboam	54

16492 Bytes free.
 (664th/746) position: -1140. 7.15. -1125. 6.30. B Philistines + Ammon 69
 Forward relations for entry Philistines + Ammon (69/120) are generated.
 Backward relations for entry Jephthah (68/120) are generated.
 Optimize dates...

Philistines + Ammon	D	Kind	S	from:	to:	
-1140. 7.15. -1125. 6.30.	B	0	B	69	69	

```

          B 1 E      72      69||
-1140. 7.15. -1125. 6.30. B 5 E      69      69||
          0 B      0      0||
-1140. 7.15. -1125. 6.30. B 0 B      0      69||

```

16492 Bytes free.

```

(665th/746) position: -1116. 7.15. -1090. 5.29.   B Philistines          63
Forward relations for entry Philistines             (63/120) are generated.
Backward relations for entry Samuel                 (61/120) are generated.
Backward relations for entry Samson                 (62/120) are generated.
Backward relations for entry Saul                   (60/120) are generated.
Optimize dates...

```

```

Philistines      D Knd S      from:      to:|
-1116. 7.15. -1090. 5.29. B 0 B      63      63||
-1116. 7.15.>          B 1 E      68      63||
-1122. 7. 1. -1090. 5.29. B 6 E      63      63||
          ≤-1070. 5.29. B 7 B      62      63||
          0 B      0      0||
-1116. 7.15. -1090. 5.29. B 0 B      0      63||
-1077. 7.15. -1051. 5.29. 747th position to E Philistines 63
-1116. 7.15. -1070. 5.29. 748th position to B Samson      62

```

16492 Bytes free.

```

(666th/748) position: -1116. 7.15.>          B Ibzan          67
Forward relations for entry Ibzan                   (67/120) are generated.
Backward relations for entry Elon                   (66/120) are generated.
Optimize dates...

```

```

Ibzan            D Knd S      from:      to:|
-1116. 7.15.>          B 0 B      67      67||
-1116. 7.15.>          B 1 E      68      67||
-1122. 7. 1.>          B 5 E      67      67||
          0 B      0      0||
-1116. 7.15.>          B 0 B      0      67||
-1110. 7.15.>          749th position to E Ibzan      67

```

16492 Bytes free.

```

(667th/749) position: -1369. 1.22.>          B Eglon          78
Forward relations for entry Eglon                   (78/120) are generated.
Backward relations for entry Ehud                   (77/120) are generated.
Optimize dates...

```

```

Eglon            D Knd S      from:      to:|
-1369. 1.22.>          B 0 B      78      78||
-1369. 1.22.>          B 1 E      79      78||
-1372. 9. 1.>          B 5 E      78      78||
          0 B      0      0||
-1369. 1.22.>          B 0 B      0      78||
-1352. 1.22.>          750th position to E Eglon      78

```

16492 Bytes free.

```

(668th/750) position: - 867. 2. 1. - 848. 8.29.   E Athaliah       34
Forward relations for entry Athaliah                (34/120) are generated.
Backward relations for entry Joash (Ahaziah)         (32/120) are generated.
Optimize dates...

```

```

Athaliah         D Knd S      from:      to:|
- 867. 2. 1. - 848. 8.29. E 0 E      34      34||
- 864. 4. 1. - 847. 8.29. E 5 B      34      34||
- 867. 2. 1. - 848. 8.29. E 7 B      32      34||
- 867. 2. 1. - 848. 8.29. + 0 +      34      34||

```

```

      3Y 2M                0 E      0      0||
- 864. 4. 1. - 848. 8.29. E 0 E      0      34||
- 864. 4. 1. - 848. 8.29. 751st position to E Athaliah      34
- 864. 4. 1. - 848. 8.29. 752nd position to B Joash (Ahaziah) 32

```

16492 Bytes free.

```

(669th/752) position: - 875. 2. 1. - 854. 8.29. * Joash (Ahaziah)      32
Forward relations for entry Joash (Ahaziah)      (32/120) are generated.
Backward relations for entry Amaziah      (28/120) are generated.
Optimize dates...

```

```

Joash (Ahaziah)          D Knd S   from:   to:|
- 875. 2. 1. - 854. 8.29. * 0 *     32      32||
- 872. 4. 1. - 854. 8.29. * 10 B    32      32||
      3Y 2M                0 *      0      0||
- 872. 4. 1. - 854. 8.29. * 0 *     0      32||
- 872. 4. 1. - 854. 8.29. 753rd position to * Joash (Ahaziah) 32

```

16492 Bytes free.

```

(670th/753) position: - 845. 2. 1. - 826. 8.29. B Jehoahaz (Jehu)      31
Forward relations for entry Jehoahaz (Jehu)      (31/120) are generated.
Backward relations for entry Joash (Jehoahaz)    (30/120) are generated.
Optimize dates...

```

```

Jehoahaz (Jehu)         D Knd S   from:   to:|
- 845. 2. 1. - 826. 8.29. B 0 B     31      31||
- 846.12. 1. - 826. 8.29. B 1 E     33      31||
- 842. 4. 1. - 824. 8.29. B 3 B     32      31||
- 847. 2. 1. - 826. 8.29. B 5 E     31      31||
      3Y 2M                0 B      0      0||
- 842. 4. 1. - 826. 8.29. B 0 B     0      31||
- 842. 4. 1. - 826. 8.29. 754th position to B Jehoahaz (Jehu) 31
- 842. 4. 1. - 826. 8.29. 755th position to E Jehu      33
- 826. 4. 1. - 810. 8.29. 756th position to E Jehoahaz (Jehu) 31

```

16492 Bytes free.

```

(671st/756) position: - 867. 4. 7. - 854. 8.29. B Ahaziah (Joram)      35
Forward relations for entry Ahaziah (Joram)      (35/120) are generated.
Backward relations for entry Jehu      (33/120) are generated.
Backward relations for entry Athaliah      (34/120) are generated.
Forward relations for entry Ahaziah (Joram)      (36/120) are generated.
Optimize dates...

```

```

Ahaziah (Joram)         D Knd S   from:   to:|
- 867. 4. 7. - 854. 8.29. B 0 B     35      35||
- 867. 4. 7. - 854. 8.29. B 1 E     40      35||
- 869. 4. 7. - 852. 8.29. B 3 B     37      35||
- 870. 4. 1. - 852. 8.29. B 4 *     35      35||
- 870. 4. 1. - 854. 8.29. B 6 E     35      35||
- 870. 4. 7. - 853. 8.29. B 3 B     37      36||
      0 B      0      0||
- 867. 4. 7. - 854. 8.29. B 0 B     0      35||
- 890. 4. 7. - 875. 8.29. 757th position to * Ahaziah (Joram) 35
- 867. 4. 7. - 854. 8.29. 758th position to E Ahaziah (Joram) 35
- 879. 4. 7. - 865. 8.29. 759th position to B Joram (Ahab) 37

```

16492 Bytes free.

```

(672nd/759) position: - 890. 4. 7. - 875. 8.29. * Ahaziah (Joram)      35
Forward relations for entry Ahaziah (Joram)      (35/120) are generated.
Backward relations for entry Jehu      (33/120) are generated.
Backward relations for entry Athaliah      (34/120) are generated.

```


Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
- 890. 4. 7. - 875. 8.29. * 0 *				35	35
- 890. 4. 7. - 875. 8.29. * 10 B				35	35
			0 *	0	0
- 890. 4. 7. - 875. 8.29. * 0 *				0	35

16492 Bytes free.

(673rd/759) position: - 879. 4. 7. - 865. 8.29. B Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 879. 4. 7. - 865. 8.29. B 0 B				37	37
- 880. 4. 7. - 865. 8.29. B 9 B				35	37
- 879. 4. 7. - 864. 8.29. B 9 B				36	37
- 880. 4. 7. - 865. 8.29. B 9 B				40	37
- 882. 4. 7. - 865. 8.29. B 5 E				38	38
			0 B	0	0
- 879. 4. 7. - 865. 8.29. B 0 B				0	37
- 868. 4. 7. - 854. 8.29. 760th position to E Joram (Ahab)					38

16492 Bytes free.

(674th/760) position: - 868. 4. 7. - 854. 8.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 868. 4. 7. - 854. 8.29. E 0 E				37	37
- 869. 4. 1. - 854. 8.29. E 8 B				33	37
- 869. 4. 1. - 854. 8.29. E 8 B				34	37
- 868. 4. 7. - 852. 8.29. E 5 B				38	38
- 868. 4. 7. - 854. 8.29. + 0 +				37	37
			0 E	0	0
- 868. 4. 7. - 854. 8.29. E 0 E				0	37
- 868. 4. 7. - 854. 8.29. 761st position to B Jehu					33
- 868. 4. 7. - 854. 8.29. 762nd position to B Athaliah					34

16492 Bytes free.

(675th/762) position: - 867. 4. 7. - 854. 8.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
- 867. 4. 7. - 854. 8.29. E 0 E				35	35
- 867. 4. 7. - 852. 8.29. E 6 B				35	35
- 868. 4. 7. - 854. 8.29. E 7 B				33	35
- 868. 4. 7. - 854. 8.29. E 7 B				34	35
- 867. 4. 7. - 854. 8.29. + 0 +				35	35
			0 E	0	0
- 867. 4. 7. - 854. 8.29. E 0 E				0	35

- 867. 4. 7. - 854. 8.29. 763rd position to B Jehu 33
 - 867. 4. 7. - 854. 8.29. 764th position to B Athaliah 34

16492 Bytes free.

(676th/764) position: - 874. 4. 7. - 861. 8.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
- 874. 4. 7. - 861. 8.29. B	0	B		40	40
- 875. 4. 7. - 859. 8.29. B	3	B		37	40
- 876. 4. 7. - 859. 8.29. B	4	*		40	40
- 876. 4. 7. - 861. 8.29. B	6	E		40	40
- 874. 4. 7. - 859. 8.29. B	9	α		37	40
	0	B		0	0
- 874. 4. 7. - 861. 8.29. B	0	B		0	40

16492 Bytes free.

(677th/764) position: - 907. 4. 7. - 892. 8.29. * Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
- 907. 4. 7. - 892. 8.29. *	0	*		40	40
- 907. 4. 7. - 892. 8.29. *	10	B		40	40
	0	*		0	0
- 907. 4. 7. - 892. 8.29. *	0	*		0	40

16492 Bytes free.

(678th/764) position: - 867. 4. 7. - 854. 8.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
- 867. 4. 7. - 854. 8.29. E	0	E		40	40
- 867. 4. 7. - 852. 8.29. E	6	B		40	40
- 867. 4. 7. - 854. 8.29. E	7	B		35	40
- 867. 4. 7. - 854. 8.29. +	0	+		40	40
	0	E		0	0
- 867. 4. 7. - 854. 8.29. E	0	E		0	40

16492 Bytes free.

(679th/764) position: - 867. 4. 7. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:†
- 867. 4. 7. - 854. 8.29. B	0	B		33	33
- 867. 4. 7. - 854. 8.29. B	1	E		35	33
- 868. 4. 7. - 854. 8.29. B	2	E		37	33
- 871. 4. 1. - 853. 8.29. B	5	E		33	33
- 872. 4. 1. - 854. 8.29. B	9	B		32	33
	0	B		0	0
- 867. 4. 7. - 854. 8.29. B	0	B		0	33
- 867. 4. 7. - 854. 8.29.				765th position to E Joram (Ahab)	37
- 840. 4. 7. - 826. 8.29.				766th position to E Jehu	33
- 861. 4. 7. - 848. 8.29.				767th position to B Joash (Ahaziah)	32

16492 Bytes free.
 (680th/767) position: - 867. 4. 7. - 854. 8.29. B Athaliah 34
 Forward relations for entry Athaliah (34/120) are generated.
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.
 Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 867. 4. 7. - 854. 8.29.	B	0	B	34	34	
- 867. 4. 7. - 854. 8.29.	B	1	E	35	34	
- 867. 4. 7. - 854. 8.29.	B	2	E	37	34	
- 871. 4. 1. - 853. 8.29.	B	5	E	34	34	
		0	B	0	0	
- 867. 4. 7. - 854. 8.29.	B	0	B	0	34	
- 862. 4. 7. - 848. 8.29.				768th position to E Athaliah		34

16492 Bytes free.
 (681st/768) position: - 871. 4. 7. - 858. 8.29. E Elijah 43
 Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Elijah	D	Kind	S	from:	to:	
- 871. 4. 7. - 858. 8.29.	E	0	E	43	43	
- 868. 4.15. >	E	2	E	41	43	
- 871. 4. 7. - 858. 8.29.	E	7	B	39	43	
≤- 858. 8.29.	E	8	α	37	43	
- 871. 4. 7. - 858. 8.29.	+	0	+	43	43	
3Y 8D		0	E	0	0	
- 868. 4.15. - 858. 8.29.	E	0	E	0	43	
- 868. 4.15. - 858. 8.29.				769th position to E Elijah		43
- 868. 4.15. - 858. 8.29.				770th position to B Elisha		39
- 868. 4.15. - 858. 8.29.				771st position to α Joram (Ahab)		37

16492 Bytes free.
 (682nd/771) position: - 868. 4.15. - 858. 8.29. B Elisha 39
 Forward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
 Optimize dates...

Elisha	D	Kind	S	from:	to:	
- 868. 4.15. - 858. 8.29.	B	0	B	39	39	
- 868. 4.15. - 858. 8.29.	B	1	E	43	39	
		0	B	0	0	
- 868. 4.15. - 858. 8.29.	B	0	B	0	39	

16492 Bytes free.
 (683rd/771) position: - 868. 4.15. - 858. 8.29. E Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 868. 4.15. - 858. 8.29.	E	0	E	41	41	
- 868. 4.15. - 856. 8.29.	E	5	B	41	41	
- 868. 4.15. - 858. 8.29.	E	7	α	37	41	
≤- 858. 8.29.	E	8	E	43	41	
- 868. 4.15. - 858. 8.29.	+	0	+	41	41	
		0	E	0	0	
- 868. 4.15. - 858. 8.29.	E	0	E	0	41	

16492 Bytes free.
 (684th/771) position: - 868. 4.15. - 858. 8.29. α Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 868. 4.15. - 858. 8.29.	α	0	α	37	37
- 868. 4.15. - 858. 8.29.	α	1	E	41	37
- 868. 4.15. ≥	α	2	E	43	37
- 873. 4. 7. - 858. 8.29.	α	3	B	40	37
- 870. 4.15. - 856. 8.29.	α	4	B	42	37
		0	α	0	0
- 868. 4.15. - 858. 8.29.	α	0	α	0	37
- 871. 4.15. - 861. 8.29.				772nd position to B Jehoram (Jehoshaphat)	40

16492 Bytes free.
 (685th/772) position: - 868. 4.15. - 858. 8.29. E Elijah 43
 Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Elijah	D	Kind	S	from:	to:
- 868. 4.15. - 858. 8.29.	E	0	E	43	43
- 868. 4.15. ≥	E	2	E	41	43
- 868. 4.15. - 858. 8.29.	E	7	B	39	43
≤- 858. 8.29.	E	8	α	37	43
- 868. 4.15. - 858. 8.29.	+	0	+	43	43
		0	E	0	0
- 868. 4.15. - 858. 8.29.	E	0	E	0	43

16492 Bytes free.
 (686th/772) position: - 868. 4.15. - 858. 8.29. B Elisha 39
 Forward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
 Optimize dates...

Elisha	D	Kind	S	from:	to:
- 868. 4.15. - 858. 8.29.	B	0	B	39	39
- 868. 4.15. - 858. 8.29.	B	1	E	43	39
		0	B	0	0
- 868. 4.15. - 858. 8.29.	B	0	B	0	39

16492 Bytes free.
 (687th/772) position: - 871. 4.15. - 861. 8.29. B Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
- 871. 4.15. - 861. 8.29.	B	0	B	40	40
- 875. 4. 7. - 859. 8.29.	B	3	B	37	40
- 876. 4. 7. - 859. 8.29.	B	4	*	40	40
- 876. 4. 7. - 861. 8.29.	B	6	E	40	40
- 871. 4.15. - 859. 8.29.	B	9	α	37	40
		0	B	0	0
- 871. 4.15. - 861. 8.29.	B	0	B	0	40

- 877. 4.15. - 865. 8.29. 773rd position to B Joram (Ahab) 37
 - 904. 4.15. - 892. 8.29. 774th position to * Jehoram (Jehoshaphat) 40
 - 864. 4.15. - 854. 8.29. 775th position to E Jehoram (Jehoshaphat) 40

16492 Bytes free.

(688th/775) position: - 877. 4.15. - 865. 8.29. B Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab) D Knd S from: to:|

- 877. 4.15. - 865. 8.29. B 0 B 37 37||

- 880. 4. 7. - 865. 8.29. B 9 B 35 37||

- 879. 4. 7. - 864. 8.29. B 9 B 36 37||

- 877. 4.15. - 865. 8.29. B 9 B 40 37||

- 880. 4. 7. - 865. 8.29. B 5 E 38 38||

0 B 0 0||

- 877. 4.15. - 865. 8.29. B 0 B 0 37||

- 866. 4.15. - 854. 8.29. 776th position to B Ahaziah (Joram) 35

- 866. 4.15. - 854. 8.29. 777th position to E Joram (Ahab) 38

16492 Bytes free.

(689th/777) position: - 904. 4.15. - 892. 8.29. * Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat) D Knd S from: to:|

- 904. 4.15. - 892. 8.29. * 0 * 40 40||

- 904. 4.15. - 892. 8.29. * 10 B 40 40||

0 * 0 0||

- 904. 4.15. - 892. 8.29. * 0 * 0 40||

16492 Bytes free.

(690th/777) position: - 864. 4.15. - 854. 8.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat) D Knd S from: to:|

- 864. 4.15. - 854. 8.29. E 0 E 40 40||

- 864. 4.15. - 852. 8.29. E 6 B 40 40||

- 866. 4.15. - 854. 8.29. E 7 B 35 40||

- 864. 4.15. - 854. 8.29. + 0 + 40 40||

0 E 0 0||

- 864. 4.15. - 854. 8.29. E 0 E 0 40||

- 864. 4.15. - 854. 8.29. 778th position to B Ahaziah (Joram) 35

16492 Bytes free.

(691st/778) position: - 866. 4.15. - 854. 8.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab) D Knd S from: to:|

- 866. 4.15. - 854. 8.29. E 0 E 37 37||

- 867. 4. 7. - 854. 8.29. E 8 B 33 37||

- 867. 4. 7. - 854. 8.29. E 8 B 34 37||

```

- 866. 4.15. - 852. 8.29. E 5 B      38      38||
- 866. 4.15. - 854. 8.29. + 0 +      37      37||
                        0 E          0        0||
- 866. 4.15. - 854. 8.29. E 0 E          0      37||
- 866. 4.15. - 854. 8.29. 779th position to B Jehu          33
- 866. 4.15. - 854. 8.29. 780th position to B Athaliah      34

```

16492 Bytes free.

```

(692nd/780) position: - 864. 4.15. - 854. 8.29.  B Ahaziah (Joram)          35
Forward relations for entry Ahaziah (Joram)          (35/120) are generated.
Backward relations for entry Jehu                    (33/120) are generated.
Backward relations for entry Athaliah                (34/120) are generated.
Forward relations for entry Ahaziah (Joram)          (36/120) are generated.

```

Optimize dates...

```

Ahaziah (Joram)          D Knd S      from:      to:|
- 864. 4.15. - 854. 8.29. B 0 B      35        35||
- 864. 4.15. - 854. 8.29. B 1 E      40        35||
- 866. 4.15. - 852. 8.29. B 3 B      37        35||
- 869. 4. 7. - 852. 8.29. B 4 *      35        35||
- 869. 4. 7. - 854. 8.29. B 6 E      35        35||
- 867. 4.15. - 853. 8.29. B 3 B      37        36||
                        0 B          0        0||
- 864. 4.15. - 854. 8.29. B 0 B          0      35||
- 887. 4.15. - 875. 8.29. 781st position to * Ahaziah (Joram)  35
- 864. 4.15. - 854. 8.29. 782nd position to E Ahaziah (Joram)  35
- 876. 4.15. - 865. 8.29. 783rd position to B Joram (Ahab)     37

```

16492 Bytes free.

```

(693rd/783) position: - 890. 4.15. - 880. 8.29.  E Omri          45
Forward relations for entry Omri                    (45/120) are generated.
Backward relations for entry Ahab                    (44/120) are generated.

```

Optimize dates...

```

Omri          D Knd S      from:      to:|
- 890. 4.15. - 880. 8.29. E 0 E      45        45||
- 890. 4.21. - 878. 8.29. E 6 B      45        45||
- 890. 4.15. - 880. 8.29. E 7 B      44        45||
- 890. 4.15. - 880. 8.29. + 0 +      45        45||
                        6D          0 E          0        0||
- 890. 4.21. - 880. 8.29. E 0 E          0      45||
- 890. 4.21. - 880. 8.29. 784th position to E Omri          45
- 890. 4.21. - 880. 8.29. 785th position to B Ahab          44

```

16492 Bytes free.

```

(694th/785) position: - 927. 4.15. - 917. 8.23.  B Asa          51
Forward relations for entry Asa                    (51/120) are generated.
Backward relations for entry Jehoshaphat            (42/120) are generated.

```

Optimize dates...

```

Asa          D Knd S      from:      to:|
- 927. 4.15. - 917. 8.23. B 0 B      51        51||
- 927. 4.15. - 917. 8.29. B 1 E      52        51||
- 927. 4.15. - 915. 8.23. B 3 B      53        51||
- 929. 4.15. - 915. 8.29. B 5 E      51        51||
- 929. 4.21. - 917. 8.29. B 9 B      44        51||
- 929. 4.15. - 915. 8.29. B 9 α     45        51||
- 929. 4.15. - 917. 8.23. B 9 B      47        51||
- 929. 4.15. - 917. 8.23. B 9 B      48        51||
- 929. 4.15. - 915. 8.29. B 9 B      49        51||
- 929. 4.15. - 915. 8.29. B 9 B      50        51||

```

```

- 929. 4.15. - 917. 8.23. B 10 +      48      51||
- 929. 4.15. - 915. 8.29. B 10 +      50      51||
                        0 B          0        0||
- 927. 4.15. - 917. 8.23. B 0 B        0        51||
- 927. 4.15. - 917. 8.23. 786th position to E Abijam = Abijah      52
- 887. 4.15. - 875. 8.23. 787th position to E Asa                    51
- 897. 4.15. - 885. 8.23. 788th position to α Omri                    45
- 925. 4.15. - 913. 8.23. 789th position to B Baasha                 49
- 926. 4.15. - 914. 8.23. 790th position to B Nadab                   50
- 925. 4.15. - 913. 8.23. 791st position to + Nadab                   50

```

16492 Bytes free.

(695th/791) position: - 866. 4. 7. - 849. 8.29. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 866. 4. 7. - 849. 8.29. α 0 α        40        40||
- 866. 4. 7. - 849. 8.29. α 1 E        42        40||
                        0 α          0         0||
- 866. 4. 7. - 849. 8.29. α 0 α          0         40||

```

16492 Bytes free.

(696th/791) position: - 901. 4.15. - 891. 8.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

```

Elah                        D Knd S      from:      to:|
- 901. 4.15. - 891. 8.23. E 0 E        48        48||
- 901. 4.15. - 889. 8.23. E 5 B        48        48||
- 901. 4.15. - 891. 8.23. E 7 B        47        48||
- 901. 4.15. - 891. 8.23. + 0 +        48        48||
- 901. 4.15. - 889. 8.23. + 4 B        51        48||
                        0 E          0         0||
- 901. 4.15. - 891. 8.23. E 0 E          0         48||

```

16492 Bytes free.

(697th/791) position: - 901. 4.21. - 891. 8.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri                        D Knd S      from:      to:|
- 901. 4.21. - 891. 8.29. B 0 B        45        45||
- 901. 4.21. - 891. 8.29. B 2 E        47        45||
- 903. 4.21. - 891. 8.29. B 6 E        45        45||
                        0 B          0         0||
- 901. 4.21. - 891. 8.29. B 0 B          0         45||

```

16492 Bytes free.

(698th/791) position: - 901. 4.21. - 891. 8.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri                       D Knd S      from:      to:|
- 901. 4.21. - 891. 8.29. E 0 E        47        47||
- 901. 4.21. - 891. 9. 1. E 5 B        47        47||
- 901. 4.21. - 891. 8.29. E 7 B        46        47||

```

```

- 901. 4.21. - 891. 8.29. E 8 B      45      47||
- 901. 4.21. - 891. 8.29. + 0 +      47      47||
                                0 E      0      0||
- 901. 4.21. - 891. 8.29. E 0 E      0      47||

```

16492 Bytes free.

```

(699th/791) position: - 902. 4.15. - 892. 8.23.   B Elah                48
Forward relations for entry Elah                (48/120) are generated.
Backward relations for entry Zimri              (47/120) are generated.
Optimize dates...

```

```

Elah                D Knd S      from:      to:|
- 902. 4.15. - 892. 8.23. B 0 B      48        48||
- 905. 4. 1. - 890. 8.23. B 1 E      49        48||
- 902. 4.15. - 890. 8.23. B 3 B      51        48||
- 904. 4.15. - 892. 8.23. B 5 E      48        48||
                                0 B      0        0||
- 902. 4.15. - 892. 8.23. B 0 B      0         48||
- 902. 4.15. - 892. 8.23. 792nd position to E Baasha                49

```

16492 Bytes free.

```

(700th/792) position: - 902. 4.15. - 892. 8.23.   E Baasha                49
Forward relations for entry Baasha              (49/120) are generated.
Backward relations for entry Elah              (48/120) are generated.
Optimize dates...

```

```

Baasha              D Knd S      from:      to:|
- 902. 4.15. - 892. 8.23. E 0 E      49        49||
- 902. 4.15. - 888. 8.23. E 5 B      49        49||
- 902. 4.15. - 892. 8.23. E 7 B      48        49||
- 902. 4.15. - 892. 8.23. + 0 +      49        49||
                                0 E      0        0||
- 902. 4.15. - 892. 8.23. E 0 E      0         49||
- 925. 4.15. - 915. 8.23. 793rd position to B Baasha                49

```

16492 Bytes free.

```

(701st/793) position: - 927. 4.15. - 917. 8.23.   B Asa                    51
Forward relations for entry Asa                (51/120) are generated.
Backward relations for entry Jehoshaphat      (42/120) are generated.
Optimize dates...

```

```

Asa                  D Knd S      from:      to:|
- 927. 4.15. - 917. 8.23. B 0 B      51        51||
- 927. 4.15. - 917. 8.23. B 1 E      52        51||
- 927. 4.15. - 915. 8.23. B 3 B      53        51||
- 929. 4.15. - 915. 8.23. B 5 E      51        51||
- 929. 4.21. - 917. 8.29. B 9 B      44        51||
- 929. 4.15. - 915. 8.23. B 9 α     45        51||
- 929. 4.15. - 917. 8.23. B 9 B      47        51||
- 929. 4.15. - 917. 8.23. B 9 B      48        51||
- 929. 4.15. - 917. 8.23. B 9 B      49        51||
- 929. 4.15. - 915. 8.23. B 9 B      50        51||
- 929. 4.15. - 917. 8.23. B 10 +    48        51||
- 929. 4.15. - 915. 8.23. B 10 +    50        51||
                                0 B      0        0||
- 927. 4.15. - 917. 8.23. B 0 B      0         51||

```

16492 Bytes free.

```

(702nd/793) position: - 927. 4.15. - 917. 8.23.   E Abijam = Abijah       52
Forward relations for entry Abijam = Abijah   (52/120) are generated.
Backward relations for entry Asa              (51/120) are generated.

```


Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:	
- 927. 4.15. - 917. 8.23. E	0	E		52	52	
- 927. 4.15. - 913. 8.23. E	5	B		52	52	
- 927. 4.15. - 917. 8.23. E	7	B		51	52	
- 927. 4.15. - 917. 8.23. +	0	+		52	52	
	0	E		0	0	
- 927. 4.15. - 917. 8.23. E	0	E		0	52	
- 929. 4.15. - 919. 8.23.				794th position to B Abijam = Abijah		52

16492 Bytes free.

(703rd/794) position: - 946. 4.15. - 936. 8.23. B Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:	
- 946. 4.15. - 936. 8.23. B	0	B		53	53	
- 946. 4.15. - 936. 8.23. B	1	E		57	53	
- 948. 4.15. - 934. 8.23. B	5	E		53	53	
- 948. 4.15. - 936. 8.23. B	9	B		51	53	
- 948. 4.15. - 936. 8.23. B	9	B		52	53	
	0	B		0	0	
- 946. 4.15. - 936. 8.23. B	0	B		0	53	

16492 Bytes free.

(704th/794) position: - 887. 4.15. - 875. 8.23. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:	
- 887. 4.15. - 875. 8.23. E	0	E		51	51	
- 887. 4.15. - 875. 8.23. E	5	B		51	51	
- 887. 4.15. - 875. 8.29. E	7	B		42	51	
- 887. 4.15. - 875. 8.23. +	0	+		51	51	
	0	E		0	0	
- 887. 4.15. - 875. 8.23. E	0	E		0	51	
- 887. 4.15. - 875. 8.23.				795th position to B Jehoshaphat		42

16492 Bytes free.

(705th/795) position: - 890. 4.21. - 880. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:		
- 890. 4.21. - 880. 8.29. B	0	B		44	44		
- 890. 4.21. - 880. 8.29. B	1	E		45	44		
- 890. 4.15. - 878. 8.23. B	3	B		51	44		
- 892. 4.15. - 880. 8.29. B	5	E		44	44		
	≤			859. 8.29. B	7	B	43
- 892. 4.15. - 878. 8.23. B	9	B		42	44		
	0	B		0	0		
- 890. 4.21. - 880. 8.29. B	0	B		0	44		
- 869. 4.21. - 859. 8.29.				796th position to E Ahab		44	
- 890. 4.21. - 859. 8.29.				797th position to B Elijah		43	
- 887. 4.21. - 875. 8.23.				798th position to B Jehoshaphat		42	

16492 Bytes free.

(706th/798) position: - 897. 4.15. - 885. 8.23. α Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:†	
- 897. 4.15. - 885. 8.23.	α	0	α	45	45	
- 901. 4. 1. - 879.10.29.	α	1	E	46	45	
- 897. 4.15. - 885. 8.23.	α	3	B	51	45	
		0	α	0	0	
- 897. 4.15. - 885. 8.23.	α	0	α	0	45	
- 897. 4.15. - 885. 8.23.				799th position to E Tibni		46

16492 Bytes free.

(707th/799) position: - 901. 4.15. - 891. 8.23. B Zimri 47
 Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.
 Optimize dates...

Zimri	D	Kind	S	from:	to:†	
- 901. 4.15. - 891. 8.23.	B	0	B	47	47	
- 901. 4.15. - 891. 8.23.	B	1	E	48	47	
- 901. 4.15. - 889. 8.23.	B	3	B	51	47	
- 901. 4.13. - 891. 8.23.	B	5	E	47	47	
		0	B	0	0	
- 901. 4.15. - 891. 8.23.	B	0	B	0	47	

16492 Bytes free.

(708th/799) position: - 902. 4.15. - 892. 8.23. B Elah 48
 Forward relations for entry Elah (48/120) are generated.
 Backward relations for entry Zimri (47/120) are generated.
 Optimize dates...

Elah	D	Kind	S	from:	to:†	
- 902. 4.15. - 892. 8.23.	B	0	B	48	48	
- 902. 4.15. - 892. 8.23.	B	1	E	49	48	
- 902. 4.15. - 890. 8.23.	B	3	B	51	48	
- 904. 4.15. - 892. 8.23.	B	5	E	48	48	
		0	B	0	0	
- 902. 4.15. - 892. 8.23.	B	0	B	0	48	

16492 Bytes free.

(709th/799) position: - 925. 4.15. - 915. 8.23. B Baasha 49
 Forward relations for entry Baasha (49/120) are generated.
 Backward relations for entry Elah (48/120) are generated.
 Optimize dates...

Baasha	D	Kind	S	from:	to:†	
- 925. 4.15. - 915. 8.23.	B	0	B	49	49	
- 925. 4.15. - 913. 8.23.	B	1	E	50	49	
- 925. 4.15. - 913. 8.23.	B	3	B	51	49	
- 927. 4.15. - 915. 8.23.	B	5	E	49	49	
		0	B	0	0	
- 925. 4.15. - 915. 8.23.	B	0	B	0	49	
- 925. 4.15. - 915. 8.23.				800th position to E Nadab		50

16492 Bytes free.

(710th/800) position: - 926. 4.15. - 914. 8.23. B Nadab 50
 Forward relations for entry Nadab (50/120) are generated.
 Backward relations for entry Baasha (49/120) are generated.
 Optimize dates...

Nadab	D	Kn	S	from:	to:†	
- 926. 4.15. - 914. 8.23. B 0 B				50	50	
- 925. 4.15. - 913. 8.23. B 1 E				53	50	
- 926. 4.15. - 914. 8.23. B 3 B				51	50	
- 928. 4.15. - 916. 8.23. B 5 E				50	50	
1Y	2Y			0	0	
- 925. 4.15. - 916. 8.23. B 0 B				0	50	
- 925. 4.15. - 916. 8.23.				801st position to B Nadab		50
- 925. 4.15. - 916. 8.23.				802nd position to E Jeroboam (Nebat)		53
- 924. 4.15. - 915. 8.23.				803rd position to E Nadab		50

16492 Bytes free.

(711th/803) position: - 901. 4.15. - 891. 8.23. + Elah 48
 Forward relations for entry Elah (48/120) are generated.
 Backward relations for entry Zimri (47/120) are generated.
 Optimize dates...

Elah	D	Kn	S	from:	to:†	
- 901. 4.15. - 891. 8.23. E 0 E				48	48	
- 901. 4.15. - 889. 8.23. E 5 B				48	48	
- 901. 4.15. - 891. 8.23. E 7 B				47	48	
- 901. 4.15. - 891. 8.23. + 0 +				48	48	
- 901. 4.15. - 889. 8.23. + 4 B				51	48	
				0 E	0	0
- 901. 4.15. - 891. 8.23. E 0 E				0	48	

16492 Bytes free.

(712th/803) position: - 924. 4.15. - 915. 8.23. + Nadab 50
 Forward relations for entry Nadab (50/120) are generated.
 Backward relations for entry Baasha (49/120) are generated.
 Optimize dates...

Nadab	D	Kn	S	from:	to:†	
- 924. 4.15. - 915. 8.23. E 0 E				50	50	
- 924. 4.15. - 913. 8.23. E 5 B				50	50	
- 925. 4.15. - 915. 8.23. E 7 B				49	50	
- 924. 4.15. - 915. 8.23. + 0 +				50	50	
- 925. 4.15. - 913. 8.23. + 4 B				51	50	
				0 E	0	0
- 924. 4.15. - 915. 8.23. E 0 E				0	50	
- 924. 4.15. - 915. 8.23.				804th position to B Baasha		49

16492 Bytes free.

(713th/804) position: - 869. 4.21. - 859. 8.29. E Ahab 44
 Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahab	D	Kn	S	from:	to:†	
- 869. 4.21. - 859. 8.29. E 0 E				44	44	
- 890. 4.21. ≥				E 2 B	43	44
- 869. 4.21. - 857. 8.29. E 5 B				44	44	
- 869. 4.15. - 859. 8.29. E 7 B				41	44	
- 869. 4.21. - 859. 8.29. + 0 +				44	44	
				0 E	0	0
- 869. 4.21. - 859. 8.29. E 0 E				0	44	
- 869. 4.21. - 859. 8.29.				805th position to B Ahaziah (Ahab)		41

16492 Bytes free.

(714th/805) position: - 869. 4.21. - 859. 8.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 869. 4.21. - 859. 8.29.	B	0	B	41	41	
- 869. 4.21. - 859. 8.29.	B	1	E	44	41	
- 871. 4.21. - 857. 8.23.	B	3	B	42	41	
- 871. 4.15. - 859. 8.29.	B	5	E	41	41	
		0	B	0	0	
- 869. 4.21. - 859. 8.29.	B	0	B	0	41	
- 868. 4.21. - 858. 8.29.				806th position to E Ahaziah (Ahab)		41

16492 Bytes free.

(715th/806) position: - 890. 4.21. - 859. 8.29. B Elijah 43
 Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Elijah	D	Kind	S	from:	to:	
- 890. 4.21. - 859. 8.29.	B	0	B	43	43	
- 890. 4.21. ≥	B	1	B	44	43	
≤- 859. 8.29.	B	8	E	44	43	
		0	B	0	0	
- 890. 4.21. - 859. 8.29.	B	0	B	0	43	

16492 Bytes free.

(716th/806) position: - 890. 4.21. - 880. 8.29. E Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Omri	D	Kind	S	from:	to:	
- 890. 4.21. - 880. 8.29.	E	0	E	45	45	
- 890. 4.21. - 878. 8.29.	E	6	B	45	45	
- 890. 4.21. - 880. 8.29.	E	7	B	44	45	
- 890. 4.21. - 880. 8.29.	+	0	+	45	45	
		0	E	0	0	
- 890. 4.21. - 880. 8.29.	E	0	E	0	45	

16492 Bytes free.

(717th/806) position: - 887. 4.21. - 875. 8.23. B Jehoshaphat 42
 Forward relations for entry Jehoshaphat (42/120) are generated.
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
- 887. 4.21. - 875. 8.23.	B	0	B	42	42	
- 887. 4.15. - 875. 8.23.	B	1	E	51	42	
- 887. 4.21. - 875. 8.29.	B	3	B	44	42	
- 892. 4. 7. - 873. 8.29.	B	4	*	42	42	
- 892. 4. 7. - 873. 8.29.	B	6	E	42	42	
- 887. 4.21. - 875. 8.29.	B	9	B	41	42	
- 887. 4.15. - 875. 8.29.	B	10	α	37	42	
		0	B	0	0	
- 887. 4.21. - 875. 8.23.	B	0	B	0	42	
- 887. 4.21. - 875. 8.23.				807th position to E Asa		51
- 923. 4.21. - 909. 8.23.				808th position to * Jehoshaphat		42
- 863. 4.21. - 849. 8.23.				809th position to E Jehoshaphat		42

16492 Bytes free.
 (718th/809) position: - 868. 4.21. - 858. 8.29. E Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...
 Ahaziah (Ahab) D Knd S from: to:|
 - 868. 4.21. - 858. 8.29. E 0 E 41 41||
 - 868. 4.21. - 856. 8.29. E 5 B 41 41||
 - 868. 4.15. - 858. 8.29. E 7 α 37 41||
 ≤- 858. 8.29. E 8 E 43 41||
 - 868. 4.21. - 858. 8.29. + 0 + 41 41||
 0 E 0 0||
 - 868. 4.21. - 858. 8.29. E 0 E 0 41||
 - 868. 4.21. - 858. 8.29. 810th position to α Joram (Ahab) 37
 - 868. 4.21. - 858. 8.29. 811th position to E Elijah 43

16492 Bytes free.
 (719th/811) position: - 901. 4.15. - 891. 8.23. B Zimri 47
 Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.
 Optimize dates...
 Zimri D Knd S from: to:|
 - 901. 4.15. - 891. 8.23. B 0 B 47 47||
 - 901. 4.15. - 891. 8.23. B 1 E 48 47||
 - 901. 4.15. - 889. 8.23. B 3 B 51 47||
 - 901. 4.13. - 891. 8.23. B 5 E 47 47||
 0 B 0 0||
 - 901. 4.15. - 891. 8.23. B 0 B 0 47||

16492 Bytes free.
 (720th/811) position: - 901. 4.15. - 891. 8.23. E Elah 48
 Forward relations for entry Elah (48/120) are generated.
 Backward relations for entry Zimri (47/120) are generated.
 Optimize dates...
 Elah D Knd S from: to:|
 - 901. 4.15. - 891. 8.23. E 0 E 48 48||
 - 901. 4.15. - 889. 8.23. E 5 B 48 48||
 - 901. 4.15. - 891. 8.23. E 7 B 47 48||
 - 901. 4.15. - 891. 8.23. + 0 + 48 48||
 - 901. 4.15. - 889. 8.23. + 4 B 51 48||
 0 E 0 0||
 - 901. 4.15. - 891. 8.23. E 0 E 0 48||

16492 Bytes free.
 (721st/811) position: - 927. 4.15. - 917. 8.23. B Asa 51
 Forward relations for entry Asa (51/120) are generated.
 Backward relations for entry Jehoshaphat (42/120) are generated.
 Optimize dates...
 Asa D Knd S from: to:|
 - 927. 4.15. - 917. 8.23. B 0 B 51 51||
 - 927. 4.15. - 917. 8.23. B 1 E 52 51||
 - 927. 4.15. - 915. 8.23. B 3 B 53 51||
 - 929. 4.21. - 915. 8.23. B 5 E 51 51||
 - 929. 4.21. - 917. 8.29. B 9 B 44 51||
 - 929. 4.15. - 915. 8.23. B 9 α 45 51||

```

- 929. 4.15. - 917. 8.23. B 9 B      47      51||
- 929. 4.15. - 917. 8.23. B 9 B      48      51||
- 928. 4.15. - 917. 8.23. B 9 B      49      51||
- 928. 4.15. - 917. 8.23. B 9 B      50      51||
- 929. 4.15. - 917. 8.23. B 10 +     48      51||
- 928. 4.15. - 917. 8.23. B 10 +     50      51||
                                0 B      0      0||
- 927. 4.15. - 917. 8.23. B 0 B      0      51||

```

16492 Bytes free.

(722nd/811) position: - 901. 4.21. - 891. 8.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri          D Knd S   from:   to:|
- 901. 4.21. - 891. 8.29. E 0 E     47     47||
- 901. 4.21. - 891. 9. 1. E 5 B     47     47||
- 901. 4.21. - 891. 8.29. E 7 B     46     47||
- 901. 4.21. - 891. 8.29. E 8 B     45     47||
- 901. 4.21. - 891. 8.29. + 0 +     47     47||
                                0 E     0     0||
- 901. 4.21. - 891. 8.29. E 0 E     0     47||

```

16492 Bytes free.

(723rd/811) position: - 902. 4.15. - 892. 8.23. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

```

Elah          D Knd S   from:   to:|
- 902. 4.15. - 892. 8.23. B 0 B     48     48||
- 902. 4.15. - 892. 8.23. B 1 E     49     48||
- 902. 4.15. - 890. 8.23. B 3 B     51     48||
- 904. 4.15. - 892. 8.23. B 5 E     48     48||
                                0 B     0     0||
- 902. 4.15. - 892. 8.23. B 0 B     0     48||

```

16492 Bytes free.

(724th/811) position: - 901. 4.21. - 891. 8.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Tibni         D Knd S   from:   to:|
- 901. 4.21. - 891. 8.29. B 0 B     46     46||
- 901. 4.21. - 891. 8.29. B 1 E     47     46||
                                0 B     0     0||
- 901. 4.21. - 891. 8.29. B 0 B     0     46||

```

16492 Bytes free.

(725th/811) position: - 901. 4.21. - 891. 8.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri          D Knd S   from:   to:|
- 901. 4.21. - 891. 8.29. B 0 B     45     45||
- 901. 4.21. - 891. 8.29. B 2 E     47     45||
- 903. 4.21. - 891. 8.29. B 6 E     45     45||
                                0 B     0     0||

```

- 901. 4.21. - 891. 8.29. B 0 B 0 45||

16492 Bytes free.

(726th/811) position: -1216. 1. 1. -1172. 6.30. E Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kn	S	from:	to:
-1216. 1. 1. -1172. 6.30.	E	0	E	75	75
-1216. 1. 1. -1170. 6.30.	E	5	B	75	75
-1216. 1. 1. -1172. 6.30.	E	7	B	74	75
			0 E	0	0
-1216. 1. 1. -1172. 6.30.	E	0	E	0	75

16492 Bytes free.

(727th/811) position: -1255. 1. 1. -1211. 6.30. B Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kn	S	from:	to:
-1255. 1. 1. -1211. 6.30.	B	0	B	75	75
-1255. 9. 1. -1211. 6.30.	B	1	E	76	75
-1257. 1. 1. -1211. 6.30.	B	5	E	75	75
8M			0 B	0	0
-1255. 9. 1. -1211. 6.30.	B	0	B	0	75
-1255. 9. 1. -1211. 6.30.			812th position to B	Deborah and Barak	75
-1216. 9. 1. -1172. 6.30.			813th position to E	Deborah and Barak	75

16492 Bytes free.

(728th/813) position: -1216. 1. 1. -1172. 6.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D	Kn	S	from:	to:
-1216. 1. 1. -1172. 6.30.	B	0	B	74	74
-1216. 9. 1. -1172. 6.30.	B	1	E	75	74
≤-1172. 6.30.	B	5	E	74	74
8M			0 B	0	0
-1216. 9. 1. -1172. 6.30.	B	0	B	0	74
-1216. 9. 1. -1172. 6.30.			814th position to B	Midianites	74
-1210. 9. 1. -1166. 6.30.			815th position to E	Midianites	74

16492 Bytes free.

(729th/815) position: -1255. 9. 1. -1211. 6.30. E Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kn	S	from:	to:
-1255. 9. 1. -1211. 6.30.	E	0	E	76	76
-1255. 9. 1. -1209. 6.30.	E	5	B	76	76
-1255. 9. 1. -1211. 6.30.	E	7	B	75	76
-1255. 9. 1. -1211. 6.30.	+	0	+	76	76
			0 E	0	0
-1255. 9. 1. -1211. 6.30.	E	0	E	0	76

16492 Bytes free.

(730th/815) position: -1274. 9. 1. -1230. 6.30. B Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kn	S	from:	to:†
-1274. 9. 1. -1230. 6.30. B	0	B		76	76
-1274. 9. 1. -1230. 6.30. B	1	E		77	76
-1276. 9. 1. -1230. 6.30. B	5	E		76	76
	0	B		0	0
-1274. 9. 1. -1230. 6.30. B	0	B		0	76

16492 Bytes free.

(731st/815) position: -1274. 9. 1. -1230. 6.30. E Ehud 77

Forward relations for entry Ehud

(77/120) are generated.

Backward relations for entry Sisera

(76/120) are generated.

Optimize dates...

Ehud	D	Kn	S	from:	to:†
-1274. 9. 1. -1230. 6.30. E	0	E		77	77
-1274. 9. 1. ≥	E	5	B	77	77
-1274. 9. 1. -1230. 6.30. E	7	B		76	77
	0	E		0	0
-1274. 9. 1. -1230. 6.30. E	0	E		0	77
-1353. 9. 1. -1309. 6.30.	816th position to B Ehud				77

16492 Bytes free.

(732nd/816) position: -1255. 9. 1. -1211. 6.30. E Sisera 76

Forward relations for entry Sisera

(76/120) are generated.

Backward relations for entry Deborah and Barak

(75/120) are generated.

Optimize dates...

Sisera	D	Kn	S	from:	to:†
-1255. 9. 1. -1211. 6.30. E	0	E		76	76
-1255. 9. 1. -1209. 6.30. E	5	B		76	76
-1255. 9. 1. -1211. 6.30. E	7	B		75	76
-1255. 9. 1. -1211. 6.30. +	0	+		76	76
	0	E		0	0
-1255. 9. 1. -1211. 6.30. E	0	E		0	76

16492 Bytes free.

(733rd/816) position: -2458. 9.15. -2447. 8.29. * Arphaxad 105

Forward relations for entry Arphaxad

(105/120) are generated.

Forward relations for entry Arphaxad

(106/120) are generated.

Optimize dates...

Arphaxad	D	Kn	S	from:	to:†
-2458. 9.15. -2447. 8.29. *	0	*		105	105
-2458. 9.15. -2441. 1. 3. *	3	E		107	105
-2460. 9.15. -2443.11. 6. *	4	*		109	105
-2460. 9.15. -2447. 8.29. *	9	*		104	105
-2460. 9.15. -2441.11. 6. *	10	+		109	105
	0	*		0	0
-2458. 9.15. -2447. 8.29. *	0	*		0	105
-2459. 9.15. -2448. 8.29.	817th position to E Great Flood				107
-2559. 9.15. -2546. 8.29.	818th position to * Shem				109
-1959. 9.15. -1946. 8.29.	819th position to + Shem				109

16492 Bytes free.

(734th/819) position: -2022. 9.15. -2009. 8.29. + Arphaxad 106

Forward relations for entry Arphaxad

(105/120) are generated.

Forward relations for entry Arphaxad

(106/120) are generated.

Optimize dates...

Arphaxad	D	Kn	S	from:	to:†
----------	---	----	---	-------	------


```

-2022. 9.15. -2009. 8.29. + 0 + 105 105||
-2022. 9.15. -2009. 8.29. + 3 * 104 106||
                                0 + 0 0||
-2022. 9.15. -2009. 8.29. + 0 + 0 105||

```

16492 Bytes free.

(735th/819) position: - 770. 6.22. - 755. 8.29. B Zachariah 25
 Forward relations for entry Zachariah (25/120) are generated.
 Backward relations for entry Shallum (24/120) are generated.
 Optimize dates...

```

Zachariah          D Knd S   from:   to:|
- 770. 6.22. - 755. 8.29. B 0 B     25     25||
- 770. 2. 1. - 755. 8.29. B 1 E     27     25||
- 770. 1.22. - 755. 8.29. B 3 B     26     25||
- 770. 6.22. - 755.10.29. B 5 E     25     25||
                                0 B     0     0||
- 770. 6.22. - 755. 8.29. B 0 B     0     25||
- 770. 6.22. - 755. 8.29. 820th position to E Jeroboam (Joash) 27

```

16492 Bytes free.

(736th/820) position: -1408. 9.15. ≥ E Chushanrishathaim 80
 Forward relations for entry Chushanrishathaim (80/120) are generated.
 Backward relations for entry Othniel (79/120) are generated.
 Optimize dates...

```

Chushanrishathaim D Knd S   from:   to:|
-1408. 9.15. ≥      E 0 E     80     80||
-1408. 9.15. ≥      E 5 B     80     80||
-1408. 1.22. ≥      E 7 B     79     80||
                                0 E     0     0||
-1408. 9.15. ≥      E 0 E     0     80||
-1408. 9.15. ≥      821st position to B Othniel 79

```

16492 Bytes free.

(737th/821) position: -1019. 9.15. -1005.10.29. α David 58
 Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

```

David          D Knd S   from:   to:|
-1019. 9.15. -1005.10.29. α 0 α     58     58||
-1029. 4. 1. ≥      α 1 E     59     58||
-1019. 9.15. -1005.12.29. α 4 B     58     58||
-1019. 4.15. -1005.10.29. α 6 Ω     58     58||
                                0 α     0     0||
-1019. 9.15. -1005.10.29. α 0 α     0     58||

```

16492 Bytes free.

(738th/821) position: -1026. 4.15. -1012. 5.29. E Saul 60
 Forward relations for entry Saul (60/120) are generated.
 Backward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

```

Saul          D Knd S   from:   to:|
-1026. 4.15. -1012. 5.29. E 0 E     60     60||
-1032. 4. 1. -1010. 5.29. E 5 B     60     60||
-1030. 4. 1. -1012. 5.29. E 7 B     59     60||
-1026. 4.15. -1012. 5.29. E 8 B     58     60||
-1026. 4.15. -1012. 5.29. + 0 +     60     60||
                                0 E     0     0||

```

-1026. 4.15. -1012. 5.29. E 0 E 0 60||
 -1067. 4.15. -1051. 5.29. 822nd position to B Saul 60
 -1026. 4.15. -1012. 5.29. 823rd position to B Ishbosheth 59

16492 Bytes free.

(739th/823) position: -1057. 4.15. -1041. 5.29. * David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
-1057. 4.15. -1041. 5.29. *	0	*		58	58
-1057. 4.15. -1041. 5.29. *	9	B		58	58
	0	*		0	0
-1057. 4.15. -1041. 5.29. *	0	*		0	58

16492 Bytes free.

(740th/823) position: - 946. 4.15. - 936. 8.23. B Jeroboam (Nebab) 53

Forward relations for entry Jeroboam (Nebab) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebab)	D	Kind	S	from:	to:
- 946. 4.15. - 936. 8.23. B	0	B		53	53
- 946. 4.15. - 936. 8.23. B	1	E		57	53
- 948. 4.15. - 937. 8.23. B	5	E		53	53
- 948. 4.15. - 936. 8.23. B	9	B		51	53
- 948. 4.15. - 936. 8.23. B	9	B		52	53
	1Y	0	B	0	0
- 946. 4.15. - 937. 8.23. B	0	B		0	53
- 946. 4.15. - 937. 8.23.				824th position to B Jeroboam (Nebab)	53
- 946. 4.15. - 937. 8.23.				825th position to E Solomon	57

16492 Bytes free.

(741st/825) position: - 946. 4.15. - 937. 8.23. E Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebab) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kind	S	from:	to:
- 946. 4.15. - 937. 8.23. E	0	E		57	57
- 946. 4.15. - 932.10.29. E	5	B		57	57
- 946. 4.15. - 937. 8.23. E	7	B		53	57
- 946. 4.15. - 936. 8.23. E	7	B		54	57
- 946. 4.15. - 937. 8.23. +	0	+		57	57
	0	E		0	0
- 946. 4.15. - 937. 8.23. E	0	E		0	57
- 985. 4.15. - 976. 8.23.				826th position to B Solomon	57
- 946. 4.15. - 937. 8.23.				827th position to B Rehoboam	54

16492 Bytes free.

(742nd/827) position: - 925. 4.15. - 916. 8.23. E Jeroboam (Nebab) 53

Forward relations for entry Jeroboam (Nebab) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebab)	D	Kind	S	from:	to:
- 925. 4.15. - 916. 8.23. E	0	E		53	53
- 925. 4.15. - 914. 8.23. E	5	B		53	53
- 925. 4.15. - 916. 8.23. E	7	B		50	53
- 925. 4.15. - 916. 8.23. +	0	+		53	53

```

0 E      0      0||
- 925. 4.15. - 916. 8.23. E 0 E      0      53||

```

16492 Bytes free.

(743rd/827) position: - 929. 4.15. - 919. 8.23. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```

Abijam = Abijah      D Knd S      from:      to:|
- 929. 4.15. - 919. 8.23. B 0 B      52      52||
- 930. 4.15. - 918. 8.23. B 1 E      54      52||
- 929. 4.15. - 918. 8.23. B 3 B      53      52||
- 931. 4.15. - 919. 8.23. B 5 E      52      52||
0 B      0      0||
- 929. 4.15. - 919. 8.23. B 0 B      0      52||
- 929. 4.15. - 919. 8.23. 828th position to E Rehoboam      54

```

16492 Bytes free.

(744th/828) position: - 946. 4.15. - 937. 8.23. B Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam      D Knd S      from:      to:|
- 946. 4.15. - 937. 8.23. B 0 B      54      54||
- 946. 4.15. - 937. 8.23. B 1 E      57      54||
- 948. 4.15. - 934. 8.23. B 3 *      54      54||
- 947. 4.15. - 935. 8.23. B 5 E      54      54||
0 B      0      0||
- 946. 4.15. - 937. 8.23. B 0 B      0      54||
- 988. 4.15. - 977. 8.23. 829th position to * Rehoboam      54

```

16492 Bytes free.

(745th/829) position: - 988. 4.15. - 977. 8.23. * Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam      D Knd S      from:      to:|
- 988. 4.15. - 977. 8.23. * 0 *      54      54||
- 988. 4.15. - 977. 8.23. * 9 B      54      54||
0 *      0      0||
- 988. 4.15. - 977. 8.23. * 0 *      0      54||

```

16492 Bytes free.

(746th/829) position: - 929. 4.15. - 919. 8.23. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam      D Knd S      from:      to:|
- 929. 4.15. - 919. 8.23. E 0 E      54      54||
- 930. 4.15. - 919. 8.23. E 5 B      54      54||
- 929. 4.15. - 919. 8.23. E 7 B      52      54||
- 929. 4.15. - 919. 8.23. + 0 +      54      54||
0 E      0      0||
- 929. 4.15. - 919. 8.23. E 0 E      0      54||

```

16492 Bytes free.

(747th/829) position: -1077. 7.15. -1051. 5.29. E Philistines 63

Forward relations for entry Philistines (63/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Backward relations for entry Samson (62/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Philistines	D	Kind	S	from:	to:	
-1077. 7.15. -1051. 5.29.	E	0	E	63	63	
-1101. 7. 1. >	E	2	E	62	63	
-1083. 7. 1. -1049. 5.29.	E	3	B	61	63	
-1077. 7.15. -1049. 5.29.	E	6	B	63	63	
≤-1051. 5.29.	E	7	E	61	63	
≤-1051. 5.29.	E	8	B	60	63	
				0	0	
-1077. 7.15. -1051. 5.29.	E	0	E	0	63	
-1098. 7.15. -1070. 5.29.				830th position to B Samuel		61

16492 Bytes free.

(748th/830) position: -1116. 7.15. -1070. 5.29. B Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kind	S	from:	to:	
-1116. 7.15. -1070. 5.29.	B	0	B	62	62	
-1116. 7.15. >	B	1	B	63	62	
-1122. 7. 1. -1070. 5.29.	B	5	E	62	62	
				0	0	
-1116. 7.15. -1070. 5.29.	B	0	B	0	62	
-1097. 7.15. -1051. 5.29.				831st position to E Samson		62

16492 Bytes free.

(749th/831) position: -1110. 7.15. > E Ibzan 67

Forward relations for entry Ibzan (67/120) are generated.

Backward relations for entry Elon (66/120) are generated.

Optimize dates...

Ibzan	D	Kind	S	from:	to:	
-1110. 7.15. >	E	0	E	67	67	
-1110. 7.15. >	E	5	B	67	67	
				66	67	
-1110. 7.15. >	+	0	+	67	67	
				0	0	
-1110. 7.15. >	E	0	E	0	67	
-1110. 7.15. >				832nd position to B Elon		66

16492 Bytes free.

(750th/832) position: -1352. 1.22. > E Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Kind	S	from:	to:	
-1352. 1.22. >	E	0	E	78	78	
-1352. 1.22. >	E	5	B	78	78	
-1353. 9. 1. -1309. 6.30.	E	7	B	77	78	
-1352. 1.22. >	+	0	+	78	78	
1308Y 6M 1D				0	0	
-1352. 1.22. -1309. 6.30.	E	0	E	0	78	
-1352. 1.22. -1309. 6.30.				833rd position to E Eglon		78
-1369. 1.22. -1326. 6.30.				834th position to B Eglon		78
-1352. 1.22. -1309. 6.30.				835th position to B Ehud		77

16492 Bytes free.
 (751st/835) position: - 862. 4. 7. - 848. 8.29. E Athaliah 34
 Forward relations for entry Athaliah (34/120) are generated.
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.
 Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 862. 4. 7. - 848. 8.29.	E	0	E	34	34	
- 861. 4.15. - 847. 8.29.	E	5	B	34	34	
- 861. 4. 7. - 848. 8.29.	E	7	B	32	34	
- 862. 4. 7. - 848. 8.29.	+	0	+	34	34	
1Y 8D		0	E	0	0	
- 861. 4.15. - 848. 8.29.	E	0	E	0	34	
- 861. 4.15. - 848. 8.29.				836th position to E Athaliah		34
- 861. 4.15. - 848. 8.29.				837th position to B Joash (Ahaziah)		32

16492 Bytes free.
 (752nd/837) position: - 861. 4.15. - 848. 8.29. B Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 861. 4.15. - 848. 8.29.	B	0	B	32	32	
- 861. 4.15. - 848. 8.29.	B	1	E	34	32	
- 860. 4.15. - 846. 8.29.	B	3	B	33	32	
- 869. 2. 1. - 848. 8.29.	B	5	E	32	32	
- 866. 4. 1. - 846. 8.29.	B	4	*	32	32	
- 867. 2. 1. - 846. 8.29.	B	9	B	30	32	
- 866. 4. 1. - 848. 8.29.	B	9	B	31	32	
1Y		0	B	0	0	
- 860. 4.15. - 848. 8.29.	B	0	B	0	32	
- 860. 4.15. - 848. 8.29.				838th position to B Joash (Ahaziah)		32
- 860. 4.15. - 848. 8.29.				839th position to E Athaliah		34
- 821. 4.15. - 809. 8.29.				840th position to E Joash (Ahaziah)		32
- 868. 4.15. - 854. 8.29.				841st position to * Joash (Ahaziah)		32
- 824. 4.15. - 810. 8.29.				842nd position to B Joash (Jehoahaz)		30
- 838. 4.15. - 826. 8.29.				843rd position to B Jehoahaz (Jehu)		31

16492 Bytes free.
 (753rd/843) position: - 868. 4.15. - 854. 8.29. * Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 868. 4.15. - 854. 8.29.	*	0	*	32	32	
- 868. 4.15. - 854. 8.29.	*	10	B	32	32	
		0	*	0	0	
- 868. 4.15. - 854. 8.29.	*	0	*	0	32	

16492 Bytes free.
 (754th/843) position: - 838. 4.15. - 826. 8.29. B Jehoahaz (Jehu) 31
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
 Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:	
- 838. 4.15. - 826. 8.29.	B	0	B	31	31	
- 840. 4. 7. - 826. 8.29.	B	1	E	33	31	
- 838. 4.15. - 824. 8.29.	B	3	B	32	31	
- 844. 4. 1. - 826. 8.29.	B	5	E	31	31	

```

      0 B      0      0||
- 838. 4.15. - 826. 8.29. B 0 B      0      31||
- 838. 4.15. - 826. 8.29. 844th position to E Jehu      33
- 822. 4.15. - 810. 8.29. 845th position to E Jehoahaz (Jehu) 31

```

16492 Bytes free.

```

(755th/845) position: - 838. 4.15. - 826. 8.29. E Jehu      33
Forward relations for entry Jehu      (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu)      (31/120) are generated.
Optimize dates...

```

```

Jehu      D Knd S      from:      to:|
- 838. 4.15. - 826. 8.29. E 0 E      33      33||
- 839. 4.15. - 825. 8.29. E 5 B      33      33||
- 838. 4.15. - 826. 8.29. E 7 B      31      33||
- 838. 4.15. - 826. 8.29. + 0 +      33      33||
      0 E      0      0||
- 838. 4.15. - 826. 8.29. E 0 E      0      33||

```

16492 Bytes free.

```

(756th/845) position: - 822. 4.15. - 810. 8.29. E Jehoahaz (Jehu) 31
Forward relations for entry Jehoahaz (Jehu)      (31/120) are generated.
Backward relations for entry Joash (Jehoahaz)      (30/120) are generated.
Optimize dates...

```

```

Jehoahaz (Jehu)      D Knd S      from:      to:|
- 822. 4.15. - 810. 8.29. E 0 E      31      31||
- 822. 4.15. - 808. 8.29. E 5 B      31      31||
- 824. 4.15. - 810. 8.29. E 7 B      30      31||
- 822. 4.15. - 810. 8.29. + 0 +      31      31||
      0 E      0      0||
- 822. 4.15. - 810. 8.29. E 0 E      0      31||
- 822. 4.15. - 810. 8.29. 846th position to B Joash (Jehoahaz) 30

```

16492 Bytes free.

```

(757th/846) position: - 887. 4.15. - 875. 8.29. * Ahaziah (Joram) 35
Forward relations for entry Ahaziah (Joram)      (35/120) are generated.
Backward relations for entry Jehu      (33/120) are generated.
Backward relations for entry Athaliah      (34/120) are generated.
Forward relations for entry Ahaziah (Joram)      (36/120) are generated.
Optimize dates...

```

```

Ahaziah (Joram)      D Knd S      from:      to:|
- 887. 4.15. - 875. 8.29. * 0 *      35      35||
- 887. 4.15. - 875. 8.29. * 10 B      35      35||
      0 *      0      0||
- 887. 4.15. - 875. 8.29. * 0 *      0      35||

```

16492 Bytes free.

```

(758th/846) position: - 864. 4.15. - 854. 8.29. E Ahaziah (Joram) 35
Forward relations for entry Ahaziah (Joram)      (35/120) are generated.
Backward relations for entry Jehu      (33/120) are generated.
Backward relations for entry Athaliah      (34/120) are generated.
Forward relations for entry Ahaziah (Joram)      (36/120) are generated.
Optimize dates...

```

```

Ahaziah (Joram)      D Knd S      from:      to:|
- 864. 4.15. - 854. 8.29. E 0 E      35      35||
- 864. 4.15. - 852. 8.29. E 6 B      35      35||
- 866. 4.15. - 854. 8.29. E 7 B      33      35||
- 866. 4.15. - 854. 8.29. E 7 B      34      35||
- 864. 4.15. - 854. 8.29. + 0 +      35      35||

```

```

      0 E      0      0||
- 864. 4.15. - 854. 8.29. E 0 E      0      35||
- 864. 4.15. - 854. 8.29. 847th position to B Jehu      33
- 864. 4.15. - 854. 8.29. 848th position to B Athaliah    34

```

16492 Bytes free.

```

(759th/848) position: - 876. 4.15. - 865. 8.29.  B Joram (Ahab)      37
Forward relations for entry Joram (Ahab)      (37/120) are generated.
Backward relations for entry Jehu             (33/120) are generated.
Backward relations for entry Athaliah        (34/120) are generated.
Forward relations for entry Joram (Ahab)      (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab)      D Knd S      from:      to:|
- 876. 4.15. - 865. 8.29. B 0 B      37      37||
- 877. 4.15. - 865. 8.29. B 9 B      35      37||
- 876. 4.15. - 864. 8.29. B 9 B      36      37||
- 877. 4.15. - 865. 8.29. B 9 B      40      37||
- 879. 4.15. - 865. 8.29. B 5 E      38      38||
      0 B      0      0||
- 876. 4.15. - 865. 8.29. B 0 B      0      37||
- 865. 4.15. - 854. 8.29. 849th position to E Joram (Ahab)    38

```

16492 Bytes free.

```

(760th/849) position: - 865. 4.15. - 854. 8.29.  E Joram (Ahab)      38
Forward relations for entry Joram (Ahab)      (37/120) are generated.
Backward relations for entry Jehu             (33/120) are generated.
Backward relations for entry Athaliah        (34/120) are generated.
Forward relations for entry Joram (Ahab)      (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab)      D Knd S      from:      to:|
- 865. 4.15. - 854. 8.29. E 0 E      37      37||
- 864. 4.15. - 854. 8.29. E 8 B      33      37||
- 864. 4.15. - 854. 8.29. E 8 B      34      37||
- 865. 4.15. - 852. 8.29. E 5 B      38      38||
- 865. 4.15. - 854. 8.29. + 0 +      37      37||
      1Y      0 E      0      0||
- 864. 4.15. - 854. 8.29. E 0 E      0      37||
- 864. 4.15. - 854. 8.29. 850th position to E Joram (Ahab)    38

```

16492 Bytes free.

```

(761st/850) position: - 864. 4.15. - 854. 8.29.  B Jehu      33
Forward relations for entry Jehu             (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu)  (31/120) are generated.

```

Optimize dates...

```

Jehu      D Knd S      from:      to:|
- 864. 4.15. - 854. 8.29. B 0 B      33      33||
- 864. 4.15. - 854. 8.29. B 1 E      35      33||
- 864. 4.15. - 854. 8.29. B 2 E      37      33||
- 867. 4.15. - 853. 8.29. B 5 E      33      33||
- 868. 4.15. - 854. 8.29. B 9 B      32      33||
      0 B      0      0||
- 864. 4.15. - 854. 8.29. B 0 B      0      33||
- 837. 4.15. - 826. 8.29. 851st position to E Jehu      33
- 858. 4.15. - 848. 8.29. 852nd position to B Joash (Ahaziah)  32

```

16492 Bytes free.

```

(762nd/852) position: - 864. 4.15. - 854. 8.29.  B Athaliah      34
Forward relations for entry Athaliah          (34/120) are generated.

```

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:
- 864. 4.15. - 854. 8.29. B	0	B		34	34
- 864. 4.15. - 854. 8.29. B	1	E		35	34
- 864. 4.15. - 854. 8.29. B	2	E		37	34
- 867. 4.15. - 853. 8.29. B	5	E		34	34
	0	B		0	0
- 864. 4.15. - 854. 8.29. B	0	B		0	34
- 859. 4.15. - 848. 8.29.	853rd position to E Athaliah				34

16492 Bytes free.

(763rd/853) position: - 864. 4.15. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
- 864. 4.15. - 854. 8.29. B	0	B		33	33
- 864. 4.15. - 854. 8.29. B	1	E		35	33
- 864. 4.15. - 854. 8.29. B	2	E		37	33
- 866. 4.15. - 853. 8.29. B	5	E		33	33
- 866. 4.15. - 854. 8.29. B	9	B		32	33
	0	B		0	0
- 864. 4.15. - 854. 8.29. B	0	B		0	33

16492 Bytes free.

(764th/853) position: - 864. 4.15. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:
- 864. 4.15. - 854. 8.29. B	0	B		34	34
- 864. 4.15. - 854. 8.29. B	1	E		35	34
- 864. 4.15. - 854. 8.29. B	2	E		37	34
- 866. 4.15. - 853. 8.29. B	5	E		34	34
	0	B		0	0
- 864. 4.15. - 854. 8.29. B	0	B		0	34

16492 Bytes free.

(765th/853) position: - 864. 4.15. - 854. 8.29. E Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 864. 4.15. - 854. 8.29. E	0	E		37	37
- 864. 4.15. - 854. 8.29. E	8	B		33	37
- 864. 4.15. - 854. 8.29. E	8	B		34	37
- 865. 4.15. - 852. 8.29. E	5	B		38	38
- 864. 4.15. - 854. 8.29. +	0	+		37	37
	0	E		0	0
- 864. 4.15. - 854. 8.29. E	0	E		0	37

16492 Bytes free.

(766th/853) position: - 837. 4.15. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:	
- 837. 4.15. - 826. 8.29.	E	0	E	33	33	
- 837. 4.15. - 825. 8.29.	E	5	B	33	33	
- 838. 4.15. - 826. 8.29.	E	7	B	31	33	
- 837. 4.15. - 826. 8.29.	+	0	+	33	33	
		0	E	0	0	
- 837. 4.15. - 826. 8.29.	E	0	E	0	33	
- 837. 4.15. - 826. 8.29.				854th position to B Jehoahaz (Jehu)		31

16492 Bytes free.

(767th/854) position: - 858. 4.15. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 858. 4.15. - 848. 8.29.	B	0	B	32	32	
- 859. 4.15. - 848. 8.29.	B	1	E	34	32	
- 858. 4.15. - 846. 8.29.	B	3	B	33	32	
- 862. 4.15. - 848. 8.29.	B	5	E	32	32	
- 862. 4.15. - 846. 8.29.	B	4	*	32	32	
- 860. 4.15. - 846. 8.29.	B	9	B	30	32	
- 861. 4.15. - 848. 8.29.	B	9	B	31	32	
		0	B	0	0	
- 858. 4.15. - 848. 8.29.	B	0	B	0	32	
- 858. 4.15. - 848. 8.29.				855th position to E Athaliah		34
- 819. 4.15. - 809. 8.29.				856th position to E Joash (Ahaziah)		32
- 866. 4.15. - 854. 8.29.				857th position to * Joash (Ahaziah)		32
- 836. 4.15. - 826. 8.29.				858th position to B Jehoahaz (Jehu)		31

16492 Bytes free.

(768th/858) position: - 858. 4.15. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 858. 4.15. - 848. 8.29.	E	0	E	34	34	
- 859. 4.15. - 847. 8.29.	E	5	B	34	34	
- 858. 4.15. - 848. 8.29.	E	7	B	32	34	
- 858. 4.15. - 848. 8.29.	+	0	+	34	34	
		0	E	0	0	
- 858. 4.15. - 848. 8.29.	E	0	E	0	34	

16492 Bytes free.

(769th/858) position: - 868. 4.21. - 858. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
- 868. 4.21. - 858. 8.29.	E	0	E	43	43	
- 868. 4.21. >	E	2	E	41	43	
- 868. 4.15. - 858. 8.29.	E	7	B	39	43	
≤ - 858. 8.29.	E	8	α	37	43	
- 868. 4.21. - 858. 8.29.	+	0	+	43	43	
		0	E	0	0	
- 868. 4.21. - 858. 8.29.	E	0	E	0	43	

- 868. 4.21. - 858. 8.29. 859th position to B Elisha 39

16492 Bytes free.

(770th/859) position: - 868. 4.21. - 858. 8.29. B Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:†
- 868. 4.21. - 858. 8.29.	B	0	B	39	39
- 868. 4.21. - 858. 8.29.	B	1	E	43	39
		0	B	0	0
- 868. 4.21. - 858. 8.29.	B	0	B	0	39

16492 Bytes free.

(771st/859) position: - 868. 4.21. - 858. 8.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
- 868. 4.21. - 858. 8.29.	α	0	α	37	37
- 868. 4.21. - 858. 8.29.	α	1	E	41	37
- 868. 4.21. ≥	α	2	E	43	37
- 870. 4.15. - 858. 8.29.	α	3	B	40	37
- 870. 4.21. - 856. 8.23.	α	4	B	42	37
		0	α	0	0
- 868. 4.21. - 858. 8.29.	α	0	α	0	37
- 871. 4.21. - 861. 8.29.				860th position to B Jehoram (Jehoshaphat)	40

16492 Bytes free.

(772nd/860) position: - 871. 4.21. - 861. 8.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
- 871. 4.21. - 861. 8.29.	B	0	B	40	40
- 872. 4.15. - 859. 8.29.	B	3	B	37	40
- 873. 4.15. - 859. 8.29.	B	4	*	40	40
- 873. 4.15. - 861. 8.29.	B	6	E	40	40
- 871. 4.21. - 859. 8.29.	B	9	α	37	40
		0	B	0	0
- 871. 4.21. - 861. 8.29.	B	0	B	0	40
- 904. 4.21. - 892. 8.29.				861st position to * Jehoram (Jehoshaphat)	40
- 864. 4.21. - 854. 8.29.				862nd position to E Jehoram (Jehoshaphat)	40

16492 Bytes free.

(773rd/862) position: - 876. 4.15. - 865. 8.29. B Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
- 876. 4.15. - 865. 8.29.	B	0	B	37	37
- 877. 4.15. - 865. 8.29.	B	9	B	35	37
- 876. 4.15. - 864. 8.29.	B	9	B	36	37
- 877. 4.21. - 865. 8.29.	B	9	B	40	37

```

- 877. 4.15. - 865. 8.29. B 5 E      38      38||
                          0 B      0      0||
- 876. 4.15. - 865. 8.29. B 0 B      0      37||

```

16492 Bytes free.

(774th/862) position: - 904. 4.21. - 892. 8.29. * Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 904. 4.21. - 892. 8.29. * 0 *      40      40||
- 904. 4.21. - 892. 8.29. * 10 B     40      40||
                          0 *      0      0||
- 904. 4.21. - 892. 8.29. * 0 *      0      40||

```

16492 Bytes free.

(775th/862) position: - 864. 4.21. - 854. 8.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 864. 4.21. - 854. 8.29. E 0 E      40      40||
- 864. 4.21. - 852. 8.29. E 6 B      40      40||
- 864. 4.15. - 854. 8.29. E 7 B      35      40||
- 864. 4.21. - 854. 8.29. + 0 +      40      40||
                          0 E      0      0||
- 864. 4.21. - 854. 8.29. E 0 E      0      40||
- 864. 4.21. - 854. 8.29. 863rd position to B Ahaziah (Joram)      35

```

16492 Bytes free.

(776th/863) position: - 864. 4.21. - 854. 8.29. B Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

```

Ahaziah (Joram)           D Knd S      from:      to:|
- 864. 4.21. - 854. 8.29. B 0 B      35      35||
- 864. 4.21. - 854. 8.29. B 1 E      40      35||
- 865. 4.15. - 852. 8.29. B 3 B      37      35||
- 866. 4.15. - 852. 8.29. B 4 *      35      35||
- 866. 4.15. - 854. 8.29. B 6 E      35      35||
- 866. 4.15. - 853. 8.29. B 3 B      37      36||
                          0 B      0      0||
- 864. 4.21. - 854. 8.29. B 0 B      0      35||
- 887. 4.21. - 875. 8.29. 864th position to * Ahaziah (Joram)      35
- 864. 4.21. - 854. 8.29. 865th position to E Ahaziah (Joram)      35
- 876. 4.21. - 865. 8.29. 866th position to B Joram (Ahab)      37

```

16492 Bytes free.

(777th/866) position: - 864. 4.15. - 854. 8.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)              D Knd S      from:      to:|
- 864. 4.15. - 854. 8.29. E 0 E      37      37||

```

```

- 864. 4.15. - 854. 8.29. E 8 B      33      37||
- 864. 4.15. - 854. 8.29. E 8 B      34      37||
- 865. 4.21. - 852. 8.29. E 5 B      38      38||
- 864. 4.15. - 854. 8.29. + 0 +      37      37||
                               0 E      0      0||
- 864. 4.15. - 854. 8.29. E 0 E      0      37||

```

16492 Bytes free.

```

(778th/866) position: - 864. 4.21. - 854. 8.29.   B Ahaziah (Joram)      35
Forward relations for entry Ahaziah (Joram)        (35/120) are generated.
Backward relations for entry Jehu                  (33/120) are generated.
Backward relations for entry Athaliah              (34/120) are generated.
Forward relations for entry Ahaziah (Joram)        (36/120) are generated.

```

Optimize dates...

```

Ahaziah (Joram)          D Knd S   from:   to:|
- 864. 4.21. - 854. 8.29. B 0 B     35     35||
- 864. 4.21. - 854. 8.29. B 1 E     40     35||
- 865. 4.21. - 852. 8.29. B 3 B     37     35||
- 866. 4.21. - 852. 8.29. B 4 *     35     35||
- 866. 4.21. - 854. 8.29. B 6 E     35     35||
- 866. 4.21. - 853. 8.29. B 3 B     37     36||
                               0 B      0      0||
- 864. 4.21. - 854. 8.29. B 0 B      0     35||

```

16492 Bytes free.

```

(779th/866) position: - 864. 4.15. - 854. 8.29.   B Jehu      33
Forward relations for entry Jehu                    (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu)        (31/120) are generated.

```

Optimize dates...

```

Jehu                    D Knd S   from:   to:|
- 864. 4.15. - 854. 8.29. B 0 B     33     33||
- 864. 4.21. - 854. 8.29. B 1 E     35     33||
- 864. 4.15. - 854. 8.29. B 2 E     37     33||
- 866. 4.15. - 853. 8.29. B 5 E     33     33||
- 866. 4.15. - 854. 8.29. B 9 B     32     33||
        6D              0 B      0      0||
- 864. 4.21. - 854. 8.29. B 0 B      0     33||
- 864. 4.21. - 854. 8.29.   867th position to B Jehu      33
- 864. 4.21. - 854. 8.29.   868th position to E Joram (Ahab)  37
- 837. 4.21. - 826. 8.29.   869th position to E Jehu      33
- 858. 4.21. - 848. 8.29.   870th position to B Joash (Ahaziah) 32

```

16492 Bytes free.

```

(780th/870) position: - 864. 4.15. - 854. 8.29.   B Athaliah      34
Forward relations for entry Athaliah                (34/120) are generated.
Backward relations for entry Joash (Ahaziah)        (32/120) are generated.

```

Optimize dates...

```

Athaliah                D Knd S   from:   to:|
- 864. 4.15. - 854. 8.29. B 0 B     34     34||
- 864. 4.21. - 854. 8.29. B 1 E     35     34||
- 864. 4.21. - 854. 8.29. B 2 E     37     34||
- 865. 4.15. - 853. 8.29. B 5 E     34     34||
        6D              0 B      0      0||
- 864. 4.21. - 854. 8.29. B 0 B      0     34||
- 864. 4.21. - 854. 8.29.   871st position to B Athaliah      34

```

16492 Bytes free.

```

(781st/871) position: - 887. 4.21. - 875. 8.29.   * Ahaziah (Joram)      35

```

Forward relations for entry Ahaziah (Joram) (35/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
- 887. 4.21. - 875. 8.29. * 0 *				35	35
- 887. 4.21. - 875. 8.29. * 10 B				35	35
			0 *	0	0
- 887. 4.21. - 875. 8.29. * 0 *				0	35

16492 Bytes free.

(782nd/871) position: - 864. 4.21. - 854. 8.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
- 864. 4.21. - 854. 8.29. E 0 E				35	35
- 864. 4.21. - 852. 8.29. E 6 B				35	35
- 864. 4.21. - 854. 8.29. E 7 B				33	35
- 864. 4.21. - 854. 8.29. E 7 B				34	35
- 864. 4.21. - 854. 8.29. + 0 +				35	35
			0 E	0	0
- 864. 4.21. - 854. 8.29. E 0 E				0	35

16492 Bytes free.

(783rd/871) position: - 876. 4.21. - 865. 8.29. B Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 876. 4.21. - 865. 8.29. B 0 B				37	37
- 877. 4.21. - 865. 8.29. B 9 B				35	37
- 876. 4.21. - 864. 8.29. B 9 B				36	37
- 877. 4.21. - 865. 8.29. B 9 B				40	37
- 877. 4.21. - 865. 8.29. B 5 E				38	38
			0 B	0	0
- 876. 4.21. - 865. 8.29. B 0 B				0	37

16492 Bytes free.

(784th/871) position: - 890. 4.21. - 880. 8.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:
- 890. 4.21. - 880. 8.29. E 0 E				45	45
- 890. 4.21. - 878. 8.29. E 6 B				45	45
- 890. 4.21. - 880. 8.29. E 7 B				44	45
- 890. 4.21. - 880. 8.29. + 0 +				45	45
			0 E	0	0
- 890. 4.21. - 880. 8.29. E 0 E				0	45

16492 Bytes free.

(785th/871) position: - 890. 4.21. - 880. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahab	D	Kind	S	from:	to:†
- 890. 4.21. - 880. 8.29. B	0	B		44	44
- 890. 4.21. - 880. 8.29. B	1	E		45	44
- 890. 4.15. - 878. 8.23. B	3	B		51	44
- 892. 4.21. - 880. 8.29. B	5	E		44	44
≤- 859. 8.29. B	7	B		43	44
- 892. 4.21. - 878. 8.23. B	9	B		42	44
	0	B		0	0
- 890. 4.21. - 880. 8.29. B	0	B		0	44

16492 Bytes free.

(786th/871) position: - 927. 4.15. - 917. 8.23. E Abijam = Abijah 52
 Forward relations for entry Abijam = Abijah (52/120) are generated.
 Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:†
- 927. 4.15. - 917. 8.23. E	0	E		52	52
- 927. 4.15. - 915. 8.23. E	5	B		52	52
- 927. 4.15. - 917. 8.23. E	7	B		51	52
- 927. 4.15. - 917. 8.23. +	0	+		52	52
	0	E		0	0
- 927. 4.15. - 917. 8.23. E	0	E		0	52

16492 Bytes free.

(787th/871) position: - 887. 4.21. - 875. 8.23. E Asa 51
 Forward relations for entry Asa (51/120) are generated.
 Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:†
- 887. 4.21. - 875. 8.23. E	0	E		51	51
- 887. 4.15. - 875. 8.23. E	5	B		51	51
- 887. 4.21. - 875. 8.23. E	7	B		42	51
- 887. 4.21. - 875. 8.23. +	0	+		51	51
	0	E		0	0
- 887. 4.21. - 875. 8.23. E	0	E		0	51

16492 Bytes free.

(788th/871) position: - 897. 4.15. - 885. 8.23. α Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:†
- 897. 4.15. - 885. 8.23. α	0	α		45	45
- 897. 4.15. - 885. 8.23. α	1	E		46	45
- 897. 4.15. - 885. 8.23. α	3	B		51	45
	0	α		0	0
- 897. 4.15. - 885. 8.23. α	0	α		0	45

16492 Bytes free.

(789th/871) position: - 924. 4.15. - 915. 8.23. B Baasha 49
 Forward relations for entry Baasha (49/120) are generated.
 Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:†
--------	---	------	---	-------	------

```

- 924. 4.15. - 915. 8.23. B 0 B      49      49||
- 924. 4.15. - 915. 8.23. B 1 E      50      49||
- 925. 4.15. - 913. 8.23. B 3 B      51      49||
- 927. 4.15. - 915. 8.23. B 5 E      49      49||
                        0 B          0        0||
- 924. 4.15. - 915. 8.23. B 0 B          0      49||
- 901. 4.15. - 892. 8.23. 872nd position to E Baasha

```

49

16492 Bytes free.

```

(790th/872) position: - 925. 4.15. - 916. 8.23. B Nadab          50
Forward relations for entry Nadab      (50/120) are generated.
Backward relations for entry Baasha    (49/120) are generated.
Optimize dates...

```

```

Nadab          D Knd S      from:      to:|
- 925. 4.15. - 916. 8.23. B 0 B      50      50||
- 925. 4.15. - 916. 8.23. B 1 E      53      50||
- 926. 4.15. - 914. 8.23. B 3 B      51      50||
- 927. 4.15. - 916. 8.23. B 5 E      50      50||
                        0 B          0        0||
- 925. 4.15. - 916. 8.23. B 0 B          0      50||

```

16492 Bytes free.

```

(791st/872) position: - 924. 4.15. - 915. 8.23. + Nadab          50
Forward relations for entry Nadab      (50/120) are generated.
Backward relations for entry Baasha    (49/120) are generated.
Optimize dates...

```

```

Nadab          D Knd S      from:      to:|
- 924. 4.15. - 915. 8.23. E 0 E      50      50||
- 924. 4.15. - 913. 8.23. E 5 B      50      50||
- 924. 4.15. - 915. 8.23. E 7 B      49      50||
- 924. 4.15. - 915. 8.23. + 0 +      50      50||
- 925. 4.15. - 913. 8.23. + 4 B      51      50||
                        0 E          0        0||
- 924. 4.15. - 915. 8.23. E 0 E          0      50||

```

16492 Bytes free.

```

(792nd/872) position: - 901. 4.15. - 892. 8.23. E Baasha          49
Forward relations for entry Baasha    (49/120) are generated.
Backward relations for entry Elah     (48/120) are generated.
Optimize dates...

```

```

Baasha        D Knd S      from:      to:|
- 901. 4.15. - 892. 8.23. E 0 E      49      49||
- 901. 4.15. - 890. 8.23. E 5 B      49      49||
- 902. 4.15. - 892. 8.23. E 7 B      48      49||
- 901. 4.15. - 892. 8.23. + 0 +      49      49||
                        0 E          0        0||
- 901. 4.15. - 892. 8.23. E 0 E          0      49||
- 901. 4.15. - 892. 8.23. 873rd position to B Elah

```

48

16492 Bytes free.

```

(793rd/873) position: - 924. 4.15. - 915. 8.23. B Baasha          49
Forward relations for entry Baasha    (49/120) are generated.
Backward relations for entry Elah     (48/120) are generated.
Optimize dates...

```

```

Baasha        D Knd S      from:      to:|
- 924. 4.15. - 915. 8.23. B 0 B      49      49||
- 924. 4.15. - 915. 8.23. B 1 E      50      49||
- 925. 4.15. - 913. 8.23. B 3 B      51      49||

```

```
- 926. 4.15. - 915. 8.23. B 5 E      49      49||
                          0 B        0        0||
- 924. 4.15. - 915. 8.23. B 0 B        0        49||
```

16492 Bytes free.

(794th/873) position: - 929. 4.15. - 919. 8.23. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```
Abijam = Abijah          D Knd S   from:   to:|
- 929. 4.15. - 919. 8.23. B 0 B     52     52||
- 929. 4.15. - 919. 8.23. B 1 E     54     52||
- 929. 4.15. - 918. 8.23. B 3 B     53     52||
- 931. 4.15. - 919. 8.23. B 5 E     52     52||
                          0 B        0        0||
- 929. 4.15. - 919. 8.23. B 0 B        0     52||
```

16492 Bytes free.

(795th/873) position: - 887. 4.21. - 875. 8.23. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```
Jehoshaphat            D Knd S   from:   to:|
- 887. 4.21. - 875. 8.23. B 0 B     42     42||
- 887. 4.21. - 875. 8.23. B 1 E     51     42||
- 887. 4.21. - 875. 8.29. B 3 B     44     42||
- 889. 4.21. - 873. 8.23. B 4 *     42     42||
- 889. 4.21. - 873. 8.23. B 6 E     42     42||
- 887. 4.21. - 875. 8.29. B 9 B     41     42||
- 887. 4.21. - 875. 8.29. B 10 α    37     42||
                          0 B        0        0||
- 887. 4.21. - 875. 8.23. B 0 B        0     42||
```

16492 Bytes free.

(796th/873) position: - 869. 4.21. - 859. 8.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```
Ahab                   D Knd S   from:   to:|
- 869. 4.21. - 859. 8.29. E 0 E     44     44||
- 890. 4.21. ≥          E 2 B     43     44||
- 869. 4.21. - 857. 8.29. E 5 B     44     44||
- 869. 4.21. - 859. 8.29. E 7 B     41     44||
- 869. 4.21. - 859. 8.29. + 0 +     44     44||
                          0 E        0        0||
- 869. 4.21. - 859. 8.29. E 0 E        0     44||
```

16492 Bytes free.

(797th/873) position: - 890. 4.21. - 859. 8.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```
Elijah                 D Knd S   from:   to:|
- 890. 4.21. - 859. 8.29. B 0 B     43     43||
- 890. 4.21. ≥          B 1 B     44     43||
```



```

≤- 859. 8.29. B 8 E 44 43||
      0 B 0 0||
- 890. 4.21. - 859. 8.29. B 0 B 0 43||

```

16492 Bytes free.

(798th/873) position: - 887. 4.21. - 875. 8.23. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```

Jehoshaphat      D Knd S  from:  to:|
- 887. 4.21. - 875. 8.23. B 0 B 42 42||
- 887. 4.21. - 875. 8.23. B 1 E 51 42||
- 887. 4.21. - 875. 8.29. B 3 B 44 42||
- 889. 4.21. - 873. 8.23. B 4 * 42 42||
- 889. 4.21. - 873. 8.23. B 6 E 42 42||
- 887. 4.21. - 875. 8.29. B 9 B 41 42||
- 887. 4.21. - 875. 8.29. B 10 α 37 42||
      0 B 0 0||
- 887. 4.21. - 875. 8.23. B 0 B 0 42||

```

16492 Bytes free.

(799th/873) position: - 897. 4.15. - 885. 8.23. E Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Tibni            D Knd S  from:  to:|
- 897. 4.15. - 885. 8.23. E 0 E 46 46||
- 897. 4.15. - 885. 8.23. E 7 α 45 46||
- 897. 4.15. - 885. 8.23. + 0 + 46 46||
      0 E 0 0||
- 897. 4.15. - 885. 8.23. E 0 E 0 46||

```

16492 Bytes free.

(800th/873) position: - 924. 4.15. - 915. 8.23. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```

Nadab            D Knd S  from:  to:|
- 924. 4.15. - 915. 8.23. E 0 E 50 50||
- 924. 4.15. - 913. 8.23. E 5 B 50 50||
- 924. 4.15. - 915. 8.23. E 7 B 49 50||
- 924. 4.15. - 915. 8.23. + 0 + 50 50||
- 925. 4.15. - 913. 8.23. + 4 B 51 50||
      0 E 0 0||
- 924. 4.15. - 915. 8.23. E 0 E 0 50||

```

16492 Bytes free.

(801st/873) position: - 925. 4.15. - 916. 8.23. B Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```

Nadab            D Knd S  from:  to:|
- 925. 4.15. - 916. 8.23. B 0 B 50 50||
- 925. 4.15. - 916. 8.23. B 1 E 53 50||
- 926. 4.15. - 914. 8.23. B 3 B 51 50||
- 927. 4.15. - 916. 8.23. B 5 E 50 50||
      0 B 0 0||
- 925. 4.15. - 916. 8.23. B 0 B 0 50||

```

16492 Bytes free.
 (802nd/873) position: - 925. 4.15. - 916. 8.23. E Jeroboam (Nebat) 53
 Forward relations for entry Jeroboam (Nebat) (53/120) are generated.
 Backward relations for entry Nadab (50/120) are generated.
 Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
- 925. 4.15. - 916. 8.23.	E	0	E	53	53
- 925. 4.15. - 914. 8.23.	E	5	B	53	53
- 925. 4.15. - 916. 8.23.	E	7	B	50	53
- 925. 4.15. - 916. 8.23.	+	0	+	53	53
		0	E	0	0
- 925. 4.15. - 916. 8.23.	E	0	E	0	53

16492 Bytes free.
 (803rd/873) position: - 924. 4.15. - 915. 8.23. E Nadab 50
 Forward relations for entry Nadab (50/120) are generated.
 Backward relations for entry Baasha (49/120) are generated.
 Optimize dates...

Nadab	D	Kind	S	from:	to:
- 924. 4.15. - 915. 8.23.	E	0	E	50	50
- 924. 4.15. - 913. 8.23.	E	5	B	50	50
- 924. 4.15. - 915. 8.23.	E	7	B	49	50
- 924. 4.15. - 915. 8.23.	+	0	+	50	50
- 925. 4.15. - 913. 8.23.	+	4	B	51	50
		0	E	0	0
- 924. 4.15. - 915. 8.23.	E	0	E	0	50

16492 Bytes free.
 (804th/873) position: - 924. 4.15. - 915. 8.23. B Baasha 49
 Forward relations for entry Baasha (49/120) are generated.
 Backward relations for entry Elah (48/120) are generated.
 Optimize dates...

Baasha	D	Kind	S	from:	to:
- 924. 4.15. - 915. 8.23.	B	0	B	49	49
- 924. 4.15. - 915. 8.23.	B	1	E	50	49
- 925. 4.15. - 913. 8.23.	B	3	B	51	49
- 926. 4.15. - 915. 8.23.	B	5	E	49	49
		0	B	0	0
- 924. 4.15. - 915. 8.23.	B	0	B	0	49

16492 Bytes free.
 (805th/873) position: - 869. 4.21. - 859. 8.29. B Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
- 869. 4.21. - 859. 8.29.	B	0	B	41	41
- 869. 4.21. - 859. 8.29.	B	1	E	44	41
- 871. 4.21. - 857. 8.23.	B	3	B	42	41
- 871. 4.21. - 859. 8.29.	B	5	E	41	41
		0	B	0	0
- 869. 4.21. - 859. 8.29.	B	0	B	0	41

16492 Bytes free.
 (806th/873) position: - 868. 4.21. - 858. 8.29. E Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:†
- 868. 4.21. - 858. 8.29. E	0	E		41	41
- 868. 4.21. - 856. 8.29. E	5	B		41	41
- 868. 4.21. - 858. 8.29. E	7	α		37	41
≤-	8	E		43	41
- 868. 4.21. - 858. 8.29. +	0	+		41	41
	0	E		0	0
- 868. 4.21. - 858. 8.29. E	0	E		0	41

16492 Bytes free.

(807th/873) position: - 887. 4.21. - 875. 8.23. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:†
- 887. 4.21. - 875. 8.23. E	0	E		51	51
- 887. 4.15. - 875. 8.23. E	5	B		51	51
- 887. 4.21. - 875. 8.23. E	7	B		42	51
- 887. 4.21. - 875. 8.23. +	0	+		51	51
	0	E		0	0
- 887. 4.21. - 875. 8.23. E	0	E		0	51

16492 Bytes free.

(808th/873) position: - 923. 4.21. - 909. 8.23. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
- 923. 4.21. - 909. 8.23. *	0	*		42	42
- 923. 4.21. - 909. 8.23. *	10	B		42	42
	0	*		0	0
- 923. 4.21. - 909. 8.23. *	0	*		0	42

16492 Bytes free.

(809th/873) position: - 863. 4.21. - 849. 8.23. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
- 863. 4.21. - 849. 8.23. E	0	E		42	42
- 863. 4.21. - 849. 8.23. E	6	B		42	42
- 866. 4. 7. - 849. 8.29. E	7	α		40	42
- 863. 4.21. - 849. 8.23. +	0	+		42	42
	0	E		0	0
- 863. 4.21. - 849. 8.23. E	0	E		0	42
- 863. 4.21. - 849. 8.23.	874th position to α Jehoram (Jehoshaphat)				40

16492 Bytes free.

(810th/874) position: - 868. 4.21. - 858. 8.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
--------------	---	------	---	-------	------

```

- 868. 4.21. - 858. 8.29. α 0 α      37      37||
- 868. 4.21. - 858. 8.29. α 1 E      41      37||
- 868. 4.21. ≥                α 2 E      43      37||
- 870. 4.21. - 858. 8.29. α 3 B      40      37||
- 870. 4.21. - 856. 8.23. α 4 B      42      37||
                        0 α          0          0||
- 868. 4.21. - 858. 8.29. α 0 α          0          37||

```

16492 Bytes free.

(811th/874) position: - 868. 4.21. - 858. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Elijah                D Knd S   from:   to:|
- 868. 4.21. - 858. 8.29. E 0 E     43     43||
- 868. 4.21. ≥                E 2 E     41     43||
- 868. 4.21. - 858. 8.29. E 7 B     39     43||
                        ≤- 858. 8.29. E 8 α     37     43||
- 868. 4.21. - 858. 8.29. + 0 +     43     43||
                        0 E          0          0||
- 868. 4.21. - 858. 8.29. E 0 E          0          43||

```

16492 Bytes free.

(812th/874) position: -1255. 9. 1. -1211. 6.30. B Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

```

Deborah and Barak      D Knd S   from:   to:|
-1255. 9. 1. -1211. 6.30. B 0 B     75     75||
-1255. 9. 1. -1211. 6.30. B 1 E     76     75||
-1257. 9. 1. -1211. 6.30. B 5 E     75     75||
                        0 B          0          0||
-1255. 9. 1. -1211. 6.30. B 0 B          0          75||

```

16492 Bytes free.

(813th/874) position: -1216. 9. 1. -1172. 6.30. E Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

```

Deborah and Barak      D Knd S   from:   to:|
-1216. 9. 1. -1172. 6.30. E 0 E     75     75||
-1216. 9. 1. -1170. 6.30. E 5 B     75     75||
-1216. 9. 1. -1172. 6.30. E 7 B     74     75||
                        0 E          0          0||
-1216. 9. 1. -1172. 6.30. E 0 E          0          75||

```

16492 Bytes free.

(814th/874) position: -1216. 9. 1. -1172. 6.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

```

Midianites              D Knd S   from:   to:|
-1216. 9. 1. -1172. 6.30. B 0 B     74     74||
-1216. 9. 1. -1172. 6.30. B 1 E     75     74||
-1218. 9. 1. -1172. 6.30. B 5 E     74     74||
                        0 B          0          0||

```

-1216. 9. 1. -1172. 6.30. B 0 B 0 74||

16492 Bytes free.

(815th/874) position: -1210. 9. 1. -1166. 6.30. E Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites D Knd S from: to:|

-1210. 9. 1. -1166. 6.30. E 0 E 74 74||

-1210. 9. 1. -1164. 6.30. E 5 B 74 74||

≤-1166. 6.30. E 7 B 73 74||

0 E 0 0||

-1210. 9. 1. -1166. 6.30. E 0 E 0 74||

-1210. 9. 1. -1166. 6.30. 875th position to B Gideon = Jerubbaal 73

16492 Bytes free.

(816th/875) position: -1352. 1.22. -1309. 6.30. B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud D Knd S from: to:|

-1352. 1.22. -1309. 6.30. B 0 B 77 77||

-1352. 1.22. -1309. 6.30. B 1 E 78 77||

-1355. 9. 1. -1309. 6.30. B 5 E 77 77||

0 B 0 0||

-1352. 1.22. -1309. 6.30. B 0 B 0 77||

-1273. 1.22. -1230. 6.30. 876th position to E Ehud 77

16492 Bytes free.

(817th/876) position: -2459. 9.15. -2448. 8.29. E Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood D Knd S from: to:|

-2459. 9.15. -2448. 8.29. E 0 E 107 107||

-2461. 9.15. -2448. 8.29. E 9 * 105 107||

-2461. 9.15. -2443.11. 6. E 10 + 110 107||

-2459. 9.15. -2444. 1. 3. E 3 * 110 108||

0 E 0 0||

-2459. 9.15. -2448. 8.29. E 0 E 0 107||

-2110. 9.15. -2097. 8.29. 877th position to + Noah 110

-3059. 7.19. -3048. 7. 3. 878th position to * Noah 110

16492 Bytes free.

(818th/878) position: -2559. 9.15. -2546. 8.29. * Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem D Knd S from: to:|

-2559. 9.15. -2546. 8.29. * 0 * 109 109||

-2560. 7.19. -2547. 7. 3. * 3 * 110 109||

-2559. 9.15. -2546. 8.29. * 10 * 105 109||

1Y 1M26D 0 * 0 0||

-2559. 9.15. -2547. 7. 3. * 0 * 0 109||

-2559. 9.15. -2547. 7. 3. 879th position to * Shem 109

16492 Bytes free.

(819th/879) position: -1959. 9.15. -1946. 8.29. + Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:
-1959. 9.15. -1946. 8.29. + 0 +				109	109
-1959. 9.15. -1946. 8.29. + 4 *				105	109
			0 +	0	0
-1959. 9.15. -1946. 8.29. + 0 +				0	109

16492 Bytes free.

(820th/879) position: - 770. 6.22. - 755. 8.29. E Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.
 Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:
- 770. 6.22. - 755. 8.29. E 0 E				27	27
- 772. 2. 1. - 753. 8.29. E 5 B				27	27
- 770. 6.22. - 755. 8.29. E 7 B				25	27
- 770. 6.22. - 755. 8.29. + 0 +				27	27
			0 E	0	0
- 770. 6.22. - 755. 8.29. E 0 E				0	27
- 812. 6.22. - 795. 8.29.				880th position to B Jeroboam (Joash)	27

16492 Bytes free.

(821st/880) position: -1408. 9.15.≥ B Othniel 79
 Forward relations for entry Othniel (79/120) are generated.
 Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kind	S	from:	to:
-1408. 9.15.≥			B 0 B	79	79
-1408. 9.15.≥			B 1 E	80	79
-1410. 1.22.≥			B 5 E	79	79
			0 B	0	0
-1408. 9.15.≥			B 0 B	0	79
-1369. 9.15.≥				881st position to E Othniel	79

16492 Bytes free.

(822nd/881) position: -1067. 4.15. -1051. 5.29. B Saul 60
 Forward relations for entry Saul (60/120) are generated.
 Backward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kind	S	from:	to:
-1067. 4.15. -1051. 5.29. B 0 B				60	60
-1071. 4. 1. -1051. 5.29. B 1 E				61	60
-1077. 7.15.≥			B 2 E	63	60
-1067. 4.15. -1051. 5.29. B 5 E				60	60
			0 B	0	0
-1067. 4.15. -1051. 5.29. B 0 B				0	60
-1067. 4.15. -1051. 5.29.				882nd position to E Samuel	61

16492 Bytes free.

(823rd/882) position: -1026. 4.15. -1012. 5.29. B Ishbosheth 59
 Forward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Kind	S	from:	to:
-1026. 4.15. -1012. 5.29. B 0 B				59	59
-1026. 4.15. -1012. 5.29. B 1 E				60	59
-1032. 4. 1. -1010. 5.29. B 3 *				59	59

```

-1032. 4. 1. -1010. 5.29. B 5 E      59      59||
                          0 B      0      0||
-1026. 4.15. -1012. 5.29. B 0 B      0      59||
-1067. 4.15. -1051. 5.29. 883rd position to * Ishbosheth      59
-1025. 4.15. -1009. 5.29. 884th position to E Ishbosheth      59

```

16492 Bytes free.

```

(824th/884) position: - 946. 4.15. - 937. 8.23. B Jeroboam (Nebat)      53
Forward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Nadab (50/120) are generated.
Optimize dates...

```

```

Jeroboam (Nebat)      D Knd S      from:      to:|
- 946. 4.15. - 937. 8.23. B 0 B      53      53||
- 946. 4.15. - 937. 8.23. B 1 E      57      53||
- 948. 4.15. - 937. 8.23. B 5 E      53      53||
- 948. 4.15. - 936. 8.23. B 9 B      51      53||
- 948. 4.15. - 936. 8.23. B 9 B      52      53||
                          0 B      0      0||
- 946. 4.15. - 937. 8.23. B 0 B      0      53||

```

16492 Bytes free.

```

(825th/884) position: - 946. 4.15. - 937. 8.23. E Solomon      57
Forward relations for entry Solomon (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam (54/120) are generated.
Optimize dates...

```

```

Solomon      D Knd S      from:      to:|
- 946. 4.15. - 937. 8.23. E 0 E      57      57||
- 946. 4.15. - 935. 8.23. E 5 B      57      57||
- 946. 4.15. - 937. 8.23. E 7 B      53      57||
- 946. 4.15. - 937. 8.23. E 7 B      54      57||
- 946. 4.15. - 937. 8.23. + 0 +      57      57||
                          0 E      0      0||
- 946. 4.15. - 937. 8.23. E 0 E      0      57||

```

16492 Bytes free.

```

(826th/884) position: - 985. 4.15. - 976. 8.23. B Solomon      57
Forward relations for entry Solomon (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam (54/120) are generated.
Optimize dates...

```

```

Solomon      D Knd S      from:      to:|
- 985. 4.15. - 976. 8.23. B 0 B      57      57||
- 985. 4.15. - 973.10.29. B 1 E      58      57||
- 987. 4.15. - 976. 8.23. B 5 E      57      57||
- 986.10.15. - 973.10.29. B 9 B      55      57||
- 985. 4.15. - 972. 4.29. B 9 E      56      57||
                          0 B      0      0||
- 985. 4.15. - 976. 8.23. B 0 B      0      57||
- 985. 4.15. - 976. 8.23. 885th position to E David      58
- 981.10.15. - 971. 8.23. 886th position to B Building the Temple      55
- 973. 4.15. - 964. 8.23. 887th position to E Building the Temple      56

```

16492 Bytes free.

```

(827th/887) position: - 946. 4.15. - 937. 8.23. B Rehoboam      54
Forward relations for entry Rehoboam (54/120) are generated.
Backward relations for entry Abijam = Abijah (52/120) are generated.
Optimize dates...

```

Rehoboam	D	Kind	S	from:	to:
- 946. 4.15. - 937. 8.23. B	0	B		54	54
- 946. 4.15. - 937. 8.23. B	1	E		57	54
- 948. 4.15. - 935. 8.23. B	3	*		54	54
- 947. 4.15. - 935. 8.23. B	5	E		54	54
	0	B		0	0
- 946. 4.15. - 937. 8.23. B	0	B		0	54

16492 Bytes free.

(828th/887) position: - 929. 4.15. - 919. 8.23. E Rehoboam 54
 Forward relations for entry Rehoboam (54/120) are generated.
 Backward relations for entry Abijam = Abijah (52/120) are generated.
 Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 929. 4.15. - 919. 8.23. E	0	E		54	54
- 930. 4.15. - 919. 8.23. E	5	B		54	54
- 929. 4.15. - 919. 8.23. E	7	B		52	54
- 929. 4.15. - 919. 8.23. +	0	+		54	54
	0	E		0	0
- 929. 4.15. - 919. 8.23. E	0	E		0	54

16492 Bytes free.

(829th/887) position: - 988. 4.15. - 977. 8.23. * Rehoboam 54
 Forward relations for entry Rehoboam (54/120) are generated.
 Backward relations for entry Abijam = Abijah (52/120) are generated.
 Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 988. 4.15. - 977. 8.23. *	0	*		54	54
- 988. 4.15. - 977. 8.23. *	9	B		54	54
	0	*		0	0
- 988. 4.15. - 977. 8.23. *	0	*		0	54

16492 Bytes free.

(830th/887) position: -1098. 7.15. -1070. 5.29. B Samuel 61
 Forward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Saul (60/120) are generated.
 Optimize dates...

Samuel	D	Kind	S	from:	to:
-1098. 7.15. -1070. 5.29. B	0	B		61	61
-1102. 7. 1. -1070. 5.29. B	2	E		64	61
-1098. 7.15. -1070. 5.29. B	9	E		63	61
	0	B		0	0
-1098. 7.15. -1070. 5.29. B	0	B		0	61
-1098. 7.15. -1070. 5.29.			888th position to E Eli		64

16492 Bytes free.

(831st/888) position: -1097. 7.15. -1051. 5.29. E Samson 62
 Forward relations for entry Samson (62/120) are generated.
 Backward relations for entry Philistines (63/120) are generated.
 Optimize dates...

Samson	D	Kind	S	from:	to:
-1097. 7.15. -1051. 5.29. E	0	E		62	62
-1097. 7.15. -1049. 5.29. E	5	B		62	62
≤-1051. 5.29. E	8	E		63	62
-1097. 7.15. -1051. 5.29. +	0	+		62	62
	0	E		0	0
-1097. 7.15. -1051. 5.29. E	0	E		0	62

16492 Bytes free.
 (832nd/888) position: -1110. 7.15.≥ B Elon 66
 Forward relations for entry Elon (66/120) are generated.
 Backward relations for entry Abdon (65/120) are generated.
 Optimize dates...

Elon	D	Kind	S	from:	to:†	
-1110. 7.15.≥	B	0	B	66	66	
-1110. 7.15.≥	B	1	E	67	66	
-1116. 7. 1.≥	B	5	E	66	66	
		0	B	0	0	
-1110. 7.15.≥	B	0	B	0	66	
-1101. 7.15.≥				889th position to E	Elon	66

16492 Bytes free.
 (833rd/889) position: -1352. 1.22. -1309. 6.30. E Eglon 78
 Forward relations for entry Eglon (78/120) are generated.
 Backward relations for entry Ehud (77/120) are generated.
 Optimize dates...

Eglon	D	Kind	S	from:	to:†	
-1352. 1.22. -1309. 6.30.	E	0	E	78	78	
-1352. 1.22. -1307. 6.30.	E	5	B	78	78	
-1352. 1.22. -1309. 6.30.	E	7	B	77	78	
-1352. 1.22. -1309. 6.30.	+	0	+	78	78	
		0	E	0	0	
-1352. 1.22. -1309. 6.30.	E	0	E	0	78	

16492 Bytes free.
 (834th/889) position: -1369. 1.22. -1326. 6.30. B Eglon 78
 Forward relations for entry Eglon (78/120) are generated.
 Backward relations for entry Ehud (77/120) are generated.
 Optimize dates...

Eglon	D	Kind	S	from:	to:†	
-1369. 1.22. -1326. 6.30.	B	0	B	78	78	
-1369. 9.15.≥	B	1	E	79	78	
-1371. 1.22. -1326. 6.30.	B	5	E	78	78	
7M23D		0	B	0	0	
-1369. 9.15. -1326. 6.30.	B	0	B	0	78	
-1369. 9.15. -1326. 6.30.				890th position to B	Eglon	78
-1369. 9.15. -1326. 6.30.				891st position to E	Othniel	79
-1352. 9.15. -1309. 6.30.				892nd position to E	Eglon	78

16492 Bytes free.
 (835th/892) position: -1352. 1.22. -1309. 6.30. B Ehud 77
 Forward relations for entry Ehud (77/120) are generated.
 Backward relations for entry Sisera (76/120) are generated.
 Optimize dates...

Ehud	D	Kind	S	from:	to:†	
-1352. 1.22. -1309. 6.30.	B	0	B	77	77	
-1352. 9.15. -1309. 6.30.	B	1	E	78	77	
-1354. 1.22. -1309. 6.30.	B	5	E	77	77	
7M23D		0	B	0	0	
-1352. 9.15. -1309. 6.30.	B	0	B	0	77	
-1352. 9.15. -1309. 6.30.				893rd position to B	Ehud	77
-1273. 9.15. -1230. 6.30.				894th position to E	Ehud	77

16492 Bytes free.
 (836th/894) position: - 858. 4.15. - 848. 8.29. E Athaliah 34
 Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 858. 4.15. - 848. 8.29.	E	0	E	34	34	
- 859. 4.21. - 847. 8.29.	E	5	B	34	34	
- 858. 4.21. - 848. 8.29.	E	7	B	32	34	
- 858. 4.15. - 848. 8.29.	+	0	+	34	34	
6D				0	0	
- 858. 4.21. - 848. 8.29.	E	0	E	0	34	
- 858. 4.21. - 848. 8.29.				895th position to E Athaliah		34

16492 Bytes free.

(837th/895) position: - 858. 4.21. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 858. 4.21. - 848. 8.29.	B	0	B	32	32	
- 858. 4.21. - 848. 8.29.	B	1	E	34	32	
- 858. 4.21. - 846. 8.29.	B	3	B	33	32	
- 860. 4.15. - 848. 8.29.	B	5	E	32	32	
- 860. 4.15. - 846. 8.29.	B	4	*	32	32	
- 860. 4.15. - 846. 8.29.	B	9	B	30	32	
- 860. 4.15. - 848. 8.29.	B	9	B	31	32	
				0	0	
- 858. 4.21. - 848. 8.29.	B	0	B	0	32	
- 819. 4.21. - 809. 8.29.				896th position to E Joash (Ahaziah)		32
- 866. 4.21. - 854. 8.29.				897th position to * Joash (Ahaziah)		32
- 822. 4.21. - 810. 8.29.				898th position to B Joash (Jehoahaz)		30
- 836. 4.21. - 826. 8.29.				899th position to B Jehoahaz (Jehu)		31

16492 Bytes free.

(838th/899) position: - 858. 4.21. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 858. 4.21. - 848. 8.29.	B	0	B	32	32	
- 858. 4.21. - 848. 8.29.	B	1	E	34	32	
- 858. 4.21. - 846. 8.29.	B	3	B	33	32	
- 860. 4.21. - 848. 8.29.	B	5	E	32	32	
- 860. 4.21. - 846. 8.29.	B	4	*	32	32	
- 860. 4.21. - 846. 8.29.	B	9	B	30	32	
- 860. 4.21. - 848. 8.29.	B	9	B	31	32	
				0	0	
- 858. 4.21. - 848. 8.29.	B	0	B	0	32	

16492 Bytes free.

(839th/899) position: - 858. 4.21. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 858. 4.21. - 848. 8.29.	E	0	E	34	34	
- 859. 4.21. - 847. 8.29.	E	5	B	34	34	
- 858. 4.21. - 848. 8.29.	E	7	B	32	34	
- 858. 4.21. - 848. 8.29.	+	0	+	34	34	
				0	0	

- 858. 4.21. - 848. 8.29. E 0 E 0 34||

16492 Bytes free.

(840th/899) position: - 819. 4.21. - 809. 8.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 819. 4.21. - 809. 8.29.	E	0	E	32	32	
- 819. 4.21. - 807. 8.29.	E	5	B	32	32	
- 828. 2. 1. - 809. 8.29.	E	7	B	28	32	
- 819. 4.21. - 809. 8.29.	+	0	+	32	32	
		0	E	0	0	
- 819. 4.21. - 809. 8.29.	E	0	E	0	32	
- 819. 4.21. - 809. 8.29.				900th position to B Amaziah		28

16492 Bytes free.

(841st/900) position: - 866. 4.21. - 854. 8.29. * Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 866. 4.21. - 854. 8.29.	*	0	*	32	32	
- 866. 4.21. - 854. 8.29.	*	10	B	32	32	
		0	*	0	0	
- 866. 4.21. - 854. 8.29.	*	0	*	0	32	

16492 Bytes free.

(842nd/900) position: - 822. 4.21. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:	
- 822. 4.21. - 810. 8.29.	B	0	B	30	30	
- 822. 4.15. - 810. 8.29.	B	1	E	31	30	
- 822. 4.21. - 810. 8.29.	B	3	B	32	30	
- 829. 2. 1. - 810. 8.29.	B	5	E	30	30	
≤- 795. 8.29.	B	8	E	39	30	
- 822. 4.21. - 810. 8.29.	B	9	B	28	30	
		0	B	0	0	
- 822. 4.21. - 810. 8.29.	B	0	B	0	30	
- 822. 4.21. - 810. 8.29.				901st position to E Jehoahaz (Jehu)		31
- 807. 4.21. - 795. 8.29.				902nd position to E Joash (Jehoahaz)		30
- 822. 4.21. - 795. 8.29.				903rd position to E Elisha		39

16492 Bytes free.

(843rd/903) position: - 836. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:	
- 836. 4.21. - 826. 8.29.	B	0	B	31	31	
- 837. 4.21. - 826. 8.29.	B	1	E	33	31	
- 836. 4.21. - 824. 8.29.	B	3	B	32	31	
- 840. 4.21. - 826. 8.29.	B	5	E	31	31	
		0	B	0	0	
- 836. 4.21. - 826. 8.29.	B	0	B	0	31	

- 836. 4.21. - 826. 8.29. 904th position to E Jehu 33
 - 820. 4.21. - 810. 8.29. 905th position to E Jehoahaz (Jehu) 31

16492 Bytes free.

(844th/905) position: - 836. 4.21. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
- 836. 4.21. - 826. 8.29.	E	0	E	33	33
- 837. 4.21. - 825. 8.29.	E	5	B	33	33
- 836. 4.21. - 826. 8.29.	E	7	B	31	33
- 836. 4.21. - 826. 8.29.	+	0	+	33	33
		0	E	0	0
- 836. 4.21. - 826. 8.29.	E	0	E	0	33

16492 Bytes free.

(845th/905) position: - 820. 4.21. - 810. 8.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:
- 820. 4.21. - 810. 8.29.	E	0	E	31	31
- 820. 4.21. - 808. 8.29.	E	5	B	31	31
- 822. 4.21. - 810. 8.29.	E	7	B	30	31
- 820. 4.21. - 810. 8.29.	+	0	+	31	31
		0	E	0	0
- 820. 4.21. - 810. 8.29.	E	0	E	0	31
- 820. 4.21. - 810. 8.29.				906th position to B Joash (Jehoahaz)	30

16492 Bytes free.

(846th/906) position: - 820. 4.21. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:
- 820. 4.21. - 810. 8.29.	B	0	B	30	30
- 820. 4.21. - 810. 8.29.	B	1	E	31	30
- 822. 4.21. - 810. 8.29.	B	3	B	32	30
- 824. 4.21. - 810. 8.29.	B	5	E	30	30
≤- 795. 8.29.	B	8	E	39	30
- 822. 4.21. - 810. 8.29.	B	9	B	28	30
		0	B	0	0
- 820. 4.21. - 810. 8.29.	B	0	B	0	30
- 805. 4.21. - 795. 8.29.				907th position to E Joash (Jehoahaz)	30
- 820. 4.21. - 795. 8.29.				908th position to E Elisha	39

16492 Bytes free.

(847th/908) position: - 864. 4.21. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
- 864. 4.21. - 854. 8.29.	B	0	B	33	33
- 864. 4.21. - 854. 8.29.	B	1	E	35	33
- 864. 4.21. - 854. 8.29.	B	2	E	37	33
- 865. 4.21. - 853. 8.29.	B	5	E	33	33

```
- 866. 4.21. - 854. 8.29. B 9 B      32      33||
                               0 B      0      0||
- 864. 4.21. - 854. 8.29. B 0 B      0      33||
```

16492 Bytes free.

(848th/908) position: - 864. 4.21. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

```
Athaliah          D Knd S   from:   to:|
- 864. 4.21. - 854. 8.29. B 0 B     34     34||
- 864. 4.21. - 854. 8.29. B 1 E     35     34||
- 864. 4.21. - 854. 8.29. B 2 E     37     34||
- 865. 4.21. - 853. 8.29. B 5 E     34     34||
                               0 B     0     0||
- 864. 4.21. - 854. 8.29. B 0 B     0     34||
```

16492 Bytes free.

(849th/908) position: - 864. 4.21. - 854. 8.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```
Joram (Ahab)      D Knd S   from:   to:|
- 864. 4.21. - 854. 8.29. E 0 E     37     37||
- 864. 4.21. - 854. 8.29. E 8 B     33     37||
- 864. 4.21. - 854. 8.29. E 8 B     34     37||
- 865. 4.21. - 852. 8.29. E 5 B     38     38||
- 864. 4.21. - 854. 8.29. + 0 +     37     37||
                               0 E     0     0||
- 864. 4.21. - 854. 8.29. E 0 E     0     37||
```

16492 Bytes free.

(850th/908) position: - 864. 4.21. - 854. 8.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```
Joram (Ahab)      D Knd S   from:   to:|
- 864. 4.21. - 854. 8.29. E 0 E     37     37||
- 864. 4.21. - 854. 8.29. E 8 B     33     37||
- 864. 4.21. - 854. 8.29. E 8 B     34     37||
- 865. 4.21. - 852. 8.29. E 5 B     38     38||
- 864. 4.21. - 854. 8.29. + 0 +     37     37||
                               0 E     0     0||
- 864. 4.21. - 854. 8.29. E 0 E     0     37||
```

16492 Bytes free.

(851st/908) position: - 836. 4.21. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

```
Jehu              D Knd S   from:   to:|
- 836. 4.21. - 826. 8.29. E 0 E     33     33||
- 837. 4.21. - 825. 8.29. E 5 B     33     33||
- 836. 4.21. - 826. 8.29. E 7 B     31     33||
```

```

- 836. 4.21. - 826. 8.29. + 0 +      33      33||
                          0 E        0        0||
- 836. 4.21. - 826. 8.29. E 0 E      0        33||

```

16492 Bytes free.

(852nd/908) position: - 858. 4.21. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah)          D Knd S   from:   to:|
- 858. 4.21. - 848. 8.29. B 0 B     32     32||
- 858. 4.21. - 848. 8.29. B 1 E     34     32||
- 858. 4.21. - 846. 8.29. B 3 B     33     32||
- 860. 4.21. - 848. 8.29. B 5 E     32     32||
- 860. 4.21. - 846. 8.29. B 4 *     32     32||
- 858. 4.21. - 846. 8.29. B 9 B     30     32||
- 860. 4.21. - 848. 8.29. B 9 B     31     32||
                          0 B        0        0||
- 858. 4.21. - 848. 8.29. B 0 B        0     32||

```

16492 Bytes free.

(853rd/908) position: - 858. 4.21. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

```

Athaliah                 D Knd S   from:   to:|
- 858. 4.21. - 848. 8.29. E 0 E     34     34||
- 859. 4.21. - 847. 8.29. E 5 B     34     34||
- 858. 4.21. - 848. 8.29. E 7 B     32     34||
- 858. 4.21. - 848. 8.29. + 0 +     34     34||
                          0 E        0        0||
- 858. 4.21. - 848. 8.29. E 0 E        0     34||

```

16492 Bytes free.

(854th/908) position: - 836. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu)         D Knd S   from:   to:|
- 836. 4.21. - 826. 8.29. B 0 B     31     31||
- 836. 4.21. - 826. 8.29. B 1 E     33     31||
- 836. 4.21. - 824. 8.29. B 3 B     32     31||
- 838. 4.21. - 826. 8.29. B 5 E     31     31||
                          0 B        0        0||
- 836. 4.21. - 826. 8.29. B 0 B        0     31||

```

16492 Bytes free.

(855th/908) position: - 858. 4.21. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

```

Athaliah                 D Knd S   from:   to:|
- 858. 4.21. - 848. 8.29. E 0 E     34     34||
- 859. 4.21. - 847. 8.29. E 5 B     34     34||
- 858. 4.21. - 848. 8.29. E 7 B     32     34||
- 858. 4.21. - 848. 8.29. + 0 +     34     34||
                          0 E        0        0||
- 858. 4.21. - 848. 8.29. E 0 E        0     34||

```

16492 Bytes free.
 (856th/908) position: - 819. 4.21. - 809. 8.29. E Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:†
- 819. 4.21. - 809. 8.29.	E	0	E	32	32
- 819. 4.21. - 807. 8.29.	E	5	B	32	32
- 819. 4.21. - 809. 8.29.	E	7	B	28	32
- 819. 4.21. - 809. 8.29.	+	0	+	32	32
		0	E	0	0
- 819. 4.21. - 809. 8.29.	E	0	E	0	32

16492 Bytes free.
 (857th/908) position: - 866. 4.21. - 854. 8.29. * Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:†
- 866. 4.21. - 854. 8.29.	*	0	*	32	32
- 866. 4.21. - 854. 8.29.	*	10	B	32	32
		0	*	0	0
- 866. 4.21. - 854. 8.29.	*	0	*	0	32

16492 Bytes free.
 (858th/908) position: - 836. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
 Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:†
- 836. 4.21. - 826. 8.29.	B	0	B	31	31
- 836. 4.21. - 826. 8.29.	B	1	E	33	31
- 836. 4.21. - 824. 8.29.	B	3	B	32	31
- 838. 4.21. - 826. 8.29.	B	5	E	31	31
		0	B	0	0
- 836. 4.21. - 826. 8.29.	B	0	B	0	31

16492 Bytes free.
 (859th/908) position: - 868. 4.21. - 858. 8.29. B Elisha 39
 Forward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
 Optimize dates...

Elisha	D	Kind	S	from:	to:†
- 868. 4.21. - 858. 8.29.	B	0	B	39	39
- 868. 4.21. - 858. 8.29.	B	1	E	43	39
		0	B	0	0
- 868. 4.21. - 858. 8.29.	B	0	B	0	39

16492 Bytes free.
 (860th/908) position: - 871. 4.21. - 861. 8.29. B Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
- 871. 4.21. - 861. 8.29.	B	0	B	40	40
- 872. 4.21. - 859. 8.29.	B	3	B	37	40
- 873. 4.21. - 859. 8.29.	B	4	*	40	40

```

- 873. 4.21. - 861. 8.29. B 6 E      40      40||
- 871. 4.21. - 859. 8.29. B 9 α      37      40||
                               0 B      0       0||
- 871. 4.21. - 861. 8.29. B 0 B      0       40||

```

16492 Bytes free.

(861st/908) position: - 904. 4.21. - 892. 8.29. * Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.
 Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 904. 4.21. - 892. 8.29. * 0 *      40      40||
- 904. 4.21. - 892. 8.29. * 10 B     40      40||
                               0 *      0       0||
- 904. 4.21. - 892. 8.29. * 0 *      0       40||

```

16492 Bytes free.

(862nd/908) position: - 864. 4.21. - 854. 8.29. E Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.
 Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 864. 4.21. - 854. 8.29. E 0 E      40      40||
- 864. 4.21. - 852. 8.29. E 6 B      40      40||
- 864. 4.21. - 854. 8.29. E 7 B      35      40||
- 864. 4.21. - 854. 8.29. + 0 +      40      40||
                               0 E      0       0||
- 864. 4.21. - 854. 8.29. E 0 E      0       40||

```

16492 Bytes free.

(863rd/908) position: - 864. 4.21. - 854. 8.29. B Ahaziah (Joram) 35
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.
 Optimize dates...

```

Ahaziah (Joram)           D Knd S      from:      to:|
- 864. 4.21. - 854. 8.29. B 0 B      35      35||
- 864. 4.21. - 854. 8.29. B 1 E      40      35||
- 865. 4.21. - 852. 8.29. B 3 B      37      35||
- 866. 4.21. - 852. 8.29. B 4 *      35      35||
- 866. 4.21. - 854. 8.29. B 6 E      35      35||
- 866. 4.21. - 853. 8.29. B 3 B      37      36||
                               0 B      0       0||
- 864. 4.21. - 854. 8.29. B 0 B      0       35||

```

16492 Bytes free.

(864th/908) position: - 887. 4.21. - 875. 8.29. * Ahaziah (Joram) 35
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.
 Optimize dates...

```

Ahaziah (Joram)           D Knd S      from:      to:|
- 887. 4.21. - 875. 8.29. * 0 *      35      35||
- 887. 4.21. - 875. 8.29. * 10 B     35      35||
                               0 *      0       0||
- 887. 4.21. - 875. 8.29. * 0 *      0       35||

```


16492 Bytes free.
 (865th/908) position: - 864. 4.21. - 854. 8.29. E Ahaziah (Joram) 35
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.
 Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
- 864. 4.21. - 854. 8.29. E	0	E		35	35
- 864. 4.21. - 852. 8.29. E	6	B		35	35
- 864. 4.21. - 854. 8.29. E	7	B		33	35
- 864. 4.21. - 854. 8.29. E	7	B		34	35
- 864. 4.21. - 854. 8.29. +	0	+		35	35
	0	E		0	0
- 864. 4.21. - 854. 8.29. E	0	E		0	35

16492 Bytes free.
 (866th/908) position: - 876. 4.21. - 865. 8.29. B Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 876. 4.21. - 865. 8.29. B	0	B		37	37
- 877. 4.21. - 865. 8.29. B	9	B		35	37
- 876. 4.21. - 864. 8.29. B	9	B		36	37
- 877. 4.21. - 865. 8.29. B	9	B		40	37
- 877. 4.21. - 865. 8.29. B	5	E		38	38
	0	B		0	0
- 876. 4.21. - 865. 8.29. B	0	B		0	37

16492 Bytes free.
 (867th/908) position: - 864. 4.21. - 854. 8.29. B Jehu 33
 Forward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Optimize dates...

Jehu	D	Kind	S	from:	to:
- 864. 4.21. - 854. 8.29. B	0	B		33	33
- 864. 4.21. - 854. 8.29. B	1	E		35	33
- 864. 4.21. - 854. 8.29. B	2	E		37	33
- 865. 4.21. - 853. 8.29. B	5	E		33	33
- 866. 4.21. - 854. 8.29. B	9	B		32	33
	0	B		0	0
- 864. 4.21. - 854. 8.29. B	0	B		0	33

16492 Bytes free.
 (868th/908) position: - 864. 4.21. - 854. 8.29. E Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 864. 4.21. - 854. 8.29. E	0	E		37	37
- 864. 4.21. - 854. 8.29. E	8	B		33	37
- 864. 4.21. - 854. 8.29. E	8	B		34	37

```

- 865. 4.21. - 852. 8.29. E 5 B      38      38||
- 864. 4.21. - 854. 8.29. + 0 +      37      37||
                               0 E      0      0||
- 864. 4.21. - 854. 8.29. E 0 E      0      37||

```

16492 Bytes free.

(869th/908) position: - 836. 4.21. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

```

Jehu          D Knd S   from:   to:|
- 836. 4.21. - 826. 8.29. E 0 E     33     33||
- 837. 4.21. - 825. 8.29. E 5 B     33     33||
- 836. 4.21. - 826. 8.29. E 7 B     31     33||
- 836. 4.21. - 826. 8.29. + 0 +     33     33||
                               0 E     0     0||
- 836. 4.21. - 826. 8.29. E 0 E     0     33||

```

16492 Bytes free.

(870th/908) position: - 858. 4.21. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah) D Knd S   from:   to:|
- 858. 4.21. - 848. 8.29. B 0 B     32     32||
- 858. 4.21. - 848. 8.29. B 1 E     34     32||
- 858. 4.21. - 846. 8.29. B 3 B     33     32||
- 860. 4.21. - 848. 8.29. B 5 E     32     32||
- 860. 4.21. - 846. 8.29. B 4 *     32     32||
- 858. 4.21. - 846. 8.29. B 9 B     30     32||
- 860. 4.21. - 848. 8.29. B 9 B     31     32||
                               0 B     0     0||
- 858. 4.21. - 848. 8.29. B 0 B     0     32||

```

16492 Bytes free.

(871st/908) position: - 864. 4.21. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

```

Athaliah      D Knd S   from:   to:|
- 864. 4.21. - 854. 8.29. B 0 B     34     34||
- 864. 4.21. - 854. 8.29. B 1 E     35     34||
- 864. 4.21. - 854. 8.29. B 2 E     37     34||
- 865. 4.21. - 853. 8.29. B 5 E     34     34||
                               0 B     0     0||
- 864. 4.21. - 854. 8.29. B 0 B     0     34||

```

16492 Bytes free.

(872nd/908) position: - 901. 4.15. - 892. 8.23. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

```

Baasha        D Knd S   from:   to:|
- 901. 4.15. - 892. 8.23. E 0 E     49     49||
- 901. 4.15. - 890. 8.23. E 5 B     49     49||
- 901. 4.15. - 892. 8.23. E 7 B     48     49||
- 901. 4.15. - 892. 8.23. + 0 +     49     49||
                               0 E     0     0||

```

- 901. 4.15. - 892. 8.23. E 0 E 0 49||

16492 Bytes free.

(873rd/908) position: - 901. 4.15. - 892. 8.23. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:	
- 901. 4.15. - 892. 8.23. B	0	B		48	48	
- 901. 4.15. - 892. 8.23. B	1	E		49	48	
- 902. 4.15. - 890. 8.23. B	3	B		51	48	
- 904. 4.15. - 892. 8.23. B	5	E		48	48	
	0	B		0	0	
- 901. 4.15. - 892. 8.23. B	0	B		0	48	
- 900. 4.15. - 891. 8.23.	909th position to E Elah					48

16492 Bytes free.

(874th/909) position: - 863. 4.21. - 849. 8.23. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
- 863. 4.21. - 849. 8.23. α	0	α		40	40	
- 863. 4.21. - 849. 8.23. α	1	E		42	40	
	0	α		0	0	
- 863. 4.21. - 849. 8.23. α	0	α		0	40	

16492 Bytes free.

(875th/909) position: -1210. 9. 1. -1166. 6.30. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:	
-1210. 9. 1. -1166. 6.30. B	0	B		73	73	
-1210. 9. 1. -1166. 6.30. B	1	E		74	73	
≤-1166. 6.30. B	5	E		73	73	
	0	B		0	0	
-1210. 9. 1. -1166. 6.30. B	0	B		0	73	
-1171. 9. 1. -1127. 6.30.	910th position to E Gideon = Jerubbaal					73

16492 Bytes free.

(876th/910) position: -1273. 9.15. -1230. 6.30. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:	
-1273. 9.15. -1230. 6.30. E	0	E		77	77	
-1273. 9.15. -1228. 6.30. E	5	B		77	77	
-1274. 9. 1. -1230. 6.30. E	7	B		76	77	
	0	E		0	0	
-1273. 9.15. -1230. 6.30. E	0	E		0	77	
-1273. 9.15. -1230. 6.30.	911th position to B Sisera					76

16492 Bytes free.

(877th/911) position: -2110. 9.15. -2097. 8.29. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kind	S	from:	to:	
------	---	------	---	-------	-----	--

```

-2110. 9.15. -2097. 8.29. + 0 + 110 110||
-2110. 7.19. -2097. 7. 3. + 5 * 110 110||
-2110. 9.15. -2097. 8.29. + 4 E 107 110||
          1M26D 0 + 0 0||
-2110. 9.15. -2097. 7. 3. + 0 + 0 110||
-2110. 9.15. -2097. 7. 3. 912th position to + Noah 110

```

16492 Bytes free.

```

(878th/912) position: -3059. 7.19. -3048. 7. 3. * Noah 110
Forward relations for entry Noah (110/120) are generated.

```

Optimize dates...

```

Noah          D Knd S   from:   to:|
-3059. 7.19. -3048. 7. 3. * 0 *   110   110||
-3061. 7.19. -3045.11. 6. * 3 *   111   110||
-3061. 9.15. -3046. 7. 3. * 5 +   110   110||
-3059. 7.19. -3045.11. 7. * 9 B   107   110||
-3059. 7.18. -3048. 7. 3. * 9 E   108   110||
-3060. 9.15. -3046. 7. 3. * 9 *   109   110||
-3059. 7.18. -3045.11. 7. * 10 Ω  107   110||
-3061. 7.19. -3045.12.23. * 10 +  111   110||
          0 *   0   0||
-3059. 7.19. -3048. 7. 3. * 0 *   0   110||
-3113. 7.19. -3100. 7. 3. 913th position to * Lamech 111
-2460. 9. 6. -2449. 8.20. 914th position to B Great Flood 107
-2459. 7.19. -2448. 7. 4. 915th position to Ω Great Flood 107
-2460. 7.19. -2447. 7. 3. 916th position to + Lamech 111

```

16492 Bytes free.

```

(879th/916) position: -2559. 9.15. -2547. 7. 3. * Shem 109
Forward relations for entry Shem (109/120) are generated.

```

Optimize dates...

```

Shem          D Knd S   from:   to:|
-2559. 9.15. -2547. 7. 3. * 0 *   109   109||
-2560. 7.19. -2547. 7. 3. * 3 *   110   109||
-2559. 9.15. -2546. 8.29. * 10 *   105   109||
          0 *   0   0||
-2559. 9.15. -2547. 7. 3. * 0 *   0   109||

```

16492 Bytes free.

```

(880th/916) position: - 812. 6.22. - 795. 8.29. B Jeroboam (Joash) 27
Forward relations for entry Jeroboam (Joash) (27/120) are generated.

```

```

Backward relations for entry Zachariah (25/120) are generated.

```

Optimize dates...

```

Jeroboam (Joash) D Knd S   from:   to:|
- 812. 6.22. - 795. 8.29. B 0 B   27   27||
- 805. 4.21. - 795. 8.29. B 1 E   30   27||
- 805. 4.21. - 793. 8.29. B 3 B   28   27||
- 812. 6.22. - 795. 8.29. B 5 E   27   27||
          6Y 9M29D 0 B   0   0||
- 805. 4.21. - 795. 8.29. B 0 B   0   27||
- 805. 4.21. - 795. 8.29. 917th position to B Jeroboam (Joash) 27
- 765. 4.21. - 755. 8.29. 918th position to E Jeroboam (Joash) 27

```

16492 Bytes free.

```

(881st/918) position: -1369. 9.15. -1326. 6.30. E Othniel 79
Forward relations for entry Othniel (79/120) are generated.

```

```

Backward relations for entry Eglon (78/120) are generated.

```

Optimize dates...

Othniel	D	Kn	S	from:	to:
-1369. 9.15. -1326. 6.30.	E	0	E	79	79
-1369. 9.15. ≥	E	5	B	79	79
-1369. 9.15. -1326. 6.30.	E	7	B	78	79
-1369. 9.15. -1326. 6.30.	+	0	+	79	79
	0	E		0	0
-1369. 9.15. -1326. 6.30.	E	0	E	0	79
-1408. 9.15. -1365. 6.30.				919th position to B Othniel	79

16492 Bytes free.

(882nd/919) position: -1067. 4.15. -1051. 5.29. E Samuel 61
 Forward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel	D	Kn	S	from:	to:
-1067. 4.15. -1051. 5.29.	E	0	E	61	61
-1077. 7.15. ≥	E	1	E	63	61
-1067. 4.15. -1051. 5.29.	E	7	B	60	61
	0	E		0	0
-1067. 4.15. -1051. 5.29.	E	0	E	0	61

16492 Bytes free.

(883rd/919) position: -1067. 4.15. -1051. 5.29. * Ishbosheth 59
 Forward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Kn	S	from:	to:
-1067. 4.15. -1051. 5.29.	*	0	*	59	59
-1067. 4.15. -1051. 5.29.	*	9	B	59	59
	0	*		0	0
-1067. 4.15. -1051. 5.29.	*	0	*	0	59

16492 Bytes free.

(884th/919) position: -1025. 4.15. -1009. 5.29. E Ishbosheth 59
 Forward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Kn	S	from:	to:
-1025. 4.15. -1009. 5.29.	E	0	E	59	59
-1025. 4.15. -1009. 5.29.	E	5	B	59	59
≤-1005.10.29.	E	7	α	58	59
-1025. 4.15. -1009. 5.29.	+	0	+	59	59
	0	E		0	0
-1025. 4.15. -1009. 5.29.	E	0	E	0	59

16492 Bytes free.

(885th/919) position: - 985. 4.15. - 976. 8.23. E David 58
 Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:
- 985. 4.15. - 976. 8.23.	Ω	0	Ω	58	58
- 987. 9.15. - 971.10.29.	Ω	6	α	58	58
- 985. 4.15. - 976. 8.23.	E	0	E	58	58
- 987. 4.15. - 971. 5.29.	E	5	B	58	58
- 985. 4.15. - 976. 8.23.	E	7	B	57	58
- 985. 4.15. - 976. 8.23.	+	0	+	58	58
	0	Ω		0	0

- 985. 4.15. - 976. 8.23. Ω 0 Ω 0 58||
 -1019. 9.15. -1008. 8.23. 920th position to α David 58
 -1026. 4.15. -1015. 8.23. 921st position to B David 58

16492 Bytes free.

(886th/921) position: - 981.10.15. - 971. 8.23. B Building the Temple 55
 Forward relations for entry Building the Temple (55/120) are generated.
 Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

Building the Temple	D	Kind	S	from:	to:	
- 981.10.15. - 971. 8.23.	B	0	B	55	55	
- 982. 4.15. - 971. 8.23.	B	3	B	57	55	
- 981. 4.15. - 970. 8.23.	B	5	E	55	55	
- 981.10.15. - 970.10.29.	B	4	E	89	55	
		0	B	0	0	
- 981.10.15. - 971. 8.23.	B	0	B	0	55	
-1460. 9.15. -1450. 7.23.						922nd position to E Israel in Egypt 89

16492 Bytes free.

(887th/922) position: - 973. 4.15. - 964. 8.23. E Building the Temple 56
 Forward relations for entry Building the Temple (55/120) are generated.
 Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

Building the Temple	D	Kind	S	from:	to:	
- 973. 4.15. - 964. 8.23.	E	0	E	55	55	
- 975.10.15. - 963. 8.23.	E	5	B	55	55	
- 975. 4.15. - 964. 8.23.	E	3	B	57	56	
- 973. 4.15. - 963. 3.23.	E	4	E	89	56	
		0	E	0	0	
- 973. 4.15. - 964. 8.23.	E	0	E	0	55	
-1460. 9.15. -1450. 1.23.						923rd position to E Israel in Egypt 89

16492 Bytes free.

(888th/923) position: -1098. 7.15. -1070. 5.29. E Eli 64
 Forward relations for entry Eli (64/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:	
-1098. 7.15. -1070. 5.29.	E	0	E	64	64	
-1104. 7. 1. -1068. 5.29.	E	6	B	64	64	
-1098. 7.15. -1070. 5.29.	E	8	B	61	64	
-1098. 7.15. -1070. 5.29.	+	0	+	64	64	
-1104. 7. 1. -1068. 5.29.	+	5	*	64	64	
		0	E	0	0	
-1098. 7.15. -1070. 5.29.	E	0	E	0	64	
-1139. 7.15. -1109. 5.29.						924th position to B Eli 64
-1197. 7.15. -1167. 5.29.						925th position to * Eli 64

16492 Bytes free.

(889th/925) position: -1101. 7.15.≥ E Elon 66
 Forward relations for entry Elon (66/120) are generated.
 Backward relations for entry Abdon (65/120) are generated.

Optimize dates...

Elon	D	Kind	S	from:	to:	
-1101. 7.15.≥	E	0	E	66	66	
-1101. 7.15.≥	E	5	B	66	66	
	E	7	B	65	66	
-1101. 7.15.≥	+	0	+	66	66	

```

      0 E      0      0||
-1101. 7.15.≥      E 0 E      0      66||
-1101. 7.15.≥      926th position to B Abdon      65

16492 Bytes free.
(890th/926) position: -1369. 9.15. -1326. 6.30.      B Eglon      78
Forward relations for entry Eglon      (78/120) are generated.
Backward relations for entry Ehud      (77/120) are generated.
Optimize dates...
Eglon      D Knd S      from:      to:|
-1369. 9.15. -1326. 6.30. B 0 B      78      78||
-1369. 9.15. -1326. 6.30. B 1 E      79      78||
-1371. 9.15. -1326. 6.30. B 5 E      78      78||
      0 B      0      0||
-1369. 9.15. -1326. 6.30. B 0 B      0      78||

16492 Bytes free.
(891st/926) position: -1369. 9.15. -1326. 6.30.      E Othniel      79
Forward relations for entry Othniel      (79/120) are generated.
Backward relations for entry Eglon      (78/120) are generated.
Optimize dates...
Othniel      D Knd S      from:      to:|
-1369. 9.15. -1326. 6.30. E 0 E      79      79||
-1369. 9.15. -1324. 6.30. E 5 B      79      79||
-1369. 9.15. -1326. 6.30. E 7 B      78      79||
-1369. 9.15. -1326. 6.30. + 0 +      79      79||
      0 E      0      0||
-1369. 9.15. -1326. 6.30. E 0 E      0      79||

16492 Bytes free.
(892nd/926) position: -1352. 9.15. -1309. 6.30.      E Eglon      78
Forward relations for entry Eglon      (78/120) are generated.
Backward relations for entry Ehud      (77/120) are generated.
Optimize dates...
Eglon      D Knd S      from:      to:|
-1352. 9.15. -1309. 6.30. E 0 E      78      78||
-1352. 9.15. -1307. 6.30. E 5 B      78      78||
-1352. 9.15. -1309. 6.30. E 7 B      77      78||
-1352. 9.15. -1309. 6.30. + 0 +      78      78||
      0 E      0      0||
-1352. 9.15. -1309. 6.30. E 0 E      0      78||

16492 Bytes free.
(893rd/926) position: -1352. 9.15. -1309. 6.30.      B Ehud      77
Forward relations for entry Ehud      (77/120) are generated.
Backward relations for entry Sisera      (76/120) are generated.
Optimize dates...
Ehud      D Knd S      from:      to:|
-1352. 9.15. -1309. 6.30. B 0 B      77      77||
-1352. 9.15. -1309. 6.30. B 1 E      78      77||
-1354. 9.15. -1309. 6.30. B 5 E      77      77||
      0 B      0      0||
-1352. 9.15. -1309. 6.30. B 0 B      0      77||

16492 Bytes free.
(894th/926) position: -1273. 9.15. -1230. 6.30.      E Ehud      77
Forward relations for entry Ehud      (77/120) are generated.
Backward relations for entry Sisera      (76/120) are generated.

```

Optimize dates...

Ehud	D	Kind	S	from:	to:
-1273. 9.15. -1230. 6.30. E	0	E		77	77
-1273. 9.15. -1228. 6.30. E	5	B		77	77
-1273. 9.15. -1230. 6.30. E	7	B		76	77
	0	E		0	0
-1273. 9.15. -1230. 6.30. E	0	E		0	77

16492 Bytes free.

(895th/926) position: - 858. 4.21. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:
- 858. 4.21. - 848. 8.29. E	0	E		34	34
- 859. 4.21. - 847. 8.29. E	5	B		34	34
- 858. 4.21. - 848. 8.29. E	7	B		32	34
- 858. 4.21. - 848. 8.29. +	0	+		34	34
	0	E		0	0
- 858. 4.21. - 848. 8.29. E	0	E		0	34

16492 Bytes free.

(896th/926) position: - 819. 4.21. - 809. 8.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 819. 4.21. - 809. 8.29. E	0	E		32	32
- 819. 4.21. - 807. 8.29. E	5	B		32	32
- 819. 4.21. - 809. 8.29. E	7	B		28	32
- 819. 4.21. - 809. 8.29. +	0	+		32	32
	0	E		0	0
- 819. 4.21. - 809. 8.29. E	0	E		0	32

16492 Bytes free.

(897th/926) position: - 866. 4.21. - 854. 8.29. * Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 866. 4.21. - 854. 8.29. *	0	*		32	32
- 866. 4.21. - 854. 8.29. *	10	B		32	32
	0	*		0	0
- 866. 4.21. - 854. 8.29. *	0	*		0	32

16492 Bytes free.

(898th/926) position: - 820. 4.21. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:
- 820. 4.21. - 810. 8.29. B	0	B		30	30
- 820. 4.21. - 810. 8.29. B	1	E		31	30
- 822. 4.21. - 810. 8.29. B	3	B		32	30
- 822. 4.21. - 810. 8.29. B	5	E		30	30
≤- 795. 8.29. B	8	E		39	30
- 822. 4.21. - 810. 8.29. B	9	B		28	30


```

      0 B      0      0||
- 820. 4.21. - 810. 8.29. B 0 B      0      30||

```

16492 Bytes free.

(899th/926) position: - 836. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu)      D Knd S      from:      to:|
- 836. 4.21. - 826. 8.29. B 0 B      31      31||
- 836. 4.21. - 826. 8.29. B 1 E      33      31||
- 836. 4.21. - 824. 8.29. B 3 B      32      31||
- 838. 4.21. - 826. 8.29. B 5 E      31      31||
      0 B      0      0||
- 836. 4.21. - 826. 8.29. B 0 B      0      31||

```

16492 Bytes free.

(900th/926) position: - 819. 4.21. - 809. 8.29. B Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

```

Amaziah      D Knd S      from:      to:|
- 819. 4.21. - 809. 8.29. B 0 B      28      28||
- 819. 4.21. - 809. 8.29. B 1 E      32      28||
- 819. 4.21. - 807. 8.29. B 3 B      30      28||
- 830. 2. 1. - 807. 8.29. B 4 *      28      28||
- 828. 2. 1. - 807. 8.29. B 6 E      28      28||
- 821. 4.21. - 809. 8.29. B 9 B      27      28||
      0 B      0      0||
- 819. 4.21. - 809. 8.29. B 0 B      0      28||
- 845. 4.21. - 833. 8.29. 927th position to * Amaziah      28
- 791. 4.21. - 779. 8.29. 928th position to E Amaziah      28

```

16492 Bytes free.

(901st/928) position: - 820. 4.21. - 810. 8.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu)      D Knd S      from:      to:|
- 820. 4.21. - 810. 8.29. E 0 E      31      31||
- 820. 4.21. - 808. 8.29. E 5 B      31      31||
- 820. 4.21. - 810. 8.29. E 7 B      30      31||
- 820. 4.21. - 810. 8.29. + 0 +      31      31||
      0 E      0      0||
- 820. 4.21. - 810. 8.29. E 0 E      0      31||

```

16492 Bytes free.

(902nd/928) position: - 805. 4.21. - 795. 8.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

```

Joash (Jehoahaz)      D Knd S      from:      to:|
- 805. 4.21. - 795. 8.29. E 0 E      30      30||
- 820. 4.21. ≥      E 2 +      39      30||
- 805. 4.21. - 793. 8.29. E 5 B      30      30||
- 805. 4.21. - 795. 8.29. E 7 B      27      30||

```

```

- 805. 4.21. - 795. 8.29. + 0 +      30      30||
- 807. 4.21. - 793. 8.29. + 9 +      29      30||
                                0 E      0      0||
- 805. 4.21. - 795. 8.29. E 0 E      0      30||

```

16492 Bytes free.

(903rd/928) position: - 820. 4.21. - 795. 8.29. E Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Elisha          D Knd S   from:   to:|
- 820. 4.21. - 795. 8.29. E 0 E     39     39||
- 820. 4.21. ≥           E 2 B     30     39||
- 820. 4.21. - 795. 8.29. + 0 +     39     39||
                ≤- 795. 8.29. + 8 E     30     39||
                                0 E     0     0||
- 820. 4.21. - 795. 8.29. E 0 E     0     39||

```

16492 Bytes free.

(904th/928) position: - 836. 4.21. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

```

Jehu          D Knd S   from:   to:|
- 836. 4.21. - 826. 8.29. E 0 E     33     33||
- 837. 4.21. - 825. 8.29. E 5 B     33     33||
- 836. 4.21. - 826. 8.29. E 7 B     31     33||
- 836. 4.21. - 826. 8.29. + 0 +     33     33||
                                0 E     0     0||
- 836. 4.21. - 826. 8.29. E 0 E     0     33||

```

16492 Bytes free.

(905th/928) position: - 820. 4.21. - 810. 8.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu) D Knd S   from:   to:|
- 820. 4.21. - 810. 8.29. E 0 E     31     31||
- 820. 4.21. - 808. 8.29. E 5 B     31     31||
- 820. 4.21. - 810. 8.29. E 7 B     30     31||
- 820. 4.21. - 810. 8.29. + 0 +     31     31||
                                0 E     0     0||
- 820. 4.21. - 810. 8.29. E 0 E     0     31||

```

16492 Bytes free.

(906th/928) position: - 820. 4.21. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

```

Joash (Jehoahaz) D Knd S   from:   to:|
- 820. 4.21. - 810. 8.29. B 0 B     30     30||
- 820. 4.21. - 810. 8.29. B 1 E     31     30||
- 822. 4.21. - 810. 8.29. B 3 B     32     30||
- 822. 4.21. - 810. 8.29. B 5 E     30     30||
                ≤- 795. 8.29. B 8 E     39     30||
- 822. 4.21. - 810. 8.29. B 9 B     28     30||
                                0 B     0     0||

```

- 820. 4.21. - 810. 8.29. B 0 B 0 30||

16492 Bytes free.

(907th/928) position: - 805. 4.21. - 795. 8.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:
- 805. 4.21. - 795. 8.29.	E	0	E	30	30
- 820. 4.21. ≥	E	2	+	39	30
- 805. 4.21. - 793. 8.29.	E	5	B	30	30
- 805. 4.21. - 795. 8.29.	E	7	B	27	30
- 805. 4.21. - 795. 8.29.	+	0	+	30	30
- 807. 4.21. - 793. 8.29.	+	9	+	29	30
	0	E		0	0
- 805. 4.21. - 795. 8.29.	E	0	E	0	30

16492 Bytes free.

(908th/928) position: - 820. 4.21. - 795. 8.29. E Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:
- 820. 4.21. - 795. 8.29.	E	0	E	39	39
- 820. 4.21. ≥	E	2	B	30	39
- 820. 4.21. - 795. 8.29.	+	0	+	39	39
≤- 795. 8.29.	+	8	E	30	39
	0	E		0	0
- 820. 4.21. - 795. 8.29.	E	0	E	0	39

16492 Bytes free.

(909th/928) position: - 900. 4.15. - 891. 8.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:
- 900. 4.15. - 891. 8.23.	E	0	E	48	48
- 900. 4.15. - 889. 8.23.	E	5	B	48	48
- 901. 4.15. - 891. 8.23.	E	7	B	47	48
- 900. 4.15. - 891. 8.23.	+	0	+	48	48
- 901. 4.15. - 889. 8.23.	+	4	B	51	48
	0	E		0	0
- 900. 4.15. - 891. 8.23.	E	0	E	0	48
- 900. 4.15. - 891. 8.23.				929th position to B Zimri	47

16492 Bytes free.

(910th/929) position: -1171. 9. 1. -1127. 6.30. E Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
-1171. 9. 1. -1127. 6.30.	E	0	E	73	73
-1171. 9. 1. -1125. 6.30.	E	5	B	73	73
≤-1127. 6.30.	E	7	B	72	73
-1171. 9. 1. -1127. 6.30.	+	0	+	73	73
	0	E		0	0
-1171. 9. 1. -1127. 6.30.	E	0	E	0	73

-1171. 9. 1. -1127. 6.30. 930th position to B Abimelech 72

16492 Bytes free.
 (911th/930) position: -1273. 9.15. -1230. 6.30. B Sisera 76
 Forward relations for entry Sisera (76/120) are generated.
 Backward relations for entry Deborah and Barak (75/120) are generated.
 Optimize dates...

Sisera	D	Kind	S	from:	to:†
-1273. 9.15. -1230. 6.30.	B	0	B	76	76
-1273. 9.15. -1230. 6.30.	B	1	E	77	76
-1276. 9. 1. -1230. 6.30.	B	5	E	76	76
		0	B	0	0
-1273. 9.15. -1230. 6.30.	B	0	B	0	76
-1254. 9.15. -1211. 6.30.				931st position to E Sisera	76

16492 Bytes free.
 (912th/931) position: -2110. 9.15. -2097. 7. 3. + Noah 110
 Forward relations for entry Noah (110/120) are generated.
 Optimize dates...

Noah	D	Kind	S	from:	to:†
-2110. 9.15. -2097. 7. 3. +	0	+		110	110
-2110. 7.19. -2097. 7. 3. +	5	*		110	110
-2110. 9.15. -2097. 8.29. +	4	E		107	110
	0	+		0	0
-2110. 9.15. -2097. 7. 3. +	0	+		0	110

16492 Bytes free.
 (913th/931) position: -3113. 7.19. -3100. 7. 3. * Lamech 111
 Forward relations for entry Lamech (111/120) are generated.
 Backward relations for entry Great Flood (107/120) are generated.
 Optimize dates...

Lamech	D	Kind	S	from:	to:†
-3113. 7.19. -3100. 7. 3. *	0	*		111	111
-3115. 9. 6. -3099.11. 6. *	3	*		112	111
-3114. 7.19. -3099. 7. 3. *	5	+		111	111
-3113. 7.19. -3100. 7. 3. *	9	*		110	111
-3115. 7.19. -3098.11. 6. *	10	+		112	111
	0	*		0	0
-3113. 7.19. -3100. 7. 3. *	0	*		0	111
-2461. 7.19. -2446. 7. 3.				932nd position to + Methuselah	112

16492 Bytes free.
 (914th/932) position: -2460. 9. 6. -2449. 8.20. B Great Flood 107
 Forward relations for entry Great Flood (107/120) are generated.
 Forward relations for entry Great Flood (108/120) are generated.
 Optimize dates...

Great Flood	D	Kind	S	from:	to:†
-2460. 9. 6. -2449. 8.20.	B	0	B	107	107
-2460. 7.19. ≥	B	1	+	111	107
-2461. 7.19. ≥	B	2	+	112	107
-2460. 9. 5. -2449. 8.20.	B	3	*	110	107
-2460. 9. 6. ≥	B	1	+	114	108
	0	B		0	0
-2460. 9. 6. -2449. 8.20.	B	0	B	0	107
-2460. 7.19. -2449. 8.20.				933rd position to + Lamech	111
-2461. 7.19. -2449. 8.20.				934th position to + Methuselah	112
-2460. 9. 6. -2449. 8.20.				935th position to + Jared	114

16492 Bytes free.
 (915th/935) position: -2459. 7.19. -2448. 7. 4. Ω Great Flood 107
 Forward relations for entry Great Flood (107/120) are generated.
 Forward relations for entry Great Flood (108/120) are generated.
 Optimize dates...
 Great Flood D Knd S from: to:‡
 -2459. 7.19. -2448. 7. 4. Ω 0 Ω 107 107‖
 -2459. 7.19. -2448. 7. 4. Ω 4 * 110 107‖
 0 Ω 0 0‖
 -2459. 7.19. -2448. 7. 4. Ω 0 Ω 0 107‖

16492 Bytes free.
 (916th/935) position: -2460. 7.19. -2449. 8.20. + Lamech 111
 Forward relations for entry Lamech (111/120) are generated.
 Backward relations for entry Great Flood (107/120) are generated.
 Optimize dates...
 Lamech D Knd S from: to:‡
 -2460. 7.19. -2449. 8.20. + 0 + 111 111‖
 -2461. 7.19. -2446. 7. 3. + 5 * 111 111‖
 -2460. 7.19. -2447. 7. 3. + 4 * 110 111‖
 ≤-2449. 8.20. + 7 B 107 111‖
 0 + 0 0‖
 -2460. 7.19. -2449. 8.20. + 0 + 0 111‖
 -3113. 7.19. -3101. 8.20. 936th position to * Lamech 111

16492 Bytes free.
 (917th/936) position: - 805. 4.21. - 795. 8.29. B Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.
 Backward relations for entry Zachariah (25/120) are generated.
 Optimize dates...
 Jeroboam (Joash) D Knd S from: to:‡
 - 805. 4.21. - 795. 8.29. B 0 B 27 27‖
 - 805. 4.21. - 795. 8.29. B 1 E 30 27‖
 - 805. 4.21. - 793. 8.29. B 3 B 28 27‖
 - 807. 4.21. - 795. 8.29. B 5 E 27 27‖
 0 B 0 0‖
 - 805. 4.21. - 795. 8.29. B 0 B 0 27‖

16492 Bytes free.
 (918th/936) position: - 765. 4.21. - 755. 8.29. E Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.
 Backward relations for entry Zachariah (25/120) are generated.
 Optimize dates...
 Jeroboam (Joash) D Knd S from: to:‡
 - 765. 4.21. - 755. 8.29. E 0 E 27 27‖
 - 765. 4.21. - 753. 8.29. E 5 B 27 27‖
 - 770. 6.22. - 755. 8.29. E 7 B 25 27‖
 - 765. 4.21. - 755. 8.29. + 0 + 27 27‖
 0 E 0 0‖
 - 765. 4.21. - 755. 8.29. E 0 E 0 27‖
 - 765. 4.21. - 755. 8.29. 937th position to B Zachariah 25

16492 Bytes free.
 (919th/937) position: -1408. 9.15. -1365. 6.30. B Othniel 79
 Forward relations for entry Othniel (79/120) are generated.
 Backward relations for entry Eglon (78/120) are generated.
 Optimize dates...
 Othniel D Knd S from: to:‡

```

-1408. 9.15. -1365. 6.30. B 0 B      79      79||
-1408. 9.15. ≥                B 1 E      80      79||
-1410. 9.15. -1365. 6.30. B 5 E      79      79||
                        0 B      0      0||
-1408. 9.15. -1365. 6.30. B 0 B      0      79||
-1408. 9.15. -1365. 6.30. 938th position to E Chushanrishathaim      80

```

16492 Bytes free.

```

(920th/938) position: -1019. 9.15. -1008. 8.23. α David      58
Forward relations for entry David      (58/120) are generated.
Backward relations for entry Solomon      (57/120) are generated.
Optimize dates...

```

```

David      D Knd S      from:      to:|
-1019. 9.15. -1008. 8.23. α 0 α      58      58||
-1025. 4.15. ≥                α 1 E      59      58||
-1019. 9.15. -1007. 3.23. α 4 B      58      58||
-1019. 4.15. -1008. 8.23. α 6 Ω      58      58||
                        0 α      0      0||
-1019. 9.15. -1008. 8.23. α 0 α      0      58||
-1026. 4.15. -1015. 3.23. 939th position to B David      58

```

16492 Bytes free.

```

(921st/939) position: -1026. 4.15. -1015. 3.23. B David      58
Forward relations for entry David      (58/120) are generated.
Backward relations for entry Solomon      (57/120) are generated.
Optimize dates...

```

```

David      D Knd S      from:      to:|
-1026. 4.15. -1015. 3.23. B 0 B      58      58||
-1026. 4.15. -1012. 5.29. B 2 E      60      58||
-1028. 4.15. -1010. 5.29. B 3 *      58      58||
-1026. 4.15. -1015. 8.23. B 5 E      58      58||
-1026. 2.15. -1015. 3.23. B 10 α      58      58||
                        0 B      0      0||
-1026. 4.15. -1015. 3.23. B 0 B      0      58||
-1026. 4.15. -1015. 3.23. 940th position to E Saul      60
-1057. 4.15. -1044. 3.23. 941st position to * David      58

```

16492 Bytes free.

```

(922nd/941) position: -1460. 9.15. -1450. 1.23. E Israel in Egypt      89
Forward relations for entry Israel in Egypt      (89/120) are generated.
Optimize dates...

```

```

Israel in Egypt      D Knd S      from:      to:|
-1460. 9.15. -1450. 1.23. E 0 E      89      89||
-1461. 7.15. ≥                E 1 B      86      89||
-1461. 7.15. ≥                E 2 B      87      89||
-1460. 9.15. -1447. 8.29. E 6 B      89      89||
-1461. 9.15. -1449. 8.29. E 9 B      85      89||
-1460. 9.14. -1449. 8.30. E 9 +      88      89||
-1460. 8.15. -1450. 7.23. E 10 B      55      89||
-1460. 8.15. -1450. 1.23. E 10 E      56      89||
-1460. 9.14. -1449. 8.30. E 10 B      84      89||
                        0 E      0      0||
-1460. 9.15. -1450. 1.23. E 0 E      0      89||
-1461. 7.15. -1450. 1.23. 942nd position to B Moses      86
-1461. 7.15. -1450. 1.23. 943rd position to B Aaron      87
-1889. 9.15. -1879. 1.23. 944th position to B Israel in Egypt      89
-1459. 9.15. -1448. 1.23. 945th position to B Explorers of Canaan      85
-1420. 1.15. -1411. 5.24. 946th position to + Aaron      88

```

- 981.10.15. - 971. 3.23. 947th position to B Building the Temple 55
 -1420. 7.15. -1411.11.24. 948th position to B Moses' Speech 84

16492 Bytes free.

(923rd/948) position: -1460. 9.15. -1450. 1.23. E Israel in Egypt 89
 Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:†
-1460. 9.15. -1450. 1.23.	E	0	E	89	89
-1461. 7.15.≥	E	1	B	86	89
-1461. 7.15.≥	E	2	B	87	89
-1460. 9.15. -1448. 1.23.	E	6	B	89	89
-1461. 9.15. -1449. 1.23.	E	9	B	85	89
-1460. 9.14. -1450. 1.24.	E	9	+	88	89
-1460. 8.15. -1450. 2.23.	E	10	B	55	89
-1460. 8.15. -1450. 1.23.	E	10	E	56	89
-1460. 9.14. -1450. 1.24.	E	10	B	84	89
		0	E	0	0
-1460. 9.15. -1450. 1.23.	E	0	E	0	89

16492 Bytes free.

(924th/948) position: -1139. 7.15. -1109. 5.29. B Eli 64
 Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:†
-1139. 7.15. -1109. 5.29.	B	0	B	64	64
-1139. 7.15. -1109. 5.29.	B	6	E	64	64
		0	B	0	0
-1139. 7.15. -1109. 5.29.	B	0	B	0	64

16492 Bytes free.

(925th/948) position: -1197. 7.15. -1167. 5.29. * Eli 64
 Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:†
-1197. 7.15. -1167. 5.29.	*	0	*	64	64
-1197. 7.15. -1167. 5.29.	*	5	+	64	64
		0	*	0	0
-1197. 7.15. -1167. 5.29.	*	0	*	0	64

16492 Bytes free.

(926th/948) position: -1101. 7.15.≥ B Abdon 65
 Forward relations for entry Abdon (65/120) are generated.

Optimize dates...

Abdon	D	Kind	S	from:	to:†
-1101. 7.15.≥	B	0	B	65	65
-1101. 7.15.≥	B	1	E	66	65
-1107. 7. 1.≥	B	5	E	65	65
		0	B	0	0
-1101. 7.15.≥	B	0	B	0	65
-1094. 7.15.≥				949th position to E Abdon	65

16492 Bytes free.

(927th/949) position: - 845. 4.21. - 833. 8.29. * Amaziah 28
 Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:†
- 845. 4.21. - 833. 8.29. *	0	*		28	28
- 845. 4.21. - 833. 8.29. * 10 B				28	28
	0	*		0	0
- 845. 4.21. - 833. 8.29. * 0 *	0			0	28

16492 Bytes free.

(928th/949) position: - 791. 4.21. - 779. 8.29. E Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:†
- 791. 4.21. - 779. 8.29. E 0 E				28	28
- 791. 4.21. - 779. 8.29. E 6 B				28	28
- 791. 4.21. - 779. 8.29. + 0 +				28	28
- 791. 4.21. - 779. 8.29. + 3 +				30	29
	0	E		0	0
- 791. 4.21. - 779. 8.29. E 0 E				0	28

16492 Bytes free.

(929th/949) position: - 900. 4.15. - 891. 8.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:†
- 900. 4.15. - 891. 8.23. B 0 B				47	47
- 900. 4.15. - 891. 8.23. B 1 E				48	47
- 901. 4.15. - 889. 8.23. B 3 B				51	47
- 901. 4.13. - 891. 8.23. B 5 E				47	47
	0	B		0	0
- 900. 4.15. - 891. 8.23. B 0 B				0	47
- 900. 4.21. - 891. 8.29. 950th position to E Zimri					47

16492 Bytes free.

(930th/950) position: -1171. 9. 1. -1127. 6.30. B Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Kind	S	from:	to:†
-1171. 9. 1. -1127. 6.30. B 0 B				72	72
-1171. 9. 1. -1127. 6.30. B 1 E				73	72
≤-1127. 6.30. B 5 E				72	72
	0	B		0	0
-1171. 9. 1. -1127. 6.30. B 0 B				0	72
-1169. 9. 1. -1125. 6.30. 951st position to E Abimelech					72

16492 Bytes free.

(931st/951) position: -1254. 9.15. -1211. 6.30. E Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kind	S	from:	to:†
-1254. 9.15. -1211. 6.30. E 0 E				76	76


```

-1254. 9.15. -1209. 6.30. E 5 B      76      76||
-1255. 9. 1. -1211. 6.30. E 7 B      75      76||
-1254. 9.15. -1211. 6.30. + 0 +      76      76||
                          0 E      0      0||
-1254. 9.15. -1211. 6.30. E 0 E      0      76||
-1254. 9.15. -1211. 6.30. 952nd position to B Deborah and Barak      75

```

16492 Bytes free.

```

(932nd/952) position: -2461. 7.19. -2449. 8.20. + Methuselah      112
Forward relations for entry Methuselah      (112/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.
Optimize dates...

```

```

Methuselah      D Knd S      from:      to:|
-2461. 7.19. -2449. 8.20. + 0 +      112      112||
-2462. 9. 6. -2446.11. 6. + 5 *      112      112||
-2461. 7.19. -2447. 8.20. + 4 *      111      112||
          ≤-2449. 8.20. + 8 B      107      112||
                          0 +      0      0||
-2461. 7.19. -2449. 8.20. + 0 +      0      112||
-3181. 9. 6. -3168. 8.20. 953rd position to * Methuselah      112

```

16492 Bytes free.

```

(933rd/953) position: -2460. 7.19. -2449. 8.20. + Lamech      111
Forward relations for entry Lamech      (111/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.
Optimize dates...

```

```

Lamech      D Knd S      from:      to:|
-2460. 7.19. -2449. 8.20. + 0 +      111      111||
-2461. 7.19. -2447. 8.20. + 5 *      111      111||
-2460. 7.19. -2447. 7. 3. + 4 *      110      111||
          ≤-2449. 8.20. + 7 B      107      111||
                          0 +      0      0||
-2460. 7.19. -2449. 8.20. + 0 +      0      111||

```

16492 Bytes free.

```

(934th/953) position: -2461. 7.19. -2449. 8.20. + Methuselah      112
Forward relations for entry Methuselah      (112/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.
Optimize dates...

```

```

Methuselah      D Knd S      from:      to:|
-2461. 7.19. -2449. 8.20. + 0 +      112      112||
-2462. 9. 6. -2447. 8.20. + 5 *      112      112||
-2461. 7.19. -2447. 8.20. + 4 *      111      112||
          ≤-2449. 8.20. + 8 B      107      112||
                          0 +      0      0||
-2461. 7.19. -2449. 8.20. + 0 +      0      112||

```

16492 Bytes free.

```

(935th/953) position: -2460. 9. 6. -2449. 8.20. + Jared      114
Forward relations for entry Jared      (114/120) are generated.
Backward relations for entry Great Flood      (108/120) are generated.
Optimize dates...

```

```

Jared      D Knd S      from:      to:|
-2460. 9. 6. -2449. 8.20. + 0 +      114      114||
-2460. 9. 6. -2448.11. 6. + 5 *      114      114||
-2461. 9. 6. -2447.11. 6. + 4 *      113      114||
          ≤-2449. 8.20. + 7 B      108      114||
                          0 +      0      0||

```

-2460. 9. 6. -2449. 8.20. + 0 + 0 114||
 -3245. 9. 6. -3233. 8.20. 954th position to * Enoch 113

16492 Bytes free.

(936th/954) position: -3113. 7.19. -3101. 8.20. * Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kind	S	from:	to:
-3113. 7.19. -3101. 8.20. * 0 *				111	111
-3115. 9. 6. -3100. 8.20. * 3 *				112	111
-3114. 7.19. -3101. 8.20. * 5 +				111	111
-3113. 7.19. -3100. 7. 3. * 9 *				110	111
-3115. 7.19. -3101. 8.20. * 10 +				112	111
				0 *	0
				0	0
-3113. 7.19. -3101. 8.20. * 0 *				0	111

16492 Bytes free.

(937th/954) position: - 765. 4.21. - 755. 8.29. B Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:
- 765. 4.21. - 755. 8.29. B 0 B				25	25
- 765. 4.21. - 755. 8.29. B 1 E				27	25
- 770. 1.22. - 755. 8.29. B 3 B				26	25
- 770. 6.22. - 755.10.29. B 5 E				25	25
				0 B	0
				0	0
- 765. 4.21. - 755. 8.29. B 0 B				0	25
- 804. 4.21. - 794. 8.29. 955th position to B Azariah = Uzziah					26
- 765. 9.21. - 754. 3.29. 956th position to E Zachariah					25

16492 Bytes free.

(938th/956) position: -1408. 9.15. -1365. 6.30. E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
-1408. 9.15. -1365. 6.30. E 0 E				80	80
-1408. 9.15. ≥				E 5 B	80
-1408. 9.15. -1365. 6.30. E 7 B				79	80
				0 E	0
				0	0
-1408. 9.15. -1365. 6.30. E 0 E				0	80
-1415. 9.15. -1372. 6.30. 957th position to B Chushanrishathaim					80

16492 Bytes free.

(939th/957) position: -1026. 4.15. -1015. 3.23. B David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
-1026. 4.15. -1015. 3.23. B 0 B				58	58
-1026. 4.15. -1015. 3.23. B 2 E				60	58
-1028. 4.15. -1013. 3.23. B 3 *				58	58
-1026. 4.15. -1015. 8.23. B 5 E				58	58
-1026. 2.15. -1015. 3.23. B 10 α				58	58
				0 B	0
				0	0
-1026. 4.15. -1015. 3.23. B 0 B				0	58

16492 Bytes free.
 (940th/957) position: -1026. 4.15. -1015. 3.23. E Saul 60
 Forward relations for entry Saul (60/120) are generated.
 Backward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Saul	D	Kn	S	from:	to:†	
-1026. 4.15. -1015. 3.23.	E	0	E	60	60	
-1028. 4.15. -1010. 5.29.	E	5	B	60	60	
-1026. 4.15. -1012. 5.29.	E	7	B	59	60	
-1026. 4.15. -1015. 3.23.	E	8	B	58	60	
-1026. 4.15. -1015. 3.23.	+	0	+	60	60	
		0	E	0	0	
-1026. 4.15. -1015. 3.23.	E	0	E	0	60	
-1067. 4.15. -1054. 3.23.				958th position to B Saul		60
-1026. 4.15. -1015. 3.23.				959th position to B Ishbosheth		59

16492 Bytes free.
 (941st/959) position: -1057. 4.15. -1044. 3.23. * David 58
 Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kn	S	from:	to:†	
-1057. 4.15. -1044. 3.23.	*	0	*	58	58	
-1057. 4.15. -1044. 3.23.	*	9	B	58	58	
		0	*	0	0	
-1057. 4.15. -1044. 3.23.	*	0	*	0	58	

16492 Bytes free.
 (942nd/959) position: -1461. 7.15. -1450. 1.23. B Moses 86
 Forward relations for entry Moses (86/120) are generated.
 Backward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Moses	D	Kn	S	from:	to:†	
-1461. 7.15. -1450. 1.23.	B	0	B	86	86	
-1462. 7.15. -1448. 6.30.	B	3	*	86	86	
-1461. 7.15. -1448. 6.30.	B	5	E	86	86	
-1461. 7.15. -1450. 1.23.	B	7	B	87	86	
≤-1450. 1.23.	B	7	E	89	86	
		0	B	0	0	
-1461. 7.15. -1450. 1.23.	B	0	B	0	86	
-1541. 7.15. -1529. 1.23.				960th position to * Moses		86
-1420. 7.15. -1409. 1.23.				961st position to E Moses		86

16492 Bytes free.
 (943rd/961) position: -1461. 7.15. -1450. 1.23. B Aaron 87
 Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.
 Optimize dates...

Aaron	D	Kn	S	from:	to:†	
-1461. 7.15. -1450. 1.23.	B	0	B	87	87	
-1461. 7.15. -1450. 1.23.	B	1	B	86	87	
-1462. 1.15. -1448.12.30.	B	3	*	87	87	
≤-1450. 1.23.	B	8	E	89	87	

```

          0 B      0      0||
-1461. 7.15. -1450. 1.23. B 0 B      0      87||
-1544. 1.15. -1532. 1.23. 962nd position to * Aaron      87

```

16492 Bytes free.

```

(944th/962) position: -1889. 9.15. -1879. 1.23. B Israel in Egypt      89
Forward relations for entry Israel in Egypt      (89/120) are generated.

```

Optimize dates...

```

Israel in Egypt      D Knd S      from:      to:|
-1889. 9.15. -1879. 1.23. B 0 B      89      89||
-1889. 9.15. -1876. 8.29. B 3 *      90      89||
-1891. 9.15. -1879. 1.23. B 6 E      89      89||
-1890. 9.15. -1876. 8.29. B 10 +      90      89||
          0 B      0      0||
-1889. 9.15. -1879. 1.23. B 0 B      0      89||
-2018. 9.15. -2008. 1.23. 963rd position to * Jacob = Israel      90
-1872. 9.15. -1861. 1.23. 964th position to + Jacob = Israel      90

```

16492 Bytes free.

```

(945th/964) position: -1459. 9.15. -1448. 1.23. B Explorers of Canaan      85
Forward relations for entry Explorers of Canaan      (85/120) are generated.

```

Optimize dates...

```

Explorers of Canaan      D Knd S      from:      to:|
-1459. 9.15. -1448. 1.23. B 0 B      85      85||
-1459. 9.15. -1448. 1.23. B 3 E      89      85||
-1459. 9.15. -1448. 8.29. B 5 E      85      85||
-1461. 9.15. -1447. 8.29. B 4 *      82      85||
-1461. 9.15. -1448. 8.29. B 9 B      81      85||
-1459. 7.15. -1448.11.24. B 9 B      84      85||
          0 B      0      0||
-1459. 9.15. -1448. 1.23. B 0 B      0      85||
-1459.10.25. -1448. 3. 3. 965th position to E Explorers of Canaan      85

```

16492 Bytes free.

```

(946th/965) position: -1420. 1.15. -1411. 5.24. + Aaron      88
Forward relations for entry Aaron      (87/120) are generated.

```

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

```

Aaron      D Knd S      from:      to:|
-1420. 1.15. -1411. 5.24. E 0 E      87      87||
-1420. 1.15. -1411. 5.24. + 0 +      87      87||
-1422. 1.15. -1408. 1.23. + 6 *      87      87||
-1420. 1.15. -1411. 5.24. + 3 E      89      88||
          0 E      0      0||
-1420. 1.15. -1411. 5.24. E 0 E      0      87||
-1544. 1.15. -1533. 5.24. 966th position to * Aaron      87

```

16492 Bytes free.

```

(947th/966) position: - 981.10.15. - 971. 3.23. B Building the Temple      55
Forward relations for entry Building the Temple      (55/120) are generated.

```

Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

```

Building the Temple      D Knd S      from:      to:|
- 981.10.15. - 971. 3.23. B 0 B      55      55||
- 982. 4.15. - 971. 8.23. B 3 B      57      55||
- 981. 4.15. - 970. 8.23. B 5 E      55      55||
- 981.10.15. - 971. 3.23. B 4 E      89      55||

```

```

          0 B      0      0||
- 981.10.15. - 971. 3.23. B 0 B      0      55||

```

16492 Bytes free.

(948th/966) position: -1420. 7.15. -1411.11.24. B Moses' Speech 84

Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

```

Moses' Speech      D Knd S      from:      to:|
-1420. 7.15. -1411.11.24. B 0 B      84      84||
-1422. 9.15. -1409. 1.23. B 3 B      85      84||
-1420. 7.15. -1411.11.24. B 4 E      89      84||
-1420. 7.15. -1409. 1.23. B 7 E      86      84||
-1422. 7.15. -1407. 6.30. B 9 B      68      84||
          0 B      0      0||
-1420. 7.15. -1411.11.24. B 0 B      0      84||
-1420. 7.15. -1411.11.24. 967th position to E Moses      86
-1121. 7.15. -1110.11.24. 968th position to B Jephthah      68

```

16492 Bytes free.

(949th/968) position: -1094. 7.15.> E Abdon 65

Forward relations for entry Abdon (65/120) are generated.

Optimize dates...

```

Abdon      D Knd S      from:      to:|
-1094. 7.15.>      E 0 E      65      65||
-1094. 7.15.>      E 5 B      65      65||
-1094. 7.15.>      + 0 +      65      65||
          0 E      0      0||
-1094. 7.15.>      E 0 E      0      65||

```

16492 Bytes free.

(950th/968) position: - 900. 4.21. - 891. 8.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri      D Knd S      from:      to:|
- 900. 4.21. - 891. 8.29. E 0 E      47      47||
- 900. 4.21. - 891. 9. 1. E 5 B      47      47||
- 901. 4.21. - 891. 8.29. E 7 B      46      47||
- 901. 4.21. - 891. 8.29. E 8 B      45      47||
- 900. 4.21. - 891. 8.29. + 0 +      47      47||
          0 E      0      0||
- 900. 4.21. - 891. 8.29. E 0 E      0      47||
- 900. 4.21. - 891. 8.29. 969th position to B Tibni      46
- 900. 4.21. - 891. 8.29. 970th position to B Omri      45

```

16492 Bytes free.

(951st/970) position: -1169. 9. 1. -1125. 6.30. E Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

```

Abimelech      D Knd S      from:      to:|
-1169. 9. 1. -1125. 6.30. E 0 E      72      72||
-1169. 9. 1. -1123. 6.30. E 5 B      72      72||
          ≤-1125. 6.30. E 7 B      69      72||
          E 7 B      71      72||

```

```

-1169. 9. 1. -1125. 6.30. + 0 +      72      72||
                                0 E      0      0||
-1169. 9. 1. -1125. 6.30. E 0 E      0      72||
-1169. 9. 1. >                971st position to B Tola                71

```

16492 Bytes free.

```

(952nd/971) position: -1254. 9.15. -1211. 6.30.   B Deborah and Barak      75
Forward relations for entry Deborah and Barak      (75/120) are generated.
Backward relations for entry Midianites             (74/120) are generated.
Optimize dates...

```

```

Deborah and Barak          D Knd S   from:      to:|
-1254. 9.15. -1211. 6.30. B 0 B     75         75||
-1254. 9.15. -1211. 6.30. B 1 E     76         75||
-1257. 9. 1. -1211. 6.30. B 5 E     75         75||
                                0 B      0         0||
-1254. 9.15. -1211. 6.30. B 0 B      0         75||
-1215. 9.15. -1172. 6.30.   972nd position to E Deborah and Barak      75

```

16492 Bytes free.

```

(953rd/972) position: -3181. 9. 6. -3168. 8.20.   * Methuselah                112
Forward relations for entry Methuselah             (112/120) are generated.
Backward relations for entry Great Flood           (107/120) are generated.
Optimize dates...

```

```

Methuselah                D Knd S   from:      to:|
-3181. 9. 6. -3168. 8.20. * 0 *     112        112||
-3181. 9. 6. -3167. 8.20. * 3 *     113        112||
-3182. 7.19. -3168. 8.20. * 5 +     112        112||
-3181. 7.19. -3167. 8.20. * 9 *     111        112||
-3182. 9. 6. -3166.11. 6. * 10 +    113        112||
                                0 *      0         0||
-3181. 9. 6. -3168. 8.20. * 0 *      0         112||
-2881. 9. 6. -2867. 8.20.   973rd position to + Enoch                113

```

16492 Bytes free.

```

(954th/973) position: -3245. 9. 6. -3233. 8.20.   * Enoch                      113
Forward relations for entry Enoch                  (113/120) are generated.
Optimize dates...

```

```

Enoch                      D Knd S   from:      to:|
-3245. 9. 6. -3233. 8.20. * 0 *     113        113||
-3245. 9. 6. -3233.11. 6. * 3 *     114        113||
-3247. 9. 6. -3231. 8.20. * 5 +     113        113||
-3247. 9. 6. -3232. 8.20. * 9 *     112        113||
-3246. 9. 6. -3233. 8.20. * 10 +    114        113||
                                0 *      0         0||
-3245. 9. 6. -3233. 8.20. * 0 *      0         113||

```

16492 Bytes free.

```

(955th/973) position: - 804. 4.21. - 794. 8.29.   B Azariah = Uzziah          26
Forward relations for entry Azariah = Uzziah      (26/120) are generated.
Backward relations for entry Jotham                (19/120) are generated.
Optimize dates...

```

```

Azariah = Uzziah          D Knd S   from:      to:|
- 804. 4.21. - 794. 8.29. B 0 B     26         26||
- 807. 1.22. - 794. 8.29. B 1 Ω     28         26||
- 809. 1.22. - 792. 8.29. B 3 *     27         26||
- 809. 1.22. - 792. 8.29. B 4 *     26         26||
- 807. 1.22. - 793. 8.29. B 6 E     26         26||
- 808. 1.22. - 794. 8.29. B 9 B     21         26||

```

```

- 809. 1.22. - 793. 8.29. B 9 B      22      26||
- 809. 1.22. - 792. 5.29. B 9 B      23      26||
- 809. 1.22. - 792. 3.29. B 9 B      24      26||
- 804. 4.21. - 792. 8.29. B 9 B      25      26||
- 804. 4.21. - 794. 8.29. B 0 B      0       0||
- 804. 4.21. - 794. 8.29. B 0 B      0       26||
- 804. 4.21. - 794. 8.29. 974th position to Ω Amaziah      28
- 832. 4.21. - 820. 8.29. 975th position to * Jeroboam (Joash) 27
- 821. 4.21. - 809. 8.29. 976th position to * Azariah = Uzziah 26
- 753. 4.21. - 742. 8.29. 977th position to E Azariah = Uzziah 26
- 753. 4.21. - 743. 8.29. 978th position to B Pekah      21
- 755. 4.21. - 744. 8.29. 979th position to B Pekahiah     22
- 766. 4.21. - 754. 5.29. 980th position to B Menahem      23
- 766. 4.21. - 754. 3.29. 981st position to B Shallum      24

```

16492 Bytes free.

```

(956th/981) position: - 765. 9.21. - 754. 3.29. E Zachariah      25
Forward relations for entry Zachariah (25/120) are generated.
Backward relations for entry Shallum (24/120) are generated.
Optimize dates...

```

```

Zachariah          D Knd S   from:   to:|
- 765. 9.21. - 754. 3.29. E 0 E     25     25||
- 765. 9.21. - 754. 3.29. E 5 B     25     25||
- 766. 4.21. - 754. 3.29. E 7 B     24     25||
- 765. 9.21. - 754. 3.29. + 0 +     25     25||
- 765. 9.21. - 754. 3.29.   0 E     0      0||
- 765. 9.21. - 754. 3.29. E 0 E     0      25||
- 765. 9.21. - 754. 3.29. 982nd position to B Shallum      24

```

16492 Bytes free.

```

(957th/982) position: -1415. 9.15. -1372. 6.30. B Chushanrishathaim 80
Forward relations for entry Chushanrishathaim (80/120) are generated.
Backward relations for entry Othniel (79/120) are generated.
Optimize dates...

```

```

Chushanrishathaim D Knd S   from:   to:|
-1415. 9.15. -1372. 6.30. B 0 B     80     80||
-1415. 9.15. ≥           B 1 E     83     80||
-1417. 9.15. -1372. 6.30. B 5 E     80     80||
-1417. 9.15. -1372. 6.30.   0 B     0      0||
-1415. 9.15. -1372. 6.30. B 0 B     0      80||
-1415. 9.15. -1372. 6.30. 983rd position to E Joshua      83

```

16492 Bytes free.

```

(958th/983) position: -1067. 4.15. -1054. 3.23. B Saul      60
Forward relations for entry Saul (60/120) are generated.
Backward relations for entry Ishbosheth (59/120) are generated.
Backward relations for entry David (58/120) are generated.
Optimize dates...

```

```

Saul              D Knd S   from:   to:|
-1067. 4.15. -1054. 3.23. B 0 B     60     60||
-1067. 4.15. -1051. 5.29. B 1 E     61     60||
-1077. 7.15. ≥           B 2 E     63     60||
-1067. 4.15. -1054. 3.23. B 5 E     60     60||
-1067. 4.15. -1054. 3.23.   0 B     0      0||
-1067. 4.15. -1054. 3.23. B 0 B     0      60||
-1067. 4.15. -1054. 3.23. 984th position to E Samuel      61
-1077. 7.15. -1054. 3.23. 985th position to E Philistines 63

```

16492 Bytes free.
 (959th/985) position: -1026. 4.15. -1015. 3.23. B Ishbosheth 59
 Forward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Ishbosheth	D	Kind	S	from:	to:	
-1026. 4.15. -1015. 3.23.	B	0	B	59	59	
-1026. 4.15. -1015. 3.23.	B	1	E	60	59	
-1028. 4.15. -1010. 5.29.	B	3	*	59	59	
-1028. 4.15. -1010. 5.29.	B	5	E	59	59	
		0	B	0	0	
-1026. 4.15. -1015. 3.23.	B	0	B	0	59	
-1067. 4.15. -1054. 3.23.				986th position to	*	Ishbosheth 59
-1025. 4.15. -1012. 3.23.				987th position to	E	Ishbosheth 59

16492 Bytes free.
 (960th/987) position: -1541. 7.15. -1529. 1.23. * Moses 86
 Forward relations for entry Moses (86/120) are generated.
 Backward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Moses	D	Kind	S	from:	to:	
-1541. 7.15. -1529. 1.23.	*	0	*	86	86	
-1541. 7.15. -1531.11.24.	*	6	+	86	86	
-1542. 7.15. -1529. 1.23.	*	9	B	86	86	
		1Y 1M29D	0	*	0	
-1541. 7.15. -1531.11.24.	*	0	*	0	86	
-1541. 7.15. -1531.11.24.				988th position to	*	Moses 86

16492 Bytes free.
 (961st/988) position: -1420. 7.15. -1411.11.24. E Moses 86
 Forward relations for entry Moses (86/120) are generated.
 Backward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Moses	D	Kind	S	from:	to:	
-1420. 7.15. -1411.11.24.	E	0	E	86	86	
-1420. 7.15. -1411.11.24.	E	1	B	84	86	
-1422. 7.15. -1409. 1.23.	E	5	B	86	86	
-1420. 7.15. -1409. 6.30.	E	7	B	83	86	
-1420. 7.15. -1411.11.24.	+	0	+	86	86	
-1421. 7.15. -1410.11.24.	+	6	*	86	86	
		0	E	0	0	
-1420. 7.15. -1411.11.24.	E	0	E	0	86	
-1420. 7.15. -1411.11.24.				989th position to	B	Joshua 83

16492 Bytes free.
 (962nd/989) position: -1544. 1.15. -1533. 5.24. * Aaron 87
 Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.
 Optimize dates...

Aaron	D	Kind	S	from:	to:	
-1544. 1.15. -1533. 5.24.	*	0	*	87	87	
-1544. 1.15. -1533. 5.24.	*	6	+	87	87	
-1545. 7.15. -1532. 1.23.	*	9	B	87	87	


```

0 *      0      0||
-1544. 1.15. -1533. 5.24. * 0 *      0      87||

```

16492 Bytes free.

(963rd/989) position: -2018. 9.15. -2008. 1.23. * Jacob = Israel 90
 Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

```

Jacob = Israel      D Knd S      from:      to:|
-2018. 9.15. -2008. 1.23. * 0 *      90      90||
-2018. 9.15. -2005. 8.29. * 3 *      91      90||
-2020. 9.15. -2007. 1.23. * 5 +      90      90||
-2020. 9.15. -2008. 1.23. * 9 B      89      90||
                        0 *      0      0||
-2018. 9.15. -2008. 1.23. * 0 *      0      90||
-2077. 9.15. -2067. 1.23. 990th position to * Isaac      91

```

16492 Bytes free.

(964th/990) position: -1872. 9.15. -1861. 1.23. + Jacob = Israel 90
 Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

```

Jacob = Israel      D Knd S      from:      to:|
-1872. 9.15. -1861. 1.23. + 0 +      90      90||
-1872. 9.15. -1860. 1.23. + 5 *      90      90||
-1873. 9.15. -1861. 1.23. + 4 B      89      90||
                        0 +      0      0||
-1872. 9.15. -1861. 1.23. + 0 +      0      90||

```

16492 Bytes free.

(965th/990) position: -1459.10.25. -1448. 3. 3. E Explorers of Canaan 85
 Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

```

Explorers of Canaan      D Knd S      from:      to:|
-1459.10.25. -1448. 3. 3. E 0 E      85      85||
-1459.10.25. -1448. 3. 3. E 5 B      85      85||
                        0 E      0      0||
-1459.10.25. -1448. 3. 3. E 0 E      0      85||

```

16492 Bytes free.

(966th/990) position: -1544. 1.15. -1533. 5.24. * Aaron 87
 Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

```

Aaron      D Knd S      from:      to:|
-1544. 1.15. -1533. 5.24. * 0 *      87      87||
-1544. 1.15. -1533. 5.24. * 6 +      87      87||
-1545. 7.15. -1532. 1.23. * 9 B      87      87||
                        0 *      0      0||
-1544. 1.15. -1533. 5.24. * 0 *      0      87||

```

16492 Bytes free.

(967th/990) position: -1420. 7.15. -1411.11.24. E Moses 86
 Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Moses      D Knd S      from:      to:|

```


	0 B	0	0		
-1169. 9. 1. ≥	B 0 B	0	71		
-1147. 9. 1. ≥		994th position to E Tola			71

16492 Bytes free.

(972nd/994) position: -1215. 9.15. -1172. 6.30. E Deborah and Barak 75
 Forward relations for entry Deborah and Barak (75/120) are generated.
 Backward relations for entry Midianites (74/120) are generated.
 Optimize dates...

Deborah and Barak	D Knd S	from:	to:		
-1215. 9.15. -1172. 6.30. E	0 E	75	75		
-1215. 9.15. -1170. 6.30. E	5 B	75	75		
-1216. 9. 1. -1172. 6.30. E	7 B	74	75		
	0 E	0	0		
-1215. 9.15. -1172. 6.30. E	0 E	0	75		
-1215. 9.15. -1172. 6.30.		995th position to B Midianites			74

16492 Bytes free.

(973rd/995) position: -2881. 9. 6. -2867. 8.20. + Enoch 113
 Forward relations for entry Enoch (113/120) are generated.
 Optimize dates...

Enoch	D Knd S	from:	to:	
-2881. 9. 6. -2867. 8.20. +	0 +	113	113	
-2881. 9. 6. -2867. 8.20. +	5 *	113	113	
-2882. 9. 6. -2867. 8.20. +	4 *	112	113	
	0 +	0	0	
-2881. 9. 6. -2867. 8.20. +	0 +	0	113	

16492 Bytes free.

(974th/995) position: - 804. 4.21. - 794. 8.29. Ω Amaziah 28
 Forward relations for entry Amaziah (28/120) are generated.
 Backward relations for entry Azariah = Uzziah (26/120) are generated.
 Forward relations for entry Amaziah (29/120) are generated.
 Optimize dates...

Amaziah	D Knd S	from:	to:	
- 804. 4.21. - 794. 8.29. Ω	0 Ω	28	28	
- 804. 4.21. - 794. 8.29. Ω	7 B	26	28	
	0 Ω	0	0	
- 804. 4.21. - 794. 8.29. Ω	0 Ω	0	28	

16492 Bytes free.

(975th/995) position: - 832. 4.21. - 820. 8.29. * Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.
 Backward relations for entry Zachariah (25/120) are generated.
 Optimize dates...

Jeroboam (Joash)	D Knd S	from:	to:	
- 832. 4.21. - 820. 8.29. *	0 *	27	27	
- 832. 4.21. - 820. 8.29. *	9 B	26	27	
	0 *	0	0	
- 832. 4.21. - 820. 8.29. *	0 *	0	27	

16492 Bytes free.

(976th/995) position: - 821. 4.21. - 809. 8.29. * Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D Knd S	from:	to:	
- 821. 4.21. - 809. 8.29. *	0 *	26	26	

```
- 821. 4.21. - 809. 8.29. * 10 B      26      26||
                        0 *          0        0||
- 821. 4.21. - 809. 8.29. * 0 *       0        26||
```

16492 Bytes free.

(977th/995) position: - 753. 4.21. - 742. 8.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

```
Azariah = Uzziah      D Knd S   from:   to:|
- 753. 4.21. - 742. 8.29. E 0 E     26      26||
- 753. 4.21. - 741. 8.29. E 6 B     26      26||
- 754. 1.22. - 742. 8.29. E 7 α     19      26||
- 753. 4.21. - 742. 8.29. + 0 +     26      26||
                        + 2 B     20      26||
                        0 E       0        0||
- 753. 4.21. - 742. 8.29. E 0 E     0        26||
- 753. 4.21. - 742. 8.29. 996th position to α Jotham      19
```

16492 Bytes free.

(978th/996) position: - 753. 4.21. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

```
Pekah      D Knd S   from:   to:|
- 753. 4.21. - 743. 8.29. B 0 B     21      21||
- 755. 1.22. - 743. 8.29. B 1 E     22      21||
- 753. 4.21. - 741. 8.29. B 3 B     26      21||
- 755. 1.22. - 742. 8.29. B 5 E     21      21||
- 757. 1.22. - 741. 8.29. B 9 α     17      21||
- 756. 4.21. - 743. 8.29. B 9 α     19      21||
                        0 B       0        0||
- 753. 4.21. - 743. 8.29. B 0 B     0        21||
- 753. 4.21. - 743. 8.29. 997th position to E Pekahiah      22
- 734. 4.21. - 723. 8.29. 998th position to E Pekah      21
- 737. 4.21. - 725. 8.29. 999th position to α Ahaz      17
- 752. 4.21. - 742. 8.29. 1000th position to α Jotham      19
```

16492 Bytes free.

(979th/1000) position: - 755. 4.21. - 744. 8.29. B Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

```
Pekahiah    D Knd S   from:   to:|
- 755. 4.21. - 744. 8.29. B 0 B     22      22||
- 758. 1.22. - 744. 8.29. B 1 E     23      22||
- 755. 4.21. - 743. 8.29. B 3 B     26      22||
- 756. 4.21. - 744. 8.29. B 5 E     22      22||
                        0 B       0        0||
- 755. 4.21. - 744. 8.29. B 0 B     0        22||
- 755. 4.21. - 744. 8.29. 1001st position to E Menahem      23
```

16492 Bytes free.

(980th/1001) position: - 766. 4.21. - 754. 5.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

```
Menahem      D Knd S   from:   to:|
```

```

- 766. 4.21. - 754. 5.29. B 0 B      23      23||
- 769. 1.22. - 754. 5.29. B 1 E      24      23||
- 766. 4.21. - 754. 8.29. B 3 B      26      23||
- 766. 4.21. - 753. 8.29. B 5 E      23      23||
                        0 B          0        0||
- 766. 4.21. - 754. 5.29. B 0 B          0      23||
- 766. 4.21. - 754. 5.29. 1002nd position to E Shallum      24

```

16492 Bytes free.

```

(981st/1002) position: - 765. 9.21. - 754. 3.29.  B Shallum      24
Forward relations for entry Shallum      (24/120) are generated.
Backward relations for entry Menahem      (23/120) are generated.
Optimize dates...

```

```

Shallum          D Knd S   from:   to:|
- 765. 9.21. - 754. 3.29. B 0 B     24     24||
- 765. 9.21. - 754. 3.29. B 1 E     25     24||
- 766. 4.21. - 754. 8.29. B 3 B     26     24||
- 766. 2.21. - 754. 5.29. B 5 E     24     24||
                        0 B          0        0||
- 765. 9.21. - 754. 3.29. B 0 B          0      24||
- 765. 9.21. - 754. 5.29. 1003rd position to E Shallum      24

```

16492 Bytes free.

```

(982nd/1003) position: - 765. 9.21. - 754. 3.29.  B Shallum      24
Forward relations for entry Shallum      (24/120) are generated.
Backward relations for entry Menahem      (23/120) are generated.
Optimize dates...

```

```

Shallum          D Knd S   from:   to:|
- 765. 9.21. - 754. 3.29. B 0 B     24     24||
- 765. 9.21. - 754. 3.29. B 1 E     25     24||
- 766. 4.21. - 754. 8.29. B 3 B     26     24||
- 765. 7.21. - 754. 5.29. B 5 E     24     24||
                        0 B          0        0||
- 765. 9.21. - 754. 3.29. B 0 B          0      24||

```

16492 Bytes free.

```

(983rd/1003) position: -1415. 9.15. -1372. 6.30.  E Joshua      83
Forward relations for entry Joshua      (83/120) are generated.
Backward relations for entry Chushanrishathaim      (80/120) are generated.
Optimize dates...

```

```

Joshua          D Knd S   from:   to:|
-1415. 9.15. -1372. 6.30. E 0 E     83     83||
                        ≤-1372. 6.30. E 7 B     80     83||
-1415. 9.15. -1372. 6.30. + 0 +     83     83||
-1415. 9.15. ≥      + 2 B     81     83||
-1417. 9.15. ≥      + 5 *     83     83||
                        0 E          0        0||
-1415. 9.15. -1372. 6.30. E 0 E          0      83||
-1526. 9.15. -1481. 6.30. 1004th position to * Joshua      83

```

16492 Bytes free.

```

(984th/1004) position: -1067. 4.15. -1054. 3.23.  E Samuel      61
Forward relations for entry Samuel      (61/120) are generated.
Backward relations for entry Saul      (60/120) are generated.
Optimize dates...

```

```

Samuel          D Knd S   from:   to:|
-1067. 4.15. -1054. 3.23. E 0 E     61     61||
-1077. 7.15. ≥      E 1 E     63     61||

```

```
-1067. 4.15. -1054. 3.23. E 7 B      60      61||
                                0 E      0      0||
-1067. 4.15. -1054. 3.23. E 0 E      0      61||
```

16492 Bytes free.

```
(985th/1004) position: -1077. 7.15. -1054. 3.23.   E Philistines      63
Forward relations for entry Philistines      (63/120) are generated.
Backward relations for entry Samuel          (61/120) are generated.
Backward relations for entry Samson          (62/120) are generated.
Backward relations for entry Saul            (60/120) are generated.
```

Optimize dates...

```
Philistines          D Knd S   from:   to:|
-1077. 7.15. -1054. 3.23. E 0 E     63     63||
-1097. 7.15. ≥           E 2 E     62     63||
-1079. 7.15. -1049. 5.29. E 3 B     61     63||
-1077. 7.15. -1049. 5.29. E 6 B     63     63||
                ≤-1054. 3.23. E 7 E     61     63||
                ≤-1054. 3.23. E 8 B     60     63||
                                0 E     0      0||
-1077. 7.15. -1054. 3.23. E 0 E     0      63||
-1097. 7.15. -1054. 3.23.   1005th position to E Samson      62
-1098. 7.15. -1073. 3.23.   1006th position to B Samuel      61
-1116. 7.15. -1093. 3.23.   1007th position to B Philistines  63
```

16492 Bytes free.

```
(986th/1007) position: -1067. 4.15. -1054. 3.23.   * Ishbosheth      59
Forward relations for entry Ishbosheth      (59/120) are generated.
Backward relations for entry David          (58/120) are generated.
```

Optimize dates...

```
Ishbosheth          D Knd S   from:   to:|
-1067. 4.15. -1054. 3.23. * 0 *     59     59||
-1067. 4.15. -1054. 3.23. * 9 B     59     59||
                                0 *     0      0||
-1067. 4.15. -1054. 3.23. * 0 *     0      59||
```

16492 Bytes free.

```
(987th/1007) position: -1025. 4.15. -1012. 3.23.   E Ishbosheth      59
Forward relations for entry Ishbosheth      (59/120) are generated.
Backward relations for entry David          (58/120) are generated.
```

Optimize dates...

```
Ishbosheth          D Knd S   from:   to:|
-1025. 4.15. -1012. 3.23. E 0 E     59     59||
-1025. 4.15. -1012. 3.23. E 5 B     59     59||
                ≤-1008. 8.23. E 7 α     58     59||
-1025. 4.15. -1012. 3.23. + 0 +     59     59||
                                0 E     0      0||
-1025. 4.15. -1012. 3.23. E 0 E     0      59||
```

16492 Bytes free.

```
(988th/1007) position: -1541. 7.15. -1531.11.24.   * Moses            86
Forward relations for entry Moses          (86/120) are generated.
Backward relations for entry Joshua        (83/120) are generated.
Backward relations for entry Aaron         (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
```

Optimize dates...

```
Moses                D Knd S   from:   to:|
-1541. 7.15. -1531.11.24. * 0 *     86     86||
-1541. 7.15. -1531.11.24. * 6 +     86     86||
```

```
-1542. 7.15. -1529. 1.23. * 9 B      86      86||
                                0 *      0      0||
-1541. 7.15. -1531.11.24. * 0 *      0      86||
```

16492 Bytes free.

(989th/1007) position: -1420. 7.15. -1411.11.24. B Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

```
Joshua          D Knd S   from:   to:|
-1420. 7.15. -1411.11.24. B 0 B     83     83||
-1420. 7.15. -1411.11.24. B 1 E     86     83||
                                0 B     0     0||
-1420. 7.15. -1411.11.24. B 0 B     0     83||
```

16492 Bytes free.

(990th/1007) position: -2077. 9.15. -2067. 1.23. * Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

```
Isaac          D Knd S   from:   to:|
-2077. 9.15. -2067. 1.23. * 0 *     91     91||
-2078. 9.15. >                * 1 B     92     91||
-2077. 9.15. -2064. 8.29. * 3 *     96     91||
-2079. 9.15. -2064. 8.29. * 5 +     91     91||
-2079. 9.15. -2064. 8.29. * 4 *     95     91||
-2079. 9.15. -2067. 1.23. * 9 *     90     91||
                                0 *     0     0||
-2077. 9.15. -2067. 1.23. * 0 *     0     91||
-2078. 9.15. -2067. 1.23. 1008th position to B Fire upon Sodom 92
-2176. 9.15. -2166. 1.23. 1009th position to * Abram = Abraham 96
-1898. 9.15. -1886. 1.23. 1010th position to + Isaac 91
-2168. 9.15. -2156. 1.23. 1011th position to * Sarai = Sarah 95
```

16492 Bytes free.

(991st/1011) position: -1121. 7.15. -1110.11.24. E Philistines + Ammon 69

Forward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

```
Philistines + Ammon D Knd S   from:   to:|
-1121. 7.15. -1110.11.24. E 0 E     69     69||
-1123. 7.15. -1106. 6.30. E 5 B     69     69||
-1121. 7.15. -1110.11.24. E 7 B     68     69||
                                0 E     0     0||
-1121. 7.15. -1110.11.24. E 0 E     0     69||
-1140. 7.15. -1127.11.24. 1012th position to B Philistines + Ammon 69
```

16492 Bytes free.

(992nd/1012) position: -1116. 7.15. -1103.11.24. E Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

```
Jephthah          D Knd S   from:   to:|
-1116. 7.15. -1103.11.24. E 0 E     68     68||
-1116. 7.15. -1103.11.24. E 6 B     68     68||
                                ≤-1093. 3.23. E 7 B     63     68||
                                E 7 B     67     68||
-1116. 7.15. -1103.11.24. + 0 +     68     68||
```

0 E 0 0||
 -1116. 7.15. -1103.11.24. E 0 E 0 68||

16492 Bytes free.
 (993rd/1012) position: - 889. 4.21. - 880. 8.29. E Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...
 Omri D Knd S from: to:|
 - 889. 4.21. - 880. 8.29. E 0 E 45 45||
 - 889. 4.21. - 878. 8.29. E 6 B 45 45||
 - 890. 4.21. - 880. 8.29. E 7 B 44 45||
 - 889. 4.21. - 880. 8.29. + 0 + 45 45||
 0 E 0 0||
 - 889. 4.21. - 880. 8.29. E 0 E 0 45||
 - 889. 4.21. - 880. 8.29. 1013th position to B Ahab 44

16492 Bytes free.
 (994th/1013) position: -1147. 9. 1.> E Tola 71
 Forward relations for entry Tola (71/120) are generated.
 Backward relations for entry Jair (70/120) are generated.

Optimize dates...
 Tola D Knd S from: to:|
 -1147. 9. 1.> E 0 E 71 71||
 -1147. 9. 1.> E 5 B 71 71||
 E 7 B 70 71||
 -1147. 9. 1.> + 0 + 71 71||
 0 E 0 0||
 -1147. 9. 1.> E 0 E 0 71||
 -1147. 9. 1.> 1014th position to B Jair 70

16492 Bytes free.
 (995th/1014) position: -1215. 9.15. -1172. 6.30. B Midianites 74
 Forward relations for entry Midianites (74/120) are generated.
 Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...
 Midianites D Knd S from: to:|
 -1215. 9.15. -1172. 6.30. B 0 B 74 74||
 -1215. 9.15. -1172. 6.30. B 1 E 75 74||
 -1218. 9. 1. -1172. 6.30. B 5 E 74 74||
 0 B 0 0||
 -1215. 9.15. -1172. 6.30. B 0 B 0 74||
 -1209. 9.15. -1166. 6.30. 1015th position to E Midianites 74

16492 Bytes free.
 (996th/1015) position: - 752. 4.21. - 742. 8.29. α Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...
 Jotham D Knd S from: to:|
 - 752. 4.21. - 742. 8.29. α 0 α 19 19||
 - 753. 4.21. - 742. 8.29. α 1 E 26 19||
 - 752. 4.21. - 740. 8.29. α 3 B 21 19||
 - 755. 1.22. - 742. 8.29. α 10 B 16 19||
 0 α 0 0||
 - 752. 4.21. - 742. 8.29. α 0 α 0 19||
 - 752. 4.21. - 742. 8.29. 1016th position to E Azariah = Uzziah 26

- 733. 4.21. - 723. 8.29. 1017th position to B Hoshea 16

16492 Bytes free.

(997th/1017) position: - 753. 4.21. - 743. 8.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kind	S	from:	to:†
- 753. 4.21. - 743. 8.29.	E	0	E	22	22
- 754. 4.21. - 741. 8.29.	E	5	B	22	22
- 753. 4.21. - 743. 8.29.	E	7	B	21	22
- 753. 4.21. - 743. 8.29.	+	0	+	22	22
	0	E		0	0
- 753. 4.21. - 743. 8.29.	E	0	E	0	22

16492 Bytes free.

(998th/1017) position: - 734. 4.21. - 723. 8.29. E Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kind	S	from:	to:†
- 734. 4.21. - 723. 8.29.	E	0	E	21	21
- 734. 4.21. - 722. 8.29.	E	5	B	21	21
- 733. 4.21. - 723. 8.29.	E	7	B	16	21
- 734. 4.21. - 723. 8.29.	+	0	+	21	21
1Y	0	E		0	0
- 733. 4.21. - 723. 8.29.	E	0	E	0	21
- 733. 4.21. - 723. 8.29.				1018th position to E Pekah	21

16492 Bytes free.

(999th/1018) position: - 737. 4.21. - 725. 8.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†
- 737. 4.21. - 725. 8.29.	α	0	α	17	17
- 739. 1.22. - 725. 8.29.	α	2	Ω	19	17
- 737. 4.21. - 725. 8.29.	α	3	B	21	17
	0	α		0	0
- 737. 4.21. - 725. 8.29.	α	0	α	0	17
- 737. 4.21. - 725. 8.29.				1019th position to Ω Jotham	19

16492 Bytes free.

(1000th/1019) position: - 752. 4.21. - 742. 8.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†
- 752. 4.21. - 742. 8.29.	α	0	α	19	19
- 752. 4.21. - 742. 8.29.	α	1	E	26	19
- 752. 4.21. - 740. 8.29.	α	3	B	21	19
- 754. 4.21. - 742. 8.29.	α	10	B	16	19
	0	α		0	0
- 752. 4.21. - 742. 8.29.	α	0	α	0	19

16492 Bytes free.

(1001st/1019) position: - 755. 4.21. - 744. 8.29. E Menahem 23
 Forward relations for entry Menahem (23/120) are generated.
 Backward relations for entry Pekahiah (22/120) are generated.
 Optimize dates...

Menahem	D	Kind	S	from:	to:
- 755. 4.21. - 744. 8.29.	E	0	E	23	23
- 757. 4.21. - 743. 5.29.	E	5	B	23	23
- 755. 4.21. - 744. 8.29.	E	7	B	22	23
- 755. 4.21. - 744. 8.29.	+	0	+	23	23
		0	E	0	0
- 755. 4.21. - 744. 8.29.	E	0	E	0	23

16492 Bytes free.

(1002nd/1019) position: - 765. 9.21. - 754. 5.29. E Shallum 24
 Forward relations for entry Shallum (24/120) are generated.
 Backward relations for entry Menahem (23/120) are generated.
 Optimize dates...

Shallum	D	Kind	S	from:	to:
- 765. 9.21. - 754. 5.29.	E	0	E	24	24
- 765. 9.21. - 754. 5.29.	E	5	B	24	24
- 766. 4.21. - 754. 5.29.	E	7	B	23	24
- 765. 9.21. - 754. 5.29.	+	0	+	24	24
		0	E	0	0
- 765. 9.21. - 754. 5.29.	E	0	E	0	24
- 765. 9.21. - 754. 5.29.				1020th position to B Menahem	23

16492 Bytes free.

(1003rd/1020) position: - 765. 9.21. - 754. 5.29. E Shallum 24
 Forward relations for entry Shallum (24/120) are generated.
 Backward relations for entry Menahem (23/120) are generated.
 Optimize dates...

Shallum	D	Kind	S	from:	to:
- 765. 9.21. - 754. 5.29.	E	0	E	24	24
- 765. 9.21. - 754. 5.29.	E	5	B	24	24
- 765. 9.21. - 754. 5.29.	E	7	B	23	24
- 765. 9.21. - 754. 5.29.	+	0	+	24	24
		0	E	0	0
- 765. 9.21. - 754. 5.29.	E	0	E	0	24

16492 Bytes free.

(1004th/1020) position: -1526. 9.15. -1481. 6.30. * Joshua 83
 Forward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Chushanrishathaim (80/120) are generated.
 Optimize dates...

Joshua	D	Kind	S	from:	to:
-1526. 9.15. -1481. 6.30.	*	0	*	83	83
-1526. 9.15. -1481. 6.30.	*	5	+	83	83
		0	*	0	0
-1526. 9.15. -1481. 6.30.	*	0	*	0	83

16492 Bytes free.

(1005th/1020) position: -1097. 7.15. -1054. 3.23. E Samson 62
 Forward relations for entry Samson (62/120) are generated.
 Backward relations for entry Philistines (63/120) are generated.
 Optimize dates...

Samson	D	Kind	S	from:	to:
-1097. 7.15. -1054. 3.23.	E	0	E	62	62
-1097. 7.15. -1049. 5.29.	E	5	B	62	62

```

≤-1054. 3.23. E 8 E 63 62||
-1097. 7.15. -1054. 3.23. + 0 + 62 62||
                                0 E 0 0||
-1097. 7.15. -1054. 3.23. E 0 E 0 62||
-1116. 7.15. -1073. 3.23. 1021st position to B Samson 62

```

16492 Bytes free.

```

(1006th/1021) position: -1098. 7.15. -1073. 3.23. B Samuel 61
Forward relations for entry Samuel (61/120) are generated.
Backward relations for entry Saul (60/120) are generated.
Optimize dates...

```

```

Samuel D Knd S from: to:|
-1098. 7.15. -1073. 3.23. B 0 B 61 61||
-1098. 7.15. -1070. 5.29. B 2 E 64 61||
-1098. 7.15. -1073. 3.23. B 9 E 63 61||
                                0 B 0 0||
-1098. 7.15. -1073. 3.23. B 0 B 0 61||
-1098. 7.15. -1073. 3.23. 1022nd position to E Eli 64

```

16492 Bytes free.

```

(1007th/1022) position: -1116. 7.15. -1093. 3.23. B Philistines 63
Forward relations for entry Philistines (63/120) are generated.
Backward relations for entry Samuel (61/120) are generated.
Backward relations for entry Samson (62/120) are generated.
Backward relations for entry Saul (60/120) are generated.
Optimize dates...

```

```

Philistines D Knd S from: to:|
-1116. 7.15. -1093. 3.23. B 0 B 63 63||
-1116. 7.15. ≥ B 1 E 68 63||
-1118. 7.15. -1093. 3.23. B 6 E 63 63||
                                ≤-1073. 3.23. B 7 B 62 63||
                                0 B 0 0||
-1116. 7.15. -1093. 3.23. B 0 B 0 63||

```

16492 Bytes free.

```

(1008th/1022) position: -2078. 9.15. -2067. 1.23. B Fire upon Sodom 92
Forward relations for entry Fire upon Sodom (92/120) are generated.
Backward relations for entry Isaac (91/120) are generated.
Optimize dates...

```

```

Fire upon Sodom D Knd S from: to:|
-2078. 9.15. -2067. 1.23. B 0 B 92 92||
-2078. 9.15. -2066. 1.23. B 3 * 96 92||
                                ≤-2067. 1.23. B 7 * 91 92||
                                0 B 0 0||
-2078. 9.15. -2067. 1.23. B 0 B 0 92||

```

16492 Bytes free.

```

(1009th/1022) position: -2176. 9.15. -2166. 1.23. * Abram = Abraham 96
Forward relations for entry Abram = Abraham (96/120) are generated.
Backward relations for entry Battle in Siddim Vale (94/120) are generated.
Optimize dates...

```

```

Abram = Abraham D Knd S from: to:|
-2176. 9.15. -2166. 1.23. * 0 * 96 96||
-2176. 9.15. -2163. 8.29. * 3 * 97 96||
-2178. 9.15. -2163. 8.29. * 5 + 96 96||
-2178. 9.15. -2166. 1.23. * 9 * 91 96||
-2178. 9.15. -2165. 1.23. * 9 B 92 96||
-2178. 9.15. -2163. 8.29. * 9 * 93 96||

```

```

-2177. 9.15. -2163. 8.29. * 10 B      96      96||
                0 *          0          0||
-2176. 9.15. -2166. 1.23. * 0 *      0        96||
-2245. 9.15. -2235. 1.23. 1023rd position to * Terah      97
-2002. 9.15. -1990. 1.23. 1024th position to + Abram = Abraham 96
-2091. 9.15. -2079. 1.23. 1025th position to * Ishmael     93
-2101. 9.15. -2090. 1.23. 1026th position to B Abram = Abraham 96

```

16492 Bytes free.

```

(1010th/1026) position: -1898. 9.15. -1886. 1.23. + Isaac      91
Forward relations for entry Isaac (91/120) are generated.
Optimize dates...

```

```

Isaac          D Knd S   from:   to:|
-1898. 9.15. -1886. 1.23. + 0 +     91    91||
-1898. 9.15. -1886. 1.23. + 5 *     91    91||
                0 +         0         0||
-1898. 9.15. -1886. 1.23. + 0 +         0     91||

```

16492 Bytes free.

```

(1011th/1026) position: -2168. 9.15. -2156. 1.23. * Sarai = Sarah  95
Forward relations for entry Sarai = Sarah (95/120) are generated.
Optimize dates...

```

```

Sarai = Sarah  D Knd S   from:   to:|
-2168. 9.15. -2156. 1.23. * 0 *     95    95||
-2170. 9.15. -2153. 8.29. * 5 +     95    95||
-2168. 9.15. -2156. 1.23. * 10 *    91    95||
                0 *         0         0||
-2168. 9.15. -2156. 1.23. * 0 *         0     95||
-2042. 9.15. -2028. 1.23. 1027th position to + Sarai = Sarah  95

```

16492 Bytes free.

```

(1012th/1027) position: -1140. 7.15. -1127.11.24. B Philistines + Ammon  69
Forward relations for entry Philistines + Ammon (69/120) are generated.
Backward relations for entry Jephthah (68/120) are generated.
Optimize dates...

```

```

Philistines + Ammon  D Knd S   from:   to:|
-1140. 7.15. -1127.11.24. B 0 B     69    69||
-1169. 9. 1.≥         B 1 E     72    69||
-1140. 7.15. -1127.11.24. B 5 E     69    69||
                0 B         0         0||
-1140. 7.15. -1127.11.24. B 0 B         0     69||
-1169. 9. 1. -1127.11.24. 1028th position to E Abimelech  72

```

16492 Bytes free.

```

(1013th/1028) position: - 889. 4.21. - 880. 8.29. B Ahab      44
Forward relations for entry Ahab (44/120) are generated.
Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
Backward relations for entry Elijah (43/120) are generated.
Optimize dates...

```

```

Ahab          D Knd S   from:   to:|
- 889. 4.21. - 880. 8.29. B 0 B     44    44||
- 889. 4.21. - 880. 8.29. B 1 E     45    44||
- 890. 4.15. - 878. 8.23. B 3 B     51    44||
- 892. 4.21. - 880. 8.29. B 5 E     44    44||
                ≤- 859. 8.29. B 7 B     43    44||
- 892. 4.21. - 878. 8.23. B 9 B     42    44||
                0 B         0         0||
- 889. 4.21. - 880. 8.29. B 0 B         0     44||

```

- 868. 4.21. - 859. 8.29. 1029th position to E Ahab 44
 - 889. 4.21. - 859. 8.29. 1030th position to B Elijah 43
 - 886. 4.21. - 875. 8.23. 1031st position to B Jehoshaphat 42

16492 Bytes free.

(1014th/1031) position: -1147. 9. 1.≥ B Jair 70
 Forward relations for entry Jair (70/120) are generated.

Optimize dates...

Jair	D	Kind	S	from:	to:	
-1147. 9. 1.≥	B	0	B	70	70	
-1147. 9. 1.≥	B	1	E	71	70	
	B	5	E	70	70	
		0	B	0	0	
-1147. 9. 1.≥	B	0	B	0	70	
-1126. 9. 1.≥				1032nd position to E Jair		70

16492 Bytes free.

(1015th/1032) position: -1209. 9.15. -1166. 6.30. E Midianites 74
 Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D	Kind	S	from:	to:	
-1209. 9.15. -1166. 6.30.	E	0	E	74	74	
-1209. 9.15. -1164. 6.30.	E	5	B	74	74	
-1210. 9. 1. -1166. 6.30.	E	7	B	73	74	
		0	E	0	0	
-1209. 9.15. -1166. 6.30.	E	0	E	0	74	
-1209. 9.15. -1166. 6.30.				1033rd position to B Gideon = Jerubbaal		73

16492 Bytes free.

(1016th/1033) position: - 752. 4.21. - 742. 8.29. E Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:	
- 752. 4.21. - 742. 8.29.	E	0	E	26	26	
- 753. 4.21. - 741. 8.29.	E	6	B	26	26	
- 752. 4.21. - 742. 8.29.	E	7	α	19	26	
- 752. 4.21. - 742. 8.29.	+	0	+	26	26	
	+	2	B	20	26	
		0	E	0	0	
- 752. 4.21. - 742. 8.29.	E	0	E	0	26	

16492 Bytes free.

(1017th/1033) position: - 733. 4.21. - 723. 8.29. B Hoshea 16
 Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kind	S	from:	to:	
- 733. 4.21. - 723. 8.29.	B	0	B	16	16	
- 733. 4.21. - 723. 8.29.	B	1	E	21	16	
- 736. 1.22. - 723. 8.29.	B	3	B	17	16	
- 735. 1.22. - 722. 8.29.	B	5	E	16	16	
- 733. 4.21. - 721. 8.29.	B	4	α	19	16	
- 734. 1.22. - 723. 8.29.	B	9	B	14	16	
- 735. 1.22. - 722. 8.29.	B	10	B	15	16	
		0	B	0	0	
- 733. 4.21. - 723. 8.29.	B	0	B	0	16	

- 746. 4.21. - 736. 8.29. 1034th position to B Ahaz 17
 - 725. 4.21. - 714. 8.29. 1035th position to E Hoshea 16
 - 725. 4.21. - 714. 8.29. 1036th position to B Captivity of Israel 15

16492 Bytes free.

(1018th/1036) position: - 733. 4.21. - 723. 8.29. E Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kind	S	from:	to:†
- 733. 4.21. - 723. 8.29.	E	0	E	21	21
- 734. 4.21. - 722. 8.29.	E	5	B	21	21
- 733. 4.21. - 723. 8.29.	E	7	B	16	21
- 733. 4.21. - 723. 8.29.	+	0	+	21	21
		0	E	0	0
- 733. 4.21. - 723. 8.29.	E	0	E	0	21

16492 Bytes free.

(1019th/1036) position: - 737. 4.21. - 725. 8.29. Ω Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†
- 737. 4.21. - 725. 8.29.	Ω	0	Ω	19	19
- 737. 4.21. - 725. 8.29.	Ω	8	α	17	19
- 737. 4.21. - 725. 8.29.	+	0	+	19	19
		0	Ω	0	0
- 737. 4.21. - 725. 8.29.	Ω	0	Ω	0	19

16492 Bytes free.

(1020th/1036) position: - 765. 9.21. - 754. 5.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:†
- 765. 9.21. - 754. 5.29.	B	0	B	23	23
- 765. 9.21. - 754. 5.29.	B	1	E	24	23
- 766. 4.21. - 754. 8.29.	B	3	B	26	23
- 766. 4.21. - 753. 8.29.	B	5	E	23	23
		0	B	0	0
- 765. 9.21. - 754. 5.29.	B	0	B	0	23

16492 Bytes free.

(1021st/1036) position: -1116. 7.15. -1073. 3.23. B Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kind	S	from:	to:†
-1116. 7.15. -1073. 3.23.	B	0	B	62	62
-1116. 7.15. ≥	B	1	B	63	62
-1118. 7.15. -1073. 3.23.	B	5	E	62	62
		0	B	0	0
-1116. 7.15. -1073. 3.23.	B	0	B	0	62

16492 Bytes free.

(1022nd/1036) position: -1098. 7.15. -1073. 3.23. E Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kn	S	from:	to:	
-1098. 7.15. -1073. 3.23. E 0 E				64	64	
-1100. 7.15. -1068. 5.29. E 6 B				64	64	
-1098. 7.15. -1073. 3.23. E 8 B				61	64	
-1098. 7.15. -1073. 3.23. + 0 +				64	64	
-1100. 7.15. -1068. 5.29. + 5 *				64	64	
				0 E	0	
-1098. 7.15. -1073. 3.23. E 0 E				0	64	
-1139. 7.15. -1112. 3.23.				1037th position to B	Eli	64
-1197. 7.15. -1170. 3.23.				1038th position to *	Eli	64

16492 Bytes free.

(1023rd/1038) position: -2245. 9.15. -2235. 1.23. * Terah 97

Forward relations for entry Terah

(97/120) are generated.

Backward relations for entry Abram = Abraham

(96/120) are generated.

Optimize dates...

Terah	D	Kn	S	from:	to:	
-2245. 9.15. -2235. 1.23. * 0 *				97	97	
-2245. 9.15. -2232. 8.29. * 3 *				98	97	
-2247. 9.15. -2233. 8.29. * 5 +				97	97	
-2247. 9.15. -2235. 1.23. * 9 *				96	97	
-2247. 9.15. -2232. 8.29. * 10 +				98	97	
				0 *	0	
-2245. 9.15. -2235. 1.23. * 0 *				0	97	
-2273. 9.15. -2263. 1.23.				1039th position to *	Nahor	98
-2101. 9.15. -2089. 1.23.				1040th position to +	Terah	97
-2127. 9.15. -2115. 1.23.				1041st position to +	Nahor	98

16492 Bytes free.

(1024th/1041) position: -2002. 9.15. -1990. 1.23. + Abram = Abraham 96

Forward relations for entry Abram = Abraham

(96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kn	S	from:	to:	
-2002. 9.15. -1990. 1.23. E 0 E				96	96	
-2002. 9.15. -1990. 1.23. + 0 +				96	96	
-2002. 9.15. -1990. 1.23. + 5 *				96	96	
				0 E	0	
-2002. 9.15. -1990. 1.23. E 0 E				0	96	

16492 Bytes free.

(1025th/1041) position: -2091. 9.15. -2079. 1.23. * Ishmael 93

Forward relations for entry Ishmael

(93/120) are generated.

Optimize dates...

Ishmael	D	Kn	S	from:	to:	
-2091. 9.15. -2079. 1.23. * 0 *				93	93	
-2101. 9.15. >				* 1 B	94	93
-2091. 9.15. -2079. 1.23. * 3 *				96	93	
-2093. 9.15. -2076. 8.29. * 5 +				93	93	
				0 *	0	
-2091. 9.15. -2079. 1.23. * 0 *				0	93	
-2101. 9.15. -2079. 1.23.				1042nd position to B	Battle in Siddim Vale	94
-1955. 9.15. -1941. 1.23.				1043rd position to +	Ishmael	93

16492 Bytes free.

(1026th/1043) position: -2101. 9.15. -2090. 1.23. B Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:†	
-2101. 9.15. -2090. 1.23.	B	0	B	96	96	
-2101. 9.15. ≥	B	1	+	97	96	
-2102. 9.15. -2090. 1.23.	B	4	*	96	96	
≤-2079. 1.23.	B	7	B	94	96	
				0	0	
-2101. 9.15. -2090. 1.23.	B	0	B	0	96	
-2101. 9.15. -2090. 1.23.				1044th position to + Terah		97

16492 Bytes free.

(1027th/1044) position: -2042. 9.15. -2028. 1.23. + Sarai = Sarah 95
 Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

Sarai = Sarah	D	Kind	S	from:	to:†	
-2042. 9.15. -2028. 1.23.	+	0	+	95	95	
-2042. 9.15. -2028. 1.23.	+	5	*	95	95	
				0	0	
-2042. 9.15. -2028. 1.23.	+	0	+	0	95	

16492 Bytes free.

(1028th/1044) position: -1169. 9. 1. -1127.11.24. E Abimelech 72
 Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.
 Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Kind	S	from:	to:†	
-1169. 9. 1. -1127.11.24.	E	0	E	72	72	
-1169. 9. 1. -1123. 6.30.	E	5	B	72	72	
≤-1127.11.24.	E	7	B	69	72	
				71	72	
-1169. 9. 1. -1127.11.24.	+	0	+	72	72	
				0	0	
-1169. 9. 1. -1127.11.24.	E	0	E	0	72	
-1171. 9. 1. -1129.11.24.				1045th position to B Abimelech		72

16492 Bytes free.

(1029th/1045) position: - 868. 4.21. - 859. 8.29. E Ahab 44
 Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:†	
- 868. 4.21. - 859. 8.29.	E	0	E	44	44	
- 889. 4.21. ≥	E	2	B	43	44	
- 868. 4.21. - 857. 8.29.	E	5	B	44	44	
- 869. 4.21. - 859. 8.29.	E	7	B	41	44	
- 868. 4.21. - 859. 8.29.	+	0	+	44	44	
				0	0	
- 868. 4.21. - 859. 8.29.	E	0	E	0	44	
- 868. 4.21. - 859. 8.29.				1046th position to B Ahaziah (Ahab)		41

16492 Bytes free.

(1030th/1046) position: - 889. 4.21. - 859. 8.29. B Elijah 43
 Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:
- 889. 4.21. - 859. 8.29.	B	0	B	43	43
- 889. 4.21. ≥	B	1	B	44	43
≤- 859. 8.29.	B	8	E	44	43
		0	B	0	0
- 889. 4.21. - 859. 8.29.	B	0	B	0	43

16492 Bytes free.

(1031st/1046) position: - 886. 4.21. - 875. 8.23. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 886. 4.21. - 875. 8.23.	B	0	B	42	42
- 887. 4.21. - 875. 8.23.	B	1	E	51	42
- 886. 4.21. - 875. 8.29.	B	3	B	44	42
- 889. 4.21. - 873. 8.23.	B	4	*	42	42
- 889. 4.21. - 873. 8.23.	B	6	E	42	42
- 886. 4.21. - 875. 8.29.	B	9	B	41	42
- 887. 4.21. - 875. 8.29.	B	10	α	37	42
		0	B	0	0
- 886. 4.21. - 875. 8.23.	B	0	B	0	42
- 886. 4.21. - 875. 8.23.				1047th position to E Asa	51
- 922. 4.21. - 909. 8.23.				1048th position to * Jehoshaphat	42
- 862. 4.21. - 849. 8.23.				1049th position to E Jehoshaphat	42

16492 Bytes free.

(1032nd/1049) position: -1126. 9. 1. ≥ E Jair 70

Forward relations for entry Jair (70/120) are generated.

Optimize dates...

Jair	D	Kind	S	from:	to:
-1126. 9. 1. ≥	E	0	E	70	70
-1126. 9. 1. ≥	E	5	B	70	70
-1126. 9. 1. ≥	+	0	+	70	70
		0	E	0	0
-1126. 9. 1. ≥	E	0	E	0	70

16492 Bytes free.

(1033rd/1049) position: -1209. 9.15. -1166. 6.30. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
-1209. 9.15. -1166. 6.30.	B	0	B	73	73
-1209. 9.15. -1166. 6.30.	B	1	E	74	73
-1212. 9. 1. -1166. 6.30.	B	5	E	73	73
		0	B	0	0
-1209. 9.15. -1166. 6.30.	B	0	B	0	73
-1170. 9.15. -1127. 6.30.				1050th position to E Gideon = Jerubbaal	73

16492 Bytes free.

(1034th/1050) position: - 746. 4.21. - 736. 8.29. B Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:	
- 746. 4.21. - 736. 8.29.	B	0	B	17	17	
- 747. 1.22. - 736. 8.29.	B	1	E	19	17	
- 749. 1.22. - 734. 8.29.	B	4	*	17	17	
- 746. 4.21. - 734. 8.29.	B	9	B	16	17	
- 747. 1.22. - 736. 8.29.	B	5	E	18	18	
	0	B		0	0	
- 746. 4.21. - 736. 8.29.	B	0	B	0	17	
- 746. 4.21. - 736. 8.29.				1051st position to E		Jotham 19
- 767. 4.21. - 755. 8.29.				1052nd position to *		Ahaz 17

16492 Bytes free.

(1035th/1052) position: - 725. 4.21. - 714. 8.29. E Hoshea 16
 Forward relations for entry Hoshea (16/120) are generated.
 Backward relations for entry Captivity of Israel (15/120) are generated.
 Optimize dates...

Hoshea	D	Kind	S	from:	to:	
- 725. 4.21. - 714. 8.29.	E	0	E	16	16	
- 725. 4.21. - 713. 8.29.	E	5	B	16	16	
- 725. 4.21. - 714. 8.29.	E	7	B	15	16	
	0	E		0	0	
- 725. 4.21. - 714. 8.29.	E	0	E	0	16	

16492 Bytes free.

(1036th/1052) position: - 725. 4.21. - 714. 8.29. B Captivity of Israel 15
 Forward relations for entry Captivity of Israel (15/120) are generated.
 Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:	
- 725. 4.21. - 714. 8.29.	B	0	B	15	15	
- 725. 4.21. - 714. 8.29.	B	1	E	16	15	
- 725. 1.22. - 714. 8.29.	B	3	B	14	15	
- 725. 4.21. - 713. 8.29.	B	4	B	16	15	
	0	B		0	0	
- 725. 4.21. - 714. 8.29.	B	0	B	0	15	

16492 Bytes free.

(1037th/1052) position: -1139. 7.15. -1112. 3.23. B Eli 64
 Forward relations for entry Eli (64/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Optimize dates...

Eli	D	Kind	S	from:	to:	
-1139. 7.15. -1112. 3.23.	B	0	B	64	64	
-1139. 7.15. -1112. 3.23.	B	6	E	64	64	
	0	B		0	0	
-1139. 7.15. -1112. 3.23.	B	0	B	0	64	

16492 Bytes free.

(1038th/1052) position: -1197. 7.15. -1170. 3.23. * Eli 64
 Forward relations for entry Eli (64/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Optimize dates...

Eli	D	Kind	S	from:	to:	
-1197. 7.15. -1170. 3.23.	*	0	*	64	64	
-1197. 7.15. -1170. 3.23.	*	5	+	64	64	
	0	*		0	0	
-1197. 7.15. -1170. 3.23.	*	0	*	0	64	

16492 Bytes free.
 (1039th/1052) position: -2273. 9.15. -2263. 1.23. * Nahor 98
 Forward relations for entry Nahor (98/120) are generated.
 Optimize dates...

Nahor	D	Kind	S	from:	to:	
-2273. 9.15. -2263. 1.23.	*	0	*	98	98	
-2273. 9.15. -2260. 8.29.	*	3	*	99	98	
-2275. 9.15. -2263. 1.23.	*	9	*	97	98	
-2275. 9.15. -2260. 8.29.	*	10	+	99	98	
		0	*	0	0	
-2273. 9.15. -2263. 1.23.	*	0	*	0	98	
-2302. 9.15. -2292. 1.23.				1053rd position to	*	Serug 99
-2074. 9.15. -2062. 1.23.				1054th position to	+	Serug 99

16492 Bytes free.
 (1040th/1054) position: -2101. 9.15. -2090. 1.23. + Terah 97
 Forward relations for entry Terah (97/120) are generated.
 Backward relations for entry Abram = Abraham (96/120) are generated.
 Optimize dates...

Terah	D	Kind	S	from:	to:	
-2101. 9.15. -2090. 1.23.	+	0	+	97	97	
-2101. 9.15. -2089. 1.23.	+	5	*	97	97	
≤-2090. 1.23.	+	7	B	96	97	
		0	+	0	0	
-2101. 9.15. -2090. 1.23.	+	0	+	0	97	

16492 Bytes free.
 (1041st/1054) position: -2127. 9.15. -2115. 1.23. + Nahor 98
 Forward relations for entry Nahor (98/120) are generated.
 Optimize dates...

Nahor	D	Kind	S	from:	to:	
-2127. 9.15. -2115. 1.23.	+	0	+	98	98	
-2127. 9.15. -2115. 1.23.	+	4	*	97	98	
		0	+	0	0	
-2127. 9.15. -2115. 1.23.	+	0	+	0	98	

16492 Bytes free.
 (1042nd/1054) position: -2101. 9.15. -2079. 1.23. B Battle in Siddim Vale 94
 Forward relations for entry Battle in Siddim Vale (94/120) are generated.
 Backward relations for entry Ishmael (93/120) are generated.
 Optimize dates...

Battle in Siddim Vale	D	Kind	S	from:	to:	
-2101. 9.15. -2079. 1.23.	B	0	B	94	94	
-2101. 9.15. ≥	B	1	B	96	94	
≤-2079. 1.23.	B	7	*	93	94	
		0	B	0	0	
-2101. 9.15. -2079. 1.23.	B	0	B	0	94	

16492 Bytes free.
 (1043rd/1054) position: -1955. 9.15. -1941. 1.23. + Ishmael 93
 Forward relations for entry Ishmael (93/120) are generated.
 Optimize dates...

Ishmael	D	Kind	S	from:	to:	
-1955. 9.15. -1941. 1.23.	+	0	+	93	93	
-1955. 9.15. -1941. 1.23.	+	5	*	93	93	
		0	+	0	0	
-1955. 9.15. -1941. 1.23.	+	0	+	0	93	

16492 Bytes free.
 (1044th/1054) position: -2101. 9.15. -2090. 1.23. + Terah 97
 Forward relations for entry Terah (97/120) are generated.
 Backward relations for entry Abram = Abraham (96/120) are generated.
 Optimize dates...

Terah	D	Kind	S	from:	to:
-2101. 9.15. -2090. 1.23.	+	0	+	97	97
-2101. 9.15. -2089. 1.23.	+	5	*	97	97
≤-2090. 1.23.	+	7	B	96	97
		0	+	0	0
-2101. 9.15. -2090. 1.23.	+	0	+	0	97

16492 Bytes free.
 (1045th/1054) position: -1171. 9. 1. -1129.11.24. B Abimelech 72
 Forward relations for entry Abimelech (72/120) are generated.
 Backward relations for entry Philistines + Ammon (69/120) are generated.
 Backward relations for entry Tola (71/120) are generated.
 Optimize dates...

Abimelech	D	Kind	S	from:	to:
-1171. 9. 1. -1129.11.24.	B	0	B	72	72
-1170. 9.15. -1127. 6.30.	B	1	E	73	72
-1173. 9. 1. -1129.11.24.	B	5	E	72	72
1Y 14D		0	B	0	0
-1170. 9.15. -1129.11.24.	B	0	B	0	72
-1170. 9.15. -1129.11.24.		1055th	position to B	Abimelech	72
-1170. 9.15. -1129.11.24.		1056th	position to E	Gideon = Jerubbaal	73
-1168. 9.15. -1127.11.24.		1057th	position to E	Abimelech	72

16492 Bytes free.
 (1046th/1057) position: - 868. 4.21. - 859. 8.29. B Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
- 868. 4.21. - 859. 8.29.	B	0	B	41	41
- 868. 4.21. - 859. 8.29.	B	1	E	44	41
- 870. 4.21. - 857. 8.23.	B	3	B	42	41
- 871. 4.21. - 859. 8.29.	B	5	E	41	41
		0	B	0	0
- 868. 4.21. - 859. 8.29.	B	0	B	0	41
- 867. 4.21. - 858. 8.29.		1058th	position to E	Ahaziah (Ahab)	41

16492 Bytes free.
 (1047th/1058) position: - 886. 4.21. - 875. 8.23. E Asa 51
 Forward relations for entry Asa (51/120) are generated.
 Backward relations for entry Jehoshaphat (42/120) are generated.
 Optimize dates...

Asa	D	Kind	S	from:	to:
- 886. 4.21. - 875. 8.23.	E	0	E	51	51
- 887. 4.15. - 875. 8.23.	E	5	B	51	51
- 886. 4.21. - 875. 8.23.	E	7	B	42	51
- 886. 4.21. - 875. 8.23.	+	0	+	51	51
		0	E	0	0
- 886. 4.21. - 875. 8.23.	E	0	E	0	51

16492 Bytes free.
 (1048th/1058) position: - 922. 4.21. - 909. 8.23. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
- 922. 4.21. - 909. 8.23. * 0 *				42	42
- 922. 4.21. - 909. 8.23. * 10 B				42	42
			0 *	0	0
- 922. 4.21. - 909. 8.23. * 0 *				0	42

16492 Bytes free.

(1049th/1058) position: - 862. 4.21. - 849. 8.23. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
- 862. 4.21. - 849. 8.23. E 0 E				42	42
- 862. 4.21. - 849. 8.23. E 6 B				42	42
- 863. 4.21. - 849. 8.23. E 7 α				40	42
- 862. 4.21. - 849. 8.23. + 0 +				42	42
			0 E	0	0
- 862. 4.21. - 849. 8.23. E 0 E				0	42
- 862. 4.21. - 849. 8.23.				1059th position to α	Jehoram (Jehoshaphat) 40

16492 Bytes free.

(1050th/1059) position: -1170. 9.15. -1129.11.24. E Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.
 Backward relations for entry Abimelech (72/120) are generated.
 Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:†
-1170. 9.15. -1129.11.24. E 0 E				73	73
-1170. 9.15. -1125. 6.30. E 5 B				73	73
-1170. 9.15. -1129.11.24. E 7 B				72	73
-1170. 9.15. -1129.11.24. + 0 +				73	73
			0 E	0	0
-1170. 9.15. -1129.11.24. E 0 E				0	73
-1209. 9.15. -1168.11.24.				1060th position to B	Gideon = Jerubbaal 73

16492 Bytes free.

(1051st/1060) position: - 746. 4.21. - 736. 8.29. E Jotham 19

Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kind	S	from:	to:†
- 746. 4.21. - 736. 8.29. E 0 E				19	19
- 749. 1.22. - 734. 8.29. E 6 B				19	19
- 746. 4.21. - 736. 8.29. E 7 B				17	19
			0 E	0	0
- 746. 4.21. - 736. 8.29. E 0 E				0	19
- 763. 4.21. - 751. 8.29.				1061st position to B	Jotham 19

16492 Bytes free.

(1052nd/1061) position: - 767. 4.21. - 755. 8.29. * Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:†
------	---	------	---	-------	------

```

- 767. 4.21. - 755. 8.29. * 0 *      17      17||
- 767. 4.21. - 755. 8.29. * 10 B    17      17||
                          0 *        0        0||
- 767. 4.21. - 755. 8.29. * 0 *      0        17||

```

16492 Bytes free.

(1053rd/1061) position: -2302. 9.15. -2292. 1.23. * Serug 99
 Forward relations for entry Serug (99/120) are generated.

Optimize dates...

```

Serug          D Knd S   from:   to:|
-2302. 9.15. -2292. 1.23. * 0 *     99     99||
-2302. 9.15. -2289. 8.29. * 3 *     100    99||
-2304. 9.15. -2292. 1.23. * 9 *     98     99||
-2304. 9.15. -2289. 8.29. * 10 +    100    99||
                          0 *        0        0||
-2302. 9.15. -2292. 1.23. * 0 *        0     99||
-2333. 9.15. -2323. 1.23. 1062nd position to * Reu 100
-2096. 9.15. -2084. 1.23. 1063rd position to + Reu 100

```

16492 Bytes free.

(1054th/1063) position: -2074. 9.15. -2062. 1.23. + Serug 99
 Forward relations for entry Serug (99/120) are generated.

Optimize dates...

```

Serug          D Knd S   from:   to:|
-2074. 9.15. -2062. 1.23. + 0 +     99     99||
-2074. 9.15. -2062. 1.23. + 4 *     98     99||
                          0 +        0        0||
-2074. 9.15. -2062. 1.23. + 0 +        0     99||

```

16492 Bytes free.

(1055th/1063) position: -1170. 9.15. -1129.11.24. B Abimelech 72
 Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

```

Abimelech      D Knd S   from:   to:|
-1170. 9.15. -1129.11.24. B 0 B     72     72||
-1170. 9.15. -1129.11.24. B 1 E     73     72||
-1172. 9.15. -1129.11.24. B 5 E     72     72||
                          0 B        0        0||
-1170. 9.15. -1129.11.24. B 0 B        0     72||

```

16492 Bytes free.

(1056th/1063) position: -1170. 9.15. -1129.11.24. E Gideon = Jerubbaal 73
 Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

```

Gideon = Jerubbaal D Knd S   from:   to:|
-1170. 9.15. -1129.11.24. E 0 E     73     73||
-1170. 9.15. -1127.11.24. E 5 B     73     73||
-1170. 9.15. -1129.11.24. E 7 B     72     73||
-1170. 9.15. -1129.11.24. + 0 +     73     73||
                          0 E        0        0||
-1170. 9.15. -1129.11.24. E 0 E        0     73||

```

16492 Bytes free.

(1057th/1063) position: -1168. 9.15. -1127.11.24. E Abimelech 72
 Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.
 Backward relations for entry Tola (71/120) are generated.
 Optimize dates...

Abimelech	D	Kind	S	from:	to:	
-1168. 9.15. -1127.11.24.	E	0	E	72	72	
-1168. 9.15. -1125.11.24.	E	5	B	72	72	
≤-1127.11.24.	E	7	B	69	72	
	E	7	B	71	72	
-1168. 9.15. -1127.11.24.	+	0	+	72	72	
	0	E		0	0	
-1168. 9.15. -1127.11.24.	E	0	E	0	72	
-1168. 9.15. ≥				1064th position to B Tola		71

16492 Bytes free.

(1058th/1064) position: - 867. 4.21. - 858. 8.29. E Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 867. 4.21. - 858. 8.29.	E	0	E	41	41	
- 867. 4.21. - 856. 8.29.	E	5	B	41	41	
- 868. 4.21. - 858. 8.29.	E	7	α	37	41	
≤- 858. 8.29.	E	8	E	43	41	
- 867. 4.21. - 858. 8.29.	+	0	+	41	41	
	0	E		0	0	
- 867. 4.21. - 858. 8.29.	E	0	E	0	41	
- 867. 4.21. - 858. 8.29.				1065th position to α Joram (Ahab)		37
- 867. 4.21. - 858. 8.29.				1066th position to E Elijah		43

16492 Bytes free.

(1059th/1066) position: - 862. 4.21. - 849. 8.23. α Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
- 862. 4.21. - 849. 8.23.	α	0	α	40	40	
- 862. 4.21. - 849. 8.23.	α	1	E	42	40	
	0	α		0	0	
- 862. 4.21. - 849. 8.23.	α	0	α	0	40	

16492 Bytes free.

(1060th/1066) position: -1209. 9.15. -1168.11.24. B Gideon = Jerubbaal 73
 Forward relations for entry Gideon = Jerubbaal (73/120) are generated.
 Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:	
-1209. 9.15. -1168.11.24.	B	0	B	73	73	
-1209. 9.15. -1166. 6.30.	B	1	E	74	73	
-1211. 9.15. -1168.11.24.	B	5	E	73	73	
	0	B		0	0	
-1209. 9.15. -1168.11.24.	B	0	B	0	73	
-1209. 9.15. -1168.11.24.				1067th position to E Midianites		74

16492 Bytes free.

(1061st/1067) position: - 763. 4.21. - 751. 8.29. B Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
- 763. 4.21. - 751. 8.29.	B	0	B	19	19	
- 766. 1.22. - 749. 8.29.	B	4	*	19	19	
- 763. 4.21. - 751. 8.29.	B	6	E	19	19	
	0	B		0	0	
- 763. 4.21. - 751. 8.29.	B	0	B	0	19	
- 789. 4.21. - 775. 8.29.				1068th position to *	Jotham	19

16492 Bytes free.

(1062nd/1068) position: -2333. 9.15. -2323. 1.23. * Reu 100

Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D	Kind	S	from:	to:	
-2333. 9.15. -2323. 1.23.	*	0	*	100	100	
-2333. 9.15. -2320. 8.29.	*	3	*	101	100	
-2335. 9.15. -2323. 1.23.	*	9	*	99	100	
-2335. 9.15. -2320. 8.29.	*	10	+	101	100	
	0	*		0	0	
-2333. 9.15. -2323. 1.23.	*	0	*	0	100	
-2362. 9.15. -2352. 1.23.				1069th position to *	Peleg	101
-2125. 9.15. -2113. 1.23.				1070th position to +	Peleg	101

16492 Bytes free.

(1063rd/1070) position: -2096. 9.15. -2084. 1.23. + Reu 100

Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D	Kind	S	from:	to:	
-2096. 9.15. -2084. 1.23.	+	0	+	100	100	
-2096. 9.15. -2084. 1.23.	+	4	*	99	100	
	0	+		0	0	
-2096. 9.15. -2084. 1.23.	+	0	+	0	100	

16492 Bytes free.

(1064th/1070) position: -1168. 9.15.≥ B Tola 71

Forward relations for entry Tola (71/120) are generated.

Backward relations for entry Jair (70/120) are generated.

Optimize dates...

Tola	D	Kind	S	from:	to:	
-1168. 9.15.≥	B	0	B	71	71	
-1168. 9.15.≥	B	1	E	72	71	
-1171. 9. 1.≥	B	5	E	71	71	
	0	B		0	0	
-1168. 9.15.≥	B	0	B	0	71	
-1146. 9.15.≥				1071st position to E	Tola	71

16492 Bytes free.

(1065th/1071) position: - 867. 4.21. - 858. 8.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
- 867. 4.21. - 858. 8.29.	α	0	α	37	37	
- 867. 4.21. - 858. 8.29.	α	1	E	41	37	
- 867. 4.21.≥	α	2	E	43	37	


```

- 870. 4.21. - 858. 8.29. α 3 B      40      37||
- 869. 4.21. - 856. 8.23. α 4 B      42      37||
                               0 α      0        0||
- 867. 4.21. - 858. 8.29. α 0 α      0        37||
- 870. 4.21. - 861. 8.29. 1072nd position to B Jehoram (Jehoshaphat) 40

```

16492 Bytes free.

```

(1066th/1072) position: - 867. 4.21. - 858. 8.29.    E Elijah                43
Forward relations for entry Elijah                (43/120) are generated.
Backward relations for entry Elisha                (39/120) are generated.
Backward relations for entry Joram (Ahab)           (37/120) are generated.
Backward relations for entry Ahab                  (44/120) are generated.
Optimize dates...

```

```

Elijah                D Knd S      from:      to:|
- 867. 4.21. - 858. 8.29. E 0 E      43      43||
- 867. 4.21. ≥                E 2 E      41      43||
- 868. 4.21. - 858. 8.29. E 7 B      39      43||
                               ≤- 858. 8.29. E 8 α      37      43||
- 867. 4.21. - 858. 8.29. + 0 +      43      43||
                               0 E      0        0||
- 867. 4.21. - 858. 8.29. E 0 E      0        43||
- 867. 4.21. - 858. 8.29. 1073rd position to B Elisha                39

```

16492 Bytes free.

```

(1067th/1073) position: -1209. 9.15. -1168.11.24.    E Midianites                74
Forward relations for entry Midianites            (74/120) are generated.
Backward relations for entry Gideon = Jerubbaal    (73/120) are generated.
Optimize dates...

```

```

Midianites            D Knd S      from:      to:|
-1209. 9.15. -1168.11.24. E 0 E      74      74||
-1209. 9.15. -1164. 6.30. E 5 B      74      74||
-1209. 9.15. -1168.11.24. E 7 B      73      74||
                               0 E      0        0||
-1209. 9.15. -1168.11.24. E 0 E      0        74||
-1215. 9.15. -1174.11.24. 1074th position to B Midianites                74

```

16492 Bytes free.

```

(1068th/1074) position: - 789. 4.21. - 775. 8.29.    * Jotham                    19
Forward relations for entry Jotham                (19/120) are generated.
Backward relations for entry Ahaz                  (17/120) are generated.
Backward relations for entry Ahaz                  (17/120) are generated.
Optimize dates...

```

```

Jotham                D Knd S      from:      to:|
- 789. 4.21. - 775. 8.29. * 0 *      19      19||
- 789. 4.21. - 775. 8.29. * 10 B     19      19||
                               0 *      0        0||
- 789. 4.21. - 775. 8.29. * 0 *      0        19||

```

16492 Bytes free.

```

(1069th/1074) position: -2362. 9.15. -2352. 1.23.    * Peleg                      101
Forward relations for entry Peleg                  (101/120) are generated.
Optimize dates...

```

```

Peleg                 D Knd S      from:      to:|
-2362. 9.15. -2352. 1.23. * 0 *      101     101||
-2362. 9.15. -2351. 8.29. * 1 B      102     101||
-2362. 9.15. -2349. 8.29. * 3 *      103     101||
-2364. 9.15. -2352. 1.23. * 9 *      100     101||
-2364. 9.15. -2349. 8.29. * 10 +     103     101||

```

```

0 *      0      0||
-2362. 9.15. -2352. 1.23. * 0 *      0      101||
-2362. 9.15. -2352. 1.23. 1075th position to B Tower of Babel      102
-2395. 9.15. -2385. 1.23. 1076th position to * Eber      103
-1933. 9.15. -1921. 1.23. 1077th position to + Eber      103

```

16492 Bytes free.
(1070th/1077) position: -2125. 9.15. -2113. 1.23. + Peleg 101
Forward relations for entry Peleg (101/120) are generated.

Optimize dates...
Peleg D Knd S from: to:|
-2125. 9.15. -2113. 1.23. + 0 + 101 101||
-2125. 9.15. -2113. 1.23. + 4 * 100 101||
0 + 0 0||
-2125. 9.15. -2113. 1.23. + 0 + 0 101||

16492 Bytes free.
(1071st/1077) position: -1146. 9.15.≥ E Tola 71
Forward relations for entry Tola (71/120) are generated.
Backward relations for entry Jair (70/120) are generated.

Optimize dates...
Tola D Knd S from: to:|
-1146. 9.15.≥ E 0 E 71 71||
-1146. 9.15.≥ E 5 B 71 71||
E 7 B 70 71||
-1146. 9.15.≥ + 0 + 71 71||
0 E 0 0||
-1146. 9.15.≥ E 0 E 0 71||
-1146. 9.15.≥ 1078th position to B Jair 70

16492 Bytes free.
(1072nd/1078) position: - 870. 4.21. - 861. 8.29. B Jehoram (Jehoshaphat) 40
Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...
Jehoram (Jehoshaphat) D Knd S from: to:|
- 870. 4.21. - 861. 8.29. B 0 B 40 40||
- 872. 4.21. - 859. 8.29. B 3 B 37 40||
- 873. 4.21. - 859. 8.29. B 4 * 40 40||
- 873. 4.21. - 861. 8.29. B 6 E 40 40||
- 870. 4.21. - 859. 8.29. B 9 α 37 40||
0 B 0 0||
- 870. 4.21. - 861. 8.29. B 0 B 0 40||
- 903. 4.21. - 892. 8.29. 1079th position to * Jehoram (Jehoshaphat) 40
- 863. 4.21. - 854. 8.29. 1080th position to E Jehoram (Jehoshaphat) 40

16492 Bytes free.
(1073rd/1080) position: - 867. 4.21. - 858. 8.29. B Elisha 39
Forward relations for entry Elisha (39/120) are generated.
Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...
Elisha D Knd S from: to:|
- 867. 4.21. - 858. 8.29. B 0 B 39 39||
- 867. 4.21. - 858. 8.29. B 1 E 43 39||
0 B 0 0||
- 867. 4.21. - 858. 8.29. B 0 B 0 39||

16492 Bytes free.

(1074th/1080) position: -1215. 9.15. -1174.11.24. B Midianites 74
 Forward relations for entry Midianites (74/120) are generated.
 Backward relations for entry Gideon = Jerubbaal (73/120) are generated.
 Optimize dates...

Midianites	D	Kind	S	from:	to:	
-1215. 9.15. -1174.11.24.	B	0	B	74	74	
-1215. 9.15. -1172. 6.30.	B	1	E	75	74	
-1217. 9.15. -1174.11.24.	B	5	E	74	74	
		0	B	0	0	
-1215. 9.15. -1174.11.24.	B	0	B	0	74	
-1215. 9.15. -1174.11.24.				1081st position to E	Deborah and Barak	75

16492 Bytes free.

(1075th/1081) position: -2362. 9.15. -2352. 1.23. B Tower of Babel 102
 Forward relations for entry Tower of Babel (102/120) are generated.
 Backward relations for entry Peleg (101/120) are generated.
 Optimize dates...

Tower of Babel	D	Kind	S	from:	to:	
-2362. 9.15. -2352. 1.23.	B	0	B	102	102	
-2362. 9.15. -2352. 1.23.	B	7	*	101	102	
		0	B	0	0	
-2362. 9.15. -2352. 1.23.	B	0	B	0	102	

16492 Bytes free.

(1076th/1081) position: -2395. 9.15. -2385. 1.23. * Eber 103
 Forward relations for entry Eber (103/120) are generated.
 Optimize dates...

Eber	D	Kind	S	from:	to:	
-2395. 9.15. -2385. 1.23.	*	0	*	103	103	
-2395. 9.15. -2382. 8.29.	*	3	*	104	103	
-2397. 9.15. -2385. 1.23.	*	9	*	101	103	
-2397. 9.15. -2382. 8.29.	*	10	+	104	103	
		0	*	0	0	
-2395. 9.15. -2385. 1.23.	*	0	*	0	103	
-2424. 9.15. -2414. 1.23.				1082nd position to *	Salah	104
-1993. 9.15. -1981. 1.23.				1083rd position to +	Salah	104

16492 Bytes free.

(1077th/1083) position: -1933. 9.15. -1921. 1.23. + Eber 103
 Forward relations for entry Eber (103/120) are generated.
 Optimize dates...

Eber	D	Kind	S	from:	to:	
-1933. 9.15. -1921. 1.23.	+	0	+	103	103	
-1933. 9.15. -1921. 1.23.	+	4	*	101	103	
		0	+	0	0	
-1933. 9.15. -1921. 1.23.	+	0	+	0	103	

16492 Bytes free.

(1078th/1083) position: -1146. 9.15.≥ B Jair 70
 Forward relations for entry Jair (70/120) are generated.
 Optimize dates...

Jair	D	Kind	S	from:	to:	
-1146. 9.15.≥	B	0	B	70	70	
-1146. 9.15.≥	B	1	E	71	70	
-1149. 9. 1.≥	B	5	E	70	70	
		0	B	0	0	
-1146. 9.15.≥	B	0	B	0	70	
-1125. 9.15.≥				1084th position to E	Jair	70

16492 Bytes free.
 (1079th/1084) position: - 903. 4.21. - 892. 8.29. * Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
- 903. 4.21. - 892. 8.29.	*	0	*	40	40
- 903. 4.21. - 892. 8.29.	*	10	B	40	40
		0	*	0	0
- 903. 4.21. - 892. 8.29.	*	0	*	0	40

16492 Bytes free.
 (1080th/1084) position: - 863. 4.21. - 854. 8.29. E Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
- 863. 4.21. - 854. 8.29.	E	0	E	40	40
- 863. 4.21. - 852. 8.29.	E	6	B	40	40
- 864. 4.21. - 854. 8.29.	E	7	B	35	40
- 863. 4.21. - 854. 8.29.	+	0	+	40	40
		0	E	0	0
- 863. 4.21. - 854. 8.29.	E	0	E	0	40
- 863. 4.21. - 854. 8.29.				1085th position to B Ahaziah (Joram)	35

16492 Bytes free.
 (1081st/1085) position: -1215. 9.15. -1174.11.24. E Deborah and Barak 75
 Forward relations for entry Deborah and Barak (75/120) are generated.
 Backward relations for entry Midianites (74/120) are generated.
 Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:†
-1215. 9.15. -1174.11.24.	E	0	E	75	75
-1215. 9.15. -1170. 6.30.	E	5	B	75	75
-1215. 9.15. -1174.11.24.	E	7	B	74	75
		0	E	0	0
-1215. 9.15. -1174.11.24.	E	0	E	0	75
-1254. 9.15. -1213.11.24.				1086th position to B Deborah and Barak	75

16492 Bytes free.
 (1082nd/1086) position: -2424. 9.15. -2414. 1.23. * Salah 104
 Forward relations for entry Salah (104/120) are generated.
 Optimize dates...

Salah	D	Kind	S	from:	to:†
-2424. 9.15. -2414. 1.23.	*	0	*	104	104
-2424. 9.15. -2411. 8.29.	*	3	*	105	104
-2426. 9.15. -2414. 1.23.	*	9	*	103	104
-2426. 9.15. -2411. 8.29.	*	9	+	106	104
		0	*	0	0
-2424. 9.15. -2414. 1.23.	*	0	*	0	104
-2458. 9.15. -2448. 1.23.				1087th position to * Arphaxad	105
-2022. 9.15. -2010. 1.23.				1088th position to + Arphaxad	106

16492 Bytes free.
 (1083rd/1088) position: -1993. 9.15. -1981. 1.23. + Salah 104
 Forward relations for entry Salah (104/120) are generated.
 Optimize dates...

Salah	D	Kind	S	from:	to:†
-------	---	------	---	-------	------

```

-1993. 9.15. -1981. 1.23. + 0 + 104 104||
-1993. 9.15. -1981. 1.23. + 4 * 103 104||
                                0 + 0 0||
-1993. 9.15. -1981. 1.23. + 0 + 0 104||

```

16492 Bytes free.

(1084th/1088) position: -1125. 9.15.≥ E Jair 70
 Forward relations for entry Jair (70/120) are generated.

Optimize dates...

```

Jair D Knd S from: to:|
-1125. 9.15.≥ E 0 E 70 70||
-1125. 9.15.≥ E 5 B 70 70||
-1125. 9.15.≥ + 0 + 70 70||
                                0 E 0 0||
-1125. 9.15.≥ E 0 E 0 70||

```

16492 Bytes free.

(1085th/1088) position: - 863. 4.21. - 854. 8.29. B Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

```

Ahaziah (Joram) D Knd S from: to:|
- 863. 4.21. - 854. 8.29. B 0 B 35 35||
- 863. 4.21. - 854. 8.29. B 1 E 40 35||
- 865. 4.21. - 852. 8.29. B 3 B 37 35||
- 866. 4.21. - 852. 8.29. B 4 * 35 35||
- 866. 4.21. - 854. 8.29. B 6 E 35 35||
- 866. 4.21. - 853. 8.29. B 3 B 37 36||
                                0 B 0 0||
- 863. 4.21. - 854. 8.29. B 0 B 0 35||
- 886. 4.21. - 875. 8.29. 1089th position to * Ahaziah (Joram) 35
- 863. 4.21. - 854. 8.29. 1090th position to E Ahaziah (Joram) 35
- 875. 4.21. - 865. 8.29. 1091st position to B Joram (Ahab) 37

```

16492 Bytes free.

(1086th/1091) position: -1254. 9.15. -1213.11.24. B Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

```

Deborah and Barak D Knd S from: to:|
-1254. 9.15. -1213.11.24. B 0 B 75 75||
-1254. 9.15. -1211. 6.30. B 1 E 76 75||
-1256. 9.15. -1213.11.24. B 5 E 75 75||
                                0 B 0 0||
-1254. 9.15. -1213.11.24. B 0 B 0 75||
-1254. 9.15. -1213.11.24. 1092nd position to E Sisera 76

```

16492 Bytes free.

(1087th/1092) position: -2458. 9.15. -2448. 1.23. * Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

```

Arphaxad D Knd S from: to:|
-2458. 9.15. -2448. 1.23. * 0 * 105 105||
-2458. 9.15. -2445. 8.29. * 3 E 107 105||
-2460. 9.15. -2446. 7. 3. * 4 * 109 105||

```

```

-2460. 9.15. -2448. 1.23. * 9 *      104      105||
-2460. 9.15. -2445. 8.29. * 10 +     109      105||
           0 *           0           0||
-2458. 9.15. -2448. 1.23. * 0 *           0      105||
-2459. 9.15. -2449. 1.23. 1093rd position to E Great Flood      107
-2559. 9.15. -2547. 1.23. 1094th position to * Shem              109
-1959. 9.15. -1947. 1.23. 1095th position to + Shem              109

16492 Bytes free.
(1088th/1095) position: -2022. 9.15. -2010. 1.23. + Arphaxad      106
Forward relations for entry Arphaxad (105/120) are generated.
Forward relations for entry Arphaxad (106/120) are generated.
Optimize dates...
Arphaxad           D Knd S   from:   to:|
-2022. 9.15. -2010. 1.23. + 0 +     105     105||
-2022. 9.15. -2010. 1.23. + 3 *     104     106||
           0 +           0           0||
-2022. 9.15. -2010. 1.23. + 0 +           0     105||

16492 Bytes free.
(1089th/1095) position: - 886. 4.21. - 875. 8.29. * Ahaziah (Joram)      35
Forward relations for entry Ahaziah (Joram) (35/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Ahaziah (Joram) (36/120) are generated.
Optimize dates...
Ahaziah (Joram)   D Knd S   from:   to:|
- 886. 4.21. - 875. 8.29. * 0 *      35      35||
- 886. 4.21. - 875. 8.29. * 10 B     35      35||
           0 *           0           0||
- 886. 4.21. - 875. 8.29. * 0 *           0      35||

16492 Bytes free.
(1090th/1095) position: - 863. 4.21. - 854. 8.29. E Ahaziah (Joram)      35
Forward relations for entry Ahaziah (Joram) (35/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Ahaziah (Joram) (36/120) are generated.
Optimize dates...
Ahaziah (Joram)   D Knd S   from:   to:|
- 863. 4.21. - 854. 8.29. E 0 E      35      35||
- 863. 4.21. - 852. 8.29. E 6 B      35      35||
- 864. 4.21. - 854. 8.29. E 7 B      33      35||
- 864. 4.21. - 854. 8.29. E 7 B      34      35||
- 863. 4.21. - 854. 8.29. + 0 +     35      35||
           0 E           0           0||
- 863. 4.21. - 854. 8.29. E 0 E           0      35||
- 863. 4.21. - 854. 8.29. 1096th position to B Jehu              33
- 863. 4.21. - 854. 8.29. 1097th position to B Athaliah          34

16492 Bytes free.
(1091st/1097) position: - 875. 4.21. - 865. 8.29. B Joram (Ahab)      37
Forward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Joram (Ahab) (38/120) are generated.
Optimize dates...
Joram (Ahab)      D Knd S   from:   to:|

```

```

- 875. 4.21. - 865. 8.29. B 0 B      37      37||
- 876. 4.21. - 865. 8.29. B 9 B      35      37||
- 875. 4.21. - 864. 8.29. B 9 B      36      37||
- 876. 4.21. - 865. 8.29. B 9 B      40      37||
- 877. 4.21. - 865. 8.29. B 5 E      38      38||
                               0 B      0      0||
- 875. 4.21. - 865. 8.29. B 0 B      0      37||

```

16492 Bytes free.

```

(1092nd/1097) position: -1254. 9.15. -1213.11.24.   E Sisera                76
Forward relations for entry Sisera                    (76/120) are generated.
Backward relations for entry Deborah and Barak       (75/120) are generated.
Optimize dates...

```

```

Sisera          D Knd S   from:   to:|
-1254. 9.15. -1213.11.24. E 0 E     76     76||
-1254. 9.15. -1209. 6.30. E 5 B     76     76||
-1254. 9.15. -1213.11.24. E 7 B     75     76||
-1254. 9.15. -1213.11.24. + 0 +     76     76||
                               0 E     0     0||
-1254. 9.15. -1213.11.24. E 0 E     0     76||
-1273. 9.15. -1232.11.24.   1098th position to B Sisera                76

```

16492 Bytes free.

```

(1093rd/1098) position: -2459. 9.15. -2449. 1.23.   E Great Flood            107
Forward relations for entry Great Flood              (107/120) are generated.
Forward relations for entry Great Flood              (108/120) are generated.
Optimize dates...

```

```

Great Flood     D Knd S   from:   to:|
-2459. 9.15. -2449. 1.23. E 0 E    107    107||
-2461. 9.15. -2449. 1.23. E 9 *    105    107||
-2461. 9.15. -2446. 7. 3. E 10 +    110    107||
-2459. 9.15. -2448. 8.30. E 3 *    110    108||
                               0 E     0     0||
-2459. 9.15. -2449. 1.23. E 0 E     0    107||
-2110. 9.15. -2098. 1.23.   1099th position to + Noah                110
-3059. 7.19. -3050.11.27.   1100th position to * Noah                110

```

16492 Bytes free.

```

(1094th/1100) position: -2559. 9.15. -2547. 1.23.   * Shem                   109
Forward relations for entry Shem                    (109/120) are generated.
Optimize dates...

```

```

Shem            D Knd S   from:   to:|
-2559. 9.15. -2547. 1.23. * 0 *    109    109||
-2560. 7.19. -2549.11.27. * 3 *    110    109||
-2559. 9.15. -2547. 1.23. * 10 *    105    109||
                               1Y 1M26D 0 *     0     0||
-2559. 9.15. -2549.11.27. * 0 *     0    109||
-2559. 9.15. -2549.11.27.   1101st position to * Shem                109

```

16492 Bytes free.

```

(1095th/1101) position: -1959. 9.15. -1947. 1.23.   + Shem                   109
Forward relations for entry Shem                    (109/120) are generated.
Optimize dates...

```

```

Shem            D Knd S   from:   to:|
-1959. 9.15. -1947. 1.23. + 0 +    109    109||
-1959. 9.15. -1947. 1.23. + 4 *    105    109||
                               0 +     0     0||
-1959. 9.15. -1947. 1.23. + 0 +     0    109||

```

16492 Bytes free.
 (1096th/1101) position: - 863. 4.21. - 854. 8.29. B Jehu 33
 Forward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Optimize dates...

Jehu	D	Kind	S	from:	to:	
- 863. 4.21. - 854. 8.29.	B	0	B	33	33	
- 863. 4.21. - 854. 8.29.	B	1	E	35	33	
- 864. 4.21. - 854. 8.29.	B	2	E	37	33	
- 865. 4.21. - 853. 8.29.	B	5	E	33	33	
- 866. 4.21. - 854. 8.29.	B	9	B	32	33	
		0	B	0	0	
- 863. 4.21. - 854. 8.29.	B	0	B	0	33	
- 863. 4.21. - 854. 8.29.				1102nd position to E	Joram (Ahab)	37
- 857. 4.21. - 848. 8.29.				1103rd position to B	Joash (Ahaziah)	32

16492 Bytes free.
 (1097th/1103) position: - 863. 4.21. - 854. 8.29. B Athaliah 34
 Forward relations for entry Athaliah (34/120) are generated.
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.
 Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 863. 4.21. - 854. 8.29.	B	0	B	34	34	
- 863. 4.21. - 854. 8.29.	B	1	E	35	34	
- 863. 4.21. - 854. 8.29.	B	2	E	37	34	
- 865. 4.21. - 853. 8.29.	B	5	E	34	34	
		0	B	0	0	
- 863. 4.21. - 854. 8.29.	B	0	B	0	34	

16492 Bytes free.
 (1098th/1103) position: -1273. 9.15. -1232.11.24. B Sisera 76
 Forward relations for entry Sisera (76/120) are generated.
 Backward relations for entry Deborah and Barak (75/120) are generated.
 Optimize dates...

Sisera	D	Kind	S	from:	to:	
-1273. 9.15. -1232.11.24.	B	0	B	76	76	
-1273. 9.15. -1230. 6.30.	B	1	E	77	76	
-1275. 9.15. -1232.11.24.	B	5	E	76	76	
		0	B	0	0	
-1273. 9.15. -1232.11.24.	B	0	B	0	76	
-1273. 9.15. -1232.11.24.				1104th position to E	Ehud	77

16492 Bytes free.
 (1099th/1104) position: -2110. 9.15. -2098. 1.23. + Noah 110
 Forward relations for entry Noah (110/120) are generated.
 Optimize dates...

Noah	D	Kind	S	from:	to:	
-2110. 9.15. -2098. 1.23.	+	0	+	110	110	
-2110. 7.19. -2099.11.27.	+	5	*	110	110	
-2110. 9.15. -2098. 1.23.	+	4	E	107	110	
		1M26D	0	+	0	0
-2110. 9.15. -2099.11.27.	+	0	+	0	110	
-2110. 9.15. -2099.11.27.				1105th position to +	Noah	110

16492 Bytes free.
 (1100th/1105) position: -3059. 7.19. -3050.11.27. * Noah 110
 Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kind	S	from:	to:	
-3059.	7.19.	-3050.11.27.	* 0 *	110	110	
-3061.	7.19.	-3047. 8.20.	* 3 *	111	110	
-3061.	9.15.	-3048.11.27.	* 5 +	110	110	
-3059.	7.19.	-3048. 7. 4.	* 9 B	107	110	
-3059.	7.18.	-3050.11.27.	* 9 E	108	110	
-3060.	9.15.	-3048.11.27.	* 9 *	109	110	
-3059.	7.18.	-3048. 7. 4.	* 10 Ω	107	110	
-3061.	7.19.	-3048. 8.20.	* 10 +	111	110	
			0 *	0	0	
-3059.	7.19.	-3050.11.27.	* 0 *	0	110	
-3113.	7.19.	-3102.11.27.		1106th position to * Lamech		111
-2460.	9. 6.	-2450. 1.14.		1107th position to B Great Flood		107
-2459.	7.19.	-2450.11.28.		1108th position to Ω Great Flood		107

16492 Bytes free.

(1101st/1108) position: -2559. 9.15. -2549.11.27. * Shem 109
 Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:
-2559.	9.15.	-2549.11.27.	* 0 *	109	109
-2560.	7.19.	-2549.11.27.	* 3 *	110	109
-2559.	9.15.	-2547. 1.23.	* 10 *	105	109
			0 *	0	0
-2559.	9.15.	-2549.11.27.	* 0 *	0	109

16492 Bytes free.

(1102nd/1108) position: - 863. 4.21. - 854. 8.29. E Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 863.	4.21.	- 854. 8.29.	E 0 E	37	37
- 863.	4.21.	- 854. 8.29.	E 8 B	33	37
- 863.	4.21.	- 854. 8.29.	E 8 B	34	37
- 864.	4.21.	- 852. 8.29.	E 5 B	38	38
- 863.	4.21.	- 854. 8.29.	+ 0 +	37	37
			0 E	0	0
- 863.	4.21.	- 854. 8.29.	E 0 E	0	37

16492 Bytes free.

(1103rd/1108) position: - 857. 4.21. - 848. 8.29. B Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 857.	4.21.	- 848. 8.29.	B 0 B	32	32
- 858.	4.21.	- 848. 8.29.	B 1 E	34	32
- 857.	4.21.	- 846. 8.29.	B 3 B	33	32
- 860.	4.21.	- 848. 8.29.	B 5 E	32	32
- 860.	4.21.	- 846. 8.29.	B 4 *	32	32
- 858.	4.21.	- 846. 8.29.	B 9 B	30	32
- 860.	4.21.	- 848. 8.29.	B 9 B	31	32
			0 B	0	0
- 857.	4.21.	- 848. 8.29.	B 0 B	0	32

- 857. 4.21. - 848. 8.29. 1109th position to E Athaliah 34
 - 818. 4.21. - 809. 8.29. 1110th position to E Joash (Ahaziah) 32
 - 865. 4.21. - 854. 8.29. 1111th position to * Joash (Ahaziah) 32
 - 835. 4.21. - 826. 8.29. 1112th position to B Jehoahaz (Jehu) 31

16492 Bytes free.

(1104th/1112) position: -1273. 9.15. -1232.11.24. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:
-1273. 9.15. -1232.11.24.	E	0	E	77	77
-1273. 9.15. -1228. 6.30.	E	5	B	77	77
-1273. 9.15. -1232.11.24.	E	7	B	76	77
		0	E	0	0
-1273. 9.15. -1232.11.24.	E	0	E	0	77
-1352. 9.15. -1311.11.24.				1113th position to B Ehud	77

16492 Bytes free.

(1105th/1113) position: -2110. 9.15. -2099.11.27. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kind	S	from:	to:
-2110. 9.15. -2099.11.27.	+	0	+	110	110
-2110. 7.19. -2099.11.27.	+	5	*	110	110
-2110. 9.15. -2098. 1.23.	+	4	E	107	110
		0	+	0	0
-2110. 9.15. -2099.11.27.	+	0	+	0	110

16492 Bytes free.

(1106th/1113) position: -3113. 7.19. -3102.11.27. * Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kind	S	from:	to:
-3113. 7.19. -3102.11.27.	*	0	*	111	111
-3115. 9. 6. -3100. 8.20.	*	3	*	112	111
-3114. 7.19. -3101. 8.20.	*	5	+	111	111
-3113. 7.19. -3102.11.27.	*	9	*	110	111
-3115. 7.19. -3101. 8.20.	*	10	+	112	111
		0	*	0	0
-3113. 7.19. -3102.11.27.	*	0	*	0	111

16492 Bytes free.

(1107th/1113) position: -2460. 9. 6. -2450. 1.14. B Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood	D	Kind	S	from:	to:
-2460. 9. 6. -2450. 1.14.	B	0	B	107	107
-2460. 7.19. ≥	B	1	+	111	107
-2461. 7.19. ≥	B	2	+	112	107
-2460. 9. 5. -2450. 1.14.	B	3	*	110	107
-2460. 9. 6. ≥	B	1	+	114	108
		0	B	0	0
-2460. 9. 6. -2450. 1.14.	B	0	B	0	107
-2460. 7.19. -2450. 1.14.				1114th position to + Lamech	111
-2461. 7.19. -2450. 1.14.				1115th position to + Methuselah	112

-2460. 9. 6. -2450. 1.14. 1116th position to + Jared 114

16492 Bytes free.

(1108th/1116) position: -2459. 7.19. -2450.11.28. Ω Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood	D	Kind	S	from:	to:†
-2459. 7.19. -2450.11.28.	Ω	0	Ω	107	107
-2459. 7.19. -2450.11.28.	Ω	4	*	110	107
		0	Ω	0	0
-2459. 7.19. -2450.11.28.	Ω	0	Ω	0	107

16492 Bytes free.

(1109th/1116) position: - 857. 4.21. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:†
- 857. 4.21. - 848. 8.29.	E	0	E	34	34
- 858. 4.21. - 847. 8.29.	E	5	B	34	34
- 857. 4.21. - 848. 8.29.	E	7	B	32	34
- 857. 4.21. - 848. 8.29.	+	0	+	34	34
		0	E	0	0
- 857. 4.21. - 848. 8.29.	E	0	E	0	34

16492 Bytes free.

(1110th/1116) position: - 818. 4.21. - 809. 8.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:†
- 818. 4.21. - 809. 8.29.	E	0	E	32	32
- 818. 4.21. - 807. 8.29.	E	5	B	32	32
- 819. 4.21. - 809. 8.29.	E	7	B	28	32
- 818. 4.21. - 809. 8.29.	+	0	+	32	32
		0	E	0	0
- 818. 4.21. - 809. 8.29.	E	0	E	0	32
- 818. 4.21. - 809. 8.29.				1117th position to B Amaziah	28

16492 Bytes free.

(1111th/1117) position: - 865. 4.21. - 854. 8.29. * Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:†
- 865. 4.21. - 854. 8.29.	*	0	*	32	32
- 865. 4.21. - 854. 8.29.	*	10	B	32	32
		0	*	0	0
- 865. 4.21. - 854. 8.29.	*	0	*	0	32

16492 Bytes free.

(1112th/1117) position: - 835. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:†
- 835. 4.21. - 826. 8.29.	B	0	B	31	31

```

- 836. 4.21. - 826. 8.29. B 1 E      33      31||
- 835. 4.21. - 824. 8.29. B 3 B      32      31||
- 838. 4.21. - 826. 8.29. B 5 E      31      31||
                        0 B          0        0||
- 835. 4.21. - 826. 8.29. B 0 B          0        31||
- 835. 4.21. - 826. 8.29. 1118th position to E Jehu      33
- 819. 4.21. - 810. 8.29. 1119th position to E Jehoahaz (Jehu) 31

```

16492 Bytes free.

```

(1113th/1119) position: -1352. 9.15. -1311.11.24.   B Ehud      77
Forward relations for entry Ehud                    (77/120) are generated.
Backward relations for entry Sisera                  (76/120) are generated.
Optimize dates...

```

```

Ehud          D Knd S   from:   to:|
-1352. 9.15. -1311.11.24. B 0 B     77     77||
-1352. 9.15. -1309. 6.30. B 1 E     78     77||
-1354. 9.15. -1311.11.24. B 5 E     77     77||
                        0 B          0        0||
-1352. 9.15. -1311.11.24. B 0 B          0        77||
-1352. 9.15. -1311.11.24. 1120th position to E Eglon      78

```

16492 Bytes free.

```

(1114th/1120) position: -2460. 7.19. -2450. 1.14.   + Lamech    111
Forward relations for entry Lamech                  (111/120) are generated.
Backward relations for entry Great Flood            (107/120) are generated.
Optimize dates...

```

```

Lamech        D Knd S   from:   to:|
-2460. 7.19. -2450. 1.14. + 0 +    111    111||
-2461. 7.19. -2448.11.27. + 5 *    111    111||
-2460. 7.19. -2449.11.27. + 4 *    110    111||
                        ≤-2450. 1.14. + 7 B    107    111||
                        0 +          0        0||
-2460. 7.19. -2450. 1.14. + 0 +          0    111||
-3113. 7.19. -3102. 1.14. 1121st position to * Lamech      111

```

16492 Bytes free.

```

(1115th/1121) position: -2461. 7.19. -2450. 1.14.   + Methuselah 112
Forward relations for entry Methuselah              (112/120) are generated.
Backward relations for entry Great Flood            (107/120) are generated.
Optimize dates...

```

```

Methuselah    D Knd S   from:   to:|
-2461. 7.19. -2450. 1.14. + 0 +    112    112||
-2462. 9. 6. -2447. 8.20. + 5 *    112    112||
-2461. 7.19. -2448. 1.14. + 4 *    111    112||
                        ≤-2450. 1.14. + 8 B    107    112||
                        0 +          0        0||
-2461. 7.19. -2450. 1.14. + 0 +          0    112||
-3181. 9. 6. -3169. 1.14. 1122nd position to * Methuselah  112

```

16492 Bytes free.

```

(1116th/1122) position: -2460. 9. 6. -2450. 1.14.   + Jared      114
Forward relations for entry Jared                    (114/120) are generated.
Backward relations for entry Great Flood            (108/120) are generated.
Optimize dates...

```

```

Jared          D Knd S   from:   to:|
-2460. 9. 6. -2450. 1.14. + 0 +    114    114||
-2460. 9. 6. -2448.11. 6. + 5 *    114    114||
-2461. 9. 6. -2447. 8.20. + 4 *    113    114||

```

```

≤-2450. 1.14. + 7 B      108      114||
                0 +          0          0||
-2460. 9. 6. -2450. 1.14. + 0 +          0      114||
-3306. 9. 6. -3296. 1.14. 1123rd position to * Jared      114
-3245. 9. 6. -3234. 1.14. 1124th position to * Enoch      113

```

16492 Bytes free.

```

(1117th/1124) position: - 818. 4.21. - 809. 8.29.   B Amaziah      28
Forward relations for entry Amaziah                (28/120) are generated.
Backward relations for entry Azariah = Uzziah       (26/120) are generated.
Forward relations for entry Amaziah                (29/120) are generated.

```

Optimize dates...

```

Amaziah          D Knd S   from:   to:|
- 818. 4.21. - 809. 8.29. B 0 B     28     28||
- 818. 4.21. - 809. 8.29. B 1 E     32     28||
- 819. 4.21. - 807. 8.29. B 3 B     30     28||
- 821. 4.21. - 807. 8.29. B 4 *     28     28||
- 821. 4.21. - 807. 8.29. B 6 E     28     28||
- 821. 4.21. - 809. 8.29. B 9 B     27     28||
                0 B          0          0||
- 818. 4.21. - 809. 8.29. B 0 B          0      28||
- 844. 4.21. - 833. 8.29. 1125th position to * Amaziah      28
- 790. 4.21. - 779. 8.29. 1126th position to E Amaziah      28
- 804. 4.21. - 795. 8.29. 1127th position to B Jeroboam (Joash) 27

```

16492 Bytes free.

```

(1118th/1127) position: - 835. 4.21. - 826. 8.29.   E Jehu      33
Forward relations for entry Jehu                    (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu)        (31/120) are generated.

```

Optimize dates...

```

Jehu            D Knd S   from:   to:|
- 835. 4.21. - 826. 8.29. E 0 E     33     33||
- 836. 4.21. - 825. 8.29. E 5 B     33     33||
- 835. 4.21. - 826. 8.29. E 7 B     31     33||
- 835. 4.21. - 826. 8.29. + 0 +     33     33||
                0 E          0          0||
- 835. 4.21. - 826. 8.29. E 0 E          0      33||

```

16492 Bytes free.

```

(1119th/1127) position: - 819. 4.21. - 810. 8.29.   E Jehoahaz (Jehu)  31
Forward relations for entry Jehoahaz (Jehu)        (31/120) are generated.
Backward relations for entry Joash (Jehoahaz)      (30/120) are generated.

```

Optimize dates...

```

Jehoahaz (Jehu) D Knd S   from:   to:|
- 819. 4.21. - 810. 8.29. E 0 E     31     31||
- 819. 4.21. - 808. 8.29. E 5 B     31     31||
- 820. 4.21. - 810. 8.29. E 7 B     30     31||
- 819. 4.21. - 810. 8.29. + 0 +     31     31||
                0 E          0          0||
- 819. 4.21. - 810. 8.29. E 0 E          0      31||
- 819. 4.21. - 810. 8.29. 1128th position to B Joash (Jehoahaz) 30

```

16492 Bytes free.

```

(1120th/1128) position: -1352. 9.15. -1311.11.24. E Eglon      78
Forward relations for entry Eglon                  (78/120) are generated.
Backward relations for entry Ehud                  (77/120) are generated.

```

Optimize dates...

```

Eglon          D Knd S   from:   to:|

```

```

-1352. 9.15. -1311.11.24. E 0 E      78      78||
-1352. 9.15. -1307. 6.30. E 5 B      78      78||
-1352. 9.15. -1311.11.24. E 7 B      77      78||
-1352. 9.15. -1311.11.24. + 0 +      78      78||
                          0 E        0        0||
-1352. 9.15. -1311.11.24. E 0 E        0        78||
-1369. 9.15. -1328.11.24. 1129th position to B Eglon 78

```

16492 Bytes free.

```

(1121st/1129) position: -3113. 7.19. -3102. 1.14. * Lamech 111
Forward relations for entry Lamech (111/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Lamech          D Knd S   from:   to:|
-3113. 7.19. -3102. 1.14. * 0 *    111   111||
-3115. 9. 6. -3101. 1.14. * 3 *    112   111||
-3114. 7.19. -3102. 1.14. * 5 +    111   111||
-3113. 7.19. -3102.11.27. * 9 *    110   111||
-3115. 7.19. -3102. 1.14. * 10 +   112   111||
                          0 *      0     0||
-3113. 7.19. -3102. 1.14. * 0 *      0     111||

```

16492 Bytes free.

```

(1122nd/1129) position: -3181. 9. 6. -3169. 1.14. * Methuselah 112
Forward relations for entry Methuselah (112/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Methuselah      D Knd S   from:   to:|
-3181. 9. 6. -3169. 1.14. * 0 *    112   112||
-3181. 9. 6. -3168. 1.14. * 3 *    113   112||
-3182. 7.19. -3169. 1.14. * 5 +    112   112||
-3181. 7.19. -3168. 1.14. * 9 *    111   112||
-3182. 9. 6. -3166. 8.20. * 10 +   113   112||
                          0 *      0     0||
-3181. 9. 6. -3169. 1.14. * 0 *      0     112||
-2881. 9. 6. -2868. 1.14. 1130th position to + Enoch 113

```

16492 Bytes free.

```

(1123rd/1130) position: -3306. 9. 6. -3296. 1.14. * Jared 114
Forward relations for entry Jared (114/120) are generated.
Backward relations for entry Great Flood (108/120) are generated.
Optimize dates...

```

```

Jared           D Knd S   from:   to:|
-3306. 9. 6. -3296. 1.14. * 0 *    114   114||
-3306. 9. 6. -3296.11. 6. * 3 *    115   114||
-3308. 9. 6. -3296. 1.14. * 5 +    114   114||
-3308. 9. 6. -3295. 1.14. * 9 *    113   114||
-3307. 9. 6. -3295.11. 6. * 10 +   115   114||
                          0 *      0     0||
-3306. 9. 6. -3296. 1.14. * 0 *      0     114||

```

16492 Bytes free.

```

(1124th/1130) position: -3245. 9. 6. -3234. 1.14. * Enoch 113
Forward relations for entry Enoch (113/120) are generated.
Optimize dates...

```

```

Enoch           D Knd S   from:   to:|
-3245. 9. 6. -3234. 1.14. * 0 *    113   113||
-3245. 9. 6. -3233. 1.14. * 3 *    114   113||

```

```

-3247. 9. 6. -3232. 1.14. * 5 +      113      113||
-3247. 9. 6. -3233. 1.14. * 9 *      112      113||
-3246. 9. 6. -3234. 1.14. * 10 +     114      113||
                               0 *         0         0||
-3245. 9. 6. -3234. 1.14. * 0 *         0         113||

```

16492 Bytes free.

```

(1125th/1130) position: - 844. 4.21. - 833. 8.29.   * Amaziah           28
Forward relations for entry Amaziah                 (28/120) are generated.
Backward relations for entry Azariah = Uziah        (26/120) are generated.
Forward relations for entry Amaziah                 (29/120) are generated.

```

Optimize dates...

```

Amaziah           D Knd S   from:   to:|
- 844. 4.21. - 833. 8.29. * 0 *     28     28||
- 844. 4.21. - 833. 8.29. * 10 B    28     28||
                               0 *         0         0||
- 844. 4.21. - 833. 8.29. * 0 *         0     28||

```

16492 Bytes free.

```

(1126th/1130) position: - 790. 4.21. - 779. 8.29.   E Amaziah           28
Forward relations for entry Amaziah                 (28/120) are generated.
Backward relations for entry Azariah = Uziah        (26/120) are generated.
Forward relations for entry Amaziah                 (29/120) are generated.

```

Optimize dates...

```

Amaziah           D Knd S   from:   to:|
- 790. 4.21. - 779. 8.29. E 0 E     28     28||
- 790. 4.21. - 779. 8.29. E 6 B     28     28||
- 790. 4.21. - 779. 8.29. + 0 +     28     28||
- 791. 4.21. - 779. 8.29. + 3 +     30     29||
                               0 E         0         0||
- 790. 4.21. - 779. 8.29. E 0 E         0     28||

```

16492 Bytes free.

```

(1127th/1130) position: - 804. 4.21. - 795. 8.29.   B Jeroboam (Joash)  27
Forward relations for entry Jeroboam (Joash)        (27/120) are generated.
Backward relations for entry Zachariah              (25/120) are generated.

```

Optimize dates...

```

Jeroboam (Joash)  D Knd S   from:   to:|
- 804. 4.21. - 795. 8.29. B 0 B     27     27||
- 805. 4.21. - 795. 8.29. B 1 E     30     27||
- 804. 4.21. - 793. 8.29. B 3 B     28     27||
- 807. 4.21. - 795. 8.29. B 5 E     27     27||
                               0 B         0         0||
- 804. 4.21. - 795. 8.29. B 0 B         0     27||
- 804. 4.21. - 795. 8.29. 1131st position to E Joash (Jehoahaz)  30
- 764. 4.21. - 755. 8.29. 1132nd position to E Jeroboam (Joash)  27

```

16492 Bytes free.

```

(1128th/1132) position: - 819. 4.21. - 810. 8.29.   B Joash (Jehoahaz)  30
Forward relations for entry Joash (Jehoahaz)        (30/120) are generated.
Backward relations for entry Jeroboam (Joash)        (27/120) are generated.
Backward relations for entry Elisha                 (39/120) are generated.

```

Optimize dates...

```

Joash (Jehoahaz)  D Knd S   from:   to:|
- 819. 4.21. - 810. 8.29. B 0 B     30     30||
- 819. 4.21. - 810. 8.29. B 1 E     31     30||
- 821. 4.21. - 810. 8.29. B 3 B     32     30||
- 821. 4.21. - 810. 8.29. B 5 E     30     30||

```

```

      ≤- 795. 8.29. B 8 E      39      30||
- 821. 4.21. - 810. 8.29. B 9 B      28      30||
                        0 B      0      0||
- 819. 4.21. - 810. 8.29. B 0 B      0      30||
- 819. 4.21. - 795. 8.29. 1133rd position to E Elisha      39

```

16492 Bytes free.

(1129th/1133) position: -1369. 9.15. -1328.11.24. B Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

```

Eglon          D Knd S      from:      to:|
-1369. 9.15. -1328.11.24. B 0 B      78      78||
-1369. 9.15. -1326. 6.30. B 1 E      79      78||
-1371. 9.15. -1328.11.24. B 5 E      78      78||
                        0 B      0      0||
-1369. 9.15. -1328.11.24. B 0 B      0      78||
-1369. 9.15. -1328.11.24. 1134th position to E Othniel      79

```

16492 Bytes free.

(1130th/1134) position: -2881. 9. 6. -2868. 1.14. + Enoch 113

Forward relations for entry Enoch (113/120) are generated.

Optimize dates...

```

Enoch          D Knd S      from:      to:|
-2881. 9. 6. -2868. 1.14. + 0 +      113     113||
-2881. 9. 6. -2868. 1.14. + 5 *      113     113||
-2882. 9. 6. -2868. 1.14. + 4 *      112     113||
                        0 +      0      0||
-2881. 9. 6. -2868. 1.14. + 0 +      0      113||

```

16492 Bytes free.

(1131st/1134) position: - 804. 4.21. - 795. 8.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

```

Joash (Jehoahaz) D Knd S      from:      to:|
- 804. 4.21. - 795. 8.29. E 0 E      30      30||
- 819. 4.21. ≥          E 2 +      39      30||
- 804. 4.21. - 793. 8.29. E 5 B      30      30||
- 804. 4.21. - 795. 8.29. E 7 B      27      30||
- 804. 4.21. - 795. 8.29. + 0 +      30      30||
- 806. 4.21. - 793. 8.29. + 9 +      29      30||
                        0 E      0      0||
- 804. 4.21. - 795. 8.29. E 0 E      0      30||

```

16492 Bytes free.

(1132nd/1134) position: - 764. 4.21. - 755. 8.29. E Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

```

Jeroboam (Joash) D Knd S      from:      to:|
- 764. 4.21. - 755. 8.29. E 0 E      27      27||
- 764. 4.21. - 753. 8.29. E 5 B      27      27||
- 765. 4.21. - 755. 8.29. E 7 B      25      27||
- 764. 4.21. - 755. 8.29. + 0 +      27      27||
                        0 E      0      0||
- 764. 4.21. - 755. 8.29. E 0 E      0      27||

```


- 764. 4.21. - 755. 8.29. 1135th position to B Zachariah 25

16492 Bytes free.

(1133rd/1135) position: - 819. 4.21. - 795. 8.29. E Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:†
- 819. 4.21. - 795. 8.29.	E	0	E	39	39
- 819. 4.21. ≥	E	2	B	30	39
- 819. 4.21. - 795. 8.29. +	0	+		39	39
≤- 795. 8.29. +	8	E		30	39
	0	E		0	0
- 819. 4.21. - 795. 8.29. E	0	E		0	39

16492 Bytes free.

(1134th/1135) position: -1369. 9.15. -1328.11.24. E Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kind	S	from:	to:†
-1369. 9.15. -1328.11.24.	E	0	E	79	79
-1369. 9.15. -1324. 6.30.	E	5	B	79	79
-1369. 9.15. -1328.11.24.	E	7	B	78	79
-1369. 9.15. -1328.11.24. +	0	+		79	79
	0	E		0	0
-1369. 9.15. -1328.11.24. E	0	E		0	79
-1408. 9.15. -1367.11.24.				1136th position to B Othniel	79

16492 Bytes free.

(1135th/1136) position: - 764. 4.21. - 755. 8.29. B Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:†
- 764. 4.21. - 755. 8.29. B	0	B		25	25
- 764. 4.21. - 755. 8.29. B	1	E		27	25
- 767. 4.21. - 755. 8.29. B	3	B		26	25
- 765. 2.21. - 755.10.29. B	5	E		25	25
	0	B		0	0
- 764. 4.21. - 755. 8.29. B	0	B		0	25
- 803. 4.21. - 794. 8.29.				1137th position to B Azariah = Uzziah	26
- 764. 9.21. - 754. 3.29.				1138th position to E Zachariah	25

16492 Bytes free.

(1136th/1138) position: -1408. 9.15. -1367.11.24. B Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kind	S	from:	to:†
-1408. 9.15. -1367.11.24. B	0	B		79	79
-1408. 9.15. -1365. 6.30. B	1	E		80	79
-1410. 9.15. -1367.11.24. B	5	E		79	79
	0	B		0	0
-1408. 9.15. -1367.11.24. B	0	B		0	79
-1408. 9.15. -1367.11.24.				1139th position to E Chushanrishathaim	80

16492 Bytes free.

(1137th/1139) position: - 803. 4.21. - 794. 8.29. B Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:	
- 803. 4.21. - 794. 8.29.	B	0	B	26	26	
- 804. 4.21. - 794. 8.29.	B	1	Ω	28	26	
- 806. 4.21. - 792. 8.29.	B	3	*	27	26	
- 806. 4.21. - 792. 8.29.	B	4	*	26	26	
- 805. 4.21. - 793. 8.29.	B	6	E	26	26	
- 806. 4.21. - 794. 8.29.	B	9	B	21	26	
- 806. 4.21. - 793. 8.29.	B	9	B	22	26	
- 805. 9.21. - 792. 5.29.	B	9	B	23	26	
- 805. 9.21. - 792. 3.29.	B	9	B	24	26	
- 803. 4.21. - 792. 8.29.	B	9	B	25	26	
		0	B	0	0	
- 803. 4.21. - 794. 8.29.	B	0	B	0	26	
- 803. 4.21. - 794. 8.29.				1140th position to Ω	Amaziah	28
- 831. 4.21. - 820. 8.29.				1141st position to *	Jeroboam (Joash)	27
- 820. 4.21. - 809. 8.29.				1142nd position to *	Azariah = Uzziah	26
- 752. 4.21. - 743. 8.29.				1143rd position to B	Pekah	21
- 754. 4.21. - 744. 8.29.				1144th position to B	Pekahiah	22

16492 Bytes free.

(1138th/1144) position: - 764. 9.21. - 754. 3.29. E Zachariah 25
 Forward relations for entry Zachariah (25/120) are generated.
 Backward relations for entry Shallum (24/120) are generated.
 Optimize dates...

Zachariah	D	Kind	S	from:	to:	
- 764. 9.21. - 754. 3.29.	E	0	E	25	25	
- 764. 9.21. - 754. 3.29.	E	5	B	25	25	
- 765. 9.21. - 754. 3.29.	E	7	B	24	25	
- 764. 9.21. - 754. 3.29.	+	0	+	25	25	
		0	E	0	0	
- 764. 9.21. - 754. 3.29.	E	0	E	0	25	
- 764. 9.21. - 754. 3.29.				1145th position to B	Shallum	24

16492 Bytes free.

(1139th/1145) position: -1408. 9.15. -1367.11.24. E Chushanrishathaim 80
 Forward relations for entry Chushanrishathaim (80/120) are generated.
 Backward relations for entry Othniel (79/120) are generated.
 Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:	
-1408. 9.15. -1367.11.24.	E	0	E	80	80	
-1408. 9.15. -1363. 6.30.	E	5	B	80	80	
-1408. 9.15. -1367.11.24.	E	7	B	79	80	
		0	E	0	0	
-1408. 9.15. -1367.11.24.	E	0	E	0	80	
-1415. 9.15. -1374.11.24.				1146th position to B	Chushanrishathaim	80

16492 Bytes free.

(1140th/1146) position: - 803. 4.21. - 794. 8.29. Ω Amaziah 28
 Forward relations for entry Amaziah (28/120) are generated.
 Backward relations for entry Azariah = Uzziah (26/120) are generated.
 Forward relations for entry Amaziah (29/120) are generated.
 Optimize dates...

Amaziah	D	Kind	S	from:	to:	
- 803. 4.21. - 794. 8.29.	Ω	0	Ω	28	28	

- 803. 4.21. - 794. 8.29. Ω 7 B 26 28||
 0 Ω 0 0||
 - 803. 4.21. - 794. 8.29. Ω 0 Ω 0 28||

16492 Bytes free.

(1141st/1146) position: - 831. 4.21. - 820. 8.29. * Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:
- 831. 4.21. - 820. 8.29. * 0 *				27	27
- 831. 4.21. - 820. 8.29. * 9 B				26	27
			0 *	0	0
- 831. 4.21. - 820. 8.29. * 0 *				0	27

16492 Bytes free.

(1142nd/1146) position: - 820. 4.21. - 809. 8.29. * Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
- 820. 4.21. - 809. 8.29. * 0 *				26	26
- 820. 4.21. - 809. 8.29. * 10 B				26	26
			0 *	0	0
- 820. 4.21. - 809. 8.29. * 0 *				0	26

16492 Bytes free.

(1143rd/1146) position: - 752. 4.21. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kind	S	from:	to:	
- 752. 4.21. - 743. 8.29. B 0 B				21	21	
- 753. 4.21. - 743. 8.29. B 1 E				22	21	
- 752. 4.21. - 741. 8.29. B 3 B				26	21	
- 754. 4.21. - 742. 8.29. B 5 E				21	21	
- 755. 4.21. - 741. 8.29. B 9 α				17	21	
- 755. 4.21. - 743. 8.29. B 9 α				19	21	
			0 B	0	0	
- 752. 4.21. - 743. 8.29. B 0 B				0	21	
- 752. 4.21. - 743. 8.29.				1147th position to E Pekahiah		22
- 736. 4.21. - 725. 8.29.				1148th position to α Ahaz		17
- 751. 4.21. - 742. 8.29.				1149th position to α Jotham		19

16492 Bytes free.

(1144th/1149) position: - 754. 4.21. - 744. 8.29. B Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kind	S	from:	to:	
- 754. 4.21. - 744. 8.29. B 0 B				22	22	
- 755. 4.21. - 744. 8.29. B 1 E				23	22	
- 754. 4.21. - 743. 8.29. B 3 B				26	22	
- 755. 4.21. - 744. 8.29. B 5 E				22	22	
			0 B	0	0	
- 754. 4.21. - 744. 8.29. B 0 B				0	22	
- 754. 4.21. - 744. 8.29.				1150th position to E Menahem		23

16492 Bytes free.
 (1145th/1150) position: - 764. 9.21. - 754. 3.29. B Shallum 24
 Forward relations for entry Shallum (24/120) are generated.
 Backward relations for entry Menahem (23/120) are generated.
 Optimize dates...
 Shallum D Knd S from: to:|
 - 764. 9.21. - 754. 3.29. B 0 B 24 24||
 - 764. 9.21. - 754. 3.29. B 1 E 25 24||
 - 765. 4.21. - 754. 8.29. B 3 B 26 24||
 - 765. 7.21. - 754. 5.29. B 5 E 24 24||
 0 B 0 0||
 - 764. 9.21. - 754. 3.29. B 0 B 0 24||
 - 764. 9.21. - 754. 5.29. 1151st position to E Shallum 24

16492 Bytes free.
 (1146th/1151) position: -1415. 9.15. -1374.11.24. B Chushanrishathaim 80
 Forward relations for entry Chushanrishathaim (80/120) are generated.
 Backward relations for entry Othniel (79/120) are generated.
 Optimize dates...
 Chushanrishathaim D Knd S from: to:|
 -1415. 9.15. -1374.11.24. B 0 B 80 80||
 -1415. 9.15. ≥ B 1 E 83 80||
 -1417. 9.15. -1374.11.24. B 5 E 80 80||
 0 B 0 0||
 -1415. 9.15. -1374.11.24. B 0 B 0 80||
 -1415. 9.15. -1374.11.24. 1152nd position to E Joshua 83

16492 Bytes free.
 (1147th/1152) position: - 752. 4.21. - 743. 8.29. E Pekahiah 22
 Forward relations for entry Pekahiah (22/120) are generated.
 Backward relations for entry Pekah (21/120) are generated.
 Optimize dates...
 Pekahiah D Knd S from: to:|
 - 752. 4.21. - 743. 8.29. E 0 E 22 22||
 - 753. 4.21. - 741. 8.29. E 5 B 22 22||
 - 752. 4.21. - 743. 8.29. E 7 B 21 22||
 - 752. 4.21. - 743. 8.29. + 0 + 22 22||
 0 E 0 0||
 - 752. 4.21. - 743. 8.29. E 0 E 0 22||

16492 Bytes free.
 (1148th/1152) position: - 736. 4.21. - 725. 8.29. α Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...
 Ahaz D Knd S from: to:|
 - 736. 4.21. - 725. 8.29. α 0 α 17 17||
 - 737. 4.21. - 725. 8.29. α 2 Ω 19 17||
 - 736. 4.21. - 725. 8.29. α 3 B 21 17||
 0 α 0 0||
 - 736. 4.21. - 725. 8.29. α 0 α 0 17||
 - 736. 4.21. - 725. 8.29. 1153rd position to Ω Jotham 19

16492 Bytes free.
 (1149th/1153) position: - 751. 4.21. - 742. 8.29. α Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
- 751. 4.21. - 742. 8.29.	α	0	α	19	19	
- 752. 4.21. - 742. 8.29.	α	1	E	26	19	
- 751. 4.21. - 740. 8.29.	α	3	B	21	19	
- 754. 4.21. - 742. 8.29.	α	10	B	16	19	
		0	α	0	0	
- 751. 4.21. - 742. 8.29.	α	0	α	0	19	
- 751. 4.21. - 742. 8.29.				1154th position to E Azariah = Uzziah		26
- 732. 4.21. - 723. 8.29.				1155th position to B Hoshea		16

16492 Bytes free.

(1150th/1155) position: - 754. 4.21. - 744. 8.29. E Menahem 23

Forward relations for entry Menahem

(23/120) are generated.

Backward relations for entry Pekahiah

(22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:	
- 754. 4.21. - 744. 8.29.	E	0	E	23	23	
- 756. 9.21. - 743. 5.29.	E	5	B	23	23	
- 754. 4.21. - 744. 8.29.	E	7	B	22	23	
- 754. 4.21. - 744. 8.29.	+	0	+	23	23	
		0	E	0	0	
- 754. 4.21. - 744. 8.29.	E	0	E	0	23	

16492 Bytes free.

(1151st/1155) position: - 764. 9.21. - 754. 5.29. E Shallum 24

Forward relations for entry Shallum

(24/120) are generated.

Backward relations for entry Menahem

(23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:	
- 764. 9.21. - 754. 5.29.	E	0	E	24	24	
- 764. 9.21. - 754. 5.29.	E	5	B	24	24	
- 765. 9.21. - 754. 5.29.	E	7	B	23	24	
- 764. 9.21. - 754. 5.29.	+	0	+	24	24	
		0	E	0	0	
- 764. 9.21. - 754. 5.29.	E	0	E	0	24	
- 764. 9.21. - 754. 5.29.				1156th position to B Menahem		23

16492 Bytes free.

(1152nd/1156) position: -1415. 9.15. -1374.11.24. E Joshua 83

Forward relations for entry Joshua

(83/120) are generated.

Backward relations for entry Chushanrishathaim

(80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:	
-1415. 9.15. -1374.11.24.	E	0	E	83	83	
≤-1374.11.24.	E	7	B	80	83	
-1415. 9.15. -1374.11.24.	+	0	+	83	83	
-1415. 9.15. ≥	+	2	B	81	83	
-1417. 9.15. -1370. 6.30.	+	5	*	83	83	
		0	E	0	0	
-1415. 9.15. -1374.11.24.	E	0	E	0	83	
-1526. 9.15. -1483.11.24.				1157th position to * Joshua		83

16492 Bytes free.

(1153rd/1157) position: - 736. 4.21. - 725. 8.29. Ω Jotham 19

Forward relations for entry Jotham

(19/120) are generated.

Backward relations for entry Ahaz

(17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kn	S	from:	to:
- 736. 4.21. - 725. 8.29. Ω	0	Ω		19	19
- 736. 4.21. - 725. 8.29. Ω	8	α		17	19
- 736. 4.21. - 725. 8.29. +	0	+		19	19
	0	Ω		0	0
- 736. 4.21. - 725. 8.29. Ω	0	Ω		0	19

16492 Bytes free.

(1154th/1157) position: - 751. 4.21. - 742. 8.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:
- 751. 4.21. - 742. 8.29. E	0	E		26	26
- 752. 4.21. - 741. 8.29. E	6	B		26	26
- 751. 4.21. - 742. 8.29. E	7	α		19	26
- 751. 4.21. - 742. 8.29. +	0	+		26	26
	+	2	B	20	26
	0	E		0	0
- 751. 4.21. - 742. 8.29. E	0	E		0	26

16492 Bytes free.

(1155th/1157) position: - 732. 4.21. - 723. 8.29. B Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kn	S	from:	to:
- 732. 4.21. - 723. 8.29. B	0	B		16	16
- 733. 4.21. - 723. 8.29. B	1	E		21	16
- 735. 4.21. - 723. 8.29. B	3	B		17	16
- 735. 4.21. - 722. 8.29. B	5	E		16	16
- 732. 4.21. - 721. 8.29. B	4	α		19	16
- 734. 1.22. - 723. 8.29. B	9	B		14	16
- 735. 4.21. - 722. 8.29. B	10	B		15	16
	0	B		0	0
- 732. 4.21. - 723. 8.29. B	0	B		0	16
- 732. 4.21. - 723. 8.29.			1158th position to E		Pekah 21
- 745. 4.21. - 736. 8.29.			1159th position to B		Ahaz 17
- 724. 4.21. - 714. 8.29.			1160th position to E		Hoshea 16
- 730. 4.21. - 721. 8.29.			1161st position to B		Hezekiah 14
- 724. 4.21. - 714. 8.29.			1162nd position to B		Captivity of Israel 15

16492 Bytes free.

(1156th/1162) position: - 764. 9.21. - 754. 5.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kn	S	from:	to:
- 764. 9.21. - 754. 5.29. B	0	B		23	23
- 764. 9.21. - 754. 5.29. B	1	E		24	23
- 765. 4.21. - 754. 8.29. B	3	B		26	23
- 765. 4.21. - 753. 8.29. B	5	E		23	23
	0	B		0	0
- 764. 9.21. - 754. 5.29. B	0	B		0	23

16492 Bytes free.

(1157th/1162) position: -1526. 9.15. -1483.11.24. * Joshua 83
 Forward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Chushanrishathaim (80/120) are generated.
 Optimize dates...

Joshua	D	Kind	S	from:	to:
-1526. 9.15. -1483.11.24.	*	0	*	83	83
-1526. 9.15. -1483.11.24.	*	5	+	83	83
		0	*	0	0
-1526. 9.15. -1483.11.24.	*	0	*	0	83

16492 Bytes free.

(1158th/1162) position: - 732. 4.21. - 723. 8.29. E Pekah 21
 Forward relations for entry Pekah (21/120) are generated.
 Backward relations for entry Hoshea (16/120) are generated.
 Optimize dates...

Pekah	D	Kind	S	from:	to:
- 732. 4.21. - 723. 8.29.	E	0	E	21	21
- 733. 4.21. - 722. 8.29.	E	5	B	21	21
- 732. 4.21. - 723. 8.29.	E	7	B	16	21
- 732. 4.21. - 723. 8.29.	+	0	+	21	21
		0	E	0	0
- 732. 4.21. - 723. 8.29.	E	0	E	0	21

16492 Bytes free.

(1159th/1162) position: - 745. 4.21. - 736. 8.29. B Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:
- 745. 4.21. - 736. 8.29.	B	0	B	17	17
- 746. 4.21. - 736. 8.29.	B	1	E	19	17
- 748. 4.21. - 734. 8.29.	B	4	*	17	17
- 745. 4.21. - 734. 8.29.	B	9	B	16	17
- 747. 1.22. - 736. 8.29.	B	5	E	18	18
		0	B	0	0
- 745. 4.21. - 736. 8.29.	B	0	B	0	17
- 745. 4.21. - 736. 8.29.				1163rd position to E Jotham	19
- 766. 4.21. - 755. 8.29.				1164th position to * Ahaz	17
- 730. 4.21. - 721. 8.29.				1165th position to E Ahaz	18

16492 Bytes free.

(1160th/1165) position: - 724. 4.21. - 714. 8.29. E Hoshea 16
 Forward relations for entry Hoshea (16/120) are generated.
 Backward relations for entry Captivity of Israel (15/120) are generated.
 Optimize dates...

Hoshea	D	Kind	S	from:	to:
- 724. 4.21. - 714. 8.29.	E	0	E	16	16
- 724. 4.21. - 713. 8.29.	E	5	B	16	16
- 724. 4.21. - 714. 8.29.	E	7	B	15	16
		0	E	0	0
- 724. 4.21. - 714. 8.29.	E	0	E	0	16

16492 Bytes free.

(1161st/1165) position: - 730. 4.21. - 721. 8.29. B Hezekiah 14
 Forward relations for entry Hezekiah (14/120) are generated.
 Backward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kind	S	from:	to:†	
- 730. 4.21. - 721. 8.29. B	0	B		14	14	
- 730. 4.21. - 721. 8.29. B	1	E		17	14	
- 730. 4.21. - 719. 8.29. B	3	B		16	14	
- 732. 1.22. - 719. 8.29. B	4	*		14	14	
- 730. 1.22. - 721. 8.29. B	6	E		14	14	
- 732. 9.15. - 719. 8.29. B	9	B		13	14	
- 731. 4.21. - 719. 8.29. B	9	B		15	14	
	0	B		0	0	
- 730. 4.21. - 721. 8.29. B	0	B		0	14	
- 756. 4.21. - 745. 8.29.				1166th position to * Hezekiah		14

16492 Bytes free.

(1162nd/1166) position: - 724. 4.21. - 714. 8.29. B Captivity of Israel 15
 Forward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:†	
- 724. 4.21. - 714. 8.29. B	0	B		15	15	
- 724. 4.21. - 714. 8.29. B	1	E		16	15	
- 725. 4.21. - 714. 8.29. B	3	B		14	15	
- 724. 4.21. - 713. 8.29. B	4	B		16	15	
	0	B		0	0	
- 724. 4.21. - 714. 8.29. B	0	B		0	15	

16492 Bytes free.

(1163rd/1166) position: - 745. 4.21. - 736. 8.29. E Jotham 19

Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†	
- 745. 4.21. - 736. 8.29. E	0	E		19	19	
- 748. 4.21. - 734. 8.29. E	6	B		19	19	
- 745. 4.21. - 736. 8.29. E	7	B		17	19	
	0	E		0	0	
- 745. 4.21. - 736. 8.29. E	0	E		0	19	
- 762. 4.21. - 751. 8.29.				1167th position to B Jotham		19

16492 Bytes free.

(1164th/1167) position: - 766. 4.21. - 755. 8.29. * Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
- 766. 4.21. - 755. 8.29. *	0	*		17	17	
- 766. 4.21. - 755. 8.29. *	10	B		17	17	
	0	*		0	0	
- 766. 4.21. - 755. 8.29. *	0	*		0	17	

16492 Bytes free.

(1165th/1167) position: - 730. 4.21. - 721. 8.29. E Ahaz 18

Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
------	---	------	---	-------	------	--


```

- 730. 4.21. - 721. 8.29. Ω 0 Ω      17      17||
- 730. 4.21. - 721. 8.29. E 0 E      17      17||
- 730. 4.21. - 721. 8.29. E 7 B      14      17||
- 730. 4.21. - 719. 8.29. E 5 B      18      18||
- 730. 4.21. - 721. 8.29. + 0 +      17      17||
                                0 Ω      0      0||
- 730. 4.21. - 721. 8.29. Ω 0 Ω      0      17||

```

16492 Bytes free.

(1166th/1167) position: - 756. 4.21. - 745. 8.29. * Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

```

Hezekiah          D Knd S   from:   to:|
- 756. 4.21. - 745. 8.29. * 0 *     14     14||
- 756. 4.21. - 745. 8.29. * 10 B    14     14||
                                0 *     0      0||
- 756. 4.21. - 745. 8.29. * 0 *     0      14||

```

16492 Bytes free.

(1167th/1167) position: - 762. 4.21. - 751. 8.29. B Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

```

Jotham           D Knd S   from:   to:|
- 762. 4.21. - 751. 8.29. B 0 B     19     19||
- 765. 4.21. - 749. 8.29. B 4 *     19     19||
- 762. 4.21. - 751. 8.29. B 6 E     19     19||
                                0 B     0      0||
- 762. 4.21. - 751. 8.29. B 0 B     0      19||
- 788. 4.21. - 775. 8.29. 1168th position to * Jotham 19

```

16492 Bytes free.

(1168th/1168) position: - 788. 4.21. - 775. 8.29. * Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

```

Jotham           D Knd S   from:   to:|
- 788. 4.21. - 775. 8.29. * 0 *     19     19||
- 788. 4.21. - 775. 8.29. * 10 B    19     19||
                                0 *     0      0||
- 788. 4.21. - 775. 8.29. * 0 *     0      19||

```

Calculation begin: 10-13-2016 22:01:31

Calculation end: 10-13-2016 22:06:18

1168 records in list file

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLECHR.LST

17640 Bytes yet free.