

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLECHR.LOG
 Calculation begin: 03-22-2017 19:51:34
 20388 Bytes free.

Calculation method: counting mode number 1.

Entry Cyrus	(1/120) is checked.	
- 539.10.29.■- 539.10.29.	1st position to B Cyrus	1
Entry Zedekiah = Mattaniah	(2/120) is checked.	
Entry Jehoiachin	(3/120) is checked.	
Entry Daniel	(4/120) is checked.	
Entry Nebuchadnezzar	(5/120) is checked.	
- 604. 1. 1.■- 604.12.30.	2nd position to B Nebuchadnezzar	5
Entry Captivity in Babylon	(6/120) is checked.	
Entry Jehoiakim = Eliakim	(7/120) is checked.	
Entry Jehoahaz (Josiah)	(8/120) is checked.	
Entry Jeremiah	(9/120) is checked.	
Entry Josiah	(10/120) is checked.	
Entry Amon	(11/120) is checked.	
Entry Manasseh	(12/120) is checked.	
Entry 14th Jubile Year	(13/120) is checked.	
Entry Hezekiah	(14/120) is checked.	
Entry Captivity of Israel	(15/120) is checked.	
Entry Hoshea	(16/120) is checked.	
Entry Ahaz	(17/120) is checked.	
Entry Ahaz	(18/120) is checked.	
Entry Jotham	(19/120) is checked.	
Entry Isaiah	(20/120) is checked.	
Entry Pekah	(21/120) is checked.	
Entry Pekahiah	(22/120) is checked.	
Entry Menahem	(23/120) is checked.	
Entry Shallum	(24/120) is checked.	
Entry Zachariah	(25/120) is checked.	
Entry Azariah = Uzziah	(26/120) is checked.	
Entry Jeroboam (Joash)	(27/120) is checked.	
Entry Amaziah	(28/120) is checked.	
Entry Amaziah	(29/120) is checked.	
Entry Joash (Jehoahaz)	(30/120) is checked.	
Entry Jehoahaz (Jehu)	(31/120) is checked.	
Entry Joash (Ahaziah)	(32/120) is checked.	
Entry Jehu	(33/120) is checked.	
Entry Athaliah	(34/120) is checked.	
Entry Ahaziah (Joram)	(35/120) is checked.	
Entry Ahaziah (Joram)	(36/120) is checked.	
Entry Joram (Ahab)	(37/120) is checked.	
Entry Joram (Ahab)	(38/120) is checked.	
Entry Elisha	(39/120) is checked.	
Entry Jehoram (Jehoshaphat)	(40/120) is checked.	
Entry Ahaziah (Ahab)	(41/120) is checked.	
Entry Jehoshaphat	(42/120) is checked.	
Entry Elijah	(43/120) is checked.	
Entry Ahab	(44/120) is checked.	
Entry Omri	(45/120) is checked.	
Entry Tibni	(46/120) is checked.	
Entry Zimri	(47/120) is checked.	
Entry Elah	(48/120) is checked.	
Entry Baasha	(49/120) is checked.	
Entry Nadab	(50/120) is checked.	

Entry Asa	(51/120) is checked.
Entry Abijam = Abijah	(52/120) is checked.
Entry Jeroboam (Nebat)	(53/120) is checked.
Entry Rehoboam	(54/120) is checked.
Entry Building the Temple	(55/120) is checked.
Entry Building the Temple	(56/120) is checked.
Entry Solomon	(57/120) is checked.
Entry David	(58/120) is checked.
Entry Ishbosheth	(59/120) is checked.
Entry Saul	(60/120) is checked.
Entry Samuel	(61/120) is checked.
Entry Samson	(62/120) is checked.
Entry Philistines	(63/120) is checked.
Entry Eli	(64/120) is checked.
Entry Abdon	(65/120) is checked.
Entry Elon	(66/120) is checked.
Entry Ibzan	(67/120) is checked.
Entry Jephthah	(68/120) is checked.
Entry Philistines + Ammon	(69/120) is checked.
Entry Jair	(70/120) is checked.
Entry Tola	(71/120) is checked.
Entry Abimelech	(72/120) is checked.
Entry Gideon = Jerubbaal	(73/120) is checked.
Entry Midianites	(74/120) is checked.
Entry Deborah and Barak	(75/120) is checked.
Entry Sisera	(76/120) is checked.
Entry Ehud	(77/120) is checked.
Entry Eglon	(78/120) is checked.
Entry Othniel	(79/120) is checked.
Entry Chushanrishathaim	(80/120) is checked.
Entry Inheritance of Israel	(81/120) is checked.
Entry Caleb	(82/120) is checked.
Entry Joshua	(83/120) is checked.
Entry Moses' Speech	(84/120) is checked.
Entry Explorers of Canaan	(85/120) is checked.
Entry Moses	(86/120) is checked.
Entry Aaron	(87/120) is checked.
Entry Aaron	(88/120) is checked.
Entry Israel in Egypt	(89/120) is checked.
Entry Jacob = Israel	(90/120) is checked.
Entry Isaac	(91/120) is checked.
Entry Fire upon Sodom	(92/120) is checked.
Entry Ishmael	(93/120) is checked.
Entry Battle in Siddim Vale	(94/120) is checked.
Entry Sarai = Sarah	(95/120) is checked.
Entry Abram = Abraham	(96/120) is checked.
Entry Terah	(97/120) is checked.
Entry Nahor	(98/120) is checked.
Entry Serug	(99/120) is checked.
Entry Reu	(100/120) is checked.
Entry Peleg	(101/120) is checked.
Entry Tower of Babel	(102/120) is checked.
Entry Eber	(103/120) is checked.
Entry Salah	(104/120) is checked.
Entry Arphaxad	(105/120) is checked.
Entry Arphaxad	(106/120) is checked.
Entry Great Flood	(107/120) is checked.
Entry Great Flood	(108/120) is checked.

Entry Shem (109/120) is checked.
 Entry Noah (110/120) is checked.
 Entry Lamech (111/120) is checked.
 Entry Methuselah (112/120) is checked.
 Entry Enoch (113/120) is checked.
 Entry Jared (114/120) is checked.
 Entry Mahalaleel (115/120) is checked.
 Entry Cainan (116/120) is checked.
 Entry Enos (117/120) is checked.
 Entry Seth (118/120) is checked.
 Entry Adam (119/120) is checked.
 Entry Creation (120/120) is checked.
 -3761. 9. 1. -3761.10.30. 3rd position to B Creation 120

16248 Bytes yet free.

(1st/3) position: - 539.10.29. - 539.10.29. B Cyrus 1
 Forward relations for entry Cyrus (1/120) are generated.
 Backward relations for entry Captivity in Babylon (6/120) are generated.
 Backward relations for entry Daniel (4/120) are generated.
 Optimize dates...

Cyrus	D	Knd	S	from:	to:	
- 539.10.29. - 539.10.29.	B	0	B	1	1	
	B	7	E	6	1	
	B	8	E	4	1	
	B	10	E	6	1	
		0	B	0	0	
- 539.10.29. - 539.10.29.	B	0	B	0	1	
- 539.10.29. ≥				4th position to E Captivity in Babylon		6
- 539.10.29. ≥				5th position to E Daniel		4
- 539.10.29. - 537.10.29.				6th position to E Captivity in Babylon		6

15696 Bytes yet free.

(2nd/6) position: - 604. 1. 1. - 604.12.30. B Nebuchadnezzar 5
 Forward relations for entry Nebuchadnezzar (5/120) are generated.
 Optimize dates...

Nebuchadnezzar	D	Knd	S	from:	to:	
- 604. 1. 1. - 604.12.30.	B	0	B	5	5	
	B	3	B	7	5	
	B	4	B	9	5	
	B	10	E	2	5	
	B	10	B	4	5	
		0	B	0	0	
- 604. 1. 1. - 604.12.30.	B	0	B	0	5	
- 609. 1. 1. - 607.12.30.				7th position to B Jehoiakim = Eliakim		7
- 628. 1. 1. - 626.12.30.				8th position to B Jeremiah		9
- 586. 1. 1. - 584.12.30.				9th position to E Zedekiah = Mattaniah		2
- 603. 1. 1. - 601.12.30.				10th position to B Daniel		4

15696 Bytes yet free.

(3rd/10) position: -3761. 9. 1. -3761.10.30. B Creation 120
 Forward relations for entry Creation (120/120) are generated.
 Optimize dates...

Creation	D	Knd	S	from:	to:	
-3761. 9. 1. -3761.10.30.	B	0	B	120	120	
	B	5	E	120	120	
	B	9	*	119	120	
		0	B	0	0	
-3761. 9. 1. -3761.10.30.	B	0	B	0	120	

-3761. 9. 8. -3761.11. 7. 11th position to E Creation 120
 -3761. 9. 6. -3761.11. 6. 12th position to * Adam 119

15696 Bytes yet free.

(4th/12) position: - 539.10.29. - 537.10.29. E Captivity in Babylon 6
 Forward relations for entry Captivity in Babylon (6/120) are generated.
 Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Knd	S	from:	to:
- 539.10.29. - 537.10.29.	E	0	E	6	6
- 539.10.29.≥	E	1	B	1	6
	E	5	B	6	6
- 539.10.29. - 537.10.29.	E	4	B	1	6
		0	E	0	0
- 539.10.29. - 537.10.29.	E	0	E	0	6
- 610.10.29. - 606.10.29.					

13th position to B Captivity in Babylon 6

15696 Bytes yet free.

(5th/13) position: - 539.10.29.≥ E Daniel 4
 Forward relations for entry Daniel (4/120) are generated.

Optimize dates...

Daniel	D	Knd	S	from:	to:
- 539.10.29.≥	E	0	E	4	4
- 539.10.29.≥	E	2	B	1	4
		0	E	0	0
- 539.10.29.≥	E	0	E	0	4

15696 Bytes yet free.

(6th/13) position: - 539.10.29. - 537.10.29. E Captivity in Babylon 6
 Forward relations for entry Captivity in Babylon (6/120) are generated.
 Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Knd	S	from:	to:
- 539.10.29. - 537.10.29.	E	0	E	6	6
- 539.10.29.≥	E	1	B	1	6
- 541.10.29. - 535.10.29.	E	5	B	6	6
- 539.10.29. - 537.10.29.	E	4	B	1	6
		0	E	0	0
- 539.10.29. - 537.10.29.	E	0	E	0	6

15696 Bytes yet free.

(7th/13) position: - 609. 1. 1. - 607.12.30. B Jehoiakim = Eliakim 7
 Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.
 Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Knd	S	from:	to:
- 609. 1. 1. - 607.12.30.	B	0	B	7	7
	B	1	E	8	7
	B	3	*	7	7
	B	5	E	7	7
- 609. 1. 1. - 607.12.30.	B	9	B	5	7
- 614.10.29. - 608.10.29.	B	9	B	6	7
1Y 2M 1D		0	B	0	0
- 609. 1. 1. - 608.10.29.	B	0	B	0	7
- 609. 1. 1. - 608.10.29.					
- 609. 1. 1. - 608.10.29.					
- 635. 1. 1. - 632.10.29.					
- 599. 1. 1. - 596.10.29.					

14th position to B Jehoiakim = Eliakim 7
 15th position to E Jehoahaz (Josiah) 8
 16th position to * Jehoiakim = Eliakim 7
 17th position to E Jehoiakim = Eliakim 7

- 607. 1. 1. - 606.10.29. 18th position to B Captivity in Babylon 6

15696 Bytes yet free.

(8th/18) position: - 628. 1. 1. - 626.12.30. B Jeremiah 9

Forward relations for entry Jeremiah (9/120) are generated.

Optimize dates...

Jeremiah	D	Knd	S	from:	to:†	
- 628. 1. 1. - 626.12.30.	B	0	B	9	9	
		B	3	10	9	
- 628. 1. 1. - 626.12.30.	B	10	B	5	9	
		0	B	0	0	
- 628. 1. 1. - 626.12.30.	B	0	B	0	9	
- 642. 1. 1. - 638.12.30.						10

15696 Bytes yet free.

(9th/19) position: - 586. 1. 1. - 584.12.30. E Zedekiah = Mattaniah 2

Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Knd	S	from:	to:†	
- 586. 1. 1. - 584.12.30.	E	0	E	2	2	
		E	5	2	2	
- 586. 1. 1. - 584.12.30.	E	4	B	5	2	
		0	E	0	0	
- 586. 1. 1. - 584.12.30.	E	0	E	0	2	
- 597. 9.22. - 594. 9.22.						2

15696 Bytes yet free.

(10th/20) position: - 603. 1. 1. - 601.12.30. B Daniel 4

Forward relations for entry Daniel (4/120) are generated.

Optimize dates...

Daniel	D	Knd	S	from:	to:†	
- 603. 1. 1. - 601.12.30.	B	0	B	4	4	
- 607. 1. 1. ≥	B	1	B	6	4	
- 605. 1. 1. - 602.10.29.	B	3	B	6	4	
- 603. 1. 1. - 601.12.30.	B	4	B	5	4	
1Y 2M 1D		0	B	0	0	
- 603. 1. 1. - 602.10.29.	B	0	B	0	4	
- 603. 1. 1. - 602.10.29.						4

15696 Bytes yet free.

(11th/21) position: -3761. 9. 8. -3761.11. 7. E Creation 120

Forward relations for entry Creation (120/120) are generated.

Optimize dates...

Creation	D	Knd	S	from:	to:†	
-3761. 9. 8. -3761.11. 7.	E	0	E	120	120	
-3761. 9. 8. -3761.11. 7.	E	5	B	120	120	
		0	E	0	0	
-3761. 9. 8. -3761.11. 7.	E	0	E	0	120	

15696 Bytes yet free.

(12th/21) position: -3761. 9. 6. -3761.11. 6. * Adam 119

Forward relations for entry Adam (119/120) are generated.

Optimize dates...

Adam	D	Knd	S	from:	to:†	
-3761. 9. 6. -3761.11. 6.	*	0	*	119	119	
-3761. 9. 6. -3761.11. 6.	*	3	B	120	119	
	*	5	+	119	119	
	*	9	*	118	119	

```

          0 *          0          0||
-3761. 9. 6. -3761.11. 6. * 0 *          0          119||
-2832. 9. 6. -2830.11. 6. 22nd position to + Adam          119
-3632. 9. 6. -3630.11. 6. 23rd position to * Seth          118

```

15696 Bytes yet free.

(13th/23) position: - 607. 1. 1. - 606.10.29. B Captivity in Babylon 6
 Forward relations for entry Captivity in Babylon (6/120) are generated.
 Backward relations for entry Daniel (4/120) are generated.
 Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:
- 607. 1. 1. - 606.10.29. B	0	B		6	6
- 607. 1. 1. - 604.10.29. B	3	B		7	6
- 610.10.29. - 606.10.29. B	5	E		6	6
≤- 602.10.29. B	7	B		4	6
- 607. 1. 1. - 604.10.29. B	9	B		4	6
	0	B		0	0
- 607. 1. 1. - 606.10.29. B	0	B		0	6
- 538. 1. 1. - 537.10.29.					

24th position to E Captivity in Babylon 6

15696 Bytes yet free.

(14th/24) position: - 609. 1. 1. - 608.10.29. B Jehoiakim = Eliakim 7
 Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.
 Backward relations for entry Jehoiachin (3/120) are generated.
 Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:
- 609. 1. 1. - 608.10.29. B	0	B		7	7
- 609. 1. 1. - 608.10.29. B	1	E		8	7
- 611. 1. 1. - 606.10.29. B	3	*		7	7
- 611. 1. 1. - 606.10.29. B	5	E		7	7
- 609. 1. 1. - 607.12.30. B	9	B		5	7
- 611. 1. 1. - 608.10.29. B	9	B		6	7
	0	B		0	0
- 609. 1. 1. - 608.10.29. B	0	B		0	7

15696 Bytes yet free.

(15th/24) position: - 609. 1. 1. - 608.10.29. E Jehoahaz (Josiah) 8
 Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.
 Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.
 Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:
- 609. 1. 1. - 608.10.29. E	0	E		8	8
	5	B		8	8
- 609. 1. 1. - 608.10.29. E	7	B		7	8
	0	E		0	0
- 609. 1. 1. - 608.10.29. E	0	E		0	8
- 610. 9. 1. - 608. 8.29.					

25th position to B Jehoahaz (Josiah) 8

15696 Bytes yet free.

(16th/25) position: - 635. 1. 1. - 632.10.29. * Jehoiakim = Eliakim 7
 Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.
 Backward relations for entry Jehoiachin (3/120) are generated.
 Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:
- 635. 1. 1. - 632.10.29. *	0	*		7	7
- 635. 1. 1. - 632.10.29. *	9	B		7	7
	0	*		0	0
- 635. 1. 1. - 632.10.29. *	0	*		0	7

15696 Bytes yet free.

(17th/25) position: - 599. 1. 1. - 596.10.29. E Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Knd	S	from:	to:†
- 599. 1. 1. - 596.10.29. E	0	E		7	7
- 599. 1. 1. - 596.10.29. E	5	B		7	7
	E	7	B	3	7
- 599. 1. 1. - 596.10.29. +	0	+		7	7
	0	E		0	0
- 599. 1. 1. - 596.10.29. E	0	E		0	7
- 599. 1. 1. - 596.10.29.				26th position to B Jehoiachin	3

15696 Bytes yet free.

(18th/26) position: - 607. 1. 1. - 606.10.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Knd	S	from:	to:†
- 607. 1. 1. - 606.10.29. B	0	B		6	6
- 607. 1. 1. - 604.10.29. B	3	B		7	6
- 609. 1. 1. - 606.10.29. B	5	E		6	6
≤- 602.10.29. B	7	B		4	6
- 607. 1. 1. - 604.10.29. B	9	B		4	6
	0	B		0	0
- 607. 1. 1. - 606.10.29. B	0	B		0	6

15696 Bytes yet free.

(19th/26) position: - 642. 1. 1. - 638.12.30. B Josiah 10

Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Knd	S	from:	to:†
- 642. 1. 1. - 638.12.30. B	0	B		10	10
	B	1	E	11	10
	B	3	*	10	10
	B	5	E	10	10
- 642. 1. 1. - 638.12.30. B	9	B		9	10
	0	B		0	0
- 642. 1. 1. - 638.12.30. B	0	B		0	10
- 642. 1. 1. - 638.12.30.				27th position to E Amon	11
- 651. 1. 1. - 645.12.30.				28th position to * Josiah	10
- 612. 1. 1. - 606.12.30.				29th position to E Josiah	10

15696 Bytes yet free.

(20th/29) position: - 597. 9.22. - 594. 9.22. B Zedekiah = Mattaniah 2

Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Knd	S	from:	to:†
- 597. 9.22. - 594. 9.22. B	0	B		2	2
	B	1	E	3	2
	B	3	*	2	2
- 597. 9.22. - 594. 9.22. B	5	E		2	2
	B	10	E	9	2
	0	B		0	0
- 597. 9.22. - 594. 9.22. B	0	B		0	2

- 597. 9.22. - 594. 9.22. 30th position to E Jehoiachin 3
 - 619. 9.22. - 614. 9.22. 31st position to * Zedekiah = Mattaniah 2
 - 586. 1.22. - 583. 2.22. 32nd position to E Jeremiah 9

15696 Bytes yet free.

(21st/32) position: - 603. 1. 1. - 602.10.29. B Daniel 4

Forward relations for entry Daniel (4/120) are generated.

Optimize dates...

Daniel	D	Kn	S	from:	to:
- 603. 1. 1. - 602.10.29.	B	0	B	4	4
- 607. 1. 1. ≥	B	1	B	6	4
- 605. 1. 1. - 602.10.29.	B	3	B	6	4
- 603. 1. 1. - 601.12.30.	B	4	B	5	4
		0	B	0	0
- 603. 1. 1. - 602.10.29.	B	0	B	0	4

15696 Bytes yet free.

(22nd/32) position: -2832. 9. 6. -2830.11. 6. + Adam 119

Forward relations for entry Adam (119/120) are generated.

Optimize dates...

Adam	D	Kn	S	from:	to:
-2832. 9. 6. -2830.11. 6. +	0	+		119	119
-2832. 9. 6. -2830.11. 6. +	5	*		119	119
-2833. 9. 6. -2829.11. 6. +	4	*		118	119
	0	+		0	0
-2832. 9. 6. -2830.11. 6. +	0	+		0	119

15696 Bytes yet free.

(23rd/32) position: -3632. 9. 6. -3630.11. 6. * Seth 118

Forward relations for entry Seth (118/120) are generated.

Optimize dates...

Seth	D	Kn	S	from:	to:
-3632. 9. 6. -3630.11. 6. *	0	*		118	118
-3632. 9. 6. -3630.11. 6. *	3	*		119	118
	5	+		118	118
	9	*		117	118
-3633. 9. 6. -3629.11. 6. *	10	+		119	118
	0	*		0	0
-3632. 9. 6. -3630.11. 6. *	0	*		0	118
-2721. 9. 6. -2717.11. 6.	33rd position to +	Seth			118
-3528. 9. 6. -3524.11. 6.	34th position to *	Enos			117

15696 Bytes yet free.

(24th/34) position: - 538. 1. 1. - 537.10.29. E Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kn	S	from:	to:
- 538. 1. 1. - 537.10.29.	E	0	E	6	6
- 539.10.29. ≥	E	1	B	1	6
- 538. 1. 1. - 535.10.29.	E	5	B	6	6
- 539.10.29. - 537.10.29.	E	4	B	1	6
	0	E		0	0
- 538. 1. 1. - 537.10.29.	E	0	E	0	6

15696 Bytes yet free.

(25th/34) position: - 610. 9. 1. - 608. 8.29. B Jehoahaz (Josiah) 8

Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:	
- 610. 9. 1. - 608. 8.29.	B	0	B	8	8	
- 612. 1. 1. - 606.12.30.	B	1	E	10	8	
	B	3	*	8	8	
- 610. 9. 1. - 608. 8.29.	B	5	E	8	8	
	0	B		0	0	
- 610. 9. 1. - 608. 8.29.	B	0	B	0	8	
- 610. 9. 1. - 608. 8.29.				35th position to E Josiah		10
- 634. 9. 1. - 630. 8.29.				36th position to * Jehoahaz (Josiah)		8

15696 Bytes yet free.

(26th/36) position: - 599. 1. 1. - 596.10.29. B Jehoiachin 3

Forward relations for entry Jehoiachin (3/120) are generated.

Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Jehoiachin	D	Kind	S	from:	to:	
- 599. 1. 1. - 596.10.29.	B	0	B	3	3	
- 599. 1. 1. - 596.10.29.	B	1	E	7	3	
	B	3	*	3	3	
- 597. 5.22. - 594. 7.22.	B	5	E	3	3	
2Y 4M21D	0	B		0	0	
- 597. 5.22. - 596.10.29.	B	0	B	0	3	
- 597. 5.22. - 596.10.29.				37th position to B Jehoiachin		3
- 597. 5.22. - 596.10.29.				38th position to E Jehoiakim = Eliakim		7
- 616. 5.22. - 613.10.29.				39th position to * Jehoiachin		3
- 597. 9.22. - 595. 2.29.				40th position to E Jehoiachin		3

15696 Bytes yet free.

(27th/40) position: - 642. 1. 1. - 638.12.30. E Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

Amon	D	Kind	S	from:	to:	
- 642. 1. 1. - 638.12.30.	E	0	E	11	11	
	E	5	B	11	11	
- 642. 1. 1. - 638.12.30.	E	7	B	10	11	
- 642. 1. 1. - 638.12.30.	+	0	+	11	11	
	0	E		0	0	
- 642. 1. 1. - 638.12.30.	E	0	E	0	11	
- 645. 1. 1. - 639.12.30.				41st position to B Amon		11

15696 Bytes yet free.

(28th/41) position: - 651. 1. 1. - 645.12.30. * Josiah 10

Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Kind	S	from:	to:	
- 651. 1. 1. - 645.12.30.	*	0	*	10	10	
- 651. 1. 1. - 645.12.30.	*	9	B	10	10	
	0	*		0	0	
- 651. 1. 1. - 645.12.30.	*	0	*	0	10	

15696 Bytes yet free.

(29th/41) position: - 610. 9. 1. - 608. 8.29. E Josiah 10

Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Kind	S	from:	to:	
- 610. 9. 1. - 608. 8.29.	E	0	E	10	10	
- 612. 1. 1. - 606.12.30.	E	5	B	10	10	
- 610. 9. 1. - 608. 8.29.	E	7	B	8	10	
- 610. 9. 1. - 608. 8.29.	+	0	+	10	10	
		0	E	0	0	
- 610. 9. 1. - 608. 8.29.	E	0	E	0	10	
- 642. 9. 1. - 638. 8.29.				42nd position to B Josiah		10

15696 Bytes yet free.

(30th/42) position: - 597. 9.22. - 595. 2.29. E Jehoiachin 3

Forward relations for entry Jehoiachin (3/120) are generated.

Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Jehoiachin	D	Kind	S	from:	to:	
- 597. 9.22. - 595. 2.29.	E	0	E	3	3	
- 597. 7.22. - 595. 2.29.	E	5	B	3	3	
- 597. 9.22. - 594. 9.22.	E	7	B	2	3	
		0	E	0	0	
- 597. 9.22. - 595. 2.29.	E	0	E	0	3	
- 597. 9.22. - 595. 2.29.				43rd position to B Zedekiah = Mattaniah		2

15696 Bytes yet free.

(31st/43) position: - 619. 9.22. - 614. 9.22. * Zedekiah = Mattaniah 2

Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:	
- 619. 9.22. - 614. 9.22.	*	0	*	2	2	
- 619. 9.22. - 615. 2.29.	*	9	B	2	2	
1Y 6M23D		0	*	0	0	
- 619. 9.22. - 615. 2.29.	*	0	*	0	2	
- 619. 9.22. - 615. 2.29.				44th position to * Zedekiah = Mattaniah		2

15696 Bytes yet free.

(32nd/44) position: - 586. 1.22. - 583. 2.22. E Jeremiah 9

Forward relations for entry Jeremiah (9/120) are generated.

Optimize dates...

Jeremiah	D	Kind	S	from:	to:	
- 586. 1.22. - 583. 2.22.	E	0	E	9	9	
- 586. 1.22. - 585. 7.29.	E	4	B	2	9	
1Y 6M23D		0	E	0	0	
- 586. 1.22. - 585. 7.29.	E	0	E	0	9	
- 586. 1.22. - 585. 7.29.				45th position to E Jeremiah		9

15696 Bytes yet free.

(33rd/45) position: -2721. 9. 6. -2717.11. 6. + Seth 118

Forward relations for entry Seth (118/120) are generated.

Optimize dates...

Seth	D	Kind	S	from:	to:	
-2721. 9. 6. -2717.11. 6.	+	0	+	118	118	
-2721. 9. 6. -2717.11. 6.	+	5	*	118	118	
-2722. 9. 6. -2716.11. 6.	+	4	*	117	118	
		0	+	0	0	
-2721. 9. 6. -2717.11. 6.	+	0	+	0	118	

15696 Bytes yet free.

(34th/45) position: -3528. 9. 6. -3524.11. 6. * Enos 117

Forward relations for entry Enos (117/120) are generated.
Optimize dates...

Enos	D	Knd	S	from:	to:
-3528. 9. 6. -3524.11. 6. *	0	*		117	117
-3528. 9. 6. -3524.11. 6. *	3	*		118	117
	5	+		117	117
	9	*		116	117
-3529. 9. 6. -3523.11. 6. *	10	+		118	117
	0	*		0	0
-3528. 9. 6. -3524.11. 6. *	0	*		0	117
-2624. 9. 6. -2618.11. 6.			46th position to + Enos		117
-3439. 9. 6. -3433.11. 6.			47th position to * Cainan		116

15696 Bytes yet free.

(35th/47) position: - 610. 9. 1. - 608. 8.29. E Josiah 10

Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Knd	S	from:	to:
- 610. 9. 1. - 608. 8.29. E	0	E		10	10
- 612. 9. 1. - 606. 8.29. E	5	B		10	10
- 610. 9. 1. - 608. 8.29. E	7	B		8	10
- 610. 9. 1. - 608. 8.29. +	0	+		10	10
	0	E		0	0
- 610. 9. 1. - 608. 8.29. E	0	E		0	10

15696 Bytes yet free.

(36th/47) position: - 634. 9. 1. - 630. 8.29. * Jehoahaz (Josiah) 8

Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiaakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Knd	S	from:	to:
- 634. 9. 1. - 630. 8.29. *	0	*		8	8
- 634. 9. 1. - 630. 8.29. *	9	B		8	8
	0	*		0	0
- 634. 9. 1. - 630. 8.29. *	0	*		0	8

15696 Bytes yet free.

(37th/47) position: - 597. 5.22. - 596.10.29. B Jehoiachin 3

Forward relations for entry Jehoiachin (3/120) are generated.

Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Jehoiachin	D	Knd	S	from:	to:
- 597. 5.22. - 596.10.29. B	0	B		3	3
- 597. 5.22. - 596.10.29. B	1	E		7	3
- 599. 5.22. - 594.10.29. B	3	*		3	3
- 597. 5.22. - 596.12.29. B	5	E		3	3
	0	B		0	0
- 597. 5.22. - 596.10.29. B	0	B		0	3

15696 Bytes yet free.

(38th/47) position: - 597. 5.22. - 596.10.29. E Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Knd	S	from:	to:
- 597. 5.22. - 596.10.29. E	0	E		7	7
- 599. 1. 1. - 596.10.29. E	5	B		7	7

```

- 597. 5.22. - 596.10.29. E   7 B           3           7||
- 597. 5.22. - 596.10.29. +   0 +           7           7||
                        0 E           0           0||
- 597. 5.22. - 596.10.29. E   0 E           0           7||
- 609. 5.22. - 608.10.29. 48th position to B Jehoiakim = Eliakim   7

```

15696 Bytes yet free.

```

(39th/48) position: - 616. 5.22. - 613.10.29.   * Jehoiachin           3
Forward relations for entry Jehoiachin           (3/120) are generated.
Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.
Optimize dates...

```

```

Jehoiachin           D Knd S      from:      to:|
- 616. 5.22. - 613.10.29. *   0 *          3          3||
- 616. 5.22. - 613.10.29. *   9 B          3          3||
                        0 *          0          0||
- 616. 5.22. - 613.10.29. *   0 *          0          3||

```

15696 Bytes yet free.

```

(40th/48) position: - 597. 9.22. - 595. 2.29.   E Jehoiachin           3
Forward relations for entry Jehoiachin           (3/120) are generated.
Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.
Optimize dates...

```

```

Jehoiachin           D Knd S      from:      to:|
- 597. 9.22. - 595. 2.29. E   0 E          3          3||
- 597. 7.22. - 595. 2.29. E   5 B          3          3||
- 597. 9.22. - 595. 2.29. E   7 B          2          3||
                        0 E          0          0||
- 597. 9.22. - 595. 2.29. E   0 E          0          3||

```

15696 Bytes yet free.

```

(41st/48) position: - 645. 1. 1. - 639.12.30.   B Amon                11
Forward relations for entry Amon                 (11/120) are generated.
Backward relations for entry Josiah              (10/120) are generated.
Optimize dates...

```

```

Amon                 D Knd S      from:      to:|
- 645. 1. 1. - 639.12.30. B   0 B          11         11||
                        B   1 E          12         11||
                        B   3 *          11         11||
- 645. 1. 1. - 639.12.30. B   5 E          11         11||
                        0 B          0          0||
- 645. 1. 1. - 639.12.30. B   0 B          0         11||
- 645. 1. 1. - 639.12.30. 49th position to E Manasseh              12
- 668. 1. 1. - 660.12.30. 50th position to * Amon                  11

```

15696 Bytes yet free.

```

(42nd/50) position: - 642. 9. 1. - 638. 8.29.   B Josiah                10
Forward relations for entry Josiah               (10/120) are generated.
Backward relations for entry Jehoahaz (Josiah)    (8/120) are generated.
Optimize dates...

```

```

Josiah               D Knd S      from:      to:|
- 642. 9. 1. - 638. 8.29. B   0 B          10         10||
- 642. 1. 1. - 638.12.30. B   1 E          11         10||
- 644. 1. 1. - 636.12.30. B   3 *          10         10||
- 642. 9. 1. - 638. 8.29. B   5 E          10         10||
- 642. 1. 1. - 638.12.30. B   9 B          9          10||
                        0 B          0          0||
- 642. 9. 1. - 638. 8.29. B   0 B          0         10||
- 642. 9. 1. - 638. 8.29. 51st position to E Amon                  11

```

- 651. 9. 1. - 645. 8.29. 52nd position to * Josiah 10

15696 Bytes yet free.

(43rd/52) position: - 597. 9.22. - 595. 2.29. B Zedekiah = Mattaniah 2

Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kn	S	from:	to:
- 597. 9.22. - 595. 2.29. B	0	B		2	2
- 597. 9.22. - 595. 2.29. B	1	E		3	2
- 599. 9.22. - 593. 2.29. B	3	*		2	2
- 597. 9.22. - 594. 9.22. B	5	E		2	2
- 597. 8.22. - 595. 3.29. B	10	E		9	2
	0	B		0	0
- 597. 9.22. - 595. 2.29. B	0	B		0	2
- 586. 1. 1. - 585. 6. 8.					

53rd position to E Zedekiah = Mattaniah 2

15696 Bytes yet free.

(44th/53) position: - 619. 9.22. - 615. 2.29. * Zedekiah = Mattaniah 2

Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kn	S	from:	to:
- 619. 9.22. - 615. 2.29. *	0	*		2	2
- 619. 9.22. - 615. 2.29. *	9	B		2	2
	0	*		0	0
- 619. 9.22. - 615. 2.29. *	0	*		0	2

15696 Bytes yet free.

(45th/53) position: - 586. 1.22. - 585. 7.29. E Jeremiah 9

Forward relations for entry Jeremiah (9/120) are generated.

Optimize dates...

Jeremiah	D	Kn	S	from:	to:
- 586. 1.22. - 585. 7.29. E	0	E		9	9
- 586. 1.22. - 585. 7.29. E	4	B		2	9
	0	E		0	0
- 586. 1.22. - 585. 7.29. E	0	E		0	9

15696 Bytes yet free.

(46th/53) position: -2624. 9. 6. -2618.11. 6. + Enos 117

Forward relations for entry Enos (117/120) are generated.

Optimize dates...

Enos	D	Kn	S	from:	to:
-2624. 9. 6. -2618.11. 6. +	0	+		117	117
-2624. 9. 6. -2618.11. 6. +	5	*		117	117
-2625. 9. 6. -2617.11. 6. +	4	*		116	117
	0	+		0	0
-2624. 9. 6. -2618.11. 6. +	0	+		0	117

15696 Bytes yet free.

(47th/53) position: -3439. 9. 6. -3433.11. 6. * Cainan 116

Forward relations for entry Cainan (116/120) are generated.

Optimize dates...

Cainan	D	Kn	S	from:	to:
-3439. 9. 6. -3433.11. 6. *	0	*		116	116
-3439. 9. 6. -3433.11. 6. *	3	*		117	116
	5	+		116	116
	9	*		115	116
-3440. 9. 6. -3432.11. 6. *	10	+		117	116
	0	*		0	0

```

-3439. 9. 6. -3433.11. 6. * 0 * 0 116||
-2530. 9. 6. -2522.11. 6. 54th position to + Cainan 116
-3370. 9. 6. -3362.11. 6. 55th position to * Mahalaleel 115

```

15696 Bytes yet free.

(48th/55) position: - 609. 5.22. - 608.10.29. B Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

```

Jehoiakim = Eliakim      D Knd S      from:      to:|
- 609. 5.22. - 608.10.29. B 0 B      7          7||
- 609. 1. 1. - 608.10.29. B 1 E      8          7||
- 611. 1. 1. - 606.10.29. B 3 *      7          7||
- 609. 5.22. - 606.10.29. B 5 E      7          7||
- 609. 1. 1. - 607.12.30. B 9 B      5          7||
- 611. 1. 1. - 608.10.29. B 9 B      6          7||
- 609. 5.22. - 608.10.29. B 0 B      0          0||
- 609. 5.22. - 608.10.29. B 0 B      0          7||
- 609. 5.22. - 608.10.29. 56th position to E Jehoahaz (Josiah) 8
- 635. 5.22. - 632.10.29. 57th position to * Jehoiakim = Eliakim 7
- 607. 5.22. - 606.10.29. 58th position to B Captivity in Babylon 6

```

15696 Bytes yet free.

(49th/58) position: - 645. 1. 1. - 639.12.30. E Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

```

Manasseh      D Knd S      from:      to:|
- 645. 1. 1. - 639.12.30. E 0 E      12         12||
- 645. 1. 1. - 639.12.30. E 5 B      12         12||
- 645. 1. 1. - 639.12.30. E 7 B      11         12||
- 645. 1. 1. - 639.12.30. + 0 +      12         12||
- 645. 1. 1. - 639.12.30. E 0 E      0          0||
- 645. 1. 1. - 639.12.30. E 0 E      0          12||
- 701. 1. 1. - 693.12.30. 59th position to B Manasseh 12

```

15696 Bytes yet free.

(50th/59) position: - 668. 1. 1. - 660.12.30. * Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

```

Amon      D Knd S      from:      to:|
- 668. 1. 1. - 660.12.30. * 0 *      11         11||
- 668. 1. 1. - 660.12.30. * 9 B      11         11||
- 668. 1. 1. - 660.12.30. * 0 *      0          0||
- 668. 1. 1. - 660.12.30. * 0 *      0          11||

```

15696 Bytes yet free.

(51st/59) position: - 642. 9. 1. - 638. 8.29. E Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

```

Amon      D Knd S      from:      to:|
- 642. 9. 1. - 638. 8.29. E 0 E      11         11||
- 644. 1. 1. - 636.12.30. E 5 B      11         11||
- 642. 9. 1. - 638. 8.29. E 7 B      10         11||
- 642. 9. 1. - 638. 8.29. + 0 +      11         11||
- 642. 9. 1. - 638. 8.29. 0 E      0          0||

```

- 642. 9. 1. - 638. 8.29. E 0 E 0 11||
 - 645. 9. 1. - 639. 8.29. 60th position to B Amon 11

15696 Bytes yet free.

(52nd/60) position: - 651. 9. 1. - 645. 8.29. * Josiah 10

Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Kn	S	from:	to:
- 651. 9. 1. - 645. 8.29. *	0	*		10	10
- 651. 9. 1. - 645. 8.29. *	9	B		10	10
	0	*		0	0
- 651. 9. 1. - 645. 8.29. *	0	*		0	10

15696 Bytes yet free.

(53rd/60) position: - 586. 1. 1. - 585. 6. 8. E Zedekiah = Mattaniah 2

Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kn	S	from:	to:
- 586. 1. 1. - 585. 6. 8. E	0	E		2	2
- 587.12.30. - 585. 6. 8. E	5	B		2	2
- 586. 1. 1. - 584.12.30. E	4	B		5	2
	0	E		0	0
- 586. 1. 1. - 585. 6. 8. E	0	E		0	2

15696 Bytes yet free.

(54th/60) position: -2530. 9. 6. -2522.11. 6. + Cainan 116

Forward relations for entry Cainan (116/120) are generated.

Optimize dates...

Cainan	D	Kn	S	from:	to:
-2530. 9. 6. -2522.11. 6. +	0	+		116	116
-2530. 9. 6. -2522.11. 6. +	5	*		116	116
-2531. 9. 6. -2521.11. 6. +	4	*		115	116
	0	+		0	0
-2530. 9. 6. -2522.11. 6. +	0	+		0	116

15696 Bytes yet free.

(55th/60) position: -3370. 9. 6. -3362.11. 6. * Mahalaleel 115

Forward relations for entry Mahalaleel (115/120) are generated.

Optimize dates...

Mahalaleel	D	Kn	S	from:	to:
-3370. 9. 6. -3362.11. 6. *	0	*		115	115
-3370. 9. 6. -3362.11. 6. *	3	*		116	115
	5	+		115	115
	9	*		114	115
-3371. 9. 6. -3361.11. 6. *	10	+		116	115
	0	*		0	0
-3370. 9. 6. -3362.11. 6. *	0	*		0	115
-2476. 9. 6. -2466.11. 6.	61st position to +			Mahalaleel	115
-3306. 9. 6. -3296.11. 6.	62nd position to *			Jared	114

15696 Bytes yet free.

(56th/62) position: - 609. 5.22. - 608.10.29. E Jehoahaz (Josiah) 8

Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiaxim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kn	S	from:	to:
- 609. 5.22. - 608.10.29. E	0	E		8	8

```

- 610.11. 1. - 608.12.29. E   5 B           8           8||
- 609. 5.22. - 608.10.29. E   7 B           7           8||
                        0 E           0           0||
- 609. 5.22. - 608.10.29. E   0 E           0           8||
- 609. 1.22. - 608. 8.29.   63rd position to B Jehoahaz (Josiah)      8

```

15696 Bytes yet free.

(57th/63) position: - 635. 5.22. - 632.10.29. * Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

```

Jehoiakim = Eliakim      D Knd S      from:      to:|
- 635. 5.22. - 632.10.29. *   0 *          7          7||
- 635. 5.22. - 632.10.29. *   9 B          7          7||
                        0 *          0          0||
- 635. 5.22. - 632.10.29. *   0 *          0          7||

```

15696 Bytes yet free.

(58th/63) position: - 607. 5.22. - 606.10.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

```

Captivity in Babylon    D Knd S      from:      to:|
- 607. 5.22. - 606.10.29. B   0 B          6          6||
- 607. 5.22. - 604.10.29. B   3 B          7          6||
- 609. 1. 1. - 606.10.29. B   5 E          6          6||
    ≤- 602.10.29. B   7 B          4          6||
- 607. 1. 1. - 604.10.29. B   9 B          4          6||
                        0 B          0          0||
- 607. 5.22. - 606.10.29. B   0 B          0          6||
- 538. 5.22. - 537.10.29. 64th position to E Captivity in Babylon 6

```

15696 Bytes yet free.

(59th/64) position: - 701. 1. 1. - 693.12.30. B Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

```

Manasseh                D Knd S      from:      to:|
- 701. 1. 1. - 693.12.30. B   0 B          12         12||
                        B   1 E          14         12||
                        B   3 *          12         12||
- 701. 1. 1. - 693.12.30. B   5 E          12         12||
                        0 B          0          0||
- 701. 1. 1. - 693.12.30. B   0 B          0         12||
- 701. 1. 1. - 693.12.30. 65th position to E Hezekiah      14
- 714. 1. 1. - 704.12.30. 66th position to * Manasseh      12

```

15696 Bytes yet free.

(60th/66) position: - 645. 9. 1. - 639. 8.29. B Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

```

Amon                    D Knd S      from:      to:|
- 645. 9. 1. - 639. 8.29. B   0 B          11         11||
- 645. 1. 1. - 639.12.30. B   1 E          12         11||
- 647. 1. 1. - 637.12.30. B   3 *          11         11||
- 645. 9. 1. - 639. 8.29. B   5 E          11         11||
                        0 B          0          0||

```


- 645. 9. 1. - 639. 8.29. B 0 B 0 11||
 - 645. 9. 1. - 639. 8.29. 67th position to E Manasseh 12
 - 668. 9. 1. - 660. 8.29. 68th position to * Amon 11

15696 Bytes yet free.

(61st/68) position: -2476. 9. 6. -2466.11. 6. + Mahalaleel 115

Forward relations for entry Mahalaleel (115/120) are generated.

Optimize dates...

Mahalaleel	D	Kn	S	from:	to:
-2476. 9. 6. -2466.11. 6. +	0	+		115	115
-2476. 9. 6. -2466.11. 6. +	5	*		115	115
-2477. 9. 6. -2465.11. 6. +	4	*		114	115
	0	+		0	0
-2476. 9. 6. -2466.11. 6. +	0	+		0	115

15696 Bytes yet free.

(62nd/68) position: -3306. 9. 6. -3296.11. 6. * Jared 114

Forward relations for entry Jared (114/120) are generated.

Backward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Jared	D	Kn	S	from:	to:
-3306. 9. 6. -3296.11. 6. *	0	*		114	114
-3306. 9. 6. -3296.11. 6. *	3	*		115	114
	5	+		114	114
	9	*		113	114
-3307. 9. 6. -3295.11. 6. *	10	+		115	114
	0	*		0	0
-3306. 9. 6. -3296.11. 6. *	0	*		0	114
-2460. 9. 6. -2448.11. 6. 69th position to +				Jared	114
-3245. 9. 6. -3233.11. 6. 70th position to *				Enoch	113

15696 Bytes yet free.

(63rd/70) position: - 609. 1.22. - 608. 8.29. B Jehoahaz (Josiah) 8

Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kn	S	from:	to:
- 609. 1.22. - 608. 8.29. B	0	B		8	8
- 610. 9. 1. - 608. 8.29. B	1	E		10	8
- 612. 9. 1. - 606. 8.29. B	3	*		8	8
- 609. 1.22. - 608. 8.29. B	5	E		8	8
	0	B		0	0
- 609. 1.22. - 608. 8.29. B	0	B		0	8
- 609. 1.22. - 608. 8.29. 71st position to E				Josiah	10
- 633. 1.22. - 630. 8.29. 72nd position to *				Jehoahaz (Josiah)	8

15696 Bytes yet free.

(64th/72) position: - 538. 5.22. - 537.10.29. E Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kn	S	from:	to:
- 538. 5.22. - 537.10.29. E	0	E		6	6
- 539.10.29. ≥	1	B		1	6
- 538. 5.22. - 535.10.29. E	5	B		6	6
- 539.10.29. - 537.10.29. E	4	B		1	6
	0	E		0	0
- 538. 5.22. - 537.10.29. E	0	E		0	6

15696 Bytes yet free.

(65th/72) position: - 701. 1. 1. - 693.12.30. E Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kind	S	from:	to:	
- 701. 1. 1. - 693.12.30.	E	0	E	14	14	
	E	2	E	20	14	
	E	6	B	14	14	
- 701. 1. 1. - 693.12.30.	E	7	B	12	14	
	E	7	E	20	14	
- 701. 1. 1. - 693.12.30. +	0	+		14	14	
	0	E		0	0	
- 701. 1. 1. - 693.12.30.	E	0	E	0	14	
≤- 693.12.30.				73rd position to E	Isaiah	20
- 731. 1. 1. - 721.12.30.				74th position to B	Hezekiah	14
- 701. 1. 1. - 693.12.30.				75th position to E	Isaiah	20

15696 Bytes yet free.

(66th/75) position: - 714. 1. 1. - 704.12.30. * Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kind	S	from:	to:	
- 714. 1. 1. - 704.12.30.	*	0	*	12	12	
- 714. 1. 1. - 704.12.30.	*	9	B	12	12	
		0	*	0	0	
- 714. 1. 1. - 704.12.30.	*	0	*	0	12	

15696 Bytes yet free.

(67th/75) position: - 645. 9. 1. - 639. 8.29. E Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kind	S	from:	to:	
- 645. 9. 1. - 639. 8.29.	E	0	E	12	12	
- 647. 1. 1. - 637.12.30.	E	5	B	12	12	
- 645. 9. 1. - 639. 8.29.	E	7	B	11	12	
- 645. 9. 1. - 639. 8.29. +	0	+		12	12	
	0	E		0	0	
- 645. 9. 1. - 639. 8.29.	E	0	E	0	12	
- 701. 9. 1. - 693. 8.29.				76th position to B	Manasseh	12

15696 Bytes yet free.

(68th/76) position: - 668. 9. 1. - 660. 8.29. * Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

Amon	D	Kind	S	from:	to:	
- 668. 9. 1. - 660. 8.29.	*	0	*	11	11	
- 668. 9. 1. - 660. 8.29.	*	9	B	11	11	
		0	*	0	0	
- 668. 9. 1. - 660. 8.29.	*	0	*	0	11	

15696 Bytes yet free.

(69th/76) position: -2460. 9. 6. -2448.11. 6. + Jared 114

Forward relations for entry Jared (114/120) are generated.
 Backward relations for entry Great Flood (108/120) are generated.
 Optimize dates...

Jared	D	Kn	d	S	from:	to:	
-2460. 9. 6. -2448.11. 6. +	0	+			114	114	
-2460. 9. 6. -2448.11. 6. +	5	*			114	114	
-2461. 9. 6. -2447.11. 6. +	4	*			113	114	
	7	B			108	114	
	0	+			0	0	
-2460. 9. 6. -2448.11. 6. +	0	+			0	114	
-2460. 9. 6. ≥					77th position to B Great Flood		108

15696 Bytes yet free.

(70th/77) position: -3245. 9. 6. -3233.11. 6. * Enoch 113
 Forward relations for entry Enoch (113/120) are generated.
 Optimize dates...

Enoch	D	Kn	d	S	from:	to:	
-3245. 9. 6. -3233.11. 6. *	0	*			113	113	
-3245. 9. 6. -3233.11. 6. *	3	*			114	113	
	5	+			113	113	
	9	*			112	113	
-3246. 9. 6. -3232.11. 6. *	10	+			114	113	
	0	*			0	0	
-3245. 9. 6. -3233.11. 6. *	0	*			0	113	
-2881. 9. 6. -2867.11. 6.					78th position to + Enoch		113
-3181. 9. 6. -3167.11. 6.					79th position to * Methuselah		112

15696 Bytes yet free.

(71st/79) position: - 609. 1.22. - 608. 8.29. E Josiah 10
 Forward relations for entry Josiah (10/120) are generated.
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.
 Optimize dates...

Josiah	D	Kn	d	S	from:	to:	
- 609. 1.22. - 608. 8.29. E	0	E			10	10	
- 612. 9. 1. - 606. 8.29. E	5	B			10	10	
- 609. 1.22. - 608. 8.29. E	7	B			8	10	
- 609. 1.22. - 608. 8.29. +	0	+			10	10	
	0	E			0	0	
- 609. 1.22. - 608. 8.29. E	0	E			0	10	
- 641. 1.22. - 638. 8.29.					80th position to B Josiah		10

15696 Bytes yet free.

(72nd/80) position: - 633. 1.22. - 630. 8.29. * Jehoahaz (Josiah) 8
 Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.
 Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.
 Optimize dates...

Jehoahaz (Josiah)	D	Kn	d	S	from:	to:	
- 633. 1.22. - 630. 8.29. *	0	*			8	8	
- 633. 1.22. - 630. 8.29. *	9	B			8	8	
	0	*			0	0	
- 633. 1.22. - 630. 8.29. *	0	*			0	8	

15696 Bytes yet free.

(73rd/80) position: - 701. 1. 1. - 693.12.30. E Isaiah 20
 Forward relations for entry Isaiah (20/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Backward relations for entry Azariah = Uzziah (26/120) are generated.
 Optimize dates...

Isaiah	D	Kind	S	from:	to:
- 701. 1. 1. - 693.12.30.	E	0	E	20	20
- 701. 1. 1. ≥	E	1	E	14	20
≤- 693.12.30.	E	8	E	14	20
		0	E	0	0
- 701. 1. 1. - 693.12.30.	E	0	E	0	20

15696 Bytes yet free.

(74th/80) position: - 731. 1. 1. - 721.12.30. B Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kind	S	from:	to:
- 731. 1. 1. - 721.12.30.	B	0	B	14	14
	B	1	E	17	14
	B	3	B	16	14
	B	4	*	14	14
- 731. 1. 1. - 721.12.30.	B	6	E	14	14
	B	9	B	13	14
	B	9	B	15	14
		0	B	0	0
- 731. 1. 1. - 721.12.30.	B	0	B	0	14
- 731. 1. 1. - 721.12.30.		81st position to	E Ahaz		17
- 735. 1. 1. - 723.12.30.		82nd position to	B Hoshea		16
- 757. 1. 1. - 745.12.30.		83rd position to	* Hezekiah		14
- 717. 1. 1. - 705.12.30.		84th position to	B 14th Jubile Year		13
- 726. 1. 1. - 714.12.30.		85th position to	B Captivity of Israel		15

15696 Bytes yet free.

(75th/85) position: - 701. 1. 1. - 693.12.30. E Isaiah 20

Forward relations for entry Isaiah (20/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Optimize dates...

Isaiah	D	Kind	S	from:	to:
- 701. 1. 1. - 693.12.30.	E	0	E	20	20
- 701. 1. 1. ≥	E	1	E	14	20
≤- 693.12.30.	E	8	E	14	20
		0	E	0	0
- 701. 1. 1. - 693.12.30.	E	0	E	0	20

15696 Bytes yet free.

(76th/85) position: - 701. 9. 1. - 693. 8.29. B Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kind	S	from:	to:
- 701. 9. 1. - 693. 8.29.	B	0	B	12	12
- 701. 1. 1. - 693.12.30.	B	1	E	14	12
- 703. 1. 1. - 691.12.30.	B	3	*	12	12
- 701. 9. 1. - 693. 8.29.	B	5	E	12	12
		0	B	0	0
- 701. 9. 1. - 693. 8.29.	B	0	B	0	12
- 701. 9. 1. - 693. 8.29.		86th position to	E Hezekiah		14
- 714. 9. 1. - 704. 8.29.		87th position to	* Manasseh		12

15696 Bytes yet free.

(77th/87) position: -2460. 9. 6.≥ B Great Flood 108
 Forward relations for entry Great Flood (107/120) are generated.
 Forward relations for entry Great Flood (108/120) are generated.
 Optimize dates...

Great Flood	D	Kind	S	from:	to:	
-2460. 9. 6.≥	B	0	B	107	107	
	B	1	+	111	107	
	B	2	+	112	107	
	B	3	*	110	107	
-2460. 9. 6.≥	B	1	+	114	108	
		0	B	0	0	
-2460. 9. 6.≥	B	0	B	0	107	
-3059. 7.19.≥				88th position to * Noah		110

15696 Bytes yet free.
 (78th/88) position: -2881. 9. 6. -2867.11. 6. + Enoch 113
 Forward relations for entry Enoch (113/120) are generated.
 Optimize dates...

Enoch	D	Kind	S	from:	to:	
-2881. 9. 6. -2867.11. 6. +	0	+		113	113	
-2881. 9. 6. -2867.11. 6. +	5	*		113	113	
-2882. 9. 6. -2866.11. 6. +	4	*		112	113	
	0	+		0	0	
-2881. 9. 6. -2867.11. 6. +	0	+		0	113	

15696 Bytes yet free.
 (79th/88) position: -3181. 9. 6. -3167.11. 6. * Methuselah 112
 Forward relations for entry Methuselah (112/120) are generated.
 Backward relations for entry Great Flood (107/120) are generated.
 Optimize dates...

Methuselah	D	Kind	S	from:	to:	
-3181. 9. 6. -3167.11. 6. *	0	*		112	112	
-3181. 9. 6. -3167.11. 6. *	3	*		113	112	
	5	+		112	112	
	9	*		111	112	
-3182. 9. 6. -3166.11. 6. *	10	+		113	112	
	0	*		0	0	
-3181. 9. 6. -3167.11. 6. *	0	*		0	112	
-2462. 9. 6. -2446.11. 6.				89th position to + Methuselah		112
-3115. 9. 6. -3099.11. 6.				90th position to * Lamech		111

15696 Bytes yet free.
 (80th/90) position: - 641. 1.22. - 638. 8.29. B Josiah 10
 Forward relations for entry Josiah (10/120) are generated.
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.
 Optimize dates...

Josiah	D	Kind	S	from:	to:	
- 641. 1.22. - 638. 8.29. B	0	B		10	10	
- 642. 9. 1. - 638. 8.29. B	1	E		11	10	
- 644. 9. 1. - 636. 8.29. B	3	*		10	10	
- 641. 1.22. - 638. 8.29. B	5	E		10	10	
- 642. 1. 1. - 638.12.30. B	9	B		9	10	
	0	B		0	0	
- 641. 1.22. - 638. 8.29. B	0	B		0	10	
- 641. 1.22. - 638. 8.29.				91st position to E Amon		11
- 650. 1.22. - 645. 8.29.				92nd position to * Josiah		10

15696 Bytes yet free.

(81st/92) position: - 731. 1. 1. - 721.12.30. E Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:	
- 731. 1. 1. - 721.12.30.	Ω	0	Ω	17	17	
- 731. 1. 1. - 721.12.30.	E	0	E	17	17	
- 731. 1. 1. - 721.12.30.	E	7	B	14	17	
	E	5	B	18	18	
- 731. 1. 1. - 721.12.30.	+	0	+	17	17	
		0	Ω	0	0	
- 731. 1. 1. - 721.12.30.	Ω	0	Ω	0	17	
- 748. 1. 1. - 736.12.30.				93rd position to B Ahaz		18

15696 Bytes yet free.

(82nd/93) position: - 735. 1. 1. - 723.12.30. B Hoshea 16
 Forward relations for entry Hoshea (16/120) are generated.
 Backward relations for entry Captivity of Israel (15/120) are generated.
 Optimize dates...

Hoshea	D	Kind	S	from:	to:	
- 735. 1. 1. - 723.12.30.	B	0	B	16	16	
	B	1	E	21	16	
- 737. 1. 1. - 723.12.30.	B	3	B	17	16	
	B	5	E	16	16	
	B	4	α	19	16	
- 735. 1. 1. - 723.12.30.	B	9	B	14	16	
- 736. 1. 1. - 722.12.30.	B	10	B	15	16	
		0	B	0	0	
- 735. 1. 1. - 723.12.30.	B	0	B	0	16	
- 735. 1. 1. - 723.12.30.				94th position to E Pekah		21
- 727. 1. 1. - 713.12.30.				95th position to E Hoshea		16
- 756. 1. 1. - 742.12.30.				96th position to α Jotham		19

15696 Bytes yet free.

(83rd/96) position: - 757. 1. 1. - 745.12.30. * Hezekiah 14
 Forward relations for entry Hezekiah (14/120) are generated.
 Backward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Isaiah (20/120) are generated.
 Optimize dates...

Hezekiah	D	Kind	S	from:	to:	
- 757. 1. 1. - 745.12.30.	*	0	*	14	14	
- 757. 1. 1. - 745.12.30.	*	10	B	14	14	
		0	*	0	0	
- 757. 1. 1. - 745.12.30.	*	0	*	0	14	

15696 Bytes yet free.

(84th/96) position: - 717. 1. 1. - 705.12.30. B 14th Jubile Year 13
 Forward relations for entry 14th Jubile Year (13/120) are generated.
 Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:	
- 717. 1. 1. - 705.12.30.	B	0	B	13	13	
- 717. 1. 1. - 705.12.30.	B	3	B	14	13	
	B	4	B	81	13	
	B	6	E	13	13	
		0	B	0	0	
- 717. 1. 1. - 705.12.30.	B	0	B	0	13	
-1416. 1. 1. -1404.12.30.				97th position to B Inheritance of Israel		81

- 716. 1. 1. - 704.12.30. 98th position to E 14th Jubile Year 13

15696 Bytes yet free.

(85th/98) position: - 726. 1. 1. - 714.12.30. B Captivity of Israel 15

Forward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Captivity of Israel	D	Knd	S	from:	to:
- 726. 1. 1. - 714.12.30.	B	0	B	15	15
- 727. 1. 1. - 713.12.30.	B	1	E	16	15
- 726. 1. 1. - 714.12.30.	B	3	B	14	15
- 727. 1. 1. - 713.12.30.	B	4	B	16	15
		0	B	0	0
- 726. 1. 1. - 714.12.30.	B	0	B	0	15
- 726. 1. 1. - 714.12.30.				99th position to E Hoshea	16

15696 Bytes yet free.

(86th/99) position: - 701. 9. 1. - 693. 8.29. E Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Knd	S	from:	to:
- 701. 9. 1. - 693. 8.29.	E	0	E	14	14
- 701. 1. 1. ≥	E	2	E	20	14
- 703. 1. 1. - 691.12.30.	E	6	B	14	14
- 701. 9. 1. - 693. 8.29.	E	7	B	12	14
≤- 693.12.30.	E	7	E	20	14
- 701. 9. 1. - 693. 8.29. +		0	+	14	14
		0	E	0	0
- 701. 9. 1. - 693. 8.29.	E	0	E	0	14
- 701. 1. 1. - 693. 8.29.				100th position to E Isaiah	20
- 731. 9. 1. - 721. 8.29.				101st position to B Hezekiah	14
- 701. 9. 1. - 693. 8.29.				102nd position to E Isaiah	20

15696 Bytes yet free.

(87th/102) position: - 714. 9. 1. - 704. 8.29. * Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Knd	S	from:	to:
- 714. 9. 1. - 704. 8.29.	*	0	*	12	12
- 714. 9. 1. - 704. 8.29.	*	9	B	12	12
		0	*	0	0
- 714. 9. 1. - 704. 8.29.	*	0	*	0	12

15696 Bytes yet free.

(88th/102) position: -3059. 7.19. ≥ * Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Knd	S	from:	to:
-3059. 7.19. ≥	*	0	*	110	110
-3063. 9. 6. -3045.11. 6.	*	3	*	111	110
	*	5	+	110	110
-3059. 7.19. ≥	*	9	B	107	110
	*	9	E	108	110
	*	9	*	109	110
	*	10	Ω	107	110
	*	10	+	111	110

```

3044Y 1M25D      0 *      0      0||
-3059. 7.19. -3045.11. 6. * 0 *      0      110||
-3059. 7.19. -3045.11. 6. 103rd position to * Noah      110
-3113. 7.19. -3099.11. 6. 104th position to * Lamech      111
-2110. 7.19. -2094.11. 6. 105th position to + Noah      110
-2460. 9. 6. -2446.12.23. 106th position to B Great Flood      107
-2459. 9.15. -2444. 1. 3. 107th position to E Great Flood      108
-2560. 7.19. -2544.11. 6. 108th position to * Shem      109
-2459. 7.19. -2445.11. 7. 109th position to Ω Great Flood      107
-2460. 7.19. -2444.11. 6. 110th position to + Lamech      111

```

15696 Bytes yet free.

(89th/110) position: -2462. 9. 6. -2446.11. 6. + Methuselah 112

Forward relations for entry Methuselah (112/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

```

Methuselah      D Knd S      from:      to:|
-2462. 9. 6. -2446.11. 6. + 0 +      112      112||
-2462. 9. 6. -2446.11. 6. + 5 *      112      112||
-2461. 7.19. -2445.11. 6. + 4 *      111      112||
      ≤-2446.12.23. + 8 B      107      112||
      10M13D      0 +      0      0||
-2461. 7.19. -2446.11. 6. + 0 +      0      112||
-2461. 7.19. -2446.11. 6. 111th position to + Methuselah      112

```

15696 Bytes yet free.

(90th/111) position: -3113. 7.19. -3099.11. 6. * Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

```

Lamech      D Knd S      from:      to:|
-3113. 7.19. -3099.11. 6. * 0 *      111      111||
-3115. 9. 6. -3099.11. 6. * 3 *      112      111||
-3114. 7.19. -3096.11. 6. * 5 +      111      111||
-3113. 7.19. -3097.11. 6. * 9 *      110      111||
-3115. 7.19. -3098.11. 6. * 10 +      112      111||
      0 *      0      0||
-3113. 7.19. -3099.11. 6. * 0 *      0      111||
-2460. 7.19. -2445.11. 6. 112th position to + Lamech      111

```

15696 Bytes yet free.

(91st/112) position: - 641. 1.22. - 638. 8.29. E Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

```

Amon      D Knd S      from:      to:|
- 641. 1.22. - 638. 8.29. E 0 E      11      11||
- 644. 9. 1. - 636. 8.29. E 5 B      11      11||
- 641. 1.22. - 638. 8.29. E 7 B      10      11||
- 641. 1.22. - 638. 8.29. + 0 +      11      11||
      0 E      0      0||
- 641. 1.22. - 638. 8.29. E 0 E      0      11||
- 644. 1.22. - 639. 8.29. 113th position to B Amon      11

```

15696 Bytes yet free.

(92nd/113) position: - 650. 1.22. - 645. 8.29. * Josiah 10

Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D Knd S	from:	to:†
- 650. 1.22. - 645. 8.29. *	0 *	10	10
- 650. 1.22. - 645. 8.29. *	9 B	10	10
	0 *	0	0
- 650. 1.22. - 645. 8.29. *	0 *	0	10

15696 Bytes yet free.

(93rd/113) position: - 748. 1. 1. - 736.12.30. B Ahaz 18
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D Knd S	from:	to:†
- 748. 1. 1. - 736.12.30. B	0 B	17	17
	B 1 E	19	17
	B 4 *	17	17
- 748. 1. 1. - 734.12.30. B	9 B	16	17
- 748. 1. 1. - 736.12.30. B	5 E	18	18
	0 B	0	0
- 748. 1. 1. - 736.12.30. B	0 B	0	17
- 748. 1. 1. - 736.12.30.	114th position to E	Jotham	19
- 769. 1. 1. - 755.12.30.	115th position to *	Ahaz	17

15696 Bytes yet free.

(94th/115) position: - 735. 1. 1. - 723.12.30. E Pekah 21
 Forward relations for entry Pekah (21/120) are generated.
 Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D Knd S	from:	to:†
- 735. 1. 1. - 723.12.30. E	0 E	21	21
	E 5 B	21	21
- 735. 1. 1. - 723.12.30. E	7 B	16	21
- 735. 1. 1. - 723.12.30. +	0 +	21	21
	0 E	0	0
- 735. 1. 1. - 723.12.30. E	0 E	0	21
- 756. 1. 1. - 742.12.30.	116th position to B	Pekah	21

15696 Bytes yet free.

(95th/116) position: - 726. 1. 1. - 714.12.30. E Hoshea 16
 Forward relations for entry Hoshea (16/120) are generated.
 Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D Knd S	from:	to:†
- 726. 1. 1. - 714.12.30. E	0 E	16	16
- 727. 1. 1. - 713.12.30. E	5 B	16	16
- 726. 1. 1. - 714.12.30. E	7 B	15	16
	0 E	0	0
- 726. 1. 1. - 714.12.30. E	0 E	0	16

15696 Bytes yet free.

(96th/116) position: - 756. 1. 1. - 742.12.30. α Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D Knd S	from:	to:†
- 756. 1. 1. - 742.12.30. α	0 α	19	19

	α	1 E	26	19	
- 755. 1. 1. - 739.12.30.	α	3 B	21	19	
- 756. 1. 1. - 742.12.30.	α	10 B	16	19	
1Y		0 α	0	0	
- 755. 1. 1. - 742.12.30.	α	0 α	0	19	
- 755. 1. 1. - 742.12.30.		117th position to α Jotham			19
- 755. 1. 1. - 742.12.30.		118th position to E Azariah = Uzziah			26
- 756. 1. 1. - 743.12.30.		119th position to B Pekah			21

15696 Bytes yet free.

(97th/119) position: -1416. 1. 1. -1404.12.30. B Inheritance of Israel 81

Forward relations for entry Inheritance of Israel (81/120) are generated.

Backward relations for entry Caleb (82/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Optimize dates...

Inheritance of Israel	D	Knd	S	from:	to:	
-1416. 1. 1. -1404.12.30.	B	0 B		81	81	
	B	3 B		85	81	
	B	4 *		82	81	
	B	7 +		82	81	
	B	8 +		83	81	
-1416. 1. 1. -1404.12.30.	B	10 B		13	81	
		0 B		0	0	
-1416. 1. 1. -1404.12.30.	B	0 B		0	81	
-1462. 1. 1. -1448.12.30.		120th position to B Explorers of Canaan				85
-1502. 1. 1. -1488.12.30.		121st position to * Caleb				82
-1416. 1. 1. ≥		122nd position to + Caleb				82
-1416. 1. 1. ≥		123rd position to + Joshua				83

15696 Bytes yet free.

(98th/123) position: - 716. 1. 1. - 704.12.30. E 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Knd	S	from:	to:
- 716. 1. 1. - 704.12.30.	E	0 E		13	13
- 716. 1. 1. - 704.12.30.	E	6 B		13	13
		0 E		0	0
- 716. 1. 1. - 704.12.30.	E	0 E		0	13

15696 Bytes yet free.

(99th/123) position: - 726. 1. 1. - 714.12.30. E Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Knd	S	from:	to:
- 726. 1. 1. - 714.12.30.	E	0 E		16	16
- 727. 1. 1. - 713.12.30.	E	5 B		16	16
- 726. 1. 1. - 714.12.30.	E	7 B		15	16
		0 E		0	0
- 726. 1. 1. - 714.12.30.	E	0 E		0	16

15696 Bytes yet free.

(100th/123) position: - 701. 9. 1. - 693. 8.29. E Isaiah 20

Forward relations for entry Isaiah (20/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Optimize dates...

Isaiah	D	Knd	S	from:	to:
--------	---	-----	---	-------	-----

```

- 701. 9. 1. - 693. 8.29. E 0 E 20 20||
- 701. 9. 1. ≥ E 1 E 14 20||
    ≤- 693. 8.29. E 8 E 14 20||
    0 E 0 0||
- 701. 9. 1. - 693. 8.29. E 0 E 0 20||

```

15696 Bytes yet free.

(101st/123) position: - 731. 9. 1. - 721. 8.29. B Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

```

Hezekiah D Knd S from: to:|
- 731. 9. 1. - 721. 8.29. B 0 B 14 14||
- 731. 1. 1. - 721.12.30. B 1 E 17 14||
- 733. 1. 1. - 719.12.30. B 3 B 16 14||
- 733. 1. 1. - 719.12.30. B 4 * 14 14||
- 731. 9. 1. - 721. 8.29. B 6 E 14 14||
- 733. 1. 1. - 719.12.30. B 9 B 13 14||
- 733. 1. 1. - 719.12.30. B 9 B 15 14||
    0 B 0 0||
- 731. 9. 1. - 721. 8.29. B 0 B 0 14||
- 731. 9. 1. - 721. 8.29. 124th position to E Ahaz 17
- 735. 9. 1. - 723. 8.29. 125th position to B Hoshea 16
- 757. 9. 1. - 745. 8.29. 126th position to * Hezekiah 14
- 717. 9. 1. - 705. 8.29. 127th position to B 14th Jubile Year 13
- 726. 9. 1. - 714. 8.29. 128th position to B Captivity of Israel 15

```

15696 Bytes yet free.

(102nd/128) position: - 701. 9. 1. - 693. 8.29. E Isaiah 20

Forward relations for entry Isaiah (20/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Optimize dates...

```

Isaiah D Knd S from: to:|
- 701. 9. 1. - 693. 8.29. E 0 E 20 20||
- 701. 9. 1. ≥ E 1 E 14 20||
    ≤- 693. 8.29. E 8 E 14 20||
    0 E 0 0||
- 701. 9. 1. - 693. 8.29. E 0 E 0 20||

```

15696 Bytes yet free.

(103rd/128) position: -3059. 7.19. -3045.11. 6. * Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

```

Noah D Knd S from: to:|
-3059. 7.19. -3045.11. 6. * 0 * 110 110||
-3061. 7.19. -3045.11. 6. * 3 * 111 110||
-3061. 7.19. -3043.11. 6. * 5 + 110 110||
-3059. 7.19. -3045.11. 7. * 9 B 107 110||
-3059. 7.18. -3045.11. 7. * 9 E 108 110||
-3061. 7.19. -3043.11. 6. * 9 * 109 110||
-3059. 7.18. -3045.11. 7. * 10 Ω 107 110||
-3061. 7.19. -3044.11. 6. * 10 + 111 110||
    0 * 0 0||
-3059. 7.19. -3045.11. 6. * 0 * 0 110||

```

15696 Bytes yet free.

(104th/128) position: -3113. 7.19. -3099.11. 6. * Lamech 111
 Forward relations for entry Lamech (111/120) are generated.
 Backward relations for entry Great Flood (107/120) are generated.
 Optimize dates...

Lamech	D	Kn	d	S	from:	to:†
-3113. 7.19. -3099.11. 6. *	0	*			111	111
-3115. 9. 6. -3099.11. 6. *	3	*			112	111
-3114. 7.19. -3097.11. 6. *	5	+			111	111
-3113. 7.19. -3097.11. 6. *	9	*			110	111
-3115. 7.19. -3098.11. 6. *	10	+			112	111
	0	*			0	0
-3113. 7.19. -3099.11. 6. *	0	*			0	111

15696 Bytes yet free.

(105th/128) position: -2110. 7.19. -2094.11. 6. + Noah 110
 Forward relations for entry Noah (110/120) are generated.
 Optimize dates...

Noah	D	Kn	d	S	from:	to:†
-2110. 7.19. -2094.11. 6. +	0	+			110	110
-2110. 7.19. -2094.11. 6. +	5	*			110	110
-2110. 9.15. -2093. 1. 3. +	4	E			107	110
1M26D	0	+			0	0
-2110. 9.15. -2094.11. 6. +	0	+			0	110
-2110. 9.15. -2094.11. 6.	129th position to + Noah					110

15696 Bytes yet free.

(106th/129) position: -2460. 9. 6. -2446.12.23. B Great Flood 107
 Forward relations for entry Great Flood (107/120) are generated.
 Forward relations for entry Great Flood (108/120) are generated.
 Optimize dates...

Great Flood	D	Kn	d	S	from:	to:†
-2460. 9. 6. -2446.12.23. B	0	B			107	107
-2460. 7.19.≥	1	+			111	107
-2461. 7.19.≥	2	+			112	107
-2460. 9. 5. -2446.12.23. B	3	*			110	107
-2460. 9. 6.≥	1	+			114	108
	0	B			0	0
-2460. 9. 6. -2446.12.23. B	0	B			0	107
-2460. 7.19. -2446.12.23.	130th position to + Lamech					111

15696 Bytes yet free.

(107th/130) position: -2459. 9.15. -2444. 1. 3. E Great Flood 108
 Forward relations for entry Great Flood (107/120) are generated.
 Forward relations for entry Great Flood (108/120) are generated.
 Optimize dates...

Great Flood	D	Kn	d	S	from:	to:†
-2459. 9.15. -2444. 1. 3. E	0	E			107	107
	9	*			105	107
-2461. 9.15. -2443.11. 6. E	10	+			110	107
-2459. 9.15. -2444. 1. 3. E	3	*			110	108
	0	E			0	0
-2459. 9.15. -2444. 1. 3. E	0	E			0	107
-2458. 9.15. -2441. 1. 3.	131st position to * Arphaxad					105

15696 Bytes yet free.

(108th/131) position: -2560. 7.19. -2544.11. 6. * Shem 109
 Forward relations for entry Shem (109/120) are generated.
 Optimize dates...

Shem	D	Knd	S	from:	to:	
-2560. 7.19. -2544.11. 6. *	0	*	109	109		
-2560. 7.19. -2544.11. 6. *	3	*	110	109		
-2559. 9.15. -2540. 1. 3. *	10	*	105	109		
1Y 1M26D	0	*	0	0		
-2559. 9.15. -2544.11. 6. *	0	*	0	109		
-2559. 9.15. -2544.11. 6.	132nd	position to *	Shem			109
-2458. 9.15. -2443.11. 6.	133rd	position to *	Arphaxad			105

15696 Bytes yet free.

```
(109th/133) position: -2459. 7.19. -2445.11. 7.    Ω Great Flood          107
Forward relations for entry Great Flood              (107/120) are generated.
Forward relations for entry Great Flood              (108/120) are generated.
```

Optimize dates...

Great Flood		D	Kind	S	from:	to:
-2459. 7.19. -2445.11. 7.	Ω	0	Ω	107	107	
-2459. 7.19. -2445.11. 7.	Ω	4	*	110	107	
		0	Ω	0	0	
-2459. 7.19. -2445.11. 7.	Ω	0	Ω	0	107	

15696 Bytes yet free.

```
(110th/133) position: -2460. 7.19. -2446.12.23.    + Lamech                111
Forward relations for entry Lamech                  (111/120) are generated.
Backward relations for entry Great Flood            (107/120) are generated.
```

Optimize dates...

Lamech	D	Knd	S	from:	to:
-2460. 7.19. -2446.12.23. +	0	+		111	111
-2461. 7.19. -2445.11. 6. +	5	*		111	111
-2460. 7.19. -2444.11. 6. +	4	*		110	111
≤-2446.12.23. +	7	B		107	111
	0	+		0	0
-2460. 7.19. -2446.12.23. +	0	+		0	111

15696 Bytes yet free.

```
(111th/133) position: -2461. 7.19. -2446.11. 6.    + Methuselah          112
Forward relations for entry Methuselah              (112/120) are generated.
Backward relations for entry Great Flood            (107/120) are generated.
```

Optimize dates...

Methuselah		D	Knd	S	from:	to:
-2461. 7.19. -2446.11. 6. +	0 +	112	112			
-2462. 9. 6. -2446.11. 6. +	5 *	112	112			
-2461. 7.19. -2445.11. 6. +	4 *	111	112			
≤-2446.12.23. +	8 B	107	112			
	0 +	0	0			
-2461. 7.19. -2446.11. 6. +	0 +	0	112			

15696 Bytes yet free.

```
(112th/133) position: -2460. 7.19. -2446.12.23.    + Lamech                111
Forward relations for entry Lamech                  (111/120) are generated.
Backward relations for entry Great Flood             (107/120) are generated.
```

Optimize dates...

Lamech	D	Knd	S	from:	to:
-2460. 7.19. -2446.12.23. +	0	+		111	111
-2461. 7.19. -2445.11. 6. +	5	*		111	111
-2460. 7.19. -2444.11. 6. +	4	*		110	111
≤-2446.12.23. +	7	B		107	111
	0	+		0	0
-2460. 7.19. -2446.12.23. +	0	+		0	111

15696 Bytes yet free.

(113th/133) position: - 644. 1.22. - 639. 8.29. B Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

Amon	D	Kn	S	from:	to:	
- 644. 1.22. - 639. 8.29. B	0	B		11	11	
- 645. 9. 1. - 639. 8.29. B	1	E		12	11	
- 647. 9. 1. - 637. 8.29. B	3	*		11	11	
- 644. 1.22. - 639. 8.29. B	5	E		11	11	
	0	B		0	0	
- 644. 1.22. - 639. 8.29. B	0	B		0	11	
- 644. 1.22. - 639. 8.29.				134th position to E	Manasseh	12
- 667. 1.22. - 660. 8.29.				135th position to *	Amon	11

15696 Bytes yet free.

(114th/135) position: - 748. 1. 1. - 736.12.30. E Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kn	S	from:	to:	
- 748. 1. 1. - 736.12.30. E	0	E		19	19	
	6	B		19	19	
- 748. 1. 1. - 736.12.30. E	7	B		17	19	
	0	E		0	0	
- 748. 1. 1. - 736.12.30. E	0	E		0	19	
- 765. 1. 1. - 751.12.30.				136th position to B	Jotham	19

15696 Bytes yet free.

(115th/136) position: - 769. 1. 1. - 755.12.30. * Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kn	S	from:	to:	
- 769. 1. 1. - 755.12.30. *	0	*		17	17	
- 769. 1. 1. - 755.12.30. *	10	B		17	17	
	0	*		0	0	
- 769. 1. 1. - 755.12.30. *	0	*		0	17	

15696 Bytes yet free.

(116th/136) position: - 756. 1. 1. - 743.12.30. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kn	S	from:	to:	
- 756. 1. 1. - 743.12.30. B	0	B		21	21	
	1	E		22	21	
	3	B		26	21	
- 756. 1. 1. - 742.12.30. B	5	E		21	21	
	9	α		17	21	
- 758. 1. 1. - 743.12.30. B	9	α		19	21	
	0	B		0	0	
- 756. 1. 1. - 743.12.30. B	0	B		0	21	
- 756. 1. 1. - 743.12.30.				137th position to E	Pekahiah	22
- 809. 1. 1. - 794.12.30.				138th position to B	Azariah = Uzziah	26

- 740. 1. 1. - 725.12.30. 139th position to α Ahaz 17

15696 Bytes yet free.

(117th/139) position: - 755. 1. 1. - 742.12.30. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†	
- 755. 1. 1. - 742.12.30.	α	0	α	19	19	
- 755. 1. 1. - 742.12.30.	α	1	E	26	19	
- 755. 1. 1. - 740.12.30.	α	3	B	21	19	
- 756. 9. 1. - 742. 8.29.	α	10	B	16	19	
	4M 1D	0	α	0	0	
- 755. 1. 1. - 742. 8.29.	α	0	α	0	19	
- 755. 1. 1. - 742. 8.29.				140th position to α Jotham		19
- 755. 1. 1. - 742. 8.29.				141st position to E Azariah = Uzziah		26
- 756. 1. 1. - 743. 8.29.				142nd position to B Pekah		21

15696 Bytes yet free.

(118th/142) position: - 755. 1. 1. - 742. 8.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:†	
- 755. 1. 1. - 742. 8.29.	E	0	E	26	26	
- 758. 1. 1. - 741.12.30.	E	6	B	26	26	
- 755. 1. 1. - 742. 8.29.	E	7	α	19	26	
- 755. 1. 1. - 742. 8.29.	+	0	+	26	26	
	+	2	B	20	26	
		0	E	0	0	
- 755. 1. 1. - 742. 8.29.	E	0	E	0	26	
- 808. 1. 1. - 794.12.30.				143rd position to B Azariah = Uzziah		26
≤- 742. 8.29.				144th position to B Isaiah		20

15696 Bytes yet free.

(119th/144) position: - 756. 1. 1. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kind	S	from:	to:†	
- 756. 1. 1. - 743. 8.29.	B	0	B	21	21	
- 756. 1. 1. - 743.12.30.	B	1	E	22	21	
- 757. 1. 1. - 741.12.30.	B	3	B	26	21	
- 756. 1. 1. - 742.12.30.	B	5	E	21	21	
- 758. 1. 1. - 741.12.30.	B	9	α	17	21	
- 758. 1. 1. - 743. 8.29.	B	9	α	19	21	
		0	B	0	0	
- 756. 1. 1. - 743. 8.29.	B	0	B	0	21	
- 756. 1. 1. - 743. 8.29.				145th position to E Pekahiah		22
- 808. 1. 1. - 794. 8.29.				146th position to B Azariah = Uzziah		26
- 740. 1. 1. - 725. 8.29.				147th position to α Ahaz		17

15696 Bytes yet free.

(120th/147) position: -1462. 1. 1. -1448.12.30. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:†
---------------------	---	------	---	-------	------

```

-1462. 1. 1. -1448.12.30. B 0 B 85 85||
                        B 3 E 89 85||
                        B 5 E 85 85||
-1463. 1. 1. -1447.12.30. B 4 * 82 85||
-1462. 1. 1. -1448.12.30. B 9 B 81 85||
                        B 9 B 84 85||
                        0 B 0 0||
-1462. 1. 1. -1448.12.30. B 0 B 0 85||
-1464. 1. 1. -1449.12.30. 148th position to E Israel in Egypt 89
-1462. 2.11. -1447. 2.10. 149th position to E Explorers of Canaan 85
-1425. 1. 1. -1409.12.30. 150th position to B Moses' Speech 84

```

15696 Bytes yet free.

(121st/150) position: -1502. 1. 1. -1488.12.30. * Caleb 82
Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

```

Caleb D Knd S from: to:|
-1502. 1. 1. -1488.12.30. * 0 * 82 82||
-1502. 1. 1. -1488.12.30. * 10 B 81 82||
-1503. 1. 1. -1487.12.30. * 10 B 85 82||
                        0 * 0 0||
-1502. 1. 1. -1488.12.30. * 0 * 0 82||

```

15696 Bytes yet free.

(122nd/150) position: -1416. 1. 1. > + Caleb 82
Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

```

Caleb D Knd S from: to:|
-1416. 1. 1. > + 0 + 82 82||
-1416. 1. 1. > + 1 B 81 82||
                        0 + 0 0||
-1416. 1. 1. > + 0 + 0 82||

```

15696 Bytes yet free.

(123rd/150) position: -1416. 1. 1. > + Joshua 83
Forward relations for entry Joshua (83/120) are generated.
Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

```

Joshua D Knd S from: to:|
-1416. 1. 1. > E 0 E 83 83||
                        E 7 B 80 83||
-1416. 1. 1. > + 0 + 83 83||
-1416. 1. 1. > + 2 B 81 83||
                        + 5 * 83 83||
                        0 E 0 0||
-1416. 1. 1. > E 0 E 0 83||
-1416. 1. 1. > 151st position to B Chushanrishathaim 80
-1527. 1. 1. > 152nd position to * Joshua 83

```

15696 Bytes yet free.

(124th/152) position: - 731. 9. 1. - 721. 8.29. E Ahaz 17
Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

```

Ahaz D Knd S from: to:|
- 731. 9. 1. - 721. 8.29. Ω 0 Ω 17 17||
- 731. 9. 1. - 721. 8.29. E 0 E 17 17||

```



```

- 731. 9. 1. - 721. 8.29. E 7 B 14 17||
- 733. 1. 1. - 719.12.30. E 5 B 18 18||
- 731. 9. 1. - 721. 8.29. + 0 + 17 17||
                        0 Ω 0 0||
- 731. 9. 1. - 721. 8.29. Ω 0 Ω 0 17||
- 748. 9. 1. - 736. 8.29. 153rd position to B Ahaz 18

```

15696 Bytes yet free.

```

(125th/153) position: - 735. 9. 1. - 723. 8.29. B Hoshea 16
Forward relations for entry Hoshea (16/120) are generated.
Backward relations for entry Captivity of Israel (15/120) are generated.
Optimize dates...

```

```

Hoshea D Knd S from: to:|
- 735. 9. 1. - 723. 8.29. B 0 B 16 16||
- 735. 1. 1. - 723.12.30. B 1 E 21 16||
- 737. 9. 1. - 723. 8.29. B 3 B 17 16||
- 736. 1. 1. - 722.12.30. B 5 E 16 16||
- 736. 1. 1. - 721. 8.29. B 4 α 19 16||
- 735. 9. 1. - 723. 8.29. B 9 B 14 16||
- 736. 9. 1. - 722. 8.29. B 10 B 15 16||
                        0 B 0 0||
- 735. 9. 1. - 723. 8.29. B 0 B 0 16||
- 735. 9. 1. - 723. 8.29. 154th position to E Pekah 21

```

15696 Bytes yet free.

```

(126th/154) position: - 757. 9. 1. - 745. 8.29. * Hezekiah 14
Forward relations for entry Hezekiah (14/120) are generated.
Backward relations for entry Manasseh (12/120) are generated.
Backward relations for entry Isaiah (20/120) are generated.
Optimize dates...

```

```

Hezekiah D Knd S from: to:|
- 757. 9. 1. - 745. 8.29. * 0 * 14 14||
- 757. 9. 1. - 745. 8.29. * 10 B 14 14||
                        0 * 0 0||
- 757. 9. 1. - 745. 8.29. * 0 * 0 14||

```

15696 Bytes yet free.

```

(127th/154) position: - 717. 9. 1. - 705. 8.29. B 14th Jubile Year 13
Forward relations for entry 14th Jubile Year (13/120) are generated.
Optimize dates...

```

```

14th Jubile Year D Knd S from: to:|
- 717. 9. 1. - 705. 8.29. B 0 B 13 13||
- 717. 9. 1. - 705. 8.29. B 3 B 14 13||
- 717. 1. 1. - 705.12.30. B 4 B 81 13||
- 717. 1. 1. - 705.12.30. B 6 E 13 13||
                        0 B 0 0||
- 717. 9. 1. - 705. 8.29. B 0 B 0 13||
-1416. 9. 1. -1404. 8.29. 155th position to B Inheritance of Israel 81
- 716. 9. 1. - 704. 8.29. 156th position to E 14th Jubile Year 13

```

15696 Bytes yet free.

```

(128th/156) position: - 726. 9. 1. - 714. 8.29. B Captivity of Israel 15
Forward relations for entry Captivity of Israel (15/120) are generated.
Optimize dates...

```

```

Captivity of Israel D Knd S from: to:|
- 726. 9. 1. - 714. 8.29. B 0 B 15 15||
- 726. 1. 1. - 714.12.30. B 1 E 16 15||
- 726. 9. 1. - 714. 8.29. B 3 B 14 15||

```

```

- 727. 9. 1. - 713. 8.29. B   4 B      16      15||
                        0 B      0      0||
- 726. 9. 1. - 714. 8.29. B   0 B      0      15||
- 726. 9. 1. - 714. 8.29.   157th position to E Hoshea      16

```

15696 Bytes yet free.

(129th/157) position: -2110. 9.15. -2094.11. 6. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kn	S	from:	to:
-2110. 9.15. -2094.11. 6. +	0	+		110	110
-2110. 7.19. -2094.11. 6. +	5	*		110	110
-2110. 9.15. -2093. 1. 3. +	4	E		107	110
	0	+		0	0
-2110. 9.15. -2094.11. 6. +	0	+		0	110

15696 Bytes yet free.

(130th/157) position: -2460. 7.19. -2446.12.23. + Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kn	S	from:	to:
-2460. 7.19. -2446.12.23. +	0	+		111	111
-2461. 7.19. -2445.11. 6. +	5	*		111	111
-2460. 7.19. -2444.11. 6. +	4	*		110	111
≤-2446.12.23. +	7	B		107	111
	0	+		0	0
-2460. 7.19. -2446.12.23. +	0	+		0	111

15696 Bytes yet free.

(131st/157) position: -2458. 9.15. -2443.11. 6. * Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kn	S	from:	to:
-2458. 9.15. -2443.11. 6. *	0	*		105	105
-2458. 9.15. -2441. 1. 3. *	3	E		107	105
-2460. 9.15. -2443.11. 6. *	4	*		109	105
	9	*		104	105
	10	+		109	105
	0	*		0	0
-2458. 9.15. -2443.11. 6. *	0	*		0	105
-2424. 9.15. -2407.11. 6.	158th position to			* Salah	104
-1959. 9.15. -1942.11. 6.	159th position to			+ Shem	109

15696 Bytes yet free.

(132nd/159) position: -2559. 9.15. -2544.11. 6. * Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kn	S	from:	to:
-2559. 9.15. -2544.11. 6. *	0	*		109	109
-2560. 7.19. -2544.11. 6. *	3	*		110	109
-2559. 9.15. -2542.11. 6. *	10	*		105	109
	0	*		0	0
-2559. 9.15. -2544.11. 6. *	0	*		0	109

15696 Bytes yet free.

(133rd/159) position: -2458. 9.15. -2443.11. 6. * Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Knd	S	from:	to:†
-2458. 9.15. -2443.11. 6. *	0	*		105	105
-2458. 9.15. -2441. 1. 3. *	3	E		107	105
-2460. 9.15. -2443.11. 6. *	4	*		109	105
-2460. 9.15. -2441.11. 6. *	9	*		104	105
-2460. 9.15. -2441.11. 6. *	10	+		109	105
	0	*		0	0
-2458. 9.15. -2443.11. 6. *	0	*		0	105

15696 Bytes yet free.

(134th/159) position: - 644. 1.22. - 639. 8.29. E Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Knd	S	from:	to:†
- 644. 1.22. - 639. 8.29. E	0	E		12	12
- 647. 9. 1. - 637. 8.29. E	5	B		12	12
- 644. 1.22. - 639. 8.29. E	7	B		11	12
- 644. 1.22. - 639. 8.29. +	0	+		12	12
	0	E		0	0
- 644. 1.22. - 639. 8.29. E	0	E		0	12
- 700. 1.22. - 693. 8.29.				160th position to B Manasseh	12

15696 Bytes yet free.

(135th/160) position: - 667. 1.22. - 660. 8.29. * Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

Amon	D	Knd	S	from:	to:†
- 667. 1.22. - 660. 8.29. *	0	*		11	11
- 667. 1.22. - 660. 8.29. *	9	B		11	11
	0	*		0	0
- 667. 1.22. - 660. 8.29. *	0	*		0	11

15696 Bytes yet free.

(136th/160) position: - 765. 1. 1. - 751.12.30. B Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Knd	S	from:	to:†
- 765. 1. 1. - 751.12.30. B	0	B		19	19
	4	*		19	19
- 765. 1. 1. - 751.12.30. B	6	E		19	19
	0	B		0	0
- 765. 1. 1. - 751.12.30. B	0	B		0	19
- 791. 1. 1. - 775.12.30.				161st position to * Jotham	19

15696 Bytes yet free.

(137th/161) position: - 756. 1. 1. - 743. 8.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Knd	S	from:	to:†
- 756. 1. 1. - 743. 8.29. E	0	E		22	22

	E	5 B	22	22	
- 756. 1. 1. - 743. 8.29.	E	7 B	21	22	
- 756. 1. 1. - 743. 8.29.	+	0 +	22	22	
		0 E	0	0	
- 756. 1. 1. - 743. 8.29.	E	0 E	0	22	
- 759. 1. 1. - 744. 8.29.		162nd position to B Pekahiah			22

15696 Bytes yet free.

(138th/162) position: - 808. 1. 1. - 794. 8.29. B Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D Knd S	from:	to:	
- 808. 1. 1. - 794. 8.29.	B 0 B	26	26	
	B 1 Ω	28	26	
	B 3 *	27	26	
	B 4 *	26	26	
- 808. 1. 1. - 793. 8.29.	B 6 E	26	26	
- 809. 1. 1. - 794. 8.29.	B 9 B	21	26	
- 810. 1. 1. - 793. 8.29.	B 9 B	22	26	
	B 9 B	23	26	
	B 9 B	24	26	
	B 9 B	25	26	
	0 B	0	0	
- 808. 1. 1. - 794. 8.29.	B 0 B	0	26	
- 808. 1. 1. - 794. 8.29.		163rd position to Ω Amaziah		28
- 836. 1. 1. - 820. 8.29.		164th position to * Jeroboam (Joash)		27
- 825. 1. 1. - 809. 8.29.		165th position to * Azariah = Uzziah		26
- 770. 1. 1. - 754. 8.29.		166th position to B Menahem		23
- 770. 1. 1. - 754. 8.29.		167th position to B Shallum		24
- 771. 1. 1. - 755. 8.29.		168th position to B Zachariah		25

15696 Bytes yet free.

(139th/168) position: - 740. 1. 1. - 725. 8.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D Knd S	from:	to:	
- 740. 1. 1. - 725. 8.29.	α 0 α	17	17	
	α 2 Ω	19	17	
- 740. 1. 1. - 725. 8.29.	α 3 B	21	17	
	0 α	0	0	
- 740. 1. 1. - 725. 8.29.	α 0 α	0	17	
- 740. 1. 1. - 725. 8.29.		169th position to Ω Jotham		19

15696 Bytes yet free.

(140th/169) position: - 755. 1. 1. - 742. 8.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D Knd S	from:	to:	
- 755. 1. 1. - 742. 8.29.	α 0 α	19	19	
- 755. 1. 1. - 742. 8.29.	α 1 E	26	19	
- 755. 1. 1. - 740. 8.29.	α 3 B	21	19	
- 756. 9. 1. - 742. 8.29.	α 10 B	16	19	
	0 α	0	0	

- 755. 1. 1. - 742. 8.29. α 0 α 0 19||

15696 Bytes yet free.

(141st/169) position: - 755. 1. 1. - 742. 8.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:
- 755. 1. 1. - 742. 8.29. E	0	E		26	26
- 757. 1. 1. - 741. 8.29. E	6	B		26	26
- 755. 1. 1. - 742. 8.29. E	7	α		19	26
- 755. 1. 1. - 742. 8.29. +	0	+		26	26
	2	B		20	26
	0	E		0	0
- 755. 1. 1. - 742. 8.29. E	0	E		0	26

15696 Bytes yet free.

(142nd/169) position: - 756. 1. 1. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kn	S	from:	to:
- 756. 1. 1. - 743. 8.29. B	0	B		21	21
- 756. 1. 1. - 743. 8.29. B	1	E		22	21
- 757. 1. 1. - 741. 8.29. B	3	B		26	21
- 756. 9. 1. - 742. 8.29. B	5	E		21	21
- 758. 1. 1. - 741. 8.29. B	9	α		17	21
- 758. 1. 1. - 743. 8.29. B	9	α		19	21
8M	0	B		0	0
- 756. 9. 1. - 743. 8.29. B	0	B		0	21
- 756. 9. 1. - 743. 8.29.			170th position to B Pekah		21
- 756. 9. 1. - 743. 8.29.			171st position to E Pekahiah		22
- 740. 9. 1. - 725. 8.29.			172nd position to α Ahaz		17
- 755. 9. 1. - 742. 8.29.			173rd position to α Jotham		19

15696 Bytes yet free.

(143rd/173) position: - 808. 1. 1. - 794. 8.29. B Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:
- 808. 1. 1. - 794. 8.29. B	0	B		26	26
- 808. 1. 1. - 794. 8.29. B	1	Ω		28	26
- 810. 1. 1. - 792. 8.29. B	3	*		27	26
- 810. 1. 1. - 792. 8.29. B	4	*		26	26
- 808. 1. 1. - 793. 8.29. B	6	E		26	26
- 809. 9. 1. - 794. 8.29. B	9	B		21	26
- 810. 1. 1. - 793. 8.29. B	9	B		22	26
- 810. 1. 1. - 792. 8.29. B	9	B		23	26
- 810. 1. 1. - 792. 8.29. B	9	B		24	26
- 810. 1. 1. - 792. 8.29. B	9	B		25	26
	0	B		0	0
- 808. 1. 1. - 794. 8.29. B	0	B		0	26

15696 Bytes yet free.

(144th/173) position: ≤- 742. 8.29. B Isaiah 20

Forward relations for entry Isaiah (20/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.
Optimize dates...

Isaiah	D	Kind	S	from:	to:
≤- 742. 8.29. B	0	B		20	20
≤- 742. 8.29. B	8	+		26	20
	0	B		0	0
≤- 742. 8.29. B	0	B		0	20

15696 Bytes yet free.

(145th/173) position: - 756. 9. 1. - 743. 8.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kind	S	from:	to:
- 756. 9. 1. - 743. 8.29. E	0	E		22	22
- 758. 1. 1. - 741. 8.29. E	5	B		22	22
- 756. 9. 1. - 743. 8.29. E	7	B		21	22
- 756. 9. 1. - 743. 8.29. +	0	+		22	22
	0	E		0	0
- 756. 9. 1. - 743. 8.29. E	0	E		0	22
- 759. 9. 1. - 744. 8.29.				174th position to B Pekahiah	22

15696 Bytes yet free.

(146th/174) position: - 808. 1. 1. - 794. 8.29. B Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
- 808. 1. 1. - 794. 8.29. B	0	B		26	26
- 808. 1. 1. - 794. 8.29. B	1	Ω		28	26
- 810. 1. 1. - 792. 8.29. B	3	*		27	26
- 810. 1. 1. - 792. 8.29. B	4	*		26	26
- 808. 1. 1. - 793. 8.29. B	6	E		26	26
- 809. 9. 1. - 794. 8.29. B	9	B		21	26
- 810. 9. 1. - 793. 8.29. B	9	B		22	26
- 810. 1. 1. - 792. 8.29. B	9	B		23	26
- 810. 1. 1. - 792. 8.29. B	9	B		24	26
- 810. 1. 1. - 792. 8.29. B	9	B		25	26
	0	B		0	0
- 808. 1. 1. - 794. 8.29. B	0	B		0	26

15696 Bytes yet free.

(147th/174) position: - 740. 9. 1. - 725. 8.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:
- 740. 9. 1. - 725. 8.29. α	0	α		17	17
- 740. 1. 1. - 725. 8.29. α	2	Ω		19	17
- 740. 9. 1. - 725. 8.29. α	3	B		21	17
	0	α		0	0
- 740. 9. 1. - 725. 8.29. α	0	α		0	17
- 740. 9. 1. - 725. 8.29.				175th position to Ω Jotham	19

15696 Bytes yet free.

(148th/175) position: -1464. 1. 1. -1449.12.30. E Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:	
-1464. 1. 1. -1449.12.30.	E	0	E	89	89	
	E	1	B	86	89	
	E	2	B	87	89	
	E	6	B	89	89	
-1464. 1. 1. -1449.12.30.	E	9	B	85	89	
	E	9	+	88	89	
	E	10	B	55	89	
	E	10	E	56	89	
-1465. 2.30. -1448. 2.30.	E	10	B	84	89	
		0	E	0	0	
-1464. 1. 1. -1449.12.30.	E	0	E	0	89	
≤-1449.12.30.				176th position to B Moses		86
≤-1449.12.30.				177th position to B Aaron		87
-1895. 1. 1. -1878.12.30.				178th position to B Israel in Egypt		89
-1425. 5. 1. -1409. 5. 1.				179th position to + Aaron		88
- 985. 2. 1. - 969. 2.30.				180th position to B Building the Temple		55
- 978. 8. 1. - 962. 8.30.				181st position to E Building the Temple		56
-1425.11. 1. -1409.11. 1.				182nd position to B Moses' Speech		84

15696 Bytes yet free.

(149th/182) position: -1462. 2.11. -1447. 2.10. E Explorers of Canaan 85
Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:
-1462. 2.11. -1447. 2.10.	E	0	E	85	85
-1462. 2.11. -1447. 2.10.	E	5	B	85	85
		0	E	0	0
-1462. 2.11. -1447. 2.10.	E	0	E	0	85

15696 Bytes yet free.

(150th/182) position: -1425.11. 1. -1409.11. 1. B Moses' Speech 84
Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

Moses' Speech	D	Kind	S	from:	to:	
-1425.11. 1. -1409.11. 1.	B	0	B	84	84	
-1425. 1. 1. -1409.12.30.	B	3	B	85	84	
-1425.11. 1. -1409.11. 1.	B	4	E	89	84	
	B	7	E	86	84	
	B	9	B	68	84	
		0	B	0	0	
-1425.11. 1. -1409.11. 1.	B	0	B	0	84	
-1425.11. 1. -1409.11. 1.				183rd position to E Moses		86
-1126.11. 1. -1108.11. 1.				184th position to B Jephthah		68

15696 Bytes yet free.

(151st/184) position: -1416. 1. 1.≥ B Chushanrishathaim 80
Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
-1416. 1. 1.≥	B	0	B	80	80
-1416. 1. 1.≥	B	1	E	83	80
	B	5	E	80	80
		0	B	0	0
-1416. 1. 1.≥	B	0	B	0	80

-1409. 1. 1.≥ 185th position to E Chushanrishathaim 80

15696 Bytes yet free.

(152nd/185) position: -1527. 1. 1.≥ * Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:†
-1527. 1. 1.≥	*	0	*	83	83
-1527. 1. 1.≥	*	5	+	83	83
		0	*	0	0
-1527. 1. 1.≥	*	0	*	0	83

15696 Bytes yet free.

(153rd/185) position: - 748. 9. 1. - 736. 8.29. B Ahaz 18

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†
- 748. 9. 1. - 736. 8.29. B	0	B		17	17
- 748. 1. 1. - 736.12.30. B	1	E		19	17
- 750. 1. 1. - 734.12.30. B	4	*		17	17
- 748. 9. 1. - 734. 8.29. B	9	B		16	17
- 748. 9. 1. - 736. 8.29. B	5	E		18	18
	0	B		0	0
- 748. 9. 1. - 736. 8.29. B	0	B		0	17
- 748. 9. 1. - 736. 8.29.				186th position to E Jotham	19
- 769. 9. 1. - 755. 8.29.				187th position to * Ahaz	17

15696 Bytes yet free.

(154th/187) position: - 735. 9. 1. - 723. 8.29. E Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kind	S	from:	to:†
- 735. 9. 1. - 723. 8.29. E	0	E		21	21
- 737. 9. 1. - 722. 8.29. E	5	B		21	21
- 735. 9. 1. - 723. 8.29. E	7	B		16	21
- 735. 9. 1. - 723. 8.29. +	0	+		21	21
	0	E		0	0
- 735. 9. 1. - 723. 8.29. E	0	E		0	21

15696 Bytes yet free.

(155th/187) position: -1416. 9. 1. -1404. 8.29. B Inheritance of Israel 81

Forward relations for entry Inheritance of Israel (81/120) are generated.

Backward relations for entry Caleb (82/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Optimize dates...

Inheritance of Israel	D	Kind	S	from:	to:†
-1416. 9. 1. -1404. 8.29. B	0	B		81	81
-1418. 1. 1. -1402.12.30. B	3	B		85	81
-1418. 1. 1. -1402.12.30. B	4	*		82	81
	B	7	+	82	81
	B	8	+	83	81
-1416. 9. 1. -1404. 8.29. B	10	B		13	81
	0	B		0	0
-1416. 9. 1. -1404. 8.29. B	0	B		0	81

-1462. 9. 1. -1448. 8.29.	188th position to B Explorers of Canaan	85
-1502. 9. 1. -1488. 8.29.	189th position to * Caleb	82
-1416. 9. 1. ≥	190th position to + Caleb	82
-1416. 9. 1. ≥	191st position to + Joshua	83

15696 Bytes yet free.

(156th/191) position: - 716. 9. 1. - 704. 8.29. E 14th Jubile Year 13
Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kn	S	from:	to:†
- 716. 9. 1. - 704. 8.29. E	0	E		13	13
- 716. 9. 1. - 704. 8.29. E	6	B		13	13
	0	E		0	0
- 716. 9. 1. - 704. 8.29. E	0	E		0	13

15696 Bytes yet free.

(157th/191) position: - 726. 9. 1. - 714. 8.29. E Hoshea 16
Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kn	S	from:	to:†
- 726. 9. 1. - 714. 8.29. E	0	E		16	16
- 727. 9. 1. - 713. 8.29. E	5	B		16	16
- 726. 9. 1. - 714. 8.29. E	7	B		15	16
	0	E		0	0
- 726. 9. 1. - 714. 8.29. E	0	E		0	16

15696 Bytes yet free.

(158th/191) position: -2424. 9.15. -2407.11. 6. * Salah 104
Forward relations for entry Salah (104/120) are generated.

Optimize dates...

Salah	D	Kn	S	from:	to:†
-2424. 9.15. -2407.11. 6. *	0	*		104	104
-2424. 9.15. -2407.11. 6. *	3	*		105	104
	9	*		103	104
	9	+		106	104
	0	*		0	0
-2424. 9.15. -2407.11. 6. *	0	*		0	104
-2395. 9.15. -2376.11. 6.				192nd position to * Eber	103
-2022. 9.15. -2003.11. 6.				193rd position to + Arphaxad	106

15696 Bytes yet free.

(159th/193) position: -1959. 9.15. -1942.11. 6. + Shem 109
Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kn	S	from:	to:†
-1959. 9.15. -1942.11. 6. +	0	+		109	109
-1959. 9.15. -1942.11. 6. +	4	*		105	109
	0	+		0	0
-1959. 9.15. -1942.11. 6. +	0	+		0	109

15696 Bytes yet free.

(160th/193) position: - 700. 1.22. - 693. 8.29. B Manasseh 12
Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kn	S	from:	to:†
- 700. 1.22. - 693. 8.29. B	0	B		12	12

```

- 701. 9. 1. - 693. 8.29. B 1 E 14 12||
- 703. 9. 1. - 691. 8.29. B 3 * 12 12||
- 700. 1.22. - 693. 8.29. B 5 E 12 12||
  0 B 0 0||
- 700. 1.22. - 693. 8.29. B 0 B 0 12||
- 700. 1.22. - 693. 8.29. 194th position to E Hezekiah 14
- 713. 1.22. - 704. 8.29. 195th position to * Manasseh 12

```

15696 Bytes yet free.

(161st/195) position: - 791. 1. 1. - 775.12.30. * Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

```

Jotham D Knd S from: to:|
- 791. 1. 1. - 775.12.30. * 0 * 19 19||
- 791. 1. 1. - 775.12.30. * 10 B 19 19||
  0 * 0 0||
- 791. 1. 1. - 775.12.30. * 0 * 0 19||

```

15696 Bytes yet free.

(162nd/195) position: - 759. 9. 1. - 744. 8.29. B Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

```

Pekahiah D Knd S from: to:|
- 759. 9. 1. - 744. 8.29. B 0 B 22 22||
  B 1 E 23 22||
- 759. 1. 1. - 743. 8.29. B 3 B 26 22||
- 759. 9. 1. - 744. 8.29. B 5 E 22 22||
  0 B 0 0||
- 759. 9. 1. - 744. 8.29. B 0 B 0 22||
- 759. 9. 1. - 744. 8.29. 196th position to E Menahem 23

```

15696 Bytes yet free.

(163rd/196) position: - 808. 1. 1. - 794. 8.29. Ω Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

```

Amaziah D Knd S from: to:|
- 808. 1. 1. - 794. 8.29. Ω 0 Ω 28 28||
- 808. 1. 1. - 794. 8.29. Ω 7 B 26 28||
  0 Ω 0 0||
- 808. 1. 1. - 794. 8.29. Ω 0 Ω 0 28||

```

15696 Bytes yet free.

(164th/196) position: - 836. 1. 1. - 820. 8.29. * Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

```

Jeroboam (Joash) D Knd S from: to:|
- 836. 1. 1. - 820. 8.29. * 0 * 27 27||
- 836. 1. 1. - 820. 8.29. * 9 B 26 27||
  0 * 0 0||
- 836. 1. 1. - 820. 8.29. * 0 * 0 27||

```

15696 Bytes yet free.

(165th/196) position: - 825. 1. 1. - 809. 8.29. * Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
- 825. 1. 1. - 809. 8.29. *	0	*		26	26
- 825. 1. 1. - 809. 8.29. *	10	B		26	26
	0	*		0	0
- 825. 1. 1. - 809. 8.29. *	0	*		0	26

15696 Bytes yet free.

(166th/196) position: - 770. 1. 1. - 754. 8.29. B Menahem 23
 Forward relations for entry Menahem (23/120) are generated.
 Backward relations for entry Pekahiah (22/120) are generated.
 Optimize dates...

Menahem	D	Kind	S	from:	to:
- 770. 1. 1. - 754. 8.29. B	0	B		23	23
	1	E		24	23
- 770. 1. 1. - 754. 8.29. B	3	B		26	23
- 770. 9. 1. - 753. 8.29. B	5	E		23	23
8M	0	B		0	0
- 770. 9. 1. - 754. 8.29. B	0	B		0	23
- 770. 9. 1. - 754. 8.29.				197th position to B Menahem	23
- 770. 9. 1. - 754. 8.29.				198th position to E Shallum	24

15696 Bytes yet free.

(167th/198) position: - 770. 1. 1. - 754. 8.29. B Shallum 24
 Forward relations for entry Shallum (24/120) are generated.
 Backward relations for entry Menahem (23/120) are generated.
 Optimize dates...

Shallum	D	Kind	S	from:	to:
- 770. 1. 1. - 754. 8.29. B	0	B		24	24
	1	E		25	24
- 770. 1. 1. - 754. 8.29. B	3	B		26	24
- 770. 7. 1. - 754. 8.29. B	5	E		24	24
6M	0	B		0	0
- 770. 7. 1. - 754. 8.29. B	0	B		0	24
- 770. 7. 1. - 754. 8.29.				199th position to B Shallum	24
- 770. 7. 1. - 754. 8.29.				200th position to E Zachariah	25

15696 Bytes yet free.

(168th/200) position: - 771. 1. 1. - 755. 8.29. B Zachariah 25
 Forward relations for entry Zachariah (25/120) are generated.
 Backward relations for entry Shallum (24/120) are generated.
 Optimize dates...

Zachariah	D	Kind	S	from:	to:
- 771. 1. 1. - 755. 8.29. B	0	B		25	25
	1	E		27	25
- 771. 1. 1. - 755. 8.29. B	3	B		26	25
- 771.12. 1. - 754. 3.29. B	5	E		25	25
11M	0	B		0	0
- 771.12. 1. - 755. 8.29. B	0	B		0	25
- 771.12. 1. - 755. 8.29.				201st position to B Zachariah	25
- 771.12. 1. - 755. 8.29.				202nd position to E Jeroboam (Joash)	27
- 770. 7. 1. - 754. 3.29.				203rd position to E Zachariah	25

15696 Bytes yet free.

(169th/203) position: - 740. 9. 1. - 725. 8.29. Ω Jotham 19

Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kn	S	from:	to:†
- 740. 9. 1. - 725. 8.29. Ω	0	Ω		19	19
- 740. 9. 1. - 725. 8.29. Ω	8	α		17	19
- 740. 9. 1. - 725. 8.29. +	0	+		19	19
	0	Ω		0	0
- 740. 9. 1. - 725. 8.29. Ω	0	Ω		0	19

15696 Bytes yet free.

(170th/203) position: - 756. 9. 1. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.
 Backward relations for entry Hoshea (16/120) are generated.
 Optimize dates...

Pekah	D	Kn	S	from:	to:†
- 756. 9. 1. - 743. 8.29. B	0	B		21	21
- 756. 9. 1. - 743. 8.29. B	1	E		22	21
- 757. 1. 1. - 741. 8.29. B	3	B		26	21
- 756. 9. 1. - 742. 8.29. B	5	E		21	21
- 758. 9. 1. - 741. 8.29. B	9	α		17	21
- 758. 9. 1. - 743. 8.29. B	9	α		19	21
	0	B		0	0
- 756. 9. 1. - 743. 8.29. B	0	B		0	21

15696 Bytes yet free.

(171st/203) position: - 756. 9. 1. - 743. 8.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.
 Backward relations for entry Pekah (21/120) are generated.
 Optimize dates...

Pekahiah	D	Kn	S	from:	to:†
- 756. 9. 1. - 743. 8.29. E	0	E		22	22
- 758. 9. 1. - 741. 8.29. E	5	B		22	22
- 756. 9. 1. - 743. 8.29. E	7	B		21	22
- 756. 9. 1. - 743. 8.29. +	0	+		22	22
	0	E		0	0
- 756. 9. 1. - 743. 8.29. E	0	E		0	22

15696 Bytes yet free.

(172nd/203) position: - 740. 9. 1. - 725. 8.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kn	S	from:	to:†
- 740. 9. 1. - 725. 8.29. α	0	α		17	17
- 740. 9. 1. - 725. 8.29. α	2	Ω		19	17
- 740. 9. 1. - 725. 8.29. α	3	B		21	17
	0	α		0	0
- 740. 9. 1. - 725. 8.29. α	0	α		0	17

15696 Bytes yet free.

(173rd/203) position: - 755. 9. 1. - 742. 8.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kn	S	from:	to:	
- 755. 9. 1. - 742. 8.29. α	0	α		19	19	
- 755. 1. 1. - 742. 8.29. α	1	E		26	19	
- 755. 9. 1. - 740. 8.29. α	3	B		21	19	
- 756. 9. 1. - 742. 8.29. α	10	B		16	19	
	0	α		0	0	
- 755. 9. 1. - 742. 8.29. α	0	α		0	19	
- 755. 9. 1. - 742. 8.29.	204th position to E Azariah = Uziah				26	

15696 Bytes yet free.

(174th/204) position: - 759. 9. 1. - 744. 8.29. B Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kn	S	from:	to:	
- 759. 9. 1. - 744. 8.29. B	0	B		22	22	
- 759. 9. 1. - 744. 8.29. B	1	E		23	22	
- 759. 1. 1. - 743. 8.29. B	3	B		26	22	
- 759. 9. 1. - 744. 8.29. B	5	E		22	22	
	0	B		0	0	
- 759. 9. 1. - 744. 8.29. B	0	B		0	22	

15696 Bytes yet free.

(175th/204) position: - 740. 9. 1. - 725. 8.29. Ω Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kn	S	from:	to:	
- 740. 9. 1. - 725. 8.29. Ω	0	Ω		19	19	
- 740. 9. 1. - 725. 8.29. Ω	8	α		17	19	
- 740. 9. 1. - 725. 8.29. +	0	+		19	19	
	0	Ω		0	0	
- 740. 9. 1. - 725. 8.29. Ω	0	Ω		0	19	

15696 Bytes yet free.

(176th/204) position: ≤-1449.12.30. B Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kn	S	from:	to:	
≤-1449.12.30. B	0	B		86	86	
	3	*		86	86	
-1466.11. 1. -1448.11. 1. B	5	E		86	86	
≤-1449.12.30. B	7	B		87	86	
≤-1449.12.30. B	7	E		89	86	
1465Y 2M	0	B		0	0	
-1466.11. 1. -1449.12.30. B	0	B		0	86	
-1466.11. 1. -1449.12.30.	205th position to B Moses				86	
-1547.11. 1. -1528.12.30.	206th position to * Moses				86	
-1466.11. 1. -1449.12.30.	207th position to B Aaron				87	

15696 Bytes yet free.

(177th/207) position: -1466.11. 1. -1449.12.30. B Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.
Optimize dates...

Aaron	D	Knd	S	from:	to:	
-1466.11. 1. -1449.12.30. B	0	B		87	87	
-1466.11. 1. -1449.12.30. B	1	B		86	87	
	B	3	*	87	87	
≤-1449.12.30. B	8	E		89	87	
	0	B		0	0	
-1466.11. 1. -1449.12.30. B	0	B		0	87	
-1550.11. 1. -1531.12.30.	208th position to * Aaron					87

15696 Bytes yet free.

(178th/208) position: -1895. 1. 1. -1878.12.30. B Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.
Optimize dates...

Israel in Egypt	D	Knd	S	from:	to:	
-1895. 1. 1. -1878.12.30. B	0	B		89	89	
	B	3	*	90	89	
-1895. 1. 1. -1878.12.30. B	6	E		89	89	
	B	10	+	90	89	
	0	B		0	0	
-1895. 1. 1. -1878.12.30. B	0	B		0	89	
-2026. 1. 1. -2007.12.30.	209th position to * Jacob = Israel					90
-1879. 1. 1. -1860.12.30.	210th position to + Jacob = Israel					90

15696 Bytes yet free.

(179th/210) position: -1425. 5. 1. -1409. 5. 1. + Aaron 88

Forward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Forward relations for entry Aaron (88/120) are generated.
Optimize dates...

Aaron	D	Knd	S	from:	to:	
-1425. 5. 1. -1409. 5. 1. E	0	E		87	87	
-1425. 5. 1. -1409. 5. 1. +	0	+		87	87	
-1428.11. 1. -1407.12.30. +	6	*		87	87	
-1425. 5. 1. -1409. 5. 1. +	3	E		89	88	
	0	E		0	0	
-1425. 5. 1. -1409. 5. 1. E	0	E		0	87	
-1549. 5. 1. -1531. 5. 1.	211th position to * Aaron					87

15696 Bytes yet free.

(180th/211) position: - 985. 2. 1. - 969. 2.30. B Building the Temple 55

Forward relations for entry Building the Temple (55/120) are generated.
Forward relations for entry Building the Temple (56/120) are generated.
Optimize dates...

Building the Temple	D	Knd	S	from:	to:	
- 985. 2. 1. - 969. 2.30. B	0	B		55	55	
	B	3	B	57	55	
- 986. 8. 1. - 968. 8.30. B	5	E		55	55	
- 985. 2. 1. - 969. 2.30. B	4	E		89	55	
	0	B		0	0	
- 985. 2. 1. - 969. 2.30. B	0	B		0	55	
- 990. 2. 1. - 972. 2.30.	212th position to B Solomon					57

15696 Bytes yet free.

(181st/212) position: - 978. 8. 1. - 962. 8.30. E Building the Temple 56

Forward relations for entry Building the Temple (55/120) are generated.
Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

Building the Temple	D	Kind	S	from:	to:
- 978. 8. 1. - 962. 8.30.	E	0	E	55	55
- 979. 2. 1. - 961. 2.30.	E	5	B	55	55
- 980. 2. 1. - 960. 2.30.	E	3	B	57	56
- 978. 8. 1. - 962. 8.30.	E	4	E	89	56
		0	E	0	0
- 978. 8. 1. - 962. 8.30.	E	0	E	0	55
- 990. 8. 1. - 972. 2.30.				213th position to B Solomon	57

15696 Bytes yet free.

(182nd/213) position: -1425.11. 1. -1409.11. 1. B Moses' Speech 84

Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

Moses' Speech	D	Kind	S	from:	to:
-1425.11. 1. -1409.11. 1.	B	0	B	84	84
-1425. 9. 1. -1409. 8.29.	B	3	B	85	84
-1425.11. 1. -1409.11. 1.	B	4	E	89	84
-1425.11. 1. -1409.11. 1.	B	7	E	86	84
-1427.11. 1. -1407.11. 1.	B	9	B	68	84
	2M	2D	0	B	0
			0		0
-1425.11. 1. -1409. 8.29.	B	0	B	0	84
-1425.11. 1. -1409. 8.29.				214th position to B Moses' Speech	84
-1464. 1. 1. -1449.10.29.				215th position to E Israel in Egypt	89
-1425.11. 1. -1409. 8.29.				216th position to E Moses	86
-1126.11. 1. -1108. 8.29.				217th position to B Jephthah	68

15696 Bytes yet free.

(183rd/217) position: -1425.11. 1. -1409. 8.29. E Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kind	S	from:	to:
-1425.11. 1. -1409. 8.29.	E	0	E	86	86
-1425.11. 1. -1409. 8.29.	E	1	B	84	86
-1427.11. 1. -1408.12.30.	E	5	B	86	86
	E	7	B	83	86
-1425.11. 1. -1409. 8.29.	+	0	+	86	86
-1427.11. 1. -1407.12.30.	+	6	*	86	86
		0	E	0	0
		0	E	0	0
-1425.11. 1. -1409. 8.29.	E	0	E	0	86
-1425.11. 1. -1409. 8.29.				218th position to B Joshua	83
-1546.11. 1. -1529. 8.29.				219th position to * Moses	86

15696 Bytes yet free.

(184th/219) position: -1126.11. 1. -1108. 8.29. B Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah	D	Kind	S	from:	to:
-1126.11. 1. -1108. 8.29.	B	0	B	68	68
	B	1	E	69	68
-1126.11. 1. -1108. 8.29.	B	3	B	84	68
	B	6	E	68	68

	0 B	0	0	
-1126.11. 1. -1108. 8.29. B	0 B	0	68	
-1126.11. 1. -1108. 8.29.	220th position to E Philistines + Ammon			69
-1121.11. 1. -1101. 8.29.	221st position to E Jephthah			68

15696 Bytes yet free.

(185th/221) position: -1409. 1. 1.> E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D Knd S	from:	to:	
-1409. 1. 1.>	E 0 E	80	80	
-1409. 1. 1.>	E 5 B	80	80	
	E 7 B	79	80	
	0 E	0	0	
-1409. 1. 1.>	E 0 E	0	80	
-1409. 1. 1.>	222nd position to B Othniel			79

15696 Bytes yet free.

(186th/222) position: - 748. 9. 1. - 736. 8.29. E Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D Knd S	from:	to:	
- 748. 9. 1. - 736. 8.29. E	0 E	19	19	
- 750. 1. 1. - 734.12.30. E	6 B	19	19	
- 748. 9. 1. - 736. 8.29. E	7 B	17	19	
	0 E	0	0	
- 748. 9. 1. - 736. 8.29. E	0 E	0	19	
- 765. 9. 1. - 751. 8.29.	223rd position to B Jotham			19

15696 Bytes yet free.

(187th/223) position: - 769. 9. 1. - 755. 8.29. * Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D Knd S	from:	to:	
- 769. 9. 1. - 755. 8.29. *	0 *	17	17	
- 769. 9. 1. - 755. 8.29. *	10 B	17	17	
	0 *	0	0	
- 769. 9. 1. - 755. 8.29. *	0 *	0	17	

15696 Bytes yet free.

(188th/223) position: -1462. 9. 1. -1448. 8.29. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D Knd S	from:	to:	
-1462. 9. 1. -1448. 8.29. B	0 B	85	85	
-1463. 1. 1. -1447.10.29. B	3 E	89	85	
-1462. 1. 1. -1448.12.30. B	5 E	85	85	
-1463. 9. 1. -1447. 8.29. B	4 *	82	85	
-1462. 9. 1. -1448. 8.29. B	9 B	81	85	
-1464.11. 1. -1446. 8.29. B	9 B	84	85	
	0 B	0	0	
-1462. 9. 1. -1448. 8.29. B	0 B	0	85	
-1464. 9. 1. -1449. 8.29.	224th position to E Israel in Egypt			89

-1462.10.11. -1448.10. 9. 225th position to E Explorers of Canaan 85

15696 Bytes yet free.

(189th/225) position: -1502. 9. 1. -1488. 8.29. * Caleb 82

Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kn	S	from:	to:
-1502. 9. 1. -1488. 8.29. *	0	*		82	82
-1502. 9. 1. -1488. 8.29. *	10	B		81	82
-1503. 9. 1. -1487. 8.29. *	10	B		85	82
	0	*		0	0
-1502. 9. 1. -1488. 8.29. *	0	*		0	82

15696 Bytes yet free.

(190th/225) position: -1416. 9. 1. ≥ + Caleb 82

Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kn	S	from:	to:
-1416. 9. 1. ≥	+	0	+	82	82
-1416. 9. 1. ≥	+	1	B	81	82
		0	+	0	0
-1416. 9. 1. ≥	+	0	+	0	82

15696 Bytes yet free.

(191st/225) position: -1416. 9. 1. ≥ + Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kn	S	from:	to:
-1416. 9. 1. ≥	E	0	E	83	83
	E	7	B	80	83
-1416. 9. 1. ≥	+	0	+	83	83
-1416. 9. 1. ≥	+	2	B	81	83
-1418. 1. 1. ≥	+	5	*	83	83
		0	E	0	0
-1416. 9. 1. ≥	E	0	E	0	83
-1416. 9. 1. ≥				226th position to B Chushanrishathaim	80
-1527. 9. 1. ≥				227th position to * Joshua	83

15696 Bytes yet free.

(192nd/227) position: -2395. 9.15. -2376.11. 6. * Eber 103

Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber	D	Kn	S	from:	to:
-2395. 9.15. -2376.11. 6. *	0	*		103	103
-2395. 9.15. -2376.11. 6. *	3	*		104	103
	9	*		101	103
	10	+		104	103
	0	*		0	0
-2395. 9.15. -2376.11. 6. *	0	*		0	103
-2362. 9.15. -2341.11. 6.				228th position to * Peleg	101
-1993. 9.15. -1972.11. 6.				229th position to + Salah	104

15696 Bytes yet free.

(193rd/229) position: -2022. 9.15. -2003.11. 6. + Arphaxad 106

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kind	S	from:	to:
-2022. 9.15. -2003.11. 6. +	0	+		105	105
-2022. 9.15. -2003.11. 6. +	3	*		104	106
	0	+		0	0
-2022. 9.15. -2003.11. 6. +	0	+		0	105

15696 Bytes yet free.

(194th/229) position: - 700. 1.22. - 693. 8.29. E Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kind	S	from:	to:
- 700. 1.22. - 693. 8.29. E	0	E		14	14
- 701. 9. 1. ≥	E	2	E	20	14
- 703. 9. 1. - 691. 8.29. E	6	B		14	14
- 700. 1.22. - 693. 8.29. E	7	B		12	14
≤- 693. 8.29. E	7	E		20	14
- 700. 1.22. - 693. 8.29. +	0	+		14	14
	0	E		0	0
- 700. 1.22. - 693. 8.29. E	0	E		0	14
- 730. 1.22. - 721. 8.29.	230th	position	to B	Hezekiah	14
- 700. 1.22. - 693. 8.29.	231st	position	to E	Isaiah	20

15696 Bytes yet free.

(195th/231) position: - 713. 1.22. - 704. 8.29. * Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kind	S	from:	to:
- 713. 1.22. - 704. 8.29. *	0	*		12	12
- 713. 1.22. - 704. 8.29. *	9	B		12	12
	0	*		0	0
- 713. 1.22. - 704. 8.29. *	0	*		0	12

15696 Bytes yet free.

(196th/231) position: - 759. 9. 1. - 744. 8.29. E Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:
- 759. 9. 1. - 744. 8.29. E	0	E		23	23
- 761. 9. 1. - 743. 8.29. E	5	B		23	23
- 759. 9. 1. - 744. 8.29. E	7	B		22	23
- 759. 9. 1. - 744. 8.29. +	0	+		23	23
	0	E		0	0
- 759. 9. 1. - 744. 8.29. E	0	E		0	23

15696 Bytes yet free.

(197th/231) position: - 770. 9. 1. - 754. 8.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:
- 770. 9. 1. - 754. 8.29. B	0	B		23	23
- 770. 9. 1. - 754. 8.29. B	1	E		24	23
- 770. 1. 1. - 754. 8.29. B	3	B		26	23
- 770. 9. 1. - 753. 8.29. B	5	E		23	23

```

0 B      0      0||
- 770. 9. 1. - 754. 8.29. B 0 B      0      23||

```

15696 Bytes yet free.

(198th/231) position: - 770. 9. 1. - 754. 8.29. E Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

```

Shallum      D Knd S      from:      to:|
- 770. 9. 1. - 754. 8.29. E 0 E      24      24||
- 770. 7. 1. - 754.10.29. E 5 B      24      24||
- 770. 9. 1. - 754. 8.29. E 7 B      23      24||
- 770. 9. 1. - 754. 8.29. + 0 +      24      24||
                        0 E      0      0||
- 770. 9. 1. - 754. 8.29. E 0 E      0      24||

```

15696 Bytes yet free.

(199th/231) position: - 770. 7. 1. - 754. 8.29. B Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

```

Shallum      D Knd S      from:      to:|
- 770. 7. 1. - 754. 8.29. B 0 B      24      24||
- 770. 7. 1. - 754. 3.29. B 1 E      25      24||
- 770. 1. 1. - 754. 8.29. B 3 B      26      24||
- 770. 7. 1. - 754. 8.29. B 5 E      24      24||
                        5M      0 B      0      0||
- 770. 7. 1. - 754. 3.29. B 0 B      0      24||
- 770. 7. 1. - 754. 3.29. 232nd position to B Shallum 24
- 770. 9. 1. - 754. 5.29. 233rd position to E Shallum 24

```

15696 Bytes yet free.

(200th/233) position: - 770. 7. 1. - 754. 3.29. E Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

```

Zachariah     D Knd S      from:      to:|
- 770. 7. 1. - 754. 3.29. E 0 E      25      25||
- 770. 5. 1. - 754. 3.29. E 5 B      25      25||
- 770. 7. 1. - 754. 3.29. E 7 B      24      25||
- 770. 7. 1. - 754. 3.29. + 0 +      25      25||
                        0 E      0      0||
- 770. 7. 1. - 754. 3.29. E 0 E      0      25||

```

15696 Bytes yet free.

(201st/233) position: - 771.12. 1. - 755. 8.29. B Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

```

Zachariah     D Knd S      from:      to:|
- 771.12. 1. - 755. 8.29. B 0 B      25      25||
- 771.12. 1. - 755. 8.29. B 1 E      27      25||
- 771. 1. 1. - 755. 8.29. B 3 B      26      25||
- 771.12. 1. - 755.10.29. B 5 E      25      25||
                        0 B      0      0||
- 771.12. 1. - 755. 8.29. B 0 B      0      25||

```

15696 Bytes yet free.

(202nd/233) position: - 771.12. 1. - 755. 8.29. E Jeroboam (Joash) 27
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.
 Backward relations for entry Zachariah (25/120) are generated.
 Optimize dates...

Jeroboam (Joash)	D	Kn	S	from:	to:
- 771.12. 1. - 755. 8.29. E	0	E		27	27
	E	5	B	27	27
- 771.12. 1. - 755. 8.29. E	7	B		25	27
- 771.12. 1. - 755. 8.29. +	0	+		27	27
	0	E		0	0
- 771.12. 1. - 755. 8.29. E	0	E		0	27
- 813.12. 1. - 795. 8.29.	234th position to B Jeroboam (Joash)				27

15696 Bytes yet free.

(203rd/234) position: - 770. 7. 1. - 754. 3.29. E Zachariah 25
 Forward relations for entry Zachariah (25/120) are generated.
 Backward relations for entry Shallum (24/120) are generated.
 Optimize dates...

Zachariah	D	Kn	S	from:	to:
- 770. 7. 1. - 754. 3.29. E	0	E		25	25
- 770. 5. 1. - 754. 3.29. E	5	B		25	25
- 770. 7. 1. - 754. 3.29. E	7	B		24	25
- 770. 7. 1. - 754. 3.29. +	0	+		25	25
	0	E		0	0
- 770. 7. 1. - 754. 3.29. E	0	E		0	25

15696 Bytes yet free.

(204th/234) position: - 755. 9. 1. - 742. 8.29. E Azariah = Uzziah 26
 Forward relations for entry Azariah = Uzziah (26/120) are generated.
 Backward relations for entry Jotham (19/120) are generated.
 Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:
- 755. 9. 1. - 742. 8.29. E	0	E		26	26
- 757. 1. 1. - 741. 8.29. E	6	B		26	26
- 755. 9. 1. - 742. 8.29. E	7	α		19	26
- 755. 9. 1. - 742. 8.29. +	0	+		26	26
	+	2	B	20	26
	0	E		0	0
- 755. 9. 1. - 742. 8.29. E	0	E		0	26
- 808. 9. 1. - 794. 8.29.	235th position to B Azariah = Uzziah				26

15696 Bytes yet free.

(205th/235) position: -1466.11. 1. -1449.12.30. B Moses 86
 Forward relations for entry Moses (86/120) are generated.
 Backward relations for entry Joshua (83/120) are generated.
 Backward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Moses	D	Kn	S	from:	to:
-1466.11. 1. -1449.12.30. B	0	B		86	86
-1467.11. 1. -1448. 8.29. B	3	*		86	86
-1466.11. 1. -1448. 8.29. B	5	E		86	86
-1466.11. 1. -1449.12.30. B	7	B		87	86
≤-1449. 8.29. B	7	E		89	86
4M 1D	0	B		0	0
-1466.11. 1. -1449. 8.29. B	0	B		0	86
-1466.11. 1. -1449. 8.29.	236th position to B Moses				86
-1466.11. 1. -1449. 8.29.	237th position to B Aaron				87

15696 Bytes yet free.

(206th/237) position: -1546.11. 1. -1529. 8.29. * Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Knd	S	from:	to:†
-1546.11. 1. -1529. 8.29. *	0	*		86	86
-1546.11. 1. -1529. 8.29. *	6	+		86	86
-1547.11. 1. -1528. 8.29. *	9	B		86	86
	0	*		0	0
-1546.11. 1. -1529. 8.29. *	0	*		0	86

15696 Bytes yet free.

(207th/237) position: -1466.11. 1. -1449. 8.29. B Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Knd	S	from:	to:†
-1466.11. 1. -1449. 8.29. B	0	B		87	87
-1466.11. 1. -1449. 8.29. B	1	B		86	87
-1467. 5. 1. -1447. 5. 1. B	3	*		87	87
≤-1449. 8.29. B	8	E		89	87
	0	B		0	0
-1466.11. 1. -1449. 8.29. B	0	B		0	87

15696 Bytes yet free.

(208th/237) position: -1549. 5. 1. -1531. 5. 1. * Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Knd	S	from:	to:†
-1549. 5. 1. -1531. 5. 1. *	0	*		87	87
-1549. 5. 1. -1531. 5. 1. *	6	+		87	87
-1550.11. 1. -1531. 8.29. *	9	B		87	87
	0	*		0	0
-1549. 5. 1. -1531. 5. 1. *	0	*		0	87

15696 Bytes yet free.

(209th/237) position: -2026. 1. 1. -2007.12.30. * Jacob = Israel 90

Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

Jacob = Israel	D	Knd	S	from:	to:†
-2026. 1. 1. -2007.12.30. *	0	*		90	90
	3	*		91	90
-2027. 1. 1. -2006.12.30. *	5	+		90	90
-2026. 1. 1. -2007.12.30. *	9	B		89	90
	0	*		0	0
-2026. 1. 1. -2007.12.30. *	0	*		0	90
-2087. 1. 1. -2066.12.30. 238th position to * Isaac					91

15696 Bytes yet free.

(210th/238) position: -1879. 1. 1. -1860.12.30. + Jacob = Israel 90

Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

Jacob = Israel	D	Kind	S	from:	to:
-1879. 1. 1. -1860.12.30. +	0	+		90	90
-1880. 1. 1. -1859.12.30. +	5	*		90	90
-1879. 1. 1. -1860.12.30. +	4	B		89	90
	0	+		0	0
-1879. 1. 1. -1860.12.30. +	0	+		0	90

15696 Bytes yet free.

(211th/238) position: -1549. 5. 1. -1531. 5. 1. * Aaron 87
 Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kind	S	from:	to:
-1549. 5. 1. -1531. 5. 1. *	0	*		87	87
-1549. 5. 1. -1531. 5. 1. *	6	+		87	87
-1550.11. 1. -1531. 8.29. *	9	B		87	87
	0	*		0	0
-1549. 5. 1. -1531. 5. 1. *	0	*		0	87

15696 Bytes yet free.

(212th/238) position: - 990. 8. 1. - 972. 2.30. B Solomon 57
 Forward relations for entry Solomon (57/120) are generated.
 Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
 Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kind	S	from:	to:
- 990. 8. 1. - 972. 2.30. B	0	B		57	57
	B	1	E	58	57
	B	5	E	57	57
- 990. 2. 1. - 972. 2.30. B	9	B		55	57
- 990. 8. 1. - 972. 8.30. B	9	E		56	57
	0	B		0	0
- 990. 8. 1. - 972. 2.30. B	0	B		0	57
- 990. 8. 1. - 972. 2.30.	239th position to E David				58
- 951. 8. 1. - 931. 2.30.	240th position to E Solomon				57

15696 Bytes yet free.

(213th/240) position: - 990. 8. 1. - 972. 2.30. B Solomon 57
 Forward relations for entry Solomon (57/120) are generated.
 Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
 Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kind	S	from:	to:
- 990. 8. 1. - 972. 2.30. B	0	B		57	57
- 990. 8. 1. - 972. 2.30. B	1	E		58	57
- 992. 8. 1. - 970. 2.30. B	5	E		57	57
- 990. 2. 1. - 972. 2.30. B	9	B		55	57
- 990. 8. 1. - 972. 8.30. B	9	E		56	57
	0	B		0	0
- 990. 8. 1. - 972. 2.30. B	0	B		0	57

15696 Bytes yet free.

(214th/240) position: -1425.11. 1. -1409. 8.29. B Moses' Speech 84
 Forward relations for entry Moses' Speech (84/120) are generated.
 Backward relations for entry Moses (86/120) are generated.
 Optimize dates...

Moses' Speech	D	Kind	S	from:	to:	
-1425.11. 1. -1409. 8.29. B	0	B		84	84	
-1425. 9. 1. -1409. 8.29. B	3	B		85	84	
-1424. 7. 1. -1409. 6.30. B	4	E		89	84	
-1425.11. 1. -1409. 8.29. B	7	E		86	84	
-1427.11. 1. -1407. 8.29. B	9	B		68	84	
Y 8M 1M29D	0	B		0	0	
-1424. 7. 1. -1409. 6.30. B	0	B		0	84	
-1424. 7. 1. -1409. 6.30.			241st position to B	Moses' Speech		84
-1424. 7. 1. -1409. 6.30.			242nd position to E	Moses		86
-1125. 7. 1. -1108. 6.30.			243rd position to B	Jephthah		68

15696 Bytes yet free.

(215th/243) position: -1464. 9. 1. -1449. 8.29. E Israel in Egypt 89
Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:	
-1464. 9. 1. -1449. 8.29. E	0	E		89	89	
-1466.11. 1. ≥	E	1	B	86	89	
-1466.11. 1. ≥	E	2	B	87	89	
-1466. 1. 1. -1447.12.30. E	6	B		89	89	
-1464. 9. 1. -1449. 8.29. E	9	B		85	89	
-1465.12.30. -1448. 1. 1. E	9	+		88	89	
-1465.12. 1. -1448. 1.30. E	10	B		55	89	
-1465.12. 1. -1448. 1.30. E	10	E		56	89	
-1464. 8.30. -1449. 8.30. E	10	B		84	89	
	0	E		0	0	
-1464. 9. 1. -1449. 8.29. E	0	E		0	89	
-1895. 9. 1. -1878. 8.29.			244th position to B	Israel in Egypt		89
-1424. 1. 1. -1410.12.30.			245th position to +	Aaron		88
- 985.10. 1. - 970.10.29.			246th position to B	Building the Temple		55
- 977. 4. 1. - 962. 4.29.			247th position to E	Building the Temple		56

15696 Bytes yet free.

(216th/247) position: -1424. 7. 1. -1409. 6.30. E Moses 86
Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kind	S	from:	to:	
-1424. 7. 1. -1409. 6.30. E	0	E		86	86	
-1424. 7. 1. -1409. 6.30. E	1	B		84	86	
-1427.11. 1. -1408. 8.29. E	5	B		86	86	
-1425.11. 1. -1409. 8.29. E	7	B		83	86	
-1424. 7. 1. -1409. 6.30. +	0	+		86	86	
-1426.11. 1. -1408. 8.29. +	6	*		86	86	
	0	E		0	0	
-1424. 7. 1. -1409. 6.30. E	0	E		0	86	
-1465. 7. 1. -1449. 8.29.			248th position to B	Moses		86
-1424. 7. 1. -1409. 6.30.			249th position to B	Joshua		83
-1545. 7. 1. -1529. 6.30.			250th position to *	Moses		86

15696 Bytes yet free.

(217th/250) position: -1125. 7. 1. -1108. 6.30. B Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah	D	Kn	d	S	from:	to:	
-1125. 7. 1. -1108. 6.30. B	0	B			68	68	
-1126.11. 1. -1108. 8.29. B	1	E			69	68	
-1125. 7. 1. -1108. 6.30. B	3	B			84	68	
-1128.11. 1. -1106. 8.29. B	6	E			68	68	
	0	B			0	0	
-1125. 7. 1. -1108. 6.30. B	0	B			0	68	
-1125. 7. 1. -1108. 6.30.					251st position to E Philistines + Ammon		69
-1120. 7. 1. -1101. 6.30.					252nd position to E Jephthah		68

15696 Bytes yet free.

(218th/252) position: -1424. 7. 1. -1409. 6.30. B Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kn	d	S	from:	to:
-1424. 7. 1. -1409. 6.30. B	0	B			83	83
-1424. 7. 1. -1409. 6.30. B	1	E			86	83
	0	B			0	0
-1424. 7. 1. -1409. 6.30. B	0	B			0	83

15696 Bytes yet free.

(219th/252) position: -1545. 7. 1. -1529. 6.30. * Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kn	d	S	from:	to:
-1545. 7. 1. -1529. 6.30. *	0	*			86	86
-1545. 7. 1. -1529. 6.30. *	6	+			86	86
-1546. 7. 1. -1528. 8.29. *	9	B			86	86
	0	*			0	0
-1545. 7. 1. -1529. 6.30. *	0	*			0	86

15696 Bytes yet free.

(220th/252) position: -1125. 7. 1. -1108. 6.30. E Philistines + Ammon 69

Forward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

Philistines + Ammon	D	Kn	d	S	from:	to:	
-1125. 7. 1. -1108. 6.30. E	0	E			69	69	
	5	B			69	69	
-1125. 7. 1. -1108. 6.30. E	7	B			68	69	
	0	E			0	0	
-1125. 7. 1. -1108. 6.30. E	0	E			0	69	
-1144. 7. 1. -1125. 6.30.					253rd position to B Philistines + Ammon		69

15696 Bytes yet free.

(221st/253) position: -1120. 7. 1. -1101. 6.30. E Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah	D	Kn	d	S	from:	to:
-1120. 7. 1. -1101. 6.30. E	0	E			68	68
-1120. 7. 1. -1101. 6.30. E	6	B			68	68

	E	7 B	63	68	
	E	7 B	67	68	
-1120. 7. 1. -1101. 6.30. +	0 +	68	68		
	0 E	0	0		
-1120. 7. 1. -1101. 6.30. E	0 E	0	68		
-1120. 7. 1. ≥		254th position to B Philistines			63
-1120. 7. 1. ≥		255th position to B Ibzan			67

15696 Bytes yet free.

(222nd/255) position: -1409. 1. 1. ≥ B Othniel 79
 Forward relations for entry Othniel (79/120) are generated.
 Backward relations for entry Eglon (78/120) are generated.
 Optimize dates...

Othniel	D Knd S	from:	to:
-1409. 1. 1. ≥	B 0 B	79	79
-1409. 1. 1. ≥	B 1 E	80	79
	B 5 E	79	79
	0 B	0	0
-1409. 1. 1. ≥	B 0 B	0	79
-1370. 1. 1. ≥		256th position to E Othniel	
			79

15696 Bytes yet free.

(223rd/256) position: - 765. 9. 1. - 751. 8.29. B Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D Knd S	from:	to:
- 765. 9. 1. - 751. 8.29. B	0 B	19	19
- 767. 1. 1. - 749.12.30. B	4 *	19	19
- 765. 9. 1. - 751. 8.29. B	6 E	19	19
	0 B	0	0
- 765. 9. 1. - 751. 8.29. B	0 B	0	19
- 791. 9. 1. - 775. 8.29.		257th position to * Jotham	
			19

15696 Bytes yet free.

(224th/257) position: -1464. 9. 1. -1449. 8.29. E Israel in Egypt 89
 Forward relations for entry Israel in Egypt (89/120) are generated.
 Optimize dates...

Israel in Egypt	D Knd S	from:	to:
-1464. 9. 1. -1449. 8.29. E	0 E	89	89
-1465. 7. 1. ≥	E 1 B	86	89
-1466.11. 1. ≥	E 2 B	87	89
-1466. 9. 1. -1447. 8.29. E	6 B	89	89
-1464. 9. 1. -1449. 8.29. E	9 B	85	89
-1464. 8.30. -1449. 8.30. E	9 +	88	89
-1464. 8. 1. -1449. 9.29. E	10 B	55	89
-1464. 8. 1. -1449. 9.29. E	10 E	56	89
-1464. 8.30. -1449. 8.30. E	10 B	84	89
	0 E	0	0
-1464. 9. 1. -1449. 8.29. E	0 E	0	89

15696 Bytes yet free.

(225th/257) position: -1462.10.11. -1448.10. 9. E Explorers of Canaan 85
 Forward relations for entry Explorers of Canaan (85/120) are generated.
 Optimize dates...

Explorers of Canaan	D Knd S	from:	to:
-1462.10.11. -1448.10. 9. E	0 E	85	85

```

-1462.10.11. -1448.10. 9. E   5 B      85      85||
                        0 E      0      0||
-1462.10.11. -1448.10. 9. E   0 E      0      85||

```

15696 Bytes yet free.

(226th/257) position: -1416. 9. 1.≥ B Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

```

Chushanrishathaim      D Knd S      from:      to:|
-1416. 9. 1.≥          B   0 B      80      80||
-1416. 9. 1.≥          B   1 E      83      80||
-1418. 1. 1.≥          B   5 E      80      80||
                        0 B      0      0||
-1416. 9. 1.≥          B   0 B      0      80||
-1409. 9. 1.≥          258th position to E Chushanrishathaim 80

```

15696 Bytes yet free.

(227th/258) position: -1527. 9. 1.≥ * Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

```

Joshua                  D Knd S      from:      to:|
-1527. 9. 1.≥          *   0 *      83      83||
-1527. 9. 1.≥          *   5 +      83      83||
                        0 *      0      0||
-1527. 9. 1.≥          *   0 *      0      83||

```

15696 Bytes yet free.

(228th/258) position: -2362. 9.15. -2341.11. 6. * Peleg 101

Forward relations for entry Peleg (101/120) are generated.

Optimize dates...

```

Peleg                   D Knd S      from:      to:|
-2362. 9.15. -2341.11. 6. *   0 *      101      101||
                        *   1 B      102      101||
-2362. 9.15. -2341.11. 6. *   3 *      103      101||
                        *   9 *      100      101||
                        *  10 +      103      101||
                        0 *      0      0||
-2362. 9.15. -2341.11. 6. *   0 *      0      101||
-2362. 9.15. -2341.11. 6. 259th position to B Tower of Babel 102
-2333. 9.15. -2310.11. 6. 260th position to * Reu 100
-1933. 9.15. -1910.11. 6. 261st position to + Eber 103

```

15696 Bytes yet free.

(229th/261) position: -1993. 9.15. -1972.11. 6. + Salah 104

Forward relations for entry Salah (104/120) are generated.

Optimize dates...

```

Salah                   D Knd S      from:      to:|
-1993. 9.15. -1972.11. 6. +   0 +      104      104||
-1993. 9.15. -1972.11. 6. +   4 *      103      104||
                        0 +      0      0||
-1993. 9.15. -1972.11. 6. +   0 +      0      104||

```

15696 Bytes yet free.

(230th/261) position: - 730. 1.22. - 721. 8.29. B Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.
Optimize dates...

Hezekiah	D	Kn	S	from:	to:	
- 730. 1.22. - 721. 8.29. B	0	B		14	14	
- 731. 9. 1. - 721. 8.29. B	1	E		17	14	
- 733. 9. 1. - 719. 8.29. B	3	B		16	14	
- 733. 9. 1. - 719. 8.29. B	4	*		14	14	
- 730. 1.22. - 721. 8.29. B	6	E		14	14	
- 733. 9. 1. - 719. 8.29. B	9	B		13	14	
- 733. 9. 1. - 719. 8.29. B	9	B		15	14	
	0	B		0	0	
- 730. 1.22. - 721. 8.29. B	0	B		0	14	
- 730. 1.22. - 721. 8.29.			262nd position to E Ahaz			17
- 734. 1.22. - 723. 8.29.			263rd position to B Hoshea			16
- 756. 1.22. - 745. 8.29.			264th position to * Hezekiah			14
- 716. 1.22. - 705. 8.29.			265th position to B 14th Jubile Year			13
- 725. 1.22. - 714. 8.29.			266th position to B Captivity of Israel			15

15696 Bytes yet free.

(231st/266) position: - 700. 1.22. - 693. 8.29. E Isaiah 20

Forward relations for entry Isaiah (20/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Optimize dates...

Isaiah	D	Kn	S	from:	to:
- 700. 1.22. - 693. 8.29. E	0	E		20	20
- 700. 1.22. ≥		1	E	14	20
≤- 693. 8.29. E	8	E		14	20
	0	E		0	0
- 700. 1.22. - 693. 8.29. E	0	E		0	20

15696 Bytes yet free.

(232nd/266) position: - 770. 7. 1. - 754. 3.29. B Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kn	S	from:	to:	
- 770. 7. 1. - 754. 3.29. B	0	B		24	24	
- 770. 7. 1. - 754. 3.29. B	1	E		25	24	
- 770. 9. 1. - 754. 8.29. B	3	B		26	24	
- 770. 7. 1. - 754. 5.29. B	5	E		24	24	
2M	0	B		0	0	
- 770. 9. 1. - 754. 3.29. B	0	B		0	24	
- 770. 9. 1. - 754. 3.29.			267th position to B Shallum			24
- 770. 9. 1. - 754. 3.29.			268th position to E Zachariah			25

15696 Bytes yet free.

(233rd/268) position: - 770. 9. 1. - 754. 5.29. E Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kn	S	from:	to:
- 770. 9. 1. - 754. 5.29. E	0	E		24	24
- 770. 9. 1. - 754. 5.29. E	5	B		24	24
- 770. 9. 1. - 754. 8.29. E	7	B		23	24
- 770. 9. 1. - 754. 5.29. +	0	+		24	24
	0	E		0	0
- 770. 9. 1. - 754. 5.29. E	0	E		0	24

- 770. 9. 1. - 754. 5.29. 269th position to B Menahem 23

15696 Bytes yet free.

(234th/269) position: - 813.12. 1. - 795. 8.29. B Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:	
- 813.12. 1. - 795. 8.29.	B	0	B	27	27	
	B	1	E	30	27	
	B	3	B	28	27	
- 813.12. 1. - 795. 8.29.	B	5	E	27	27	
		0	B	0	0	
- 813.12. 1. - 795. 8.29.	B	0	B	0	27	
- 813.12. 1. - 795. 8.29.				270th position to E Joash (Jehoahaz)		30
- 829.12. 1. - 809. 8.29.				271st position to B Amaziah		28

15696 Bytes yet free.

(235th/271) position: - 808. 9. 1. - 794. 8.29. B Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:	
- 808. 9. 1. - 794. 8.29.	B	0	B	26	26	
- 808. 1. 1. - 794. 8.29.	B	1	Ω	28	26	
- 810. 1. 1. - 792. 8.29.	B	3	*	27	26	
- 810. 1. 1. - 792. 8.29.	B	4	*	26	26	
- 808. 9. 1. - 793. 8.29.	B	6	E	26	26	
- 809. 9. 1. - 794. 8.29.	B	9	B	21	26	
- 810. 9. 1. - 793. 8.29.	B	9	B	22	26	
- 810. 9. 1. - 792. 5.29.	B	9	B	23	26	
- 810. 9. 1. - 792. 3.29.	B	9	B	24	26	
- 810.12. 1. - 792. 8.29.	B	9	B	25	26	
		0	B	0	0	
- 808. 9. 1. - 794. 8.29.	B	0	B	0	26	
- 808. 9. 1. - 794. 8.29.				272nd position to Ω Amaziah		28
- 836. 9. 1. - 820. 8.29.				273rd position to * Jeroboam (Joash)		27
- 825. 9. 1. - 809. 8.29.				274th position to * Azariah = Uzziah		26

15696 Bytes yet free.

(236th/274) position: -1465. 7. 1. -1449. 8.29. B Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kind	S	from:	to:	
-1465. 7. 1. -1449. 8.29.	B	0	B	86	86	
-1466. 7. 1. -1448. 6.30.	B	3	*	86	86	
-1465. 7. 1. -1448. 6.30.	B	5	E	86	86	
-1466.11. 1. -1449. 8.29.	B	7	B	87	86	
≤-1449. 8.29.	B	7	E	89	86	
		0	B	0	0	
-1465. 7. 1. -1449. 8.29.	B	0	B	0	86	
-1465. 7. 1. -1449. 8.29.				275th position to B Aaron		87

15696 Bytes yet free.

(237th/275) position: -1465. 7. 1. -1449. 8.29. B Aaron 87

Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.
 Optimize dates...

Aaron	D	Kn	d	S	from:	to:	
-1465. 7. 1. -1449. 8.29. B	0	B			87	87	
-1465. 7. 1. -1449. 8.29. B	1	B			86	87	
-1467. 5. 1. -1447. 5. 1. B	3	*			87	87	
≤-1449. 8.29. B	8	E			89	87	
	0	B			0	0	
-1465. 7. 1. -1449. 8.29. B	0	B			0	87	
-1549. 7. 1. -1531. 5. 1.					276th position to * Aaron		87

15696 Bytes yet free.

(238th/276) position: -2087. 1. 1. -2066.12.30. * Isaac 91
 Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kn	d	S	from:	to:	
-2087. 1. 1. -2066.12.30. *	0	*			91	91	
	*	1	B		92	91	
	*	3	*		96	91	
	*	5	+		91	91	
	*	4	*		95	91	
-2087. 1. 1. -2066.12.30. *	9	*			90	91	
	0	*			0	0	
-2087. 1. 1. -2066.12.30. *	0	*			0	91	
≤-2066.12.30.					277th position to B Fire upon Sodom		92
-2188. 1. 1. -2165.12.30.					278th position to * Abram = Abraham		96
-1908. 1. 1. -1885.12.30.					279th position to + Isaac		91
-2178. 1. 1. -2155.12.30.					280th position to * Sarai = Sarah		95

15696 Bytes yet free.

(239th/280) position: - 990. 8. 1. - 972. 2.30. E David 58
 Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	d	S	from:	to:	
- 990. 8. 1. - 972. 2.30. Ω	0	Ω			58	58	
	Ω	6	α		58	58	
- 990. 8. 1. - 972. 2.30. E	0	E			58	58	
	E	5	B		58	58	
- 990. 8. 1. - 972. 2.30. E	7	B			57	58	
- 990. 8. 1. - 972. 2.30. +	0	+			58	58	
	0	Ω			0	0	
- 990. 8. 1. - 972. 2.30. Ω	0	Ω			0	58	
-1024. 8. 1. -1004. 2.30.					281st position to α David		58
-1031. 8. 1. -1011. 2.30.					282nd position to B David		58

15696 Bytes yet free.

(240th/282) position: - 951. 8. 1. - 931. 2.30. E Solomon 57
 Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kn	d	S	from:	to:	
- 951. 8. 1. - 931. 2.30. E	0	E			57	57	
- 951. 8. 1. - 931. 2.30. E	5	B			57	57	
	E	7	B		53	57	

	E	7 B	54	57	
- 951. 8. 1. - 931. 2.30. +	0 +		57	57	
	0 E		0	0	
- 951. 8. 1. - 931. 2.30. E	0 E		0	57	
- 951. 8. 1. - 931. 2.30.		283rd position to B Jeroboam (Nebat)			53
- 951. 8. 1. - 931. 2.30.		284th position to B Rehoboam			54

15696 Bytes yet free.

(241st/284) position: -1424. 7. 1. -1409. 6.30. B Moses' Speech 84

Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

Moses' Speech	D Knd S	from:	to:
-1424. 7. 1. -1409. 6.30. B	0 B	84	84
-1425. 9. 1. -1409. 8.29. B	3 B	85	84
-1424. 7. 1. -1409. 6.30. B	4 E	89	84
-1424. 7. 1. -1409. 6.30. B	7 E	86	84
-1426. 7. 1. -1407. 6.30. B	9 B	68	84
	0 B	0	0
-1424. 7. 1. -1409. 6.30. B	0 B	0	84

15696 Bytes yet free.

(242nd/284) position: -1424. 7. 1. -1409. 6.30. E Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D Knd S	from:	to:
-1424. 7. 1. -1409. 6.30. E	0 E	86	86
-1424. 7. 1. -1409. 6.30. E	1 B	84	86
-1426. 7. 1. -1408. 8.29. E	5 B	86	86
-1424. 7. 1. -1409. 6.30. E	7 B	83	86
-1424. 7. 1. -1409. 6.30. +	0 +	86	86
-1425. 7. 1. -1408. 6.30. +	6 *	86	86
	0 E	0	0
-1424. 7. 1. -1409. 6.30. E	0 E	0	86

15696 Bytes yet free.

(243rd/284) position: -1125. 7. 1. -1108. 6.30. B Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah	D Knd S	from:	to:
-1125. 7. 1. -1108. 6.30. B	0 B	68	68
-1125. 7. 1. -1108. 6.30. B	1 E	69	68
-1125. 7. 1. -1108. 6.30. B	3 B	84	68
-1127. 7. 1. -1106. 6.30. B	6 E	68	68
	0 B	0	0
-1125. 7. 1. -1108. 6.30. B	0 B	0	68

15696 Bytes yet free.

(244th/284) position: -1895. 9. 1. -1878. 8.29. B Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D Knd S	from:	to:
-1895. 9. 1. -1878. 8.29. B	0 B	89	89

```

-1897. 1. 1. -1876.12.30. B 3 * 90 89||
-1895. 9. 1. -1878. 8.29. B 6 E 89 89||
-1897. 1. 1. -1876.12.30. B 10 + 90 89||
0 B 0 0||
-1895. 9. 1. -1878. 8.29. B 0 B 0 89||
-2026. 9. 1. -2007. 8.29. 285th position to * Jacob = Israel 90
-1879. 9. 1. -1860. 8.29. 286th position to + Jacob = Israel 90

```

15696 Bytes yet free.

```

(245th/286) position: -1424. 1. 1. -1410.12.30. + Aaron 88
Forward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Forward relations for entry Aaron (88/120) are generated.

```

Optimize dates...

```

Aaron D Knd S from: to:|
-1424. 1. 1. -1410.12.30. E 0 E 87 87||
-1424. 1. 1. -1410.12.30. + 0 + 87 87||
-1427. 7. 1. -1407. 5. 1. + 6 * 87 87||
-1424. 1. 1. -1410.12.30. + 3 E 89 88||
0 E 0 0||
-1424. 1. 1. -1410.12.30. E 0 E 0 87||
-1548. 1. 1. -1532.12.30. 287th position to * Aaron 87

```

15696 Bytes yet free.

```

(246th/287) position: - 985.10. 1. - 970.10.29. B Building the Temple 55
Forward relations for entry Building the Temple (55/120) are generated.
Forward relations for entry Building the Temple (56/120) are generated.

```

Optimize dates...

```

Building the Temple D Knd S from: to:|
- 985.10. 1. - 970.10.29. B 0 B 55 55||
- 987. 8. 1. - 967. 2.30. B 3 B 57 55||
- 985. 4. 1. - 968. 4.29. B 5 E 55 55||
- 985.10. 1. - 970.10.29. B 4 E 89 55||
0 B 0 0||
- 985.10. 1. - 970.10.29. B 0 B 0 55||
- 990.10. 1. - 973.10.29. 288th position to B Solomon 57

```

15696 Bytes yet free.

```

(247th/288) position: - 977. 4. 1. - 962. 4.29. E Building the Temple 56
Forward relations for entry Building the Temple (55/120) are generated.
Forward relations for entry Building the Temple (56/120) are generated.

```

Optimize dates...

```

Building the Temple D Knd S from: to:|
- 977. 4. 1. - 962. 4.29. E 0 E 55 55||
- 979.10. 1. - 962.10.29. E 5 B 55 55||
- 980.10. 1. - 961.10.29. E 3 B 57 56||
- 977. 4. 1. - 962. 4.29. E 4 E 89 56||
0 E 0 0||
- 977. 4. 1. - 962. 4.29. E 0 E 0 55||
- 989. 4. 1. - 973.10.29. 289th position to B Solomon 57

```

15696 Bytes yet free.

```

(248th/289) position: -1465. 7. 1. -1449. 8.29. B Moses 86
Forward relations for entry Moses (86/120) are generated.
Backward relations for entry Joshua (83/120) are generated.
Backward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Optimize dates...

```

Moses	D	Kn	S	from:	to:
-1465. 7. 1. -1449. 8.29. B	0	B		86	86
-1466. 7. 1. -1448. 6.30. B	3	*		86	86
-1465. 7. 1. -1448. 6.30. B	5	E		86	86
-1465. 7. 1. -1449. 8.29. B	7	B		87	86
≤-1449. 8.29. B	7	E		89	86
	0	B		0	0
-1465. 7. 1. -1449. 8.29. B	0	B		0	86

15696 Bytes yet free.

(249th/289) position: -1424. 7. 1. -1409. 6.30. B Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kn	S	from:	to:
-1424. 7. 1. -1409. 6.30. B	0	B		83	83
-1424. 7. 1. -1409. 6.30. B	1	E		86	83
	0	B		0	0
-1424. 7. 1. -1409. 6.30. B	0	B		0	83

15696 Bytes yet free.

(250th/289) position: -1545. 7. 1. -1529. 6.30. * Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kn	S	from:	to:
-1545. 7. 1. -1529. 6.30. *	0	*		86	86
-1545. 7. 1. -1529. 6.30. *	6	+		86	86
-1546. 7. 1. -1528. 8.29. *	9	B		86	86
	0	*		0	0
-1545. 7. 1. -1529. 6.30. *	0	*		0	86

15696 Bytes yet free.

(251st/289) position: -1125. 7. 1. -1108. 6.30. E Philistines + Ammon 69

Forward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

Philistines + Ammon	D	Kn	S	from:	to:
-1125. 7. 1. -1108. 6.30. E	0	E		69	69
-1127. 7. 1. -1106. 6.30. E	5	B		69	69
-1125. 7. 1. -1108. 6.30. E	7	B		68	69
	0	E		0	0
-1125. 7. 1. -1108. 6.30. E	0	E		0	69

15696 Bytes yet free.

(252nd/289) position: -1120. 7. 1. -1101. 6.30. E Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah	D	Kn	S	from:	to:
-1120. 7. 1. -1101. 6.30. E	0	E		68	68
-1120. 7. 1. -1101. 6.30. E	6	B		68	68
	7	B		63	68
	7	B		67	68
-1120. 7. 1. -1101. 6.30. +	0	+		68	68


```

0 E      0      0||
-1120. 7. 1. -1101. 6.30. E 0 E      0      68||

```

15696 Bytes yet free.

(253rd/289) position: -1144. 7. 1. -1125. 6.30. B Philistines + Ammon 69

Forward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

```

Philistines + Ammon      D Knd S      from:      to:|
-1144. 7. 1. -1125. 6.30. B  0 B      69      69||
                        B  1 E      72      69||
-1144. 7. 1. -1125. 6.30. B  5 E      69      69||
                        0 B      0      0||
-1144. 7. 1. -1125. 6.30. B  0 B      0      69||
                        ≤-1125. 6.30. 290th position to E Abimelech      72

```

15696 Bytes yet free.

(254th/290) position: -1120. 7. 1.≥ B Philistines 63

Forward relations for entry Philistines (63/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Backward relations for entry Samson (62/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

```

Philistines      D Knd S      from:      to:|
-1120. 7. 1.≥    B  0 B      63      63||
-1120. 7. 1.≥    B  1 E      68      63||
                  B  6 E      63      63||
                  B  7 B      62      63||
                  0 B      0      0||
-1120. 7. 1.≥    B  0 B      0      63||
-1081. 7. 1.≥    291st position to E Philistines      63
-1120. 7. 1.≥    292nd position to B Samson      62

```

15696 Bytes yet free.

(255th/292) position: -1120. 7. 1.≥ B Ibzan 67

Forward relations for entry Ibzan (67/120) are generated.

Backward relations for entry Elon (66/120) are generated.

Optimize dates...

```

Ibzan      D Knd S      from:      to:|
-1120. 7. 1.≥    B  0 B      67      67||
-1120. 7. 1.≥    B  1 E      68      67||
                  B  5 E      67      67||
                  0 B      0      0||
-1120. 7. 1.≥    B  0 B      0      67||
-1114. 7. 1.≥    293rd position to E Ibzan      67

```

15696 Bytes yet free.

(256th/293) position: -1370. 1. 1.≥ E Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

```

Othniel      D Knd S      from:      to:|
-1370. 1. 1.≥    E  0 E      79      79||
-1370. 1. 1.≥    E  5 B      79      79||
                  E  7 B      78      79||
-1370. 1. 1.≥    +  0 +      79      79||
                  0 E      0      0||
-1370. 1. 1.≥    E  0 E      0      79||

```

-1370. 1. 1.≥

294th position to B Eglon

78

15696 Bytes yet free.

(257th/294) position: - 791. 9. 1. - 775. 8.29. * Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kn	S	from:	to:†
- 791. 9. 1. - 775. 8.29. *	0	*		19	19
- 791. 9. 1. - 775. 8.29. *	10	B		19	19
	0	*		0	0
- 791. 9. 1. - 775. 8.29. *	0	*		0	19

15696 Bytes yet free.

(258th/294) position: -1409. 9. 1.≥ E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kn	S	from:	to:†
-1409. 9. 1.≥	E	0	E	80	80
-1409. 9. 1.≥	E	5	B	80	80
-1409. 1. 1.≥	E	7	B	79	80
		0	E	0	0
-1409. 9. 1.≥	E	0	E	0	80

295th position to B Othniel

79

15696 Bytes yet free.

(259th/295) position: -2362. 9.15. -2341.11. 6. B Tower of Babel 102

Forward relations for entry Tower of Babel (102/120) are generated.

Backward relations for entry Peleg (101/120) are generated.

Optimize dates...

Tower of Babel	D	Kn	S	from:	to:†
-2362. 9.15. -2341.11. 6. B	0	B		102	102
-2362. 9.15. -2341.11. 6. B	7	*		101	102
	0	B		0	0
-2362. 9.15. -2341.11. 6. B	0	B		0	102

15696 Bytes yet free.

(260th/295) position: -2333. 9.15. -2310.11. 6. * Reu 100

Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D	Kn	S	from:	to:†
-2333. 9.15. -2310.11. 6. *	0	*		100	100
-2333. 9.15. -2310.11. 6. *	3	*		101	100
	9	*		99	100
	10	+		101	100
	0	*		0	0
-2333. 9.15. -2310.11. 6. *	0	*		0	100
-2302. 9.15. -2277.11. 6.				296th position to *	Serug 99
-2125. 9.15. -2100.11. 6.				297th position to +	Peleg 101

15696 Bytes yet free.

(261st/297) position: -1933. 9.15. -1910.11. 6. + Eber 103

Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber	D	Kn	S	from:	to:†
-1933. 9.15. -1910.11. 6. +	0	+		103	103

```

-1933. 9.15. -1910.11. 6. + 4 *      101      103||
                        0 +      0      0||
-1933. 9.15. -1910.11. 6. + 0 +      0      103||

```

15696 Bytes yet free.

(262nd/297) position: - 730. 1.22. - 721. 8.29. E Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
- 730. 1.22. - 721. 8.29. Ω	0	Ω		17	17	
- 730. 1.22. - 721. 8.29. E	0	E		17	17	
- 730. 1.22. - 721. 8.29. E	7	B		14	17	
- 733. 9. 1. - 719. 8.29. E	5	B		18	18	
- 730. 1.22. - 721. 8.29. +	0	+		17	17	
	0	Ω		0	0	
- 730. 1.22. - 721. 8.29. Ω	0	Ω		0	17	
- 747. 1.22. - 736. 8.29.	298th position to B Ahaz					18

15696 Bytes yet free.

(263rd/298) position: - 734. 1.22. - 723. 8.29. B Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kind	S	from:	to:†	
- 734. 1.22. - 723. 8.29. B	0	B		16	16	
- 735. 9. 1. - 723. 8.29. B	1	E		21	16	
- 736. 1.22. - 723. 8.29. B	3	B		17	16	
- 736. 9. 1. - 722. 8.29. B	5	E		16	16	
- 736. 9. 1. - 721. 8.29. B	4	α		19	16	
- 734. 1.22. - 723. 8.29. B	9	B		14	16	
- 735. 1.22. - 722. 8.29. B	10	B		15	16	
	0	B		0	0	
- 734. 1.22. - 723. 8.29. B	0	B		0	16	
- 734. 1.22. - 723. 8.29.	299th position to E Pekah					21

15696 Bytes yet free.

(264th/299) position: - 756. 1.22. - 745. 8.29. * Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kind	S	from:	to:†	
- 756. 1.22. - 745. 8.29. *	0	*		14	14	
- 756. 1.22. - 745. 8.29. *	10	B		14	14	
	0	*		0	0	
- 756. 1.22. - 745. 8.29. *	0	*		0	14	

15696 Bytes yet free.

(265th/299) position: - 716. 1.22. - 705. 8.29. B 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:†	
- 716. 1.22. - 705. 8.29. B	0	B		13	13	
- 716. 1.22. - 705. 8.29. B	3	B		14	13	
- 717. 9. 1. - 705. 8.29. B	4	B		81	13	
- 717. 9. 1. - 705. 8.29. B	6	E		13	13	

```

          0 B      0      0||
- 716. 1.22. - 705. 8.29. B  0 B      0      13||
-1415. 1.22. -1404. 8.29. 300th position to B Inheritance of Israel 81
- 715. 1.22. - 704. 8.29. 301st position to E 14th Jubile Year      13

```

15696 Bytes yet free.

(266th/301) position: - 725. 1.22. - 714. 8.29. B Captivity of Israel 15
Forward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

```

Captivity of Israel      D Knd S      from:      to:|
- 725. 1.22. - 714. 8.29. B  0 B      15      15||
- 726. 9. 1. - 714. 8.29. B  1 E      16      15||
- 725. 1.22. - 714. 8.29. B  3 B      14      15||
- 726. 1.22. - 713. 8.29. B  4 B      16      15||
          0 B      0      0||
- 725. 1.22. - 714. 8.29. B  0 B      0      15||
- 725. 1.22. - 714. 8.29. 302nd position to E Hoshea      16

```

15696 Bytes yet free.

(267th/302) position: - 770. 9. 1. - 754. 3.29. B Shallum 24
Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

```

Shallum      D Knd S      from:      to:|
- 770. 9. 1. - 754. 3.29. B  0 B      24      24||
- 770. 9. 1. - 754. 3.29. B  1 E      25      24||
- 770. 9. 1. - 754. 8.29. B  3 B      26      24||
- 770. 7. 1. - 754. 5.29. B  5 E      24      24||
          0 B      0      0||
- 770. 9. 1. - 754. 3.29. B  0 B      0      24||

```

15696 Bytes yet free.

(268th/302) position: - 770. 9. 1. - 754. 3.29. E Zachariah 25
Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

```

Zachariah      D Knd S      from:      to:|
- 770. 9. 1. - 754. 3.29. E  0 E      25      25||
- 770. 5. 1. - 754. 3.29. E  5 B      25      25||
- 770. 9. 1. - 754. 3.29. E  7 B      24      25||
- 770. 9. 1. - 754. 3.29. +  0 +      25      25||
          0 E      0      0||
- 770. 9. 1. - 754. 3.29. E  0 E      0      25||
- 770. 2. 1. - 755. 8.29. 303rd position to B Zachariah      25

```

15696 Bytes yet free.

(269th/303) position: - 770. 9. 1. - 754. 5.29. B Menahem 23
Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

```

Menahem      D Knd S      from:      to:|
- 770. 9. 1. - 754. 5.29. B  0 B      23      23||
- 770. 9. 1. - 754. 5.29. B  1 E      24      23||
- 770. 9. 1. - 754. 8.29. B  3 B      26      23||
- 770. 9. 1. - 753. 8.29. B  5 E      23      23||
          0 B      0      0||
- 770. 9. 1. - 754. 5.29. B  0 B      0      23||

```

15696 Bytes yet free.

(270th/303) position: - 813.12. 1. - 795. 8.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:	
- 813.12. 1. - 795. 8.29.	E	0	E	30	30	
	E	2	+	39	30	
	E	5	B	30	30	
- 813.12. 1. - 795. 8.29.	E	7	B	27	30	
- 813.12. 1. - 795. 8.29.	+	0	+	30	30	
	+	9	+	29	30	
		0	E	0	0	
- 813.12. 1. - 795. 8.29.	E	0	E	0	30	
≤- 795. 8.29.				304th position to + Elisha		39
- 830.12. 1. - 810. 8.29.				305th position to B Joash (Jehoahaz)		30
- 799.12. 1. - 779. 8.29.				306th position to + Amaziah		29

15696 Bytes yet free.

(271st/306) position: - 829.12. 1. - 809. 8.29. B Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:	
- 829.12. 1. - 809. 8.29.	B	0	B	28	28	
	B	1	E	32	28	
- 829.12. 1. - 807. 8.29.	B	3	B	30	28	
	B	4	*	28	28	
- 829.12. 1. - 807. 8.29.	B	6	E	28	28	
- 829.12. 1. - 809. 8.29.	B	9	B	27	28	
		0	B	0	0	
- 829.12. 1. - 809. 8.29.	B	0	B	0	28	
- 829.12. 1. - 809. 8.29.				307th position to E Joash (Ahaziah)		32
- 855.12. 1. - 833. 8.29.				308th position to * Amaziah		28

15696 Bytes yet free.

(272nd/308) position: - 808. 9. 1. - 794. 8.29. Ω Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:	
- 808. 9. 1. - 794. 8.29.	Ω	0	Ω	28	28	
- 808. 9. 1. - 794. 8.29.	Ω	7	B	26	28	
		0	Ω	0	0	
- 808. 9. 1. - 794. 8.29.	Ω	0	Ω	0	28	

15696 Bytes yet free.

(273rd/308) position: - 836. 9. 1. - 820. 8.29. * Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:	
- 836. 9. 1. - 820. 8.29.	*	0	*	27	27	
- 836. 9. 1. - 820. 8.29.	*	9	B	26	27	
		0	*	0	0	

- 836. 9. 1. - 820. 8.29. * 0 * 0 27||

15696 Bytes yet free.

(274th/308) position: - 825. 9. 1. - 809. 8.29. * Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:
- 825. 9. 1. - 809. 8.29. *	0	*		26	26
- 825. 9. 1. - 809. 8.29. *	10	B		26	26
	0	*		0	0
- 825. 9. 1. - 809. 8.29. *	0	*		0	26

15696 Bytes yet free.

(275th/308) position: -1465. 7. 1. -1449. 8.29. B Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kn	S	from:	to:
-1465. 7. 1. -1449. 8.29. B	0	B		87	87
-1465. 7. 1. -1449. 8.29. B	1	B		86	87
-1466. 1. 1. -1448.12.30. B	3	*		87	87
≤-1449. 8.29. B	8	E		89	87
	0	B		0	0
-1465. 7. 1. -1449. 8.29. B	0	B		0	87

15696 Bytes yet free.

(276th/308) position: -1548. 1. 1. -1532.12.30. * Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kn	S	from:	to:
-1548. 1. 1. -1532.12.30. *	0	*		87	87
-1548. 1. 1. -1532.12.30. *	6	+		87	87
-1549. 7. 1. -1531. 8.29. *	9	B		87	87
	0	*		0	0
-1548. 1. 1. -1532.12.30. *	0	*		0	87

15696 Bytes yet free.

(277th/308) position: ≤-2066.12.30. B Fire upon Sodom 92

Forward relations for entry Fire upon Sodom (92/120) are generated.

Backward relations for entry Isaac (91/120) are generated.

Optimize dates...

Fire upon Sodom	D	Kn	S	from:	to:
≤-2066.12.30. B	0	B		92	92
-2090. 1. 1. -2065.12.30. B	3	*		96	92
≤-2066.12.30. B	7	*		91	92
2090Y	0	B		0	0
-2090. 1. 1. -2066.12.30. B	0	B		0	92
-2090. 1. 1. -2066.12.30.				309th position to B Fire upon Sodom	92

15696 Bytes yet free.

(278th/309) position: -2188. 1. 1. -2165.12.30. * Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kn	S	from:	to:	
-2188. 1. 1. -2165.12.30.	*	0	*	96	96	
	*	3	*	97	96	
	*	5	+	96	96	
-2188. 1. 1. -2165.12.30.	*	9	*	91	96	
-2190. 1. 1. -2164.12.30.	*	9	B	92	96	
	*	9	*	93	96	
	*	10	B	96	96	
		0	*	0	0	
-2188. 1. 1. -2165.12.30.	*	0	*	0	96	
-2259. 1. 1. -2234.12.30.				310th position to	* Terah	97
-2014. 1. 1. -1989.12.30.				311th position to	+ Abram = Abraham	96
-2103. 1. 1. -2078.12.30.				312th position to	* Ishmael	93
-2114. 1. 1. -2089.12.30.				313th position to	B Abram = Abraham	96

15696 Bytes yet free.

(279th/313) position: -1908. 1. 1. -1885.12.30. + Isaac 91
Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kn	S	from:	to:
-1908. 1. 1. -1885.12.30.	+	0	+	91	91
-1908. 1. 1. -1885.12.30.	+	5	*	91	91
			+	0	0
-1908. 1. 1. -1885.12.30.	+	0	+	0	91

15696 Bytes yet free.

(280th/313) position: -2178. 1. 1. -2155.12.30. * Sarai = Sarah 95
Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

Sarai = Sarah	D	Kn	S	from:	to:	
-2178. 1. 1. -2155.12.30.	*	0	*	95	95	
	*	5	+	95	95	
-2178. 1. 1. -2155.12.30.	*	10	*	91	95	
			*	0	0	
-2178. 1. 1. -2155.12.30.	*	0	*	0	95	
-2052. 1. 1. -2027.12.30.				314th position to	+ Sarai = Sarah	95

15696 Bytes yet free.

(281st/314) position: -1024. 8. 1. -1004. 2.30. α David 58
Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:	
-1024. 8. 1. -1004. 2.30.	α	0	α	58	58	
	α	1	E	59	58	
-1023. 1. 1. -1004. 9.30.	α	4	B	58	58	
-1024. 8. 1. -1004. 2.30.	α	6	Ω	58	58	
5M			α	0	0	
-1023. 1. 1. -1004. 2.30.	α	0	α	0	58	
-1023. 1. 1. -1004. 2.30.				315th position to	α David	58
≤-1004. 2.30.				316th position to	E Ishbosheth	59
-1031. 8. 1. -1012. 9.30.				317th position to	B David	58

15696 Bytes yet free.

(282nd/317) position: -1031. 8. 1. -1012. 9.30. B David 58
Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
-1031. 8. 1. -1012. 9.30.	B	0	B	58	58
	B	2	E	60	58
	B	3	*	58	58
-1031. 8. 1. -1011. 2.30.	B	5	E	58	58
-1031. 6. 1. -1012. 9.30.	B	10	α	58	58
	0	B		0	0
-1031. 8. 1. -1012. 9.30.	B	0	B	0	58
-1031. 8. 1. -1012. 9.30.				318th position to E Saul	60
-1062. 8. 1. -1041. 9.30.				319th position to * David	58

15696 Bytes yet free.

(283rd/319) position: - 951. 8. 1. - 931. 2.30. B Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
- 951. 8. 1. - 931. 2.30.	B	0	B	53	53
- 951. 8. 1. - 931. 2.30.	B	1	E	57	53
	B	5	E	53	53
	B	9	B	51	53
	B	9	B	52	53
	0	B		0	0
- 951. 8. 1. - 931. 2.30.	B	0	B	0	53
- 930. 8. 1. - 908. 2.30.				320th position to E Jeroboam (Nebat)	53
- 932. 8. 1. - 910. 2.30.				321st position to B Asa	51
- 934. 8. 1. - 912. 2.30.				322nd position to B Abijam = Abijah	52

15696 Bytes yet free.

(284th/322) position: - 951. 8. 1. - 931. 2.30. B Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 951. 8. 1. - 931. 2.30.	B	0	B	54	54
- 951. 8. 1. - 931. 2.30.	B	1	E	57	54
	B	3	*	54	54
	B	5	E	54	54
	0	B		0	0
- 951. 8. 1. - 931. 2.30.	B	0	B	0	54
- 993. 8. 1. - 971. 2.30.				323rd position to * Rehoboam	54
- 935. 8. 1. - 913. 2.30.				324th position to E Rehoboam	54

15696 Bytes yet free.

(285th/324) position: -2026. 9. 1. -2007. 8.29. * Jacob = Israel 90

Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

Jacob = Israel	D	Kind	S	from:	to:
-2026. 9. 1. -2007. 8.29.	*	0	*	90	90
-2028. 1. 1. -2005.12.30.	*	3	*	91	90
-2027. 9. 1. -2006. 8.29.	*	5	+	90	90
-2026. 9. 1. -2007. 8.29.	*	9	B	89	90
	0	*		0	0
-2026. 9. 1. -2007. 8.29.	*	0	*	0	90
-2087. 9. 1. -2066. 8.29.				325th position to * Isaac	91

15696 Bytes yet free.

(286th/325) position: -1879. 9. 1. -1860. 8.29. + Jacob = Israel 90

Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

Jacob = Israel	D	Kn	S	from:	to:
-1879. 9. 1. -1860. 8.29. +	0	+		90	90
-1880. 9. 1. -1859. 8.29. +	5	*		90	90
-1879. 9. 1. -1860. 8.29. +	4	B		89	90
	0	+		0	0
-1879. 9. 1. -1860. 8.29. +	0	+		0	90

15696 Bytes yet free.

(287th/325) position: -1548. 1. 1. -1532.12.30. * Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kn	S	from:	to:
-1548. 1. 1. -1532.12.30. *	0	*		87	87
-1548. 1. 1. -1532.12.30. *	6	+		87	87
-1549. 7. 1. -1531. 8.29. *	9	B		87	87
	0	*		0	0
-1548. 1. 1. -1532.12.30. *	0	*		0	87

15696 Bytes yet free.

(288th/325) position: - 989. 4. 1. - 973.10.29. B Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kn	S	from:	to:
- 989. 4. 1. - 973.10.29. B	0	B		57	57
- 990. 8. 1. - 972. 2.30. B	1	E		58	57
- 992. 8. 1. - 970. 2.30. B	5	E		57	57
- 990.10. 1. - 973.10.29. B	9	B		55	57
- 989. 4. 1. - 972. 4.29. B	9	E		56	57
	0	B		0	0
- 989. 4. 1. - 973.10.29. B	0	B		0	57
- 989. 4. 1. - 973.10.29.				326th position to E David	58
- 950. 4. 1. - 932.10.29.				327th position to E Solomon	57

15696 Bytes yet free.

(289th/327) position: - 989. 4. 1. - 973.10.29. B Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kn	S	from:	to:
- 989. 4. 1. - 973.10.29. B	0	B		57	57
- 989. 4. 1. - 973.10.29. B	1	E		58	57
- 991. 4. 1. - 971.10.29. B	5	E		57	57
- 990.10. 1. - 973.10.29. B	9	B		55	57
- 989. 4. 1. - 972. 4.29. B	9	E		56	57
	0	B		0	0
- 989. 4. 1. - 973.10.29. B	0	B		0	57

15696 Bytes yet free.

(290th/327) position: ≤-1125. 6.30. E Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Kind	S	from:	to:	
≤-1125. 6.30.	E	0	E	72	72	
	E	5	B	72	72	
≤-1125. 6.30.	E	7	B	69	72	
	E	7	B	71	72	
≤-1125. 6.30.	+	0	+	72	72	
		0	E	0	0	
≤-1125. 6.30.	E	0	E	0	72	
≤-1127. 6.30.				328th position to B Abimelech		72

15696 Bytes yet free.

(291st/328) position: -1081. 7. 1.≥ E Philistines 63

Forward relations for entry Philistines (63/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Backward relations for entry Samson (62/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Philistines	D	Kind	S	from:	to:	
-1081. 7. 1.≥	E	0	E	63	63	
	E	2	E	62	63	
	E	3	B	61	63	
-1081. 7. 1.≥	E	6	B	63	63	
	E	7	E	61	63	
	E	8	B	60	63	
		0	E	0	0	
-1081. 7. 1.≥	E	0	E	0	63	
-1102. 7. 1.≥				329th position to B Samuel		61
-1081. 7. 1.≥				330th position to E Samuel		61
-1081. 7. 1.≥				331st position to B Saul		60

15696 Bytes yet free.

(292nd/331) position: -1120. 7. 1.≥ B Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kind	S	from:	to:	
-1120. 7. 1.≥	B	0	B	62	62	
-1120. 7. 1.≥	B	1	B	63	62	
	B	5	E	62	62	
		0	B	0	0	
-1120. 7. 1.≥	B	0	B	0	62	
-1101. 7. 1.≥				332nd position to E Samson		62

15696 Bytes yet free.

(293rd/332) position: -1114. 7. 1.≥ E Ibzan 67

Forward relations for entry Ibzan (67/120) are generated.

Backward relations for entry Elon (66/120) are generated.

Optimize dates...

Ibzan	D	Kind	S	from:	to:	
-1114. 7. 1.≥	E	0	E	67	67	
-1114. 7. 1.≥	E	5	B	67	67	
	E	7	B	66	67	
-1114. 7. 1.≥	+	0	+	67	67	
		0	E	0	0	
-1114. 7. 1.≥	E	0	E	0	67	
-1114. 7. 1.≥				333rd position to B Elon		66

15696 Bytes yet free.

(294th/333) position: -1370. 1. 1.≥ B Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Kn	S	from:	to:†	
-1370. 1. 1.≥	B	0	B	78	78	
-1370. 1. 1.≥	B	1	E	79	78	
	B	5	E	78	78	
		0	B	0	0	
-1370. 1. 1.≥	B	0	B	0	78	
-1353. 1. 1.≥				334th position to E Eglon		78

15696 Bytes yet free.

(295th/334) position: -1409. 9. 1.≥ B Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kn	S	from:	to:†	
-1409. 9. 1.≥	B	0	B	79	79	
-1409. 9. 1.≥	B	1	E	80	79	
-1411. 1. 1.≥	B	5	E	79	79	
		0	B	0	0	
-1409. 9. 1.≥	B	0	B	0	79	
-1370. 9. 1.≥				335th position to E Othniel		79

15696 Bytes yet free.

(296th/335) position: -2302. 9.15. -2277.11. 6. * Serug 99

Forward relations for entry Serug (99/120) are generated.

Optimize dates...

Serug	D	Kn	S	from:	to:†	
-2302. 9.15. -2277.11. 6. *	0	*		99	99	
-2302. 9.15. -2277.11. 6. *	3	*		100	99	
	9	*		98	99	
	10	+		100	99	
	0	*		0	0	
-2302. 9.15. -2277.11. 6. *	0	*		0	99	
-2273. 9.15. -2246.11. 6.				336th position to * Nahor		98
-2096. 9.15. -2069.11. 6.				337th position to + Reu		100

15696 Bytes yet free.

(297th/337) position: -2125. 9.15. -2100.11. 6. + Peleg 101

Forward relations for entry Peleg (101/120) are generated.

Optimize dates...

Peleg	D	Kn	S	from:	to:†	
-2125. 9.15. -2100.11. 6. +	0	+		101	101	
-2125. 9.15. -2100.11. 6. +	4	*		100	101	
	0	+		0	0	
-2125. 9.15. -2100.11. 6. +	0	+		0	101	

15696 Bytes yet free.

(298th/337) position: - 747. 1.22. - 736. 8.29. B Ahaz 18

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kn	S	from:	to:†	

```

- 747. 1.22. - 736. 8.29. B 0 B 17 17||
- 748. 9. 1. - 736. 8.29. B 1 E 19 17||
- 750. 9. 1. - 734. 8.29. B 4 * 17 17||
- 747. 1.22. - 734. 8.29. B 9 B 16 17||
- 747. 1.22. - 736. 8.29. B 5 E 18 18||
- 747. 1.22. - 736. 8.29. B 0 B 0 0||
- 747. 1.22. - 736. 8.29. B 0 B 0 17||
- 747. 1.22. - 736. 8.29. 338th position to E Jotham 19
- 768. 1.22. - 755. 8.29. 339th position to * Ahaz 17

```

15696 Bytes yet free.

(299th/339) position: - 734. 1.22. - 723. 8.29. E Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

```

Pekah D Knd S from: to:|
- 734. 1.22. - 723. 8.29. E 0 E 21 21||
- 737. 9. 1. - 722. 8.29. E 5 B 21 21||
- 734. 1.22. - 723. 8.29. E 7 B 16 21||
- 734. 1.22. - 723. 8.29. + 0 + 21 21||
- 734. 1.22. - 723. 8.29. 0 E 0 0||
- 734. 1.22. - 723. 8.29. E 0 E 0 21||
- 755. 1.22. - 743. 8.29. 340th position to B Pekah 21

```

15696 Bytes yet free.

(300th/340) position: -1415. 1.22. -1404. 8.29. B Inheritance of Israel 81

Forward relations for entry Inheritance of Israel (81/120) are generated.

Backward relations for entry Caleb (82/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Optimize dates...

```

Inheritance of Israel D Knd S from: to:|
-1415. 1.22. -1404. 8.29. B 0 B 81 81||
-1418. 9. 1. -1402. 8.29. B 3 B 85 81||
-1418. 9. 1. -1402. 8.29. B 4 * 82 81||
-1418. 9. 1. -1402. 8.29. B 7 + 82 81||
-1418. 9. 1. -1402. 8.29. B 8 + 83 81||
-1415. 1.22. -1404. 8.29. B 10 B 13 81||
-1415. 1.22. -1404. 8.29. B 0 B 0 0||
-1415. 1.22. -1404. 8.29. B 0 B 0 81||
-1461. 1.22. -1448. 8.29. 341st position to B Explorers of Canaan 85
-1501. 1.22. -1488. 8.29. 342nd position to * Caleb 82
-1415. 1.22. ≥ 343rd position to + Caleb 82
-1415. 1.22. ≥ 344th position to + Joshua 83

```

15696 Bytes yet free.

(301st/344) position: - 715. 1.22. - 704. 8.29. E 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

```

14th Jubile Year D Knd S from: to:|
- 715. 1.22. - 704. 8.29. E 0 E 13 13||
- 715. 1.22. - 704. 8.29. E 6 B 13 13||
- 715. 1.22. - 704. 8.29. 0 E 0 0||
- 715. 1.22. - 704. 8.29. E 0 E 0 13||

```

15696 Bytes yet free.

(302nd/344) position: - 725. 1.22. - 714. 8.29. E Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kind	S	from:	to:
- 725. 1.22. - 714. 8.29.	E	0	E	16	16
- 726. 1.22. - 713. 8.29.	E	5	B	16	16
- 725. 1.22. - 714. 8.29.	E	7	B	15	16
		0	E	0	0
- 725. 1.22. - 714. 8.29.	E	0	E	0	16

15696 Bytes yet free.

(303rd/344) position: - 770. 2. 1. - 755. 8.29. B Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:
- 770. 2. 1. - 755. 8.29.	B	0	B	25	25
- 771.12. 1. - 755. 8.29.	B	1	E	27	25
- 771. 9. 1. - 755. 8.29.	B	3	B	26	25
- 770. 2. 1. - 755.10.29.	B	5	E	25	25
		0	B	0	0
- 770. 2. 1. - 755. 8.29.	B	0	B	0	25
- 770. 2. 1. - 755. 8.29.				345th position to E Jeroboam (Joash)	27

15696 Bytes yet free.

(304th/345) position: ≤- 795. 8.29. + Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:
≤- 795. 8.29.	E	0	E	39	39
- 830.12. 1. ≥	E	2	B	30	39
≤- 795. 8.29. +		0	+	39	39
≤- 795. 8.29. +		8	E	30	39
829Y 1M		0	E	0	0
- 830.12. 1. - 795. 8.29.	E	0	E	0	39
- 830.12. 1. - 795. 8.29.				346th position to E Elisha	39

15696 Bytes yet free.

(305th/346) position: - 830.12. 1. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:
- 830.12. 1. - 810. 8.29.	B	0	B	30	30
	B	1	E	31	30
	B	3	B	32	30
- 830.12. 1. - 810. 8.29.	B	5	E	30	30
≤- 795. 8.29.	B	8	E	39	30
- 832.12. 1. - 810. 8.29.	B	9	B	28	30
		0	B	0	0
- 830.12. 1. - 810. 8.29.	B	0	B	0	30
- 830.12. 1. - 810. 8.29.				347th position to E Jehoahaz (Jehu)	31
- 868.12. 1. - 846. 8.29.				348th position to B Joash (Ahaziah)	32

15696 Bytes yet free.

(306th/348) position: - 799.12. 1. - 779. 8.29. + Amaziah 29

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.
Optimize dates...

Amaziah	D	Kind	S	from:	to:
- 799.12. 1. - 779. 8.29. E	0	E		28	28
- 801.12. 1. - 779. 8.29. E	6	B		28	28
- 799.12. 1. - 779. 8.29. +	0	+		28	28
- 799.12. 1. - 779. 8.29. +	3	+		30	29
	0	E		0	0
- 799.12. 1. - 779. 8.29. E	0	E		0	28

15696 Bytes yet free.

(307th/348) position: - 829.12. 1. - 809. 8.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 829.12. 1. - 809. 8.29. E	0	E		32	32
- 829.12. 1. - 805. 8.29. E	5	B		32	32
- 829.12. 1. - 809. 8.29. E	7	B		28	32
- 829.12. 1. - 809. 8.29. +	0	+		32	32
	0	E		0	0
- 829.12. 1. - 809. 8.29. E	0	E		0	32
- 868.12. 1. - 848. 8.29.				349th position to B Joash (Ahaziah)	32

15696 Bytes yet free.

(308th/349) position: - 855.12. 1. - 833. 8.29. * Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:
- 855.12. 1. - 833. 8.29. *	0	*		28	28
- 855.12. 1. - 833. 8.29. *	10	B		28	28
	0	*		0	0
- 855.12. 1. - 833. 8.29. *	0	*		0	28

15696 Bytes yet free.

(309th/349) position: -2090. 1. 1. -2066.12.30. B Fire upon Sodom 92

Forward relations for entry Fire upon Sodom (92/120) are generated.

Backward relations for entry Isaac (91/120) are generated.

Optimize dates...

Fire upon Sodom	D	Kind	S	from:	to:
-2090. 1. 1. -2066.12.30. B	0	B		92	92
-2090. 1. 1. -2065.12.30. B	3	*		96	92
≤-2066. 8.29. B	7	*		91	92
4M 1D	0	B		0	0
-2090. 1. 1. -2066. 8.29. B	0	B		0	92
-2090. 1. 1. -2066. 8.29.				350th position to B Fire upon Sodom	92

15696 Bytes yet free.

(310th/350) position: -2259. 1. 1. -2234.12.30. * Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah	D	Kind	S	from:	to:
-2259. 1. 1. -2234.12.30. *	0	*		97	97
-2245. 9.15. -2216.11. 6. *	3	*		98	97
	5	+		97	97

```

-2259. 1. 1. -2234.12.30. * 9 * 96 97||
                        * 10 + 98 97||
14Y 8M14D 0 * 0 0||
-2245. 9.15. -2234.12.30. * 0 * 0 97||
-2245. 9.15. -2234.12.30. 351st position to * Terah 97
-2273. 9.15. -2262.12.30. 352nd position to * Nahor 98
-2101. 9.15. -2088.12.30. 353rd position to + Terah 97
-2176. 9.15. -2165.12.30. 354th position to * Abram = Abraham 96
-2127. 9.15. -2114.12.30. 355th position to + Nahor 98

```

15696 Bytes yet free.

(311th/355) position: -2014. 1. 1. -1989.12.30. + Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

```

Abram = Abraham D Knd S from: to:|
-2014. 1. 1. -1989.12.30. E 0 E 96 96||
-2014. 1. 1. -1989.12.30. + 0 + 96 96||
-2002. 9.15. -1989.12.30. + 5 * 96 96||
12Y 8M14D 0 E 0 0||
-2002. 9.15. -1989.12.30. E 0 E 0 96||
-2002. 9.15. -1989.12.30. 356th position to E Abram = Abraham 96

```

15696 Bytes yet free.

(312th/356) position: -2103. 1. 1. -2078.12.30. * Ishmael 93

Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

```

Ishmael D Knd S from: to:|
-2103. 1. 1. -2078.12.30. * 0 * 93 93||
                        * 1 B 94 93||
-2091. 9.15. -2078.12.30. * 3 * 96 93||
                        * 5 + 93 93||
12Y 8M14D 0 * 0 0||
-2091. 9.15. -2078.12.30. * 0 * 0 93||
-2091. 9.15. -2078.12.30. 357th position to * Ishmael 93
                        ≤-2078.12.30. 358th position to B Battle in Siddim Vale 94
-1955. 9.15. -1940.12.30. 359th position to + Ishmael 93

```

15696 Bytes yet free.

(313th/359) position: -2114. 1. 1. -2089.12.30. B Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

```

Abram = Abraham D Knd S from: to:|
-2114. 1. 1. -2089.12.30. B 0 B 96 96||
-2101. 9.15. ≥ 96 96||
-2102. 9.15. -2089.12.30. B 4 * 96 96||
                        ≤-2078.12.30. B 7 B 94 96||
13Y 8M14D 0 B 0 0||
-2101. 9.15. -2089.12.30. B 0 B 0 96||
-2101. 9.15. -2089.12.30. 360th position to B Abram = Abraham 96
-2101. 9.15. -2089.12.30. 361st position to + Terah 97
-2101. 9.15. -2078.12.30. 362nd position to B Battle in Siddim Vale 94

```

15696 Bytes yet free.

(314th/362) position: -2052. 1. 1. -2027.12.30. + Sarai = Sarah 95

Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

Sarai = Sarah	D	Kn	S	from:	to:
-2052. 1. 1. -2027.12.30. +	0	+		95	95
-2052. 1. 1. -2027.12.30. +	5	*		95	95
	0	+		0	0
-2052. 1. 1. -2027.12.30. +	0	+		0	95

15696 Bytes yet free.

(315th/362) position: -1023. 1. 1. -1004. 2.30. α David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:
-1023. 1. 1. -1004. 2.30. α	0	α		58	58
	α	1	E	59	58
-1023. 1. 1. -1004. 4.30. α	4	B		58	58
-1023. 4. 1. -1005.10.29. α	6	Ω		58	58
Y 3M 4M 1D	0	α		0	0
-1023. 4. 1. -1005.10.29. α	0	α		0	58
-1023. 4. 1. -1005.10.29.	363rd position to α David				58
≤-1005.10.29.	364th position to E Ishbosheth				59
-1031. 9. 1. -1012. 5.29.	365th position to B David				58

15696 Bytes yet free.

(316th/365) position: ≤-1005.10.29. E Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Kn	S	from:	to:
≤-1005.10.29. E	0	E		59	59
	E	5	B	59	59
≤-1005.10.29. E	7	α		58	59
≤-1005.10.29. +	0	+		59	59
	0	E		0	0
≤-1005.10.29. E	0	E		0	59
≤-1006.10.29.	366th position to B Ishbosheth				59

15696 Bytes yet free.

(317th/366) position: -1031. 9. 1. -1012. 5.29. B David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:
-1031. 9. 1. -1012. 5.29. B	0	B		58	58
-1031. 8. 1. -1012. 9.30. B	2	E		60	58
-1033. 8. 1. -1010. 9.30. B	3	*		58	58
-1030. 4. 1. -1012.10.29. B	5	E		58	58
-1031. 9. 1. -1012. 5.29. B	10	α		58	58
7M	0	B		0	0
-1030. 4. 1. -1012. 5.29. B	0	B		0	58
-1030. 4. 1. -1012. 5.29.	367th position to B David				58
-1030. 4. 1. -1012. 5.29.	368th position to E Saul				60
-1061. 4. 1. -1041. 5.29.	369th position to * David				58
-1023. 9. 1. -1005.10.29.	370th position to α David				58

15696 Bytes yet free.

(318th/370) position: -1030. 4. 1. -1012. 5.29. E Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kind	S	from:	to:
-1030. 4. 1. -1012. 5.29. E	0	E		60	60
-1042. 7. 1. ≥	E	5	B	60	60
≤ -1006.10.29. E	7	B		59	60
-1030. 4. 1. -1012. 5.29. E	8	B		58	60
-1030. 4. 1. -1012. 5.29. +	0	+		60	60
	0	E		0	0
-1030. 4. 1. -1012. 5.29. E	0	E		0	60
-1071. 4. 1. -1051. 5.29.	371st	position	to B Saul		60
-1030. 4. 1. -1012. 5.29.	372nd	position	to B Ishbosheth		59

15696 Bytes yet free.

(319th/372) position: -1061. 4. 1. -1041. 5.29. * David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
-1061. 4. 1. -1041. 5.29. *	0	*		58	58
-1061. 4. 1. -1041. 5.29. *	9	B		58	58
	0	*		0	0
-1061. 4. 1. -1041. 5.29. *	0	*		0	58

15696 Bytes yet free.

(320th/372) position: - 930. 8. 1. - 908. 2.30. E Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
- 930. 8. 1. - 908. 2.30. E	0	E		53	53
- 930. 8. 1. - 908. 2.30. E	5	B		53	53
	7	B		50	53
- 930. 8. 1. - 908. 2.30. +	0	+		53	53
	0	E		0	0
- 930. 8. 1. - 908. 2.30. E	0	E		0	53
- 930. 8. 1. - 908. 2.30.	373rd	position	to B Nadab		50

15696 Bytes yet free.

(321st/373) position: - 932. 8. 1. - 910. 2.30. B Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:
- 932. 8. 1. - 910. 2.30. B	0	B		51	51
	1	E		52	51
- 932. 8. 1. - 910. 2.30. B	3	B		53	51
	5	E		51	51
	9	B		44	51
	9	α		45	51
	9	B		47	51
	9	B		48	51
	9	B		49	51
- 933. 8. 1. - 909. 2.30. B	9	B		50	51
	10	+		48	51
	10	+		50	51
	0	B		0	0
- 932. 8. 1. - 910. 2.30. B	0	B		0	51

- 932. 8. 1. - 910. 2.30.	374th position to E Abijam = Abijah	52
- 892. 8. 1. - 868. 2.30.	375th position to E Asa	51
- 895. 8. 1. - 871. 2.30.	376th position to B Ahab	44
- 902. 8. 1. - 878. 2.30.	377th position to α Omri	45
- 906. 8. 1. - 882. 2.30.	378th position to B Zimri	47
- 907. 8. 1. - 883. 2.30.	379th position to B Elah	48
- 930. 8. 1. - 906. 2.30.	380th position to B Baasha	49
- 906. 8. 1. - 882. 2.30.	381st position to + Elah	48
- 930. 8. 1. - 906. 2.30.	382nd position to + Nadab	50

15696 Bytes yet free.

(322nd/382) position: - 934. 8. 1. - 912. 2.30. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D Knd S	from:	to:
- 934. 8. 1. - 912. 2.30. B 0 B		52	52
- 935. 8. 1. - 913. 2.30. B 1 E		54	52
- 934. 8. 1. - 912. 2.30. B 3 B		53	52
- 936. 8. 1. - 912. 2.30. B 5 E		52	52
1Y 0 B		0	0
- 934. 8. 1. - 913. 2.30. B 0 B		0	52
- 934. 8. 1. - 913. 2.30.	383rd position to B Abijam = Abijah		52
- 934. 8. 1. - 913. 2.30.	384th position to E Rehoboam		54

15696 Bytes yet free.

(323rd/384) position: - 993. 8. 1. - 971. 2.30. * Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D Knd S	from:	to:
- 993. 8. 1. - 971. 2.30. * 0 *		54	54
- 993. 8. 1. - 971. 2.30. * 9 B		54	54
0 *		0	0
- 993. 8. 1. - 971. 2.30. * 0 *		0	54

15696 Bytes yet free.

(324th/384) position: - 934. 8. 1. - 913. 2.30. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D Knd S	from:	to:
- 934. 8. 1. - 913. 2.30. E 0 E		54	54
- 935. 8. 1. - 913. 2.30. E 5 B		54	54
- 934. 8. 1. - 913. 2.30. E 7 B		52	54
- 934. 8. 1. - 913. 2.30. + 0 +		54	54
0 E		0	0
- 934. 8. 1. - 913. 2.30. E 0 E		0	54

15696 Bytes yet free.

(325th/384) position: -2087. 9. 1. -2066. 8.29. * Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D Knd S	from:	to:
-2087. 9. 1. -2066. 8.29. * 0 *		91	91
-2090. 1. 1. ≥ * 1 B		92	91
-2077. 9.15. -2064.12.30. * 3 *		96	91
-2089. 1. 1. -2064.12.30. * 5 +		91	91

```

-2089. 1. 1. -2064.12.30. * 4 * 95 91||
-2087. 9. 1. -2066. 8.29. * 9 * 90 91||
10Y 14D 0 * 0 0||
-2077. 9.15. -2066. 8.29. * 0 * 0 91||
-2077. 9.15. -2066. 8.29. 385th position to * Isaac 91
-2176. 9.15. -2165. 8.29. 386th position to * Abram = Abraham 96
-1898. 9.15. -1885. 8.29. 387th position to + Isaac 91
-2168. 9.15. -2155. 8.29. 388th position to * Sarai = Sarah 95
-2018. 9.15. -2007. 8.29. 389th position to * Jacob = Israel 90

```

15696 Bytes yet free.

(326th/389) position: - 989. 4. 1. - 973.10.29. E David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Knd	S	from:	to:
- 989. 4. 1. - 973.10.29.	Ω	0	Ω	58	58
- 991. 9. 1. - 971.10.29.	Ω	6	α	58	58
- 989. 4. 1. - 973.10.29.	E	0	E	58	58
- 991. 4. 1. - 971. 5.29.	E	5	B	58	58
- 989. 4. 1. - 973.10.29.	E	7	B	57	58
- 989. 4. 1. - 973.10.29.	+	0	+	58	58
		0	Ω	0	0
- 989. 4. 1. - 973.10.29.	Ω	0	Ω	0	58

15696 Bytes yet free.

(327th/389) position: - 950. 4. 1. - 932.10.29. E Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Knd	S	from:	to:
- 950. 4. 1. - 932.10.29.	E	0	E	57	57
- 950. 4. 1. - 932.10.29.	E	5	B	57	57
- 951. 8. 1. - 931. 2.30.	E	7	B	53	57
- 951. 8. 1. - 931. 2.30.	E	7	B	54	57
- 950. 4. 1. - 932.10.29.	+	0	+	57	57
		0	E	0	0
- 950. 4. 1. - 932.10.29.	E	0	E	0	57
- 950. 4. 1. - 932.10.29.				390th position to B Jeroboam (Nebat)	53
- 950. 4. 1. - 932.10.29.				391st position to B Rehoboam	54

15696 Bytes yet free.

(328th/391) position: ≤-1127. 6.30. B Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Knd	S	from:	to:
≤-1127. 6.30.	B	0	B	72	72
	B	1	E	73	72
≤-1127. 6.30.	B	5	E	72	72
		0	B	0	0
≤-1127. 6.30.	B	0	B	0	72
≤-1127. 6.30.				392nd position to E Gideon = Jerubbaal	73

15696 Bytes yet free.

(329th/392) position: -1102. 7. 1.≥ B Samuel 61

Forward relations for entry Samuel (61/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel	D	Kind	S	from:	to:†	
-1102. 7. 1.≥	B	0	B	61	61	
	B	2	E	64	61	
-1102. 7. 1.≥	B	9	E	63	61	
		0	B	0	0	
-1102. 7. 1.≥	B	0	B	0	61	
-1102. 7. 1.≥				393rd position to E Eli		64

15696 Bytes yet free.

(330th/393) position: -1081. 7. 1.≥ E Samuel 61

Forward relations for entry Samuel (61/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel	D	Kind	S	from:	to:†	
-1081. 7. 1.≥	E	0	E	61	61	
-1081. 7. 1.≥	E	1	E	63	61	
-1071. 4. 1. -1051. 5.29.	E	7	B	60	61	
9Y 9M 1050Y 7M 2D		0	E	0	0	
-1071. 4. 1. -1051. 5.29.	E	0	E	0	61	
-1071. 4. 1. -1051. 5.29.				394th position to E Samuel		61
-1081. 7. 1. -1051. 5.29.				395th position to E Philistines		63

15696 Bytes yet free.

(331st/395) position: -1071. 4. 1. -1051. 5.29. B Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kind	S	from:	to:†	
-1071. 4. 1. -1051. 5.29.	B	0	B	60	60	
-1071. 4. 1. -1051. 5.29.	B	1	E	61	60	
-1081. 7. 1.≥	B	2	E	63	60	
-1071. 4. 1. -1051. 5.29.	B	5	E	60	60	
		0	B	0	0	
-1071. 4. 1. -1051. 5.29.	B	0	B	0	60	

15696 Bytes yet free.

(332nd/395) position: -1101. 7. 1.≥ E Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kind	S	from:	to:†	
-1101. 7. 1.≥	E	0	E	62	62	
-1101. 7. 1.≥	E	5	B	62	62	
≤-1051. 5.29.	E	8	E	63	62	
-1101. 7. 1.≥	+	0	+	62	62	
1050Y 7M 2D		0	E	0	0	
-1101. 7. 1. -1051. 5.29.	E	0	E	0	62	
-1101. 7. 1. -1051. 5.29.				396th position to E Samson		62
-1120. 7. 1. -1070. 5.29.				397th position to B Samson		62

15696 Bytes yet free.

(333rd/397) position: -1114. 7. 1.≥ B Elon 66

Forward relations for entry Elon (66/120) are generated.

Backward relations for entry Abdon (65/120) are generated.

Optimize dates...

Elon	D Knd S	from:	to:	
-1114. 7. 1.≥	B 0 B	66	66	
-1114. 7. 1.≥	B 1 E	67	66	
	B 5 E	66	66	
	0 B	0	0	
-1114. 7. 1.≥	B 0 B	0	66	
-1105. 7. 1.≥	398th position to E Elon			66

15696 Bytes yet free.

(334th/398) position: -1353. 1. 1.≥ E Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D Knd S	from:	to:	
-1353. 1. 1.≥	E 0 E	78	78	
-1353. 1. 1.≥	E 5 B	78	78	
	E 7 B	77	78	
-1353. 1. 1.≥	+ 0 +	78	78	
	0 E	0	0	
-1353. 1. 1.≥	E 0 E	0	78	
-1353. 1. 1.≥	399th position to B Ehud			77

15696 Bytes yet free.

(335th/399) position: -1370. 9. 1.≥ E Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D Knd S	from:	to:	
-1370. 9. 1.≥	E 0 E	79	79	
-1370. 9. 1.≥	E 5 B	79	79	
-1370. 1. 1.≥	E 7 B	78	79	
-1370. 9. 1.≥	+ 0 +	79	79	
	0 E	0	0	
-1370. 9. 1.≥	E 0 E	0	79	
-1370. 9. 1.≥	400th position to B Eglon			78

15696 Bytes yet free.

(336th/400) position: -2273. 9.15. -2262.12.30. * Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

Nahor	D Knd S	from:	to:	
-2273. 9.15. -2262.12.30. *	0 *	98	98	
-2273. 9.15. -2246.11. 6. *	3 *	99	98	
-2275. 9.15. -2262.12.30. *	9 *	97	98	
	* 10 +	99	98	
	0 *	0	0	
-2273. 9.15. -2262.12.30. *	0 *	0	98	
-2302. 9.15. -2291.12.30.	401st position to * Serug			99
-2074. 9.15. -2061.12.30.	402nd position to + Serug			99

15696 Bytes yet free.

(337th/402) position: -2096. 9.15. -2069.11. 6. + Reu 100

Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D Knd S	from:	to:	
-2096. 9.15. -2069.11. 6. +	0 +	100	100	
-2096. 9.15. -2083.12.30. +	4 *	99	100	

```

13Y10M 6D      0 +      0      0||
-2096. 9.15. -2083.12.30. + 0 +      0      100||
-2096. 9.15. -2083.12.30. 403rd position to + Reu      100

```

15696 Bytes yet free.

(338th/403) position: - 747. 1.22. - 736. 8.29. E Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

```

Jotham      D Knd S      from:      to:|
- 747. 1.22. - 736. 8.29. E 0 E      19      19||
- 750. 9. 1. - 734. 8.29. E 6 B      19      19||
- 747. 1.22. - 736. 8.29. E 7 B      17      19||
      0 E      0      0||
- 747. 1.22. - 736. 8.29. E 0 E      0      19||
- 764. 1.22. - 751. 8.29. 404th position to B Jotham      19

```

15696 Bytes yet free.

(339th/404) position: - 768. 1.22. - 755. 8.29. * Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

```

Ahaz      D Knd S      from:      to:|
- 768. 1.22. - 755. 8.29. * 0 *      17      17||
- 768. 1.22. - 755. 8.29. * 10 B      17      17||
      0 *      0      0||
- 768. 1.22. - 755. 8.29. * 0 *      0      17||

```

15696 Bytes yet free.

(340th/404) position: - 755. 1.22. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

```

Pekah      D Knd S      from:      to:|
- 755. 1.22. - 743. 8.29. B 0 B      21      21||
- 756. 9. 1. - 743. 8.29. B 1 E      22      21||
- 757. 9. 1. - 741. 8.29. B 3 B      26      21||
- 755. 1.22. - 742. 8.29. B 5 E      21      21||
- 758. 9. 1. - 741. 8.29. B 9 α      17      21||
- 758. 9. 1. - 743. 8.29. B 9 α      19      21||
      0 B      0      0||
- 755. 1.22. - 743. 8.29. B 0 B      0      21||
- 755. 1.22. - 743. 8.29. 405th position to E Pekahiah      22
- 739. 1.22. - 725. 8.29. 406th position to α Ahaz      17
- 754. 1.22. - 742. 8.29. 407th position to α Jotham      19

```

15696 Bytes yet free.

(341st/407) position: -1461. 1.22. -1448. 8.29. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

```

Explorers of Canaan      D Knd S      from:      to:|
-1461. 1.22. -1448. 8.29. B 0 B      85      85||
-1463. 9. 1. -1447. 8.29. B 3 E      89      85||
-1462. 9. 1. -1448. 8.29. B 5 E      85      85||
-1462. 1.22. -1447. 8.29. B 4 *      82      85||
-1461. 1.22. -1448. 8.29. B 9 B      81      85||

```

```

-1463. 7. 1. -1446. 6.30. B   9 B      84      85||
                        0 B      0      0||
-1461. 1.22. -1448. 8.29. B   0 B      0      85||
-1463. 1.22. -1449. 8.29.   408th position to E Israel in Egypt      89
-1461. 3. 2. -1448.10. 9.   409th position to E Explorers of Canaan  85

```

15696 Bytes yet free.

```

(342nd/409) position: -1501. 1.22. -1488. 8.29.   * Caleb      82
Forward relations for entry Caleb      (82/120) are generated.

```

Optimize dates...

Caleb	D	Kn	S	from:	to:
-1501. 1.22. -1488. 8.29. *	0	*		82	82
-1501. 1.22. -1488. 8.29. *	10	B		81	82
-1502. 1.22. -1487. 8.29. *	10	B		85	82
	0	*		0	0
-1501. 1.22. -1488. 8.29. *	0	*		0	82

15696 Bytes yet free.

```

(343rd/409) position: -1415. 1.22.>      + Caleb      82
Forward relations for entry Caleb      (82/120) are generated.

```

Optimize dates...

Caleb	D	Kn	S	from:	to:
-1415. 1.22.>	+	0	+	82	82
-1415. 1.22.>	+	1	B	81	82
		0	+	0	0
-1415. 1.22.>	+	0	+	0	82

15696 Bytes yet free.

```

(344th/409) position: -1415. 1.22.>      + Joshua      83
Forward relations for entry Joshua      (83/120) are generated.

```

```

Backward relations for entry Chushanrishathaim      (80/120) are generated.

```

Optimize dates...

Joshua	D	Kn	S	from:	to:
-1415. 1.22.>	E	0	E	83	83
	E	7	B	80	83
-1415. 1.22.>	+	0	+	83	83
-1415. 1.22.>	+	2	B	81	83
-1418. 9. 1.>	+	5	*	83	83
		0	E	0	0
-1415. 1.22.>	E	0	E	0	83
-1415. 1.22.>				410th position to B Chushanrishathaim	80
-1526. 1.22.>				411th position to * Joshua	83

15696 Bytes yet free.

```

(345th/411) position: - 770. 2. 1. - 755. 8.29.   E Jeroboam (Joash)      27
Forward relations for entry Jeroboam (Joash)      (27/120) are generated.

```

```

Backward relations for entry Zachariah      (25/120) are generated.

```

Optimize dates...

Jeroboam (Joash)	D	Kn	S	from:	to:
- 770. 2. 1. - 755. 8.29. E	0	E		27	27
- 773.12. 1. - 753. 8.29. E	5	B		27	27
- 770. 2. 1. - 755. 8.29. E	7	B		25	27
- 770. 2. 1. - 755. 8.29. +	0	+		27	27
	0	E		0	0
- 770. 2. 1. - 755. 8.29. E	0	E		0	27
- 812. 2. 1. - 795. 8.29.				412th position to B Jeroboam (Joash)	27

15696 Bytes yet free.

(346th/412) position: - 830.12. 1. - 795. 8.29. E Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:
- 830.12. 1. - 795. 8.29.	E	0	E	39	39
- 830.12. 1. ≥	E	2	B	30	39
- 830.12. 1. - 795. 8.29. +	0	+		39	39
≤- 795. 8.29. +	8	E		30	39
	0	E		0	0
- 830.12. 1. - 795. 8.29.	E	0	E	0	39

15696 Bytes yet free.

(347th/412) position: - 830.12. 1. - 810. 8.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:
- 830.12. 1. - 810. 8.29.	E	0	E	31	31
	E	5	B	31	31
- 830.12. 1. - 810. 8.29.	E	7	B	30	31
- 830.12. 1. - 810. 8.29. +	0	+		31	31
	0	E		0	0
- 830.12. 1. - 810. 8.29.	E	0	E	0	31
- 848.12. 1. - 826. 8.29.				413th position to B Jehoahaz (Jehu)	31

15696 Bytes yet free.

(348th/413) position: - 868.12. 1. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 868.12. 1. - 848. 8.29.	B	0	B	32	32
	B	1	E	34	32
	B	3	B	33	32
- 870.12. 1. - 848. 8.29.	B	5	E	32	32
	B	4	*	32	32
- 868.12. 1. - 846. 8.29.	B	9	B	30	32
- 872.12. 1. - 848. 8.29.	B	9	B	31	32
	0	B		0	0
- 868.12. 1. - 848. 8.29.	B	0	B	0	32
- 868.12. 1. - 848. 8.29.				414th position to E Athaliah	34
- 876.12. 1. - 854. 8.29.				415th position to B Jehu	33
- 876.12. 1. - 854. 8.29.				416th position to * Joash (Ahaziah)	32
- 846.12. 1. - 826. 8.29.				417th position to B Jehoahaz (Jehu)	31

15696 Bytes yet free.

(349th/417) position: - 868.12. 1. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 868.12. 1. - 848. 8.29.	B	0	B	32	32
- 868.12. 1. - 848. 8.29.	B	1	E	34	32
- 870.12. 1. - 846. 8.29.	B	3	B	33	32
- 870.12. 1. - 848. 8.29.	B	5	E	32	32
- 870.12. 1. - 846. 8.29.	B	4	*	32	32
- 868.12. 1. - 846. 8.29.	B	9	B	30	32


```

- 870.12. 1. - 848. 8.29. B   9 B      31      32||
                        0 B      0      0||
- 868.12. 1. - 848. 8.29. B   0 B      0      32||

```

15696 Bytes yet free.

(350th/417) position: -2090. 1. 1. -2066. 8.29. B Fire upon Sodom 92

Forward relations for entry Fire upon Sodom (92/120) are generated.

Backward relations for entry Isaac (91/120) are generated.

Optimize dates...

```

Fire upon Sodom      D Knd S      from:      to:|
-2090. 1. 1. -2066. 8.29. B   0 B      92      92||
-2078. 9.15. -2065. 8.29. B   3 *      96      92||
      ≤-2066. 8.29. B   7 *      91      92||
      12Y 8M14D      0 B      0      0||
-2078. 9.15. -2066. 8.29. B   0 B      0      92||
-2078. 9.15. -2066. 8.29. 418th position to B Fire upon Sodom 92

```

15696 Bytes yet free.

(351st/418) position: -2245. 9.15. -2234.12.30. * Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

```

Terah      D Knd S      from:      to:|
-2245. 9.15. -2234.12.30. *   0 *      97      97||
-2245. 9.15. -2232.12.30. *   3 *      98      97||
-2247. 9.15. -2233.12.30. *   5 +      97      97||
-2247. 9.15. -2234. 8.29. *   9 *      96      97||
-2247. 9.15. -2232.12.30. *  10 +      98      97||
      4M 1D      0 *      0      0||
-2245. 9.15. -2234. 8.29. *   0 *      0      97||
-2245. 9.15. -2234. 8.29. 419th position to * Terah 97
-2273. 9.15. -2262. 8.29. 420th position to * Nahor 98
-2127. 9.15. -2114. 8.29. 421st position to + Nahor 98

```

15696 Bytes yet free.

(352nd/421) position: -2273. 9.15. -2262. 8.29. * Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

```

Nahor      D Knd S      from:      to:|
-2273. 9.15. -2262. 8.29. *   0 *      98      98||
-2273. 9.15. -2260.12.30. *   3 *      99      98||
-2275. 9.15. -2262. 8.29. *   9 *      97      98||
-2275. 9.15. -2260.12.30. *  10 +      99      98||
      0 *      0      0||
-2273. 9.15. -2262. 8.29. *   0 *      0      98||
-2302. 9.15. -2291. 8.29. 422nd position to * Serug 99
-2074. 9.15. -2061. 8.29. 423rd position to + Serug 99

```

15696 Bytes yet free.

(353rd/423) position: -2101. 9.15. -2089.12.30. + Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

```

Terah      D Knd S      from:      to:|
-2101. 9.15. -2089.12.30. +   0 +      97      97||
-2101. 9.15. -2088. 8.29. +   5 *      97      97||
      ≤-2089.12.30. +   7 B      96      97||
      0 +      0      0||

```

-2101. 9.15. -2089.12.30. + 0 + 0 97||

15696 Bytes yet free.

(354th/423) position: -2176. 9.15. -2165. 8.29. * Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:	
-2176. 9.15. -2165. 8.29. *	0	*		96	96	
-2176. 9.15. -2163. 8.29. *	3	*		97	96	
-2178. 9.15. -2163.12.30. *	5	+		96	96	
-2178. 9.15. -2165. 8.29. *	9	*		91	96	
-2178. 9.15. -2164. 8.29. *	9	B		92	96	
-2178. 9.15. -2163.12.30. *	9	*		93	96	
-2177. 9.15. -2163.12.30. *	10	B		96	96	
	0	*		0	0	
-2176. 9.15. -2165. 8.29. *	0	*		0	96	
-2002. 9.15. -1989. 8.29.	424th	position to +	Abram = Abraham			96
-2091. 9.15. -2078. 8.29.	425th	position to *	Ishmael			93
-2101. 9.15. -2089. 8.29.	426th	position to B	Abram = Abraham			96

15696 Bytes yet free.

(355th/426) position: -2127. 9.15. -2114. 8.29. + Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

Nahor	D	Kind	S	from:	to:	
-2127. 9.15. -2114. 8.29. +	0	+		98	98	
-2127. 9.15. -2114. 8.29. +	4	*		97	98	
	0	+		0	0	
-2127. 9.15. -2114. 8.29. +	0	+		0	98	

15696 Bytes yet free.

(356th/426) position: -2002. 9.15. -1989. 8.29. E Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:	
-2002. 9.15. -1989. 8.29. E	0	E		96	96	
-2002. 9.15. -1989. 8.29. +	0	+		96	96	
-2002. 9.15. -1989. 8.29. +	5	*		96	96	
	0	E		0	0	
-2002. 9.15. -1989. 8.29. E	0	E		0	96	

15696 Bytes yet free.

(357th/426) position: -2091. 9.15. -2078. 8.29. * Ishmael 93

Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Ishmael	D	Kind	S	from:	to:	
-2091. 9.15. -2078. 8.29. *	0	*		93	93	
-2101. 9.15. >	1	B		94	93	
-2091. 9.15. -2078. 8.29. *	3	*		96	93	
-2093. 9.15. -2076.12.30. *	5	+		93	93	
	0	*		0	0	
-2091. 9.15. -2078. 8.29. *	0	*		0	93	
-2101. 9.15. -2078. 8.29.	427th	position to B	Battle in Siddim Vale			94
-1955. 9.15. -1940. 8.29.	428th	position to +	Ishmael			93

15696 Bytes yet free.

(358th/428) position: -2101. 9.15. -2078. 8.29. B Battle in Siddim Vale 94
 Forward relations for entry Battle in Siddim Vale (94/120) are generated.
 Backward relations for entry Ishmael (93/120) are generated.
 Optimize dates...

Battle in Siddim Vale	D	Kn	S	from:	to:
-2101. 9.15. -2078. 8.29. B	0	B		94	94
-2101. 9.15. ≥	B	1	B	96	94
≤ -2078. 8.29. B	7	*		93	94
	0	B		0	0
-2101. 9.15. -2078. 8.29. B	0	B		0	94

15696 Bytes yet free.

(359th/428) position: -1955. 9.15. -1940. 8.29. + Ishmael 93
 Forward relations for entry Ishmael (93/120) are generated.
 Optimize dates...

Ishmael	D	Kn	S	from:	to:
-1955. 9.15. -1940. 8.29. +	0	+		93	93
-1955. 9.15. -1940. 8.29. +	5	*		93	93
	0	+		0	0
-1955. 9.15. -1940. 8.29. +	0	+		0	93

15696 Bytes yet free.

(360th/428) position: -2101. 9.15. -2089. 8.29. B Abram = Abraham 96
 Forward relations for entry Abram = Abraham (96/120) are generated.
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.
 Optimize dates...

Abram = Abraham	D	Kn	S	from:	to:
-2101. 9.15. -2089. 8.29. B	0	B		96	96
-2101. 9.15. ≥	B	1	+	97	96
-2102. 9.15. -2089. 8.29. B	4	*		96	96
≤ -2078. 8.29. B	7	B		94	96
	0	B		0	0
-2101. 9.15. -2089. 8.29. B	0	B		0	96
-2101. 9.15. -2089. 8.29.				429th position to + Terah	97

15696 Bytes yet free.

(361st/429) position: -2101. 9.15. -2089. 8.29. + Terah 97
 Forward relations for entry Terah (97/120) are generated.
 Backward relations for entry Abram = Abraham (96/120) are generated.
 Optimize dates...

Terah	D	Kn	S	from:	to:
-2101. 9.15. -2089. 8.29. +	0	+		97	97
-2101. 9.15. -2088. 8.29. +	5	*		97	97
≤ -2089. 8.29. +	7	B		96	97
	0	+		0	0
-2101. 9.15. -2089. 8.29. +	0	+		0	97

15696 Bytes yet free.

(362nd/429) position: -2101. 9.15. -2078. 8.29. B Battle in Siddim Vale 94
 Forward relations for entry Battle in Siddim Vale (94/120) are generated.
 Backward relations for entry Ishmael (93/120) are generated.
 Optimize dates...

Battle in Siddim Vale	D	Kn	S	from:	to:
-2101. 9.15. -2078. 8.29. B	0	B		94	94
-2101. 9.15. ≥	B	1	B	96	94
≤ -2078. 8.29. B	7	*		93	94
	0	B		0	0
-2101. 9.15. -2078. 8.29. B	0	B		0	94

Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kn	S	from:	to:†
-1030. 4. 1. -1012. 5.29. B	0	B		58	58
-1030. 4. 1. -1012. 5.29. B	2	E		60	58
-1032. 4. 1. -1010. 5.29. B	3	*		58	58
-1030. 4. 1. -1012.10.29. B	5	E		58	58
-1030. 2. 1. -1012. 5.29. B	10	α		58	58
	0	B		0	0
-1030. 4. 1. -1012. 5.29. B	0	B		0	58

15696 Bytes yet free.

(368th/431) position: -1030. 4. 1. -1012. 5.29. E Saul 60

Forward relations for entry Saul (60/120) are generated.
 Backward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Saul	D	Kn	S	from:	to:†
-1030. 4. 1. -1012. 5.29. E	0	E		60	60
-1032. 4. 1. -1010. 5.29. E	5	B		60	60
-1030. 4. 1. -1012. 5.29. E	7	B		59	60
-1030. 4. 1. -1012. 5.29. E	8	B		58	60
-1030. 4. 1. -1012. 5.29. +	0	+		60	60
	0	E		0	0
-1030. 4. 1. -1012. 5.29. E	0	E		0	60

15696 Bytes yet free.

(369th/431) position: -1061. 4. 1. -1041. 5.29. * David 58

Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kn	S	from:	to:†
-1061. 4. 1. -1041. 5.29. *	0	*		58	58
-1061. 4. 1. -1041. 5.29. *	9	B		58	58
	0	*		0	0
-1061. 4. 1. -1041. 5.29. *	0	*		0	58

15696 Bytes yet free.

(370th/431) position: -1023. 9. 1. -1005.10.29. α David 58

Forward relations for entry David (58/120) are generated.
 Backward relations for entry Solomon (57/120) are generated.
 Optimize dates...

David	D	Kn	S	from:	to:†
-1023. 9. 1. -1005.10.29. α	0	α		58	58
-1029. 4. 1. ≥	α	1	E	59	58
-1023. 9. 1. -1005.12.29. α	4	B		58	58
-1023. 4. 1. -1005.10.29. α	6	Ω		58	58
	0	α		0	0
-1023. 9. 1. -1005.10.29. α	0	α		0	58

15696 Bytes yet free.

(371st/431) position: -1071. 4. 1. -1051. 5.29. B Saul 60

Forward relations for entry Saul (60/120) are generated.
 Backward relations for entry Ishbosheth (59/120) are generated.
 Backward relations for entry David (58/120) are generated.
 Optimize dates...

Saul	D	Kn	S	from:	to:†
------	---	----	---	-------	------

-1071. 4. 1. -1051. 5.29. B	0 B	60	60
-1071. 4. 1. -1051. 5.29. B	1 E	61	60
-1081. 7. 1. ≥	B 2 E	63	60
-1071. 4. 1. -1051. 5.29. B	5 E	60	60
	0 B	0	0
-1071. 4. 1. -1051. 5.29. B	0 B	0	60

15696 Bytes yet free.

(372nd/431) position: -1030. 4. 1. -1012. 5.29. B Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D Knd S	from:	to:
-1030. 4. 1. -1012. 5.29. B	0 B	59	59
-1030. 4. 1. -1012. 5.29. B	1 E	60	59
-1032. 4. 1. -1010. 5.29. B	3 *	59	59
-1032. 4. 1. -1010. 5.29. B	5 E	59	59
	0 B	0	0
-1030. 4. 1. -1012. 5.29. B	0 B	0	59

15696 Bytes yet free.

(373rd/431) position: - 930. 8. 1. - 908. 2.30. B Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D Knd S	from:	to:
- 930. 8. 1. - 908. 2.30. B	0 B	50	50
- 930. 8. 1. - 908. 2.30. B	1 E	53	50
- 931. 8. 1. - 907. 2.30. B	3 B	51	50
- 933. 8. 1. - 907. 2.30. B	5 E	50	50
	0 B	0	0
- 930. 8. 1. - 908. 2.30. B	0 B	0	50
- 929. 8. 1. - 906. 2.30.	432nd position to E Nadab		50

15696 Bytes yet free.

(374th/432) position: - 932. 8. 1. - 910. 2.30. E Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D Knd S	from:	to:
- 932. 8. 1. - 910. 2.30. E	0 E	52	52
- 932. 8. 1. - 909. 2.30. E	5 B	52	52
- 932. 8. 1. - 910. 2.30. E	7 B	51	52
- 932. 8. 1. - 910. 2.30. +	0 +	52	52
	0 E	0	0
- 932. 8. 1. - 910. 2.30. E	0 E	0	52

15696 Bytes yet free.

(375th/432) position: - 892. 8. 1. - 868. 2.30. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D Knd S	from:	to:
- 892. 8. 1. - 868. 2.30. E	0 E	51	51
- 892. 8. 1. - 868. 2.30. E	5 B	51	51
	E 7 B	42	51
- 892. 8. 1. - 868. 2.30. +	0 +	51	51
	0 E	0	0

- 892. 8. 1. - 868. 2.30. E 0 E 0 51||
 - 892. 8. 1. - 868. 2.30. 433rd position to B Jehoshaphat 42

15696 Bytes yet free.

(376th/433) position: - 895. 8. 1. - 871. 2.30. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kn	S	from:	to:	
- 895. 8. 1. - 871. 2.30. B	0	B		44	44	
	B	1	E	45	44	
- 895. 8. 1. - 871. 2.30. B	3	B		51	44	
	B	5	E	44	44	
	B	7	B	43	44	
- 897. 8. 1. - 871. 2.30. B	9	B		42	44	
	0	B		0	0	
- 895. 8. 1. - 871. 2.30. B	0	B		0	44	
- 895. 8. 1. - 871. 2.30.				434th position to E Omri		45
- 874. 8. 1. - 848. 2.30.				435th position to E Ahab		44
- 895. 8. 1. ≥				436th position to B Elijah		43

15696 Bytes yet free.

(377th/436) position: - 902. 8. 1. - 878. 2.30. α Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kn	S	from:	to:	
- 902. 8. 1. - 878. 2.30. α	0	α		45	45	
	α	1	E	46	45	
- 902. 8. 1. - 878. 2.30. α	3	B		51	45	
	0	α		0	0	
- 902. 8. 1. - 878. 2.30. α	0	α		0	45	
- 902. 8. 1. - 878. 2.30.				437th position to E Tibni		46

15696 Bytes yet free.

(378th/437) position: - 906. 8. 1. - 882. 2.30. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kn	S	from:	to:	
- 906. 8. 1. - 882. 2.30. B	0	B		47	47	
- 906. 8. 1. - 882. 2.30. B	1	E		48	47	
- 906. 8. 1. - 882. 2.30. B	3	B		51	47	
	B	5	E	47	47	
	0	B		0	0	
- 906. 8. 1. - 882. 2.30. B	0	B		0	47	
- 906. 8. 7. - 882. 3. 8.				438th position to E Zimri		47

15696 Bytes yet free.

(379th/438) position: - 907. 8. 1. - 883. 2.30. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kn	S	from:	to:	
- 907. 8. 1. - 883. 2.30. B	0	B		48	48	
	B	1	E	49	48	

```

- 907. 8. 1. - 883. 2.30. B   3 B       51       48||
- 909. 8. 1. - 883. 2.30. B   5 E       48       48||
                        0 B         0       0||
- 907. 8. 1. - 883. 2.30. B   0 B         0       48||
- 907. 8. 1. - 883. 2.30.   439th position to E Baasha          49

```

15696 Bytes yet free.

(380th/439) position: - 930. 8. 1. - 906. 2.30. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

```

Baasha           D Knd S   from:   to:|
- 930. 8. 1. - 906. 2.30. B   0 B     49     49||
- 929. 8. 1. - 906. 2.30. B   1 E     50     49||
- 930. 8. 1. - 906. 2.30. B   3 B     51     49||
- 932. 8. 1. - 906. 2.30. B   5 E     49     49||
  1Y             0 B         0         0||
- 929. 8. 1. - 906. 2.30. B   0 B         0     49||
- 929. 8. 1. - 906. 2.30.   440th position to B Baasha          49
- 906. 8. 1. - 883. 2.30.   441st position to E Baasha          49

```

15696 Bytes yet free.

(381st/441) position: - 906. 8. 1. - 882. 2.30. + Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

```

Elah           D Knd S   from:   to:|
- 906. 8. 1. - 882. 2.30. E   0 E     48     48||
- 906. 8. 1. - 880. 2.30. E   5 B     48     48||
- 906. 8. 1. - 882. 2.30. E   7 B     47     48||
- 906. 8. 1. - 882. 2.30. +   0 +     48     48||
- 906. 8. 1. - 882. 2.30. +   4 B     51     48||
                        0 E         0         0||
- 906. 8. 1. - 882. 2.30. E   0 E         0     48||

```

15696 Bytes yet free.

(382nd/441) position: - 929. 8. 1. - 906. 2.30. + Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```

Nadab           D Knd S   from:   to:|
- 929. 8. 1. - 906. 2.30. E   0 E     50     50||
- 929. 8. 1. - 905. 2.30. E   5 B     50     50||
- 929. 8. 1. - 906. 2.30. E   7 B     49     50||
- 929. 8. 1. - 906. 2.30. +   0 +     50     50||
- 930. 8. 1. - 906. 2.30. +   4 B     51     50||
                        0 E         0         0||
- 929. 8. 1. - 906. 2.30. E   0 E         0     50||

```

15696 Bytes yet free.

(383rd/441) position: - 934. 8. 1. - 913. 2.30. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```

Abijam = Abijah D Knd S   from:   to:|
- 934. 8. 1. - 913. 2.30. B   0 B     52     52||
- 934. 8. 1. - 913. 2.30. B   1 E     54     52||
- 933. 4. 1. - 913.10.29. B   3 B     53     52||

```



```

- 936. 8. 1. - 912. 2.30. B 5 E 52 52||
      8M 0 B 0 0||
- 933. 4. 1. - 913. 2.30. B 0 B 0 52||
- 933. 4. 1. - 913. 2.30. 442nd position to B Abijam = Abijah 52
- 933. 4. 1. - 913. 2.30. 443rd position to E Rehoboam 54
- 931. 4. 1. - 910. 2.30. 444th position to E Abijam = Abijah 52

```

15696 Bytes yet free.

(384th/444) position: - 933. 4. 1. - 913. 2.30. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam D Knd S from: to:|
- 933. 4. 1. - 913. 2.30. E 0 E 54 54||
- 934. 4. 1. - 914.10.29. E 5 B 54 54||
- 933. 4. 1. - 913. 2.30. E 7 B 52 54||
- 933. 4. 1. - 913. 2.30. + 0 + 54 54||
      4M 1D 0 E 0 0||
- 933. 4. 1. - 914.10.29. E 0 E 0 54||
- 933. 4. 1. - 914.10.29. 445th position to E Rehoboam 54
- 933. 4. 1. - 914.10.29. 446th position to B Abijam = Abijah 52

```

15696 Bytes yet free.

(385th/446) position: -2077. 9.15. -2066. 8.29. * Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

```

Isaac D Knd S from: to:|
-2077. 9.15. -2066. 8.29. * 0 * 91 91||
-2078. 9.15. ≥ * 1 B 92 91||
-2077. 9.15. -2064. 8.29. * 3 * 96 91||
-2079. 9.15. -2064. 8.29. * 5 + 91 91||
-2079. 9.15. -2064. 8.29. * 4 * 95 91||
-2079. 9.15. -2066. 8.29. * 9 * 90 91||
      0 * 0 0||
-2077. 9.15. -2066. 8.29. * 0 * 0 91||

```

15696 Bytes yet free.

(386th/446) position: -2176. 9.15. -2165. 8.29. * Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

```

Abram = Abraham D Knd S from: to:|
-2176. 9.15. -2165. 8.29. * 0 * 96 96||
-2176. 9.15. -2163. 8.29. * 3 * 97 96||
-2178. 9.15. -2163. 8.29. * 5 + 96 96||
-2178. 9.15. -2165. 8.29. * 9 * 91 96||
-2178. 9.15. -2164. 8.29. * 9 B 92 96||
-2178. 9.15. -2163. 8.29. * 9 * 93 96||
-2177. 9.15. -2163. 8.29. * 10 B 96 96||
      0 * 0 0||
-2176. 9.15. -2165. 8.29. * 0 * 0 96||

```

15696 Bytes yet free.

(387th/446) position: -1898. 9.15. -1885. 8.29. + Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

```

Isaac D Knd S from: to:|
-1898. 9.15. -1885. 8.29. + 0 + 91 91||

```

```

-1898. 9.15. -1885. 8.29. + 5 * 91 91||
                                0 + 0 0||
-1898. 9.15. -1885. 8.29. + 0 + 0 91||

```

15696 Bytes yet free.

(388th/446) position: -2168. 9.15. -2155. 8.29. * Sarai = Sarah 95

Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

```

Sarai = Sarah          D Knd S      from:      to:|
-2168. 9.15. -2155. 8.29. * 0 *      95        95||
-2180. 1. 1. -2153.12.30. * 5 +      95        95||
-2168. 9.15. -2155. 8.29. * 10 *     91        95||
                                0 *      0        0||
-2168. 9.15. -2155. 8.29. * 0 *      0        95||
-2042. 9.15. -2027. 8.29. 447th position to + Sarai = Sarah 95

```

15696 Bytes yet free.

(389th/447) position: -2018. 9.15. -2007. 8.29. * Jacob = Israel 90

Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

```

Jacob = Israel          D Knd S      from:      to:|
-2018. 9.15. -2007. 8.29. * 0 *      90        90||
-2018. 9.15. -2005. 8.29. * 3 *      91        90||
-2027. 9. 1. -2006. 8.29. * 5 +      90        90||
-2026. 9. 1. -2007. 8.29. * 9 B      89        90||
                                0 *      0        0||
-2018. 9.15. -2007. 8.29. * 0 *      0        90||
-1872. 9.15. -1860. 8.29. 448th position to + Jacob = Israel 90
-1889. 9.15. -1878. 8.29. 449th position to B Israel in Egypt 89

```

15696 Bytes yet free.

(390th/449) position: - 950. 4. 1. - 932.10.29. B Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

```

Jeroboam (Nebat)       D Knd S      from:      to:|
- 950. 4. 1. - 932.10.29. B 0 B      53        53||
- 950. 4. 1. - 932.10.29. B 1 E      57        53||
- 953. 8. 1. - 929. 2.30. B 5 E      53        53||
- 953. 8. 1. - 929. 2.30. B 9 B      51        53||
- 952. 4. 1. - 931.10.29. B 9 B      52        53||
                                0 B      0        0||
- 950. 4. 1. - 932.10.29. B 0 B      0        53||
- 929. 4. 1. - 909.10.29. 450th position to E Jeroboam (Nebat) 53
- 931. 4. 1. - 911.10.29. 451st position to B Asa 51

```

15696 Bytes yet free.

(391st/451) position: - 950. 4. 1. - 932.10.29. B Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam              D Knd S      from:      to:|
- 950. 4. 1. - 932.10.29. B 0 B      54        54||
- 950. 4. 1. - 932.10.29. B 1 E      57        54||
- 953. 8. 1. - 929. 2.30. B 3 *      54        54||
- 951. 4. 1. - 930.10.29. B 5 E      54        54||
                                0 B      0        0||
- 950. 4. 1. - 932.10.29. B 0 B      0        54||

```

- 992. 4. 1. - 972.10.29. 452nd position to * Rehoboam

54

15696 Bytes yet free.

(392nd/452) position: ≤-1127. 6.30. E Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kn	S	from:	to:	
≤-1127. 6.30. E	0	E		73	73	
	E	5	B	73	73	
≤-1127. 6.30. E	7	B		72	73	
≤-1127. 6.30. +	0	+		73	73	
	0	E		0	0	
≤-1127. 6.30. E	0	E		0	73	
≤-1166. 6.30.				453rd position to B Gideon = Jerubbaal		73

15696 Bytes yet free.

(393rd/453) position: -1102. 7. 1.≥ E Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kn	S	from:	to:	
-1102. 7. 1.≥	E	0	E	64	64	
	E	6	B	64	64	
-1102. 7. 1.≥	E	8	B	61	64	
-1102. 7. 1.≥	+	0	+	64	64	
	+	5	*	64	64	
	0	E		0	0	
-1102. 7. 1.≥	E	0	E	0	64	
-1143. 7. 1.≥				454th position to B Eli		64
-1201. 7. 1.≥				455th position to * Eli		64

15696 Bytes yet free.

(394th/455) position: -1071. 4. 1. -1051. 5.29. E Samuel 61

Forward relations for entry Samuel (61/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel	D	Kn	S	from:	to:	
-1071. 4. 1. -1051. 5.29. E	0	E		61	61	
-1081. 7. 1.≥	E	1	E	63	61	
-1071. 4. 1. -1051. 5.29. E	7	B		60	61	
	0	E		0	0	
-1071. 4. 1. -1051. 5.29. E	0	E		0	61	

15696 Bytes yet free.

(395th/455) position: -1081. 7. 1. -1051. 5.29. E Philistines 63

Forward relations for entry Philistines (63/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Backward relations for entry Samson (62/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Philistines	D	Kn	S	from:	to:	
-1081. 7. 1. -1051. 5.29. E	0	E		63	63	
-1101. 7. 1.≥	E	2	E	62	63	
-1083. 7. 1.≥	E	3	B	61	63	
-1081. 7. 1.≥	E	6	B	63	63	
≤-1051. 5.29. E	7	E		61	63	
≤-1051. 5.29. E	8	B		60	63	

	0 E	0	0	
-1081. 7. 1. -1051. 5.29. E	0 E	0	63	
-1102. 7. 1. -1070. 5.29.	456th position to B	Samuel		61
-1120. 7. 1. -1090. 5.29.	457th position to B	Philistines		63

15696 Bytes yet free.

(396th/457) position: -1101. 7. 1. -1051. 5.29. E Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D Knd S	from:	to:
-1101. 7. 1. -1051. 5.29. E	0 E	62	62
-1101. 7. 1. -1049. 5.29. E	5 B	62	62
≤-1051. 5.29. E	8 E	63	62
-1101. 7. 1. -1051. 5.29. +	0 +	62	62
	0 E	0	0
-1101. 7. 1. -1051. 5.29. E	0 E	0	62

15696 Bytes yet free.

(397th/457) position: -1120. 7. 1. -1070. 5.29. B Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D Knd S	from:	to:
-1120. 7. 1. -1070. 5.29. B	0 B	62	62
-1120. 7. 1. ≥	B 1 B	63	62
-1122. 7. 1. -1070. 5.29. B	5 E	62	62
	0 B	0	0
-1120. 7. 1. -1070. 5.29. B	0 B	0	62

15696 Bytes yet free.

(398th/457) position: -1105. 7. 1. ≥ E Elon 66

Forward relations for entry Elon (66/120) are generated.

Backward relations for entry Abdon (65/120) are generated.

Optimize dates...

Elon	D Knd S	from:	to:
-1105. 7. 1. ≥	E 0 E	66	66
-1105. 7. 1. ≥	E 5 B	66	66
	E 7 B	65	66
-1105. 7. 1. ≥	+ 0 +	66	66
	0 E	0	0
-1105. 7. 1. ≥	E 0 E	0	66
-1105. 7. 1. ≥	458th position to B	Abdon	65

15696 Bytes yet free.

(399th/458) position: -1353. 1. 1. ≥ B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D Knd S	from:	to:
-1353. 1. 1. ≥	B 0 B	77	77
-1353. 1. 1. ≥	B 1 E	78	77
	B 5 E	77	77
	0 B	0	0
-1353. 1. 1. ≥	B 0 B	0	77
-1274. 1. 1. ≥	459th position to E	Ehud	77

15696 Bytes yet free.

(400th/459) position: -1370. 9. 1.≥ B Eglon 78
 Forward relations for entry Eglon (78/120) are generated.
 Backward relations for entry Ehud (77/120) are generated.
 Optimize dates...

Eglon	D	Kind	S	from:	to:	
-1370. 9. 1.≥	B	0	B	78	78	
-1370. 9. 1.≥	B	1	E	79	78	
-1372. 1. 1.≥	B	5	E	78	78	
		0	B	0	0	
-1370. 9. 1.≥	B	0	B	0	78	
-1353. 9. 1.≥				460th position to E Eglon		78

15696 Bytes yet free.
 (401st/460) position: -2302. 9.15. -2291. 8.29. * Serug 99
 Forward relations for entry Serug (99/120) are generated.
 Optimize dates...

Serug	D	Kind	S	from:	to:	
-2302. 9.15. -2291. 8.29. *	0	*		99	99	
-2302. 9.15. -2277.11. 6. *	3	*		100	99	
-2304. 9.15. -2291. 8.29. *	9	*		98	99	
-2304. 9.15. -2289.12.30. *	10	+		100	99	
	0	*		0	0	
-2302. 9.15. -2291. 8.29. *	0	*		0	99	
-2333. 9.15. -2322. 8.29.				461st position to * Reu		100
-2096. 9.15. -2083. 8.29.				462nd position to + Reu		100

15696 Bytes yet free.
 (402nd/462) position: -2074. 9.15. -2061. 8.29. + Serug 99
 Forward relations for entry Serug (99/120) are generated.
 Optimize dates...

Serug	D	Kind	S	from:	to:	
-2074. 9.15. -2061. 8.29. +	0	+		99	99	
-2074. 9.15. -2061. 8.29. +	4	*		98	99	
	0	+		0	0	
-2074. 9.15. -2061. 8.29. +	0	+		0	99	

15696 Bytes yet free.
 (403rd/462) position: -2096. 9.15. -2083. 8.29. + Reu 100
 Forward relations for entry Reu (100/120) are generated.
 Optimize dates...

Reu	D	Kind	S	from:	to:	
-2096. 9.15. -2083. 8.29. +	0	+		100	100	
-2096. 9.15. -2083. 8.29. +	4	*		99	100	
	0	+		0	0	
-2096. 9.15. -2083. 8.29. +	0	+		0	100	

15696 Bytes yet free.
 (404th/462) position: - 764. 1.22. - 751. 8.29. B Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kind	S	from:	to:	
- 764. 1.22. - 751. 8.29. B	0	B		19	19	
- 767. 9. 1. - 749. 8.29. B	4	*		19	19	
- 764. 1.22. - 751. 8.29. B	6	E		19	19	
	0	B		0	0	
- 764. 1.22. - 751. 8.29. B	0	B		0	19	

- 790. 1.22. - 775. 8.29. 463rd position to * Jotham 19

15696 Bytes yet free.

(405th/463) position: - 755. 1.22. - 743. 8.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kn	S	from:	to:†
- 755. 1.22. - 743. 8.29. E	0	E		22	22
- 758. 9. 1. - 741. 8.29. E	5	B		22	22
- 755. 1.22. - 743. 8.29. E	7	B		21	22
- 755. 1.22. - 743. 8.29. +	0	+		22	22
	0	E		0	0
- 755. 1.22. - 743. 8.29. E	0	E		0	22
- 758. 1.22. - 744. 8.29.				464th position to B Pekahiah	22

15696 Bytes yet free.

(406th/464) position: - 739. 1.22. - 725. 8.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kn	S	from:	to:†
- 739. 1.22. - 725. 8.29. α	0	α		17	17
- 740. 9. 1. - 725. 8.29. α	2	Ω		19	17
- 739. 1.22. - 725. 8.29. α	3	B		21	17
	0	α		0	0
- 739. 1.22. - 725. 8.29. α	0	α		0	17
- 739. 1.22. - 725. 8.29.				465th position to Ω Jotham	19

15696 Bytes yet free.

(407th/465) position: - 754. 1.22. - 742. 8.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kn	S	from:	to:†
- 754. 1.22. - 742. 8.29. α	0	α		19	19
- 755. 9. 1. - 742. 8.29. α	1	E		26	19
- 754. 1.22. - 740. 8.29. α	3	B		21	19
- 755. 1.22. - 742. 8.29. α	10	B		16	19
	0	α		0	0
- 754. 1.22. - 742. 8.29. α	0	α		0	19
- 754. 1.22. - 742. 8.29.				466th position to E Azariah = Uzziah	26

15696 Bytes yet free.

(408th/466) position: -1463. 1.22. -1449. 8.29. E Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kn	S	from:	to:†
-1463. 1.22. -1449. 8.29. E	0	E		89	89
-1465. 7. 1. ≥	E	1	B	86	89
-1465. 7. 1. ≥	E	2	B	87	89
-1460. 9.15. -1447. 8.29. E	6	B		89	89
-1463. 1.22. -1449. 8.29. E	9	B		85	89
-1464. 8.30. -1449. 8.30. E	9	+		88	89
-1464. 8. 1. -1449. 9.29. E	10	B		55	89
-1464. 8. 1. -1449. 9.29. E	10	E		56	89

```

-1464. 8.30. -1449. 8.30. E 10 B      84      89||
      3Y 7M23D              0 E      0      0||
-1460. 9.15. -1449. 8.29. E  0 E      0      89||
-1460. 9.15. -1449. 8.29. 467th position to E Israel in Egypt      89
-1459. 9.15. -1448. 8.29. 468th position to B Explorers of Canaan    85
-1420. 1.15. -1410.12.30. 469th position to + Aaron                  88
- 981.10.15. - 970.10.29. 470th position to B Building the Temple    55
- 973. 4.15. - 962. 4.29. 471st position to E Building the Temple    56
-1420. 7.15. -1409. 6.30. 472nd position to B Moses' Speech          84

```

15696 Bytes yet free.

(409th/472) position: -1461. 3. 2. -1448.10. 9. E Explorers of Canaan 85
Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

```

Explorers of Canaan      D Knd S      from:      to:|
-1461. 3. 2. -1448.10. 9. E  0 E      85      85||
-1459.10.25. -1448.10. 9. E  5 B      85      85||
      2Y 7M23D              0 E      0      0||
-1459.10.25. -1448.10. 9. E  0 E      0      85||
-1459.10.25. -1448.10. 9. 473rd position to E Explorers of Canaan    85

```

15696 Bytes yet free.

(410th/473) position: -1415. 1.22.> B Chushanrishathaim 80
Forward relations for entry Chushanrishathaim (80/120) are generated.
Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

```

Chushanrishathaim      D Knd S      from:      to:|
-1415. 1.22.>          B  0 B      80      80||
-1415. 1.22.>          B  1 E      83      80||
-1418. 9. 1.>          B  5 E      80      80||
                        0 B      0      0||
-1415. 1.22.>          B  0 B      0      80||
-1408. 1.22.>          474th position to E Chushanrishathaim      80

```

15696 Bytes yet free.

(411th/474) position: -1526. 1.22.> * Joshua 83
Forward relations for entry Joshua (83/120) are generated.
Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

```

Joshua      D Knd S      from:      to:|
-1526. 1.22.> *  0 *      83      83||
-1526. 1.22.> *  5 +      83      83||
              0 *      0      0||
-1526. 1.22.> *  0 *      0      83||

```

15696 Bytes yet free.

(412th/474) position: - 812. 2. 1. - 795. 8.29. B Jeroboam (Joash) 27
Forward relations for entry Jeroboam (Joash) (27/120) are generated.
Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

```

Jeroboam (Joash)      D Knd S      from:      to:|
- 812. 2. 1. - 795. 8.29. B  0 B      27      27||
- 813.12. 1. - 795. 8.29. B  1 E      30      27||
- 815.12. 1. - 793. 8.29. B  3 B      28      27||
- 812. 2. 1. - 795. 8.29. B  5 E      27      27||
                        0 B      0      0||
- 812. 2. 1. - 795. 8.29. B  0 B      0      27||
- 812. 2. 1. - 795. 8.29. 475th position to E Joash (Jehoahaz)      30

```

- 828. 2. 1. - 809. 8.29. 476th position to B Amaziah 28

15696 Bytes yet free.

(413th/476) position: - 846.12. 1. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:
- 846.12. 1. - 826. 8.29.	B	0	B	31	31
	B	1	E	33	31
- 846.12. 1. - 824. 8.29.	B	3	B	32	31
- 848.12. 1. - 826. 8.29.	B	5	E	31	31
		0	B	0	0
- 846.12. 1. - 826. 8.29.	B	0	B	0	31
- 846.12. 1. - 826. 8.29.				477th position to E Jehu	33

15696 Bytes yet free.

(414th/477) position: - 868.12. 1. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:
- 868.12. 1. - 848. 8.29.	E	0	E	34	34
	E	5	B	34	34
- 868.12. 1. - 848. 8.29.	E	7	B	32	34
- 868.12. 1. - 848. 8.29.	+	0	+	34	34
		0	E	0	0
- 868.12. 1. - 848. 8.29.	E	0	E	0	34
- 875.12. 1. - 853. 8.29.				478th position to B Athaliah	34

15696 Bytes yet free.

(415th/478) position: - 876.12. 1. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
- 876.12. 1. - 854. 8.29.	B	0	B	33	33
	B	1	E	35	33
	B	2	E	37	33
- 875.12. 1. - 853. 8.29.	B	5	E	33	33
- 876.12. 1. - 854. 8.29.	B	9	B	32	33
1Y		0	B	0	0
- 875.12. 1. - 854. 8.29.	B	0	B	0	33
- 875.12. 1. - 854. 8.29.				479th position to B Jehu	33
- 875.12. 1. - 854. 8.29.				480th position to E Ahaziah (Joram)	35
- 875.12. 1. - 854. 8.29.				481st position to E Joram (Ahab)	37

15696 Bytes yet free.

(416th/481) position: - 876.12. 1. - 854. 8.29. * Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 876.12. 1. - 854. 8.29.	*	0	*	32	32
- 876.12. 1. - 854. 8.29.	*	10	B	32	32
		0	*	0	0
- 876.12. 1. - 854. 8.29.	*	0	*	0	32

15696 Bytes yet free.

(417th/481) position: - 846.12. 1. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kn	d	S	from:	to:†
- 846.12. 1. - 826. 8.29. B	0	B			31	31
- 846.12. 1. - 826. 8.29. B	1	E			33	31
- 846.12. 1. - 824. 8.29. B	3	B			32	31
- 848.12. 1. - 826. 8.29. B	5	E			31	31
	0	B			0	0
- 846.12. 1. - 826. 8.29. B	0	B			0	31

15696 Bytes yet free.

(418th/481) position: -2078. 9.15. -2066. 8.29. B Fire upon Sodom 92

Forward relations for entry Fire upon Sodom (92/120) are generated.

Backward relations for entry Isaac (91/120) are generated.

Optimize dates...

Fire upon Sodom	D	Kn	d	S	from:	to:†
-2078. 9.15. -2066. 8.29. B	0	B			92	92
-2078. 9.15. -2065. 8.29. B	3	*			96	92
≤-2066. 8.29. B	7	*			91	92
	0	B			0	0
-2078. 9.15. -2066. 8.29. B	0	B			0	92

15696 Bytes yet free.

(419th/481) position: -2245. 9.15. -2234. 8.29. * Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah	D	Kn	d	S	from:	to:†
-2245. 9.15. -2234. 8.29. *	0	*			97	97
-2245. 9.15. -2232. 8.29. *	3	*			98	97
-2247. 9.15. -2233. 8.29. *	5	+			97	97
-2247. 9.15. -2234. 8.29. *	9	*			96	97
-2247. 9.15. -2232. 8.29. *	10	+			98	97
	0	*			0	0
-2245. 9.15. -2234. 8.29. *	0	*			0	97

15696 Bytes yet free.

(420th/481) position: -2273. 9.15. -2262. 8.29. * Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

Nahor	D	Kn	d	S	from:	to:†
-2273. 9.15. -2262. 8.29. *	0	*			98	98
-2273. 9.15. -2260. 8.29. *	3	*			99	98
-2275. 9.15. -2262. 8.29. *	9	*			97	98
-2275. 9.15. -2260. 8.29. *	10	+			99	98
	0	*			0	0
-2273. 9.15. -2262. 8.29. *	0	*			0	98

15696 Bytes yet free.

(421st/481) position: -2127. 9.15. -2114. 8.29. + Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

Nahor	D	Kn	d	S	from:	to:†
-2127. 9.15. -2114. 8.29. +	0	+			98	98
-2127. 9.15. -2114. 8.29. +	4	*			97	98

```

          0 +          0          0||
-2127. 9.15. -2114. 8.29. + 0 +          0          98||

```

15696 Bytes yet free.

(422nd/481) position: -2302. 9.15. -2291. 8.29. * Serug 99

Forward relations for entry Serug (99/120) are generated.

Optimize dates...

```

Serug          D Knd S      from:      to:|
-2302. 9.15. -2291. 8.29. * 0 *          99          99||
-2302. 9.15. -2289. 8.29. * 3 *          100         99||
-2304. 9.15. -2291. 8.29. * 9 *          98          99||
-2304. 9.15. -2289. 8.29. * 10 +         100         99||
          0 *          0          0||
-2302. 9.15. -2291. 8.29. * 0 *          0          99||

```

15696 Bytes yet free.

(423rd/481) position: -2074. 9.15. -2061. 8.29. + Serug 99

Forward relations for entry Serug (99/120) are generated.

Optimize dates...

```

Serug          D Knd S      from:      to:|
-2074. 9.15. -2061. 8.29. + 0 +          99          99||
-2074. 9.15. -2061. 8.29. + 4 *          98          99||
          0 +          0          0||
-2074. 9.15. -2061. 8.29. + 0 +          0          99||

```

15696 Bytes yet free.

(424th/481) position: -2002. 9.15. -1989. 8.29. + Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

```

Abram = Abraham      D Knd S      from:      to:|
-2002. 9.15. -1989. 8.29. E 0 E          96          96||
-2002. 9.15. -1989. 8.29. + 0 +          96          96||
-2002. 9.15. -1989. 8.29. + 5 *          96          96||
          0 E          0          0||
-2002. 9.15. -1989. 8.29. E 0 E          0          96||

```

15696 Bytes yet free.

(425th/481) position: -2091. 9.15. -2078. 8.29. * Ishmael 93

Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

```

Ishmael          D Knd S      from:      to:|
-2091. 9.15. -2078. 8.29. * 0 *          93          93||
-2101. 9.15. ≥      * 1 B          94          93||
-2091. 9.15. -2078. 8.29. * 3 *          96          93||
-2093. 9.15. -2076. 8.29. * 5 +          93          93||
          0 *          0          0||
-2091. 9.15. -2078. 8.29. * 0 *          0          93||

```

15696 Bytes yet free.

(426th/481) position: -2101. 9.15. -2089. 8.29. B Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

```

Abram = Abraham      D Knd S      from:      to:|
-2101. 9.15. -2089. 8.29. B 0 B          96          96||
-2101. 9.15. ≥      B 1 +          97          96||
-2102. 9.15. -2089. 8.29. B 4 *          96          96||

```

≤-2078. 8.29. B	7 B	94	96
	0 B	0	0
-2101. 9.15. -2089. 8.29. B	0 B	0	96

15696 Bytes yet free.

(427th/481) position: -2101. 9.15. -2078. 8.29. B Battle in Siddim Vale 94

Forward relations for entry Battle in Siddim Vale (94/120) are generated.

Backward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Battle in Siddim Vale	D Knd S	from:	to:
-2101. 9.15. -2078. 8.29. B	0 B	94	94
-2101. 9.15. ≥	B 1 B	96	94
≤-2078. 8.29. B	7 *	93	94
	0 B	0	0
-2101. 9.15. -2078. 8.29. B	0 B	0	94

15696 Bytes yet free.

(428th/481) position: -1955. 9.15. -1940. 8.29. + Ishmael 93

Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Ishmael	D Knd S	from:	to:
-1955. 9.15. -1940. 8.29. +	0 +	93	93
-1955. 9.15. -1940. 8.29. +	5 *	93	93
	0 +	0	0
-1955. 9.15. -1940. 8.29. +	0 +	0	93

15696 Bytes yet free.

(429th/481) position: -2101. 9.15. -2089. 8.29. + Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah	D Knd S	from:	to:
-2101. 9.15. -2089. 8.29. +	0 +	97	97
-2101. 9.15. -2088. 8.29. +	5 *	97	97
≤-2089. 8.29. +	7 B	96	97
	0 +	0	0
-2101. 9.15. -2089. 8.29. +	0 +	0	97

15696 Bytes yet free.

(430th/481) position: -1029. 4. 1. -1009. 5.29. E Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D Knd S	from:	to:
-1029. 4. 1. -1009. 5.29. E	0 E	59	59
-1029. 4. 1. -1009. 5.29. E	5 B	59	59
≤-1005.10.29. E	7 α	58	59
-1029. 4. 1. -1009. 5.29. +	0 +	59	59
	0 E	0	0
-1029. 4. 1. -1009. 5.29. E	0 E	0	59

15696 Bytes yet free.

(431st/481) position: -1071. 4. 1. -1051. 5.29. * Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D Knd S	from:	to:
-1071. 4. 1. -1051. 5.29. *	0 *	59	59

```

-1071. 4. 1. -1051. 5.29. *   9 B      59      59||
                                0 *      0      0||
-1071. 4. 1. -1051. 5.29. *   0 *      0      59||

```

15696 Bytes yet free.

(432nd/481) position: - 929. 8. 1. - 906. 2.30. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kn	S	from:	to:	
- 929. 8. 1. - 906. 2.30. E	0	E		50	50	
- 929. 8. 1. - 905. 2.30. E	5	B		50	50	
- 929. 8. 1. - 906. 2.30. E	7	B		49	50	
- 929. 8. 1. - 906. 2.30. +	0	+		50	50	
- 929. 4. 1. - 907.10.29. +	4	B		51	50	
4M 1D	0	E		0	0	
- 929. 8. 1. - 907.10.29. E	0	E		0	50	
- 929. 8. 1. - 907.10.29.				482nd position to E Nadab		50
- 929. 8. 1. - 907.10.29.				483rd position to B Baasha		49

15696 Bytes yet free.

(433rd/483) position: - 892. 8. 1. - 868. 2.30. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kn	S	from:	to:	
- 892. 8. 1. - 868. 2.30. B	0	B		42	42	
- 892. 8. 1. - 868. 2.30. B	1	E		51	42	
- 892. 8. 1. - 866. 2.30. B	3	B		44	42	
	B	4	*	42	42	
	B	6	E	42	42	
	B	9	B	41	42	
	B	10	α	37	42	
	0	B		0	0	
- 892. 8. 1. - 868. 2.30. B	0	B		0	42	
- 928. 8. 1. - 902. 2.30.				484th position to * Jehoshaphat		42
- 868. 8. 1. - 842. 2.30.				485th position to E Jehoshaphat		42
- 876. 8. 1. - 850. 2.30.				486th position to B Ahaziah (Ahab)		41
- 875. 8. 1. - 849. 2.30.				487th position to α Joram (Ahab)		37

15696 Bytes yet free.

(434th/487) position: - 895. 8. 1. - 871. 2.30. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kn	S	from:	to:	
- 895. 8. 1. - 871. 2.30. E	0	E		45	45	
	E	6	B	45	45	
- 895. 8. 1. - 871. 2.30. E	7	B		44	45	
- 895. 8. 1. - 871. 2.30. +	0	+		45	45	
	0	E		0	0	
- 895. 8. 1. - 871. 2.30. E	0	E		0	45	
- 908. 8. 1. - 882. 2.30.				488th position to B Omri		45

15696 Bytes yet free.

(435th/488) position: - 874. 8. 1. - 848. 2.30. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.
Optimize dates...

Ahab	D	Kind	S	from:	to:	
- 874. 8. 1. - 848. 2.30.	E	0	E	44	44	
- 895. 8. 1. ≥	E	2	B	43	44	
- 874. 8. 1. - 848. 2.30.	E	5	B	44	44	
- 876. 8. 1. - 850. 2.30.	E	7	B	41	44	
- 874. 8. 1. - 848. 2.30. +	0	+		44	44	
2Y	0	E		0	0	
- 874. 8. 1. - 850. 2.30.	E	0	E	0	44	
- 874. 8. 1. - 850. 2.30.				489th position to E Ahab		44
- 895. 8. 1. - 850. 2.30.				490th position to B Elijah		43
- 874. 8. 1. - 850. 2.30.				491st position to B Ahaziah (Ahab)		41

15696 Bytes yet free.

(436th/491) position: - 895. 8. 1. - 850. 2.30. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
- 895. 8. 1. - 850. 2.30.	B	0	B	43	43	
- 895. 8. 1. ≥	B	1	B	44	43	
≤- 850. 2.30.	B	8	E	44	43	
	0	B		0	0	
- 895. 8. 1. - 850. 2.30.	B	0	B	0	43	

15696 Bytes yet free.

(437th/491) position: - 902. 8. 1. - 878. 2.30. E Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kind	S	from:	to:	
- 902. 8. 1. - 878. 2.30.	E	0	E	46	46	
- 902. 8. 1. - 878. 2.30.	E	7	α	45	46	
- 902. 8. 1. - 878. 2.30. +	0	+		46	46	
	0	E		0	0	
- 902. 8. 1. - 878. 2.30.	E	0	E	0	46	

15696 Bytes yet free.

(438th/491) position: - 906. 8. 7. - 882. 3. 8. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:	
- 906. 8. 7. - 882. 3. 8.	E	0	E	47	47	
- 906. 8. 7. - 882. 3. 8.	E	5	B	47	47	
	E	7	B	46	47	
- 908. 8. 1. - 882. 2.30.	E	8	B	45	47	
- 906. 8. 7. - 882. 3. 8. +	0	+		47	47	
8D	0	E		0	0	
- 906. 8. 7. - 882. 2.30.	E	0	E	0	47	
- 906. 8. 7. - 882. 2.30.				492nd position to E Zimri		47
- 906. 8. 1. - 882. 2.24.				493rd position to B Zimri		47
- 906. 8. 7. - 882. 2.30.				494th position to B Tibni		46
- 906. 8. 7. - 882. 2.30.				495th position to B Omri		45

15696 Bytes yet free.

(439th/495) position: - 906. 8. 1. - 883. 2.30. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:
- 906. 8. 1. - 883. 2.30. E	0	E		49	49
- 906. 8. 1. - 882.10.29. E	5	B		49	49
- 907. 8. 1. - 883. 2.30. E	7	B		48	49
- 906. 8. 1. - 883. 2.30. +	0	+		49	49
	0	E		0	0
- 906. 8. 1. - 883. 2.30. E	0	E		0	49
- 906. 8. 1. - 883. 2.30.				496th position to B Elah	48

15696 Bytes yet free.

(440th/496) position: - 929. 8. 1. - 907.10.29. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:
- 929. 8. 1. - 907.10.29. B	0	B		49	49
- 929. 8. 1. - 907.10.29. B	1	E		50	49
- 929. 4. 1. - 907.10.29. B	3	B		51	49
- 931. 8. 1. - 906. 2.30. B	5	E		49	49
	0	B		0	0
- 929. 8. 1. - 907.10.29. B	0	B		0	49

15696 Bytes yet free.

(441st/496) position: - 906. 8. 1. - 883. 2.30. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:
- 906. 8. 1. - 883. 2.30. E	0	E		49	49
- 906. 8. 1. - 882.10.29. E	5	B		49	49
- 906. 8. 1. - 883. 2.30. E	7	B		48	49
- 906. 8. 1. - 883. 2.30. +	0	+		49	49
	0	E		0	0
- 906. 8. 1. - 883. 2.30. E	0	E		0	49

15696 Bytes yet free.

(442nd/496) position: - 933. 4. 1. - 914.10.29. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:
- 933. 4. 1. - 914.10.29. B	0	B		52	52
- 933. 4. 1. - 914.10.29. B	1	E		54	52
- 933. 4. 1. - 913.10.29. B	3	B		53	52
- 935. 4. 1. - 912. 2.30. B	5	E		52	52
	0	B		0	0
- 933. 4. 1. - 914.10.29. B	0	B		0	52

15696 Bytes yet free.

(443rd/496) position: - 933. 4. 1. - 914.10.29. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 933. 4. 1. - 914.10.29. E	0	E		54	54
- 934. 4. 1. - 914.10.29. E	5	B		54	54
- 933. 4. 1. - 914.10.29. E	7	B		52	54
- 933. 4. 1. - 914.10.29. +	0	+		54	54
	0	E		0	0
- 933. 4. 1. - 914.10.29. E	0	E		0	54

15696 Bytes yet free.

(444th/496) position: - 931. 4. 1. - 910. 2.30. E Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:
- 931. 4. 1. - 910. 2.30. E	0	E		52	52
- 931. 4. 1. - 910.10.29. E	5	B		52	52
- 931. 4. 1. - 911.10.29. E	7	B		51	52
- 931. 4. 1. - 910. 2.30. +	0	+		52	52
	4M	1D	0 E	0	0
- 931. 4. 1. - 911.10.29. E	0	E		0	52
- 931. 4. 1. - 911.10.29.				497th position to E Abijam = Abijah	52

15696 Bytes yet free.

(445th/497) position: - 933. 4. 1. - 914.10.29. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 933. 4. 1. - 914.10.29. E	0	E		54	54
- 934. 4. 1. - 914.10.29. E	5	B		54	54
- 933. 4. 1. - 914.10.29. E	7	B		52	54
- 933. 4. 1. - 914.10.29. +	0	+		54	54
	0	E		0	0
- 933. 4. 1. - 914.10.29. E	0	E		0	54

15696 Bytes yet free.

(446th/497) position: - 933. 4. 1. - 914.10.29. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:
- 933. 4. 1. - 914.10.29. B	0	B		52	52
- 933. 4. 1. - 914.10.29. B	1	E		54	52
- 933. 4. 1. - 913.10.29. B	3	B		53	52
- 935. 4. 1. - 913.10.29. B	5	E		52	52
	0	B		0	0
- 933. 4. 1. - 914.10.29. B	0	B		0	52

15696 Bytes yet free.

(447th/497) position: -2042. 9.15. -2027. 8.29. + Sarai = Sarah 95

Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

Sarai = Sarah	D	Kind	S	from:	to:
-2042. 9.15. -2027. 8.29. +	0	+		95	95
-2042. 9.15. -2027. 8.29. +	5	*		95	95
	0	+		0	0
-2042. 9.15. -2027. 8.29. +	0	+		0	95

15696 Bytes yet free.

(448th/497) position: -1872. 9.15. -1860. 8.29. + Jacob = Israel 90

Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

Jacob = Israel	D	Kind	S	from:	to:
-1872. 9.15. -1860. 8.29. +	0	+		90	90
-1872. 9.15. -1859. 8.29. +	5	*		90	90
-1873. 9.15. -1860. 8.29. +	4	B		89	90
	0	+		0	0
-1872. 9.15. -1860. 8.29. +	0	+		0	90

15696 Bytes yet free.

(449th/497) position: -1889. 9.15. -1878. 8.29. B Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:
-1889. 9.15. -1878. 8.29. B	0	B		89	89
-1889. 9.15. -1876. 8.29. B	3	*		90	89
-1891. 9.15. -1878. 8.29. B	6	E		89	89
-1890. 9.15. -1876. 8.29. B	10	+		90	89
	0	B		0	0
-1889. 9.15. -1878. 8.29. B	0	B		0	89

15696 Bytes yet free.

(450th/497) position: - 929. 4. 1. - 909.10.29. E Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
- 929. 4. 1. - 909.10.29. E	0	E		53	53
- 929. 4. 1. - 909.10.29. E	5	B		53	53
- 930. 8. 1. - 908. 2.30. E	7	B		50	53
- 929. 4. 1. - 909.10.29. +	0	+		53	53
	0	E		0	0
- 929. 4. 1. - 909.10.29. E	0	E		0	53
- 929. 4. 1. - 909.10.29.				498th position to B Nadab	50

15696 Bytes yet free.

(451st/498) position: - 931. 4. 1. - 911.10.29. B Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:
- 931. 4. 1. - 911.10.29. B	0	B		51	51
- 931. 4. 1. - 911.10.29. B	1	E		52	51
- 931. 4. 1. - 911.10.29. B	3	B		53	51
- 934. 8. 1. - 908. 2.30. B	5	E		51	51
- 934. 8. 1. - 908. 2.30. B	9	B		44	51
- 934. 8. 1. - 908. 2.30. B	9	α		45	51
- 934. 8. 1. - 908. 2.24. B	9	B		47	51
- 933. 8. 1. - 908. 2.30. B	9	B		48	51
- 933. 8. 1. - 909.10.29. B	9	B		49	51
- 932. 4. 1. - 910.10.29. B	9	B		50	51
- 934. 8. 1. - 908. 2.30. B	10	+		48	51
- 933. 8. 1. - 909.10.29. B	10	+		50	51
	0	B		0	0
- 931. 4. 1. - 911.10.29. B	0	B		0	51

- 891. 4. 1. - 869.10.29. 499th position to E Asa 51
 - 894. 4. 1. - 872.10.29. 500th position to B Ahab 44
 - 901. 4. 1. - 879.10.29. 501st position to α Omri 45
 - 905. 4. 1. - 883.10.29. 502nd position to B Zimri 47
 - 906. 8. 1. - 884.10.29. 503rd position to B Elah 48
 - 905. 4. 1. - 883.10.29. 504th position to + Elah 48

15696 Bytes yet free.

(452nd/504) position: - 992. 4. 1. - 972.10.29. * Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijah = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 992. 4. 1. - 972.10.29. *	0	*		54	54
- 992. 4. 1. - 972.10.29. *	9	B		54	54
	0	*		0	0
- 992. 4. 1. - 972.10.29. *	0	*		0	54

15696 Bytes yet free.

(453rd/504) position: ≤-1166. 6.30. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
≤-1166. 6.30. B	0	B		73	73
		1	E	74	73
≤-1166. 6.30. B	5	E		73	73
	0	B		0	0
≤-1166. 6.30. B	0	B		0	73
≤-1166. 6.30.				505th position to E Midianites	74

15696 Bytes yet free.

(454th/505) position: -1143. 7. 1.≥ B Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:
-1143. 7. 1.≥	B	0	B	64	64
-1143. 7. 1.≥	B	6	E	64	64
		0	B	0	0
-1143. 7. 1.≥	B	0	B	0	64

15696 Bytes yet free.

(455th/505) position: -1201. 7. 1.≥ * Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:
-1201. 7. 1.≥	*	0	*	64	64
-1201. 7. 1.≥	*	5	+	64	64
		0	*	0	0
-1201. 7. 1.≥	*	0	*	0	64

15696 Bytes yet free.

(456th/505) position: -1102. 7. 1. -1070. 5.29. B Samuel 61

Forward relations for entry Samuel (61/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel	D	Kn	S	from:	to:†	
-1102. 7. 1. -1070. 5.29.	B	0	B	61	61	
-1102. 7. 1. ≥	B	2	E	64	61	
-1102. 7. 1. -1070. 5.29.	B	9	E	63	61	
		0	B	0	0	
-1102. 7. 1. -1070. 5.29.	B	0	B	0	61	
-1102. 7. 1. -1070. 5.29.				506th position to E Eli		64

15696 Bytes yet free.

(457th/506) position: -1120. 7. 1. -1090. 5.29. B Philistines 63
 Forward relations for entry Philistines (63/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Samson (62/120) are generated.
 Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Philistines	D	Kn	S	from:	to:†
-1120. 7. 1. -1090. 5.29.	B	0	B	63	63
-1120. 7. 1. ≥	B	1	E	68	63
-1122. 7. 1. -1090. 5.29.	B	6	E	63	63
≤-1070. 5.29.	B	7	B	62	63
		0	B	0	0
-1120. 7. 1. -1090. 5.29.	B	0	B	0	63

15696 Bytes yet free.

(458th/506) position: -1105. 7. 1. ≥ B Abdon 65
 Forward relations for entry Abdon (65/120) are generated.

Optimize dates...

Abdon	D	Kn	S	from:	to:†	
-1105. 7. 1. ≥	B	0	B	65	65	
-1105. 7. 1. ≥	B	1	E	66	65	
	B	5	E	65	65	
		0	B	0	0	
-1105. 7. 1. ≥	B	0	B	0	65	
-1098. 7. 1. ≥				507th position to E Abdon		65

15696 Bytes yet free.

(459th/507) position: -1274. 1. 1. ≥ E Ehud 77
 Forward relations for entry Ehud (77/120) are generated.
 Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kn	S	from:	to:†	
-1274. 1. 1. ≥	E	0	E	77	77	
-1274. 1. 1. ≥	E	5	B	77	77	
	E	7	B	76	77	
		0	E	0	0	
-1274. 1. 1. ≥	E	0	E	0	77	
-1274. 1. 1. ≥				508th position to B Sisera		76

15696 Bytes yet free.

(460th/508) position: -1353. 9. 1. ≥ E Eglon 78
 Forward relations for entry Eglon (78/120) are generated.
 Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Kn	S	from:	to:†
-1353. 9. 1. ≥	E	0	E	78	78
-1353. 9. 1. ≥	E	5	B	78	78
-1353. 1. 1. ≥	E	7	B	77	78
-1353. 9. 1. ≥	+	0	+	78	78

```

          0 E          0          0||
-1353. 9. 1.≥      E  0 E          0          78||
-1353. 9. 1.≥      509th position to B Ehud                                77

```

15696 Bytes yet free.

(461st/509) position: -2333. 9.15. -2322. 8.29. * Reu 100

Forward relations for entry Reu (100/120) are generated.

Optimize dates...

```

Reu          D Knd S      from:      to:|
-2333. 9.15. -2322. 8.29. *  0 *      100      100||
-2333. 9.15. -2310.11. 6. *  3 *      101      100||
-2335. 9.15. -2322. 8.29. *  9 *       99      100||
-2335. 9.15. -2308.11. 6. * 10 +      101      100||
          0 *          0          0||
-2333. 9.15. -2322. 8.29. *  0 *          0      100||
-2362. 9.15. -2351. 8.29. 510th position to * Peleg                101
-2125. 9.15. -2112. 8.29. 511th position to + Peleg                101

```

15696 Bytes yet free.

(462nd/511) position: -2096. 9.15. -2083. 8.29. + Reu 100

Forward relations for entry Reu (100/120) are generated.

Optimize dates...

```

Reu          D Knd S      from:      to:|
-2096. 9.15. -2083. 8.29. +  0 +      100      100||
-2096. 9.15. -2083. 8.29. +  4 *       99      100||
          0 +          0          0||
-2096. 9.15. -2083. 8.29. +  0 +          0      100||

```

15696 Bytes yet free.

(463rd/511) position: - 790. 1.22. - 775. 8.29. * Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

```

Jotham       D Knd S      from:      to:|
- 790. 1.22. - 775. 8.29. *  0 *       19      19||
- 790. 1.22. - 775. 8.29. * 10 B       19      19||
          0 *          0          0||
- 790. 1.22. - 775. 8.29. *  0 *          0      19||

```

15696 Bytes yet free.

(464th/511) position: - 758. 1.22. - 744. 8.29. B Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

```

Pekahiah     D Knd S      from:      to:|
- 758. 1.22. - 744. 8.29. B  0 B       22      22||
- 759. 9. 1. - 744. 8.29. B  1 E       23      22||
- 759. 9. 1. - 743. 8.29. B  3 B       26      22||
- 758. 1.22. - 744. 8.29. B  5 E       22      22||
          0 B          0          0||
- 758. 1.22. - 744. 8.29. B  0 B          0      22||
- 758. 1.22. - 744. 8.29. 512th position to E Menahem                23

```

15696 Bytes yet free.

(465th/512) position: - 739. 1.22. - 725. 8.29. Ω Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.
Optimize dates...

Jotham	D	Kn	S	from:	to:
- 739. 1.22. - 725. 8.29. Ω	0	Ω	19	19	
- 739. 1.22. - 725. 8.29. Ω	8	α	17	19	
- 739. 1.22. - 725. 8.29. +	0	+	19	19	
	0	Ω	0	0	
- 739. 1.22. - 725. 8.29. Ω	0	Ω	0	19	

15696 Bytes yet free.

(466th/512) position: - 754. 1.22. - 742. 8.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:
- 754. 1.22. - 742. 8.29. E	0	E	26	26	
- 757. 9. 1. - 741. 8.29. E	6	B	26	26	
- 754. 1.22. - 742. 8.29. E	7	α	19	26	
- 754. 1.22. - 742. 8.29. +	0	+	26	26	
	+	2	B	20	26
	0	E	0	0	
- 754. 1.22. - 742. 8.29. E	0	E	0	26	
- 807. 1.22. - 794. 8.29.	513th position to B	Azariah = Uzziah	26		

15696 Bytes yet free.

(467th/513) position: -1460. 9.15. -1449. 8.29. E Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kn	S	from:	to:
-1460. 9.15. -1449. 8.29. E	0	E	89	89	
-1465. 7. 1. ≥	E	1	B	86	89
-1465. 7. 1. ≥	E	2	B	87	89
-1460. 9.15. -1447. 8.29. E	6	B	89	89	
-1461. 9.15. -1449. 8.29. E	9	B	85	89	
-1460. 9.14. -1449. 8.30. E	9	+	88	89	
-1460. 8.15. -1449. 9.29. E	10	B	55	89	
-1460. 8.15. -1449. 9.29. E	10	E	56	89	
-1460. 9.14. -1449. 8.30. E	10	B	84	89	
	0	E	0	0	
-1460. 9.15. -1449. 8.29. E	0	E	0	89	

15696 Bytes yet free.

(468th/513) position: -1459. 9.15. -1448. 8.29. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kn	S	from:	to:
-1459. 9.15. -1448. 8.29. B	0	B	85	85	
-1459. 9.15. -1447. 8.29. B	3	E	89	85	
-1459. 9.15. -1448. 8.29. B	5	E	85	85	
-1462. 1.22. -1447. 8.29. B	4	*	82	85	
-1461. 1.22. -1448. 8.29. B	9	B	81	85	
-1459. 7.15. -1446. 6.30. B	9	B	84	85	
	0	B	0	0	
-1459. 9.15. -1448. 8.29. B	0	B	0	85	
-1500. 9.15. -1488. 8.29.	514th position to *	Caleb	82		
-1415. 9.15. -1404. 8.29.	515th position to B	Inheritance of Israel	81		

15696 Bytes yet free.

(469th/515) position: -1420. 1.15. -1410.12.30. + Aaron 88

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kind	S	from:	to:
-1420. 1.15. -1410.12.30.	E	0	E	87	87
-1420. 1.15. -1410.12.30.	+	0	+	87	87
-1426. 1. 1. -1408.12.30.	+	6	*	87	87
-1420. 1.15. -1410.12.30.	+	3	E	89	88
		0	E	0	0
-1420. 1.15. -1410.12.30.	E	0	E	0	87
-1544. 1.15. -1532.12.30.				516th position to * Aaron	87

15696 Bytes yet free.

(470th/516) position: - 981.10.15. - 970.10.29. B Building the Temple 55

Forward relations for entry Building the Temple (55/120) are generated.

Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

Building the Temple	D	Kind	S	from:	to:
- 981.10.15. - 970.10.29.	B	0	B	55	55
- 986. 4. 1. - 968.10.29.	B	3	B	57	55
- 981. 4.15. - 968. 4.29.	B	5	E	55	55
- 981.10.15. - 970.10.29.	B	4	E	89	55
		0	B	0	0
- 981.10.15. - 970.10.29.	B	0	B	0	55
- 986.10.15. - 973.10.29.				517th position to B Solomon	57

15696 Bytes yet free.

(471st/517) position: - 973. 4.15. - 962. 4.29. E Building the Temple 56

Forward relations for entry Building the Temple (55/120) are generated.

Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

Building the Temple	D	Kind	S	from:	to:
- 973. 4.15. - 962. 4.29.	E	0	E	55	55
- 975.10.15. - 962.10.29.	E	5	B	55	55
- 976.10.15. - 961.10.29.	E	3	B	57	56
- 973. 4.15. - 962. 4.29.	E	4	E	89	56
		0	E	0	0
- 973. 4.15. - 962. 4.29.	E	0	E	0	55
- 985. 4.15. - 973.10.29.				518th position to B Solomon	57

15696 Bytes yet free.

(472nd/518) position: -1420. 7.15. -1409. 6.30. B Moses' Speech 84

Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

Moses' Speech	D	Kind	S	from:	to:
-1420. 7.15. -1409. 6.30.	B	0	B	84	84
-1422. 9.15. -1409. 8.29.	B	3	B	85	84
-1420. 7.15. -1409. 6.30.	B	4	E	89	84
-1424. 7. 1. -1409. 6.30.	B	7	E	86	84
-1426. 7. 1. -1407. 6.30.	B	9	B	68	84
		0	B	0	0
-1420. 7.15. -1409. 6.30.	B	0	B	0	84
-1420. 7.15. -1409. 6.30.				519th position to E Moses	86
-1121. 7.15. -1108. 6.30.				520th position to B Jephthah	68

15696 Bytes yet free.

(473rd/520) position: -1459.10.25. -1448.10. 9. E Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:
-1459.10.25. -1448.10. 9. E	0	E		85	85
-1459.10.25. -1448.10. 9. E	5	B		85	85
	0	E		0	0
-1459.10.25. -1448.10. 9. E	0	E		0	85

15696 Bytes yet free.

(474th/520) position: -1408. 1.22.≥ E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
-1408. 1.22.≥	E	0	E	80	80
-1408. 1.22.≥	E	5	B	80	80
-1409. 9. 1.≥	E	7	B	79	80
		0	E	0	0
-1408. 1.22.≥	E	0	E	0	80
-1408. 1.22.≥				521st position to B Othniel	79

15696 Bytes yet free.

(475th/521) position: - 812. 2. 1. - 795. 8.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:
- 812. 2. 1. - 795. 8.29. E	0	E		30	30
- 830.12. 1.≥	E	2	+	39	30
- 815.12. 1. - 793. 8.29. E	5	B		30	30
- 812. 2. 1. - 795. 8.29. E	7	B		27	30
- 812. 2. 1. - 795. 8.29. +	0	+		30	30
- 815.12. 1. - 793. 8.29. +	9	+		29	30
	0	E		0	0
- 812. 2. 1. - 795. 8.29. E	0	E		0	30
- 829. 2. 1. - 810. 8.29.				522nd position to B Joash (Jehoahaz)	30
- 798. 2. 1. - 779. 8.29.				523rd position to + Amaziah	29

15696 Bytes yet free.

(476th/523) position: - 828. 2. 1. - 809. 8.29. B Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:
- 828. 2. 1. - 809. 8.29. B	0	B		28	28
- 829.12. 1. - 809. 8.29. B	1	E		32	28
- 828. 2. 1. - 807. 8.29. B	3	B		30	28
- 831.12. 1. - 807. 8.29. B	4	*		28	28
- 828. 2. 1. - 807. 8.29. B	6	E		28	28
- 828. 2. 1. - 809. 8.29. B	9	B		27	28
	0	B		0	0
- 828. 2. 1. - 809. 8.29. B	0	B		0	28
- 828. 2. 1. - 809. 8.29.				524th position to E Joash (Ahaziah)	32
- 854. 2. 1. - 833. 8.29.				525th position to * Amaziah	28

15696 Bytes yet free.

(477th/525) position: - 846.12. 1. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Knd	S	from:	to:
- 846.12. 1. - 826. 8.29. E	0	E		33	33
- 848.12. 1. - 825. 8.29. E	5	B		33	33
- 846.12. 1. - 826. 8.29. E	7	B		31	33
- 846.12. 1. - 826. 8.29. +	0	+		33	33
	0	E		0	0
- 846.12. 1. - 826. 8.29. E	0	E		0	33

15696 Bytes yet free.

(478th/525) position: - 875.12. 1. - 853. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Knd	S	from:	to:
- 875.12. 1. - 853. 8.29. B	0	B		34	34
- 875.12. 1. - 854. 8.29. B	1	E		35	34
- 875.12. 1. - 854. 8.29. B	2	E		37	34
- 875.12. 1. - 853. 8.29. B	5	E		34	34
1Y	0	B		0	0
- 875.12. 1. - 854. 8.29. B	0	B		0	34
- 875.12. 1. - 854. 8.29.				526th position to B Athaliah	34

15696 Bytes yet free.

(479th/526) position: - 875.12. 1. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Knd	S	from:	to:
- 875.12. 1. - 854. 8.29. B	0	B		33	33
- 875.12. 1. - 854. 8.29. B	1	E		35	33
- 875.12. 1. - 854. 8.29. B	2	E		37	33
- 875.12. 1. - 853. 8.29. B	5	E		33	33
- 876.12. 1. - 854. 8.29. B	9	B		32	33
	0	B		0	0
- 875.12. 1. - 854. 8.29. B	0	B		0	33

15696 Bytes yet free.

(480th/526) position: - 875.12. 1. - 854. 8.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Knd	S	from:	to:
- 875.12. 1. - 854. 8.29. E	0	E		35	35
	6	B		35	35
- 875.12. 1. - 854. 8.29. E	7	B		33	35
- 875.12. 1. - 854. 8.29. E	7	B		34	35
- 875.12. 1. - 854. 8.29. +	0	+		35	35
	0	E		0	0
- 875.12. 1. - 854. 8.29. E	0	E		0	35
- 877.12. 1. - 854. 8.29.				527th position to B Ahaziah (Joram)	35

15696 Bytes yet free.

(481st/527) position: - 875.12. 1. - 854. 8.29. E Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
- 875.12. 1. - 854. 8.29. E	0	E		37	37	
- 875.12. 1. - 854. 8.29. E	8	B		33	37	
- 875.12. 1. - 854. 8.29. E	8	B		34	37	
	E	5	B	38	38	
- 875.12. 1. - 854. 8.29. +	0	+		37	37	
	0	E		0	0	
- 875.12. 1. - 854. 8.29. E	0	E		0	37	
- 888.12. 1. - 865. 8.29.				528th position to B Joram (Ahab)		38

15696 Bytes yet free.

(482nd/528) position: - 929. 8. 1. - 907.10.29. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:	
- 929. 8. 1. - 907.10.29. E	0	E		50	50	
- 928. 4. 1. - 906.10.29. E	5	B		50	50	
- 929. 8. 1. - 907.10.29. E	7	B		49	50	
- 929. 8. 1. - 907.10.29. +	0	+		50	50	
- 929. 4. 1. - 907.10.29. +	4	B		51	50	
8M	0	E		0	0	
- 928. 4. 1. - 907.10.29. E	0	E		0	50	
- 928. 4. 1. - 907.10.29.				529th position to E Nadab		50
- 928. 4. 1. - 907.10.29.				530th position to B Baasha		49

15696 Bytes yet free.

(483rd/530) position: - 928. 4. 1. - 907.10.29. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:	
- 928. 4. 1. - 907.10.29. B	0	B		49	49	
- 928. 4. 1. - 907.10.29. B	1	E		50	49	
- 929. 4. 1. - 907.10.29. B	3	B		51	49	
- 931. 8. 1. - 906. 2.30. B	5	E		49	49	
	0	B		0	0	
- 928. 4. 1. - 907.10.29. B	0	B		0	49	
- 905. 4. 1. - 883. 2.30.				531st position to E Baasha		49

15696 Bytes yet free.

(484th/531) position: - 928. 8. 1. - 902. 2.30. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
- 928. 8. 1. - 902. 2.30. *	0	*		42	42	
- 928. 8. 1. - 902. 2.30. *	10	B		42	42	
	0	*		0	0	
- 928. 8. 1. - 902. 2.30. *	0	*		0	42	

15696 Bytes yet free.

(485th/531) position: - 868. 8. 1. - 842. 2.30. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 868. 8. 1. - 842. 2.30. E	0	E		42	42
- 868. 8. 1. - 842. 2.30. E	6	B		42	42
	E	7	α	40	42
- 868. 8. 1. - 842. 2.30. +	0	+		42	42
	0	E		0	0
- 868. 8. 1. - 842. 2.30. E	0	E		0	42
- 868. 8. 1. - 842. 2.30.	532nd position to α Jehoram (Jehoshaphat)				40

15696 Bytes yet free.

(486th/532) position: - 874. 8. 1. - 850. 2.30. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
- 874. 8. 1. - 850. 2.30. B	0	B		41	41
- 874. 8. 1. - 850. 2.30. B	1	E		44	41
- 876. 8. 1. - 850. 2.30. B	3	B		42	41
	B	5	E	41	41
	0	B		0	0
- 874. 8. 1. - 850. 2.30. B	0	B		0	41
- 873. 8. 1. - 847. 2.30.	533rd position to E Ahaziah (Ahab)				41

15696 Bytes yet free.

(487th/533) position: - 875. 8. 1. - 849. 2.30. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 875. 8. 1. - 849. 2.30. α	0	α		37	37
- 873. 8. 1. - 847. 2.30. α	1	E		41	37
	α	2	E	43	37
	α	3	B	40	37
- 875. 8. 1. - 849. 2.30. α	4	B		42	37
2Y	0	α		0	0
- 873. 8. 1. - 849. 2.30. α	0	α		0	37
- 873. 8. 1. - 849. 2.30.	534th position to α Joram (Ahab)				37
- 873. 8. 1. - 849. 2.30.	535th position to E Ahaziah (Ahab)				41
≤- 849. 2.30.	536th position to E Elijah				43
- 876. 8. 1. - 850. 2.30.	537th position to B Jehoram (Jehoshaphat)				40

15696 Bytes yet free.

(488th/537) position: - 906. 8. 7. - 882. 2.30. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:
- 906. 8. 7. - 882. 2.30. B	0	B		45	45
- 906. 8. 7. - 882. 2.30. B	2	E		47	45

```

- 908. 8. 1. - 882. 2.30. B   6 E       45       45||
                        0 B       0       0||
- 906. 8. 7. - 882. 2.30. B   0 B       0       45||
- 895. 8. 7. - 871. 2.30.   538th position to E Omri                      45

```

15696 Bytes yet free.

```

(489th/538) position: - 874. 8. 1. - 850. 2.30.   E Ahab                      44
Forward relations for entry Ahab                (44/120) are generated.
Backward relations for entry Ahaziah (Ahab)      (41/120) are generated.
Backward relations for entry Elijah             (43/120) are generated.
Optimize dates...

```

```

Ahab                D Knd S      from:      to:|
- 874. 8. 1. - 850. 2.30. E   0 E       44       44||
- 895. 8. 1. ≥       E   2 B       43       44||
- 873. 4. 1. - 849.10.29. E   5 B       44       44||
- 874. 8. 1. - 850. 2.30. E   7 B       41       44||
- 874. 8. 1. - 850. 2.30. +   0 +       44       44||
      8M             0 E       0       0||
- 873. 4. 1. - 850. 2.30. E   0 E       0       44||
- 873. 4. 1. - 850. 2.30.   539th position to E Ahab                      44
- 873. 4. 1. - 850. 2.30.   540th position to B Ahaziah (Ahab)          41

```

15696 Bytes yet free.

```

(490th/540) position: - 895. 8. 1. - 850. 2.30.   B Elijah                      43
Forward relations for entry Elijah              (43/120) are generated.
Backward relations for entry Elisha             (39/120) are generated.
Backward relations for entry Joram (Ahab)        (37/120) are generated.
Backward relations for entry Ahab               (44/120) are generated.
Optimize dates...

```

```

Elijah              D Knd S      from:      to:|
- 895. 8. 1. - 850. 2.30. B   0 B       43       43||
- 894. 4. 1. ≥       B   1 B       44       43||
      ≤- 850. 2.30. B   8 E       44       43||
      8M             0 B       0       0||
- 894. 4. 1. - 850. 2.30. B   0 B       0       43||
- 894. 4. 1. - 850. 2.30.   541st position to B Elijah                      43

```

15696 Bytes yet free.

```

(491st/541) position: - 873. 4. 1. - 850. 2.30.   B Ahaziah (Ahab)          41
Forward relations for entry Ahaziah (Ahab)      (41/120) are generated.
Backward relations for entry Joram (Ahab)        (37/120) are generated.
Backward relations for entry Elijah             (43/120) are generated.
Optimize dates...

```

```

Ahaziah (Ahab)      D Knd S      from:      to:|
- 873. 4. 1. - 850. 2.30. B   0 B       41       41||
- 873. 4. 1. - 850. 2.30. B   1 E       44       41||
- 876. 8. 1. - 850. 2.30. B   3 B       42       41||
- 876. 8. 1. - 850. 2.30. B   5 E       41       41||
      0 B       0       0||
- 873. 4. 1. - 850. 2.30. B   0 B       0       41||
- 891. 4. 1. - 868. 2.30.   542nd position to B Jehoshaphat                42
- 872. 4. 1. - 849. 2.30.   543rd position to E Ahaziah (Ahab)            41

```

15696 Bytes yet free.

```

(492nd/543) position: - 906. 8. 7. - 882. 2.30.   E Zimri                      47
Forward relations for entry Zimri                (47/120) are generated.
Backward relations for entry Tibni               (46/120) are generated.
Backward relations for entry Omri                (45/120) are generated.

```

Optimize dates...

Zimri	D	Kind	S	from:	to:	
- 906. 8. 7. - 882. 2.30. E	0	E		47	47	
- 905. 4. 7. - 883.11. 7. E	5	B		47	47	
- 906. 8. 7. - 882. 2.30. E	7	B		46	47	
- 906. 8. 7. - 882. 2.30. E	8	B		45	47	
- 906. 8. 7. - 882. 2.30. +	0	+		47	47	
Y 8M				0	0	
3M23D	0	E		0	47	
- 905. 4. 7. - 883.11. 7. E	0	E		0	47	
- 905. 4. 7. - 883.11. 7.				544th position to E	Zimri	47
- 905. 4. 7. - 883.11. 7.				545th position to B	Tibni	46
- 905. 4. 7. - 883.11. 7.				546th position to B	Omri	45

15696 Bytes yet free.

(493rd/546) position: - 905. 4. 1. - 883.10.29. B Zimri 47
 Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:	
- 905. 4. 1. - 883.10.29. B	0	B		47	47	
- 905. 4. 1. - 883.10.29. B	1	E		48	47	
- 905. 4. 1. - 883.10.29. B	3	B		51	47	
- 905. 3.29. - 883.11. 1. B	5	E		47	47	
	0	B		0	0	
- 905. 4. 1. - 883.10.29. B	0	B		0	47	

15696 Bytes yet free.

(494th/546) position: - 905. 4. 7. - 883.11. 7. B Tibni 46
 Forward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kind	S	from:	to:	
- 905. 4. 7. - 883.11. 7. B	0	B		46	46	
- 905. 4. 7. - 883.11. 7. B	1	E		47	46	
	0	B		0	0	
- 905. 4. 7. - 883.11. 7. B	0	B		0	46	

15696 Bytes yet free.

(495th/546) position: - 905. 4. 7. - 883.11. 7. B Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:	
- 905. 4. 7. - 883.11. 7. B	0	B		45	45	
- 905. 4. 7. - 883.11. 7. B	2	E		47	45	
- 908. 8. 7. - 882. 2.30. B	6	E		45	45	
	0	B		0	0	
- 905. 4. 7. - 883.11. 7. B	0	B		0	45	
- 894. 4. 7. - 871. 2.30.				547th position to E	Omri	45

15696 Bytes yet free.

(496th/547) position: - 906. 8. 1. - 884.10.29. B Elah 48
 Forward relations for entry Elah (48/120) are generated.
 Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:	
- 906. 8. 1. - 884.10.29. B	0	B		48	48	

```

- 905. 4. 1. - 883. 2.30. B 1 E 49 48||
- 906. 4. 1. - 884.10.29. B 3 B 51 48||
- 908. 4. 1. - 884.10.29. B 5 E 48 48||
      8M 0 B 0 0||
- 905. 4. 1. - 884.10.29. B 0 B 0 48||
- 905. 4. 1. - 884.10.29. 548th position to B Elah 48
- 905. 4. 1. - 884.10.29. 549th position to E Baasha 49
- 904. 4. 1. - 883.10.29. 550th position to E Elah 48

```

15696 Bytes yet free.

(497th/550) position: - 931. 4. 1. - 911.10.29. E Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```

Abijam = Abijah D Knd S from: to:|
- 931. 4. 1. - 911.10.29. E 0 E 52 52||
- 931. 4. 1. - 910.10.29. E 5 B 52 52||
- 931. 4. 1. - 911.10.29. E 7 B 51 52||
- 931. 4. 1. - 911.10.29. + 0 + 52 52||
      0 E 0 0||
- 931. 4. 1. - 911.10.29. E 0 E 0 52||

```

15696 Bytes yet free.

(498th/550) position: - 929. 4. 1. - 909.10.29. B Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```

Nadab D Knd S from: to:|
- 929. 4. 1. - 909.10.29. B 0 B 50 50||
- 929. 4. 1. - 909.10.29. B 1 E 53 50||
- 930. 4. 1. - 908.10.29. B 3 B 51 50||
- 931. 4. 1. - 908.10.29. B 5 E 50 50||
      0 B 0 0||
- 929. 4. 1. - 909.10.29. B 0 B 0 50||

```

15696 Bytes yet free.

(499th/550) position: - 891. 4. 1. - 869.10.29. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

```

Asa D Knd S from: to:|
- 891. 4. 1. - 869.10.29. E 0 E 51 51||
- 891. 4. 1. - 869.10.29. E 5 B 51 51||
- 891. 4. 1. - 868. 2.30. E 7 B 42 51||
- 891. 4. 1. - 869.10.29. + 0 + 51 51||
      0 E 0 0||
- 891. 4. 1. - 869.10.29. E 0 E 0 51||
- 891. 4. 1. - 869.10.29. 551st position to B Jehoshaphat 42

```

15696 Bytes yet free.

(500th/551) position: - 894. 4. 1. - 872.10.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahab D Knd S from: to:|
- 894. 4. 1. - 872.10.29. B 0 B 44 44||
- 894. 4. 7. - 871. 2.30. B 1 E 45 44||

```

```

- 894. 4. 1. - 872.10.29. B 3 B 51 44||
- 896. 4. 1. - 871. 2.30. B 5 E 44 44||
      <- 850. 2.30. B 7 B 43 44||
- 896. 4. 1. - 872.10.29. B 9 B 42 44||
      6D 0 B 0 0||
- 894. 4. 7. - 872.10.29. B 0 B 0 44||
- 894. 4. 7. - 872.10.29. 552nd position to B Ahab 44
- 894. 4. 7. - 872.10.29. 553rd position to E Omri 45
- 873. 4. 7. - 850. 2.30. 554th position to E Ahab 44
- 894. 4. 7. - 850. 2.30. 555th position to B Elijah 43
- 891. 4. 7. - 869.10.29. 556th position to B Jehoshaphat 42

```

15696 Bytes yet free.

```

(501st/556) position: - 901. 4. 1. - 879.10.29. α Omri 45
Forward relations for entry Omri (45/120) are generated.
Backward relations for entry Ahab (44/120) are generated.
Optimize dates...

```

```

Omri D Knd S from: to:|
- 901. 4. 1. - 879.10.29. α 0 α 45 45||
- 902. 8. 1. - 878. 2.30. α 1 E 46 45||
- 901. 4. 1. - 879.10.29. α 3 B 51 45||
      0 α 0 0||
- 901. 4. 1. - 879.10.29. α 0 α 0 45||
- 901. 4. 1. - 879.10.29. 557th position to E Tibni 46

```

15696 Bytes yet free.

```

(502nd/557) position: - 905. 4. 1. - 883.10.29. B Zimri 47
Forward relations for entry Zimri (47/120) are generated.
Backward relations for entry Tibni (46/120) are generated.
Backward relations for entry Omri (45/120) are generated.
Optimize dates...

```

```

Zimri D Knd S from: to:|
- 905. 4. 1. - 883.10.29. B 0 B 47 47||
- 904. 4. 1. - 883.10.29. B 1 E 48 47||
- 905. 4. 1. - 883.10.29. B 3 B 51 47||
- 905. 3.29. - 883.11. 1. B 5 E 47 47||
      1Y 0 B 0 0||
- 904. 4. 1. - 883.10.29. B 0 B 0 47||
- 904. 4. 1. - 883.10.29. 558th position to B Zimri 47
- 904. 4. 7. - 883.11. 7. 559th position to E Zimri 47

```

15696 Bytes yet free.

```

(503rd/559) position: - 905. 4. 1. - 884.10.29. B Elah 48
Forward relations for entry Elah (48/120) are generated.
Backward relations for entry Zimri (47/120) are generated.
Optimize dates...

```

```

Elah D Knd S from: to:|
- 905. 4. 1. - 884.10.29. B 0 B 48 48||
- 905. 4. 1. - 884.10.29. B 1 E 49 48||
- 906. 4. 1. - 884.10.29. B 3 B 51 48||
- 907. 4. 1. - 884.10.29. B 5 E 48 48||
      0 B 0 0||
- 905. 4. 1. - 884.10.29. B 0 B 0 48||

```

15696 Bytes yet free.

```

(504th/559) position: - 904. 4. 1. - 883.10.29. + Elah 48
Forward relations for entry Elah (48/120) are generated.
Backward relations for entry Zimri (47/120) are generated.

```

Optimize dates...

Elah	D	Kind	S	from:	to:
- 904. 4. 1. - 883.10.29.	E	0	E	48	48
- 904. 4. 1. - 881.10.29.	E	5	B	48	48
- 904. 4. 1. - 883.10.29.	E	7	B	47	48
- 904. 4. 1. - 883.10.29.	+	0	+	48	48
- 905. 4. 1. - 883.10.29.	+	4	B	51	48
		0	E	0	0
- 904. 4. 1. - 883.10.29.	E	0	E	0	48

15696 Bytes yet free.

(505th/559) position: ≤-1166. 6.30. E Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D	Kind	S	from:	to:
≤-1166. 6.30.	E	0	E	74	74
	E	5	B	74	74
≤-1166. 6.30.	E	7	B	73	74
		0	E	0	0
≤-1166. 6.30.	E	0	E	0	74
≤-1172. 6.30.				560th position to B Midianites	74

15696 Bytes yet free.

(506th/560) position: -1102. 7. 1. -1070. 5.29. E Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:
-1102. 7. 1. -1070. 5.29.	E	0	E	64	64
-1104. 7. 1. ≥	E	6	B	64	64
-1102. 7. 1. -1070. 5.29.	E	8	B	61	64
-1102. 7. 1. -1070. 5.29.	+	0	+	64	64
-1104. 7. 1. ≥	+	5	*	64	64
		0	E	0	0
-1102. 7. 1. -1070. 5.29.	E	0	E	0	64
-1143. 7. 1. -1109. 5.29.				561st position to B Eli	64
-1201. 7. 1. -1167. 5.29.				562nd position to * Eli	64

15696 Bytes yet free.

(507th/562) position: -1098. 7. 1. ≥ E Abdon 65

Forward relations for entry Abdon (65/120) are generated.

Optimize dates...

Abdon	D	Kind	S	from:	to:
-1098. 7. 1. ≥	E	0	E	65	65
-1098. 7. 1. ≥	E	5	B	65	65
-1098. 7. 1. ≥	+	0	+	65	65
		0	E	0	0
-1098. 7. 1. ≥	E	0	E	0	65

15696 Bytes yet free.

(508th/562) position: -1274. 1. 1. ≥ B Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kind	S	from:	to:
-1274. 1. 1. ≥	B	0	B	76	76
-1274. 1. 1. ≥	B	1	E	77	76

	B	5	E	76	76	
		0	B	0	0	
-1274. 1. 1.≥	B	0	B	0	76	
-1255. 1. 1.≥				563rd position to E Sisera		76

15696 Bytes yet free.

(509th/563) position: -1353. 9. 1.≥ B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Knd	S	from:	to:	
-1353. 9. 1.≥	B	0	B	77	77	
-1353. 9. 1.≥	B	1	E	78	77	
-1355. 1. 1.≥	B	5	E	77	77	
		0	B	0	0	
-1353. 9. 1.≥	B	0	B	0	77	
-1274. 9. 1.≥				564th position to E Ehud		77

15696 Bytes yet free.

(510th/564) position: -2362. 9.15. -2351. 8.29. * Peleg 101

Forward relations for entry Peleg (101/120) are generated.

Optimize dates...

Peleg	D	Knd	S	from:	to:	
-2362. 9.15. -2351. 8.29. *	0	*		101	101	
-2362. 9.15. -2341.11. 6. *	1	B		102	101	
-2362. 9.15. -2341.11. 6. *	3	*		103	101	
-2364. 9.15. -2351. 8.29. *	9	*		100	101	
-2364. 9.15. -2339.11. 6. *	10	+		103	101	
	0	*		0	0	
-2362. 9.15. -2351. 8.29. *	0	*		0	101	
-2362. 9.15. -2351. 8.29.				565th position to B Tower of Babel		102
-2395. 9.15. -2384. 8.29.				566th position to * Eber		103
-1933. 9.15. -1920. 8.29.				567th position to + Eber		103

15696 Bytes yet free.

(511th/567) position: -2125. 9.15. -2112. 8.29. + Peleg 101

Forward relations for entry Peleg (101/120) are generated.

Optimize dates...

Peleg	D	Knd	S	from:	to:	
-2125. 9.15. -2112. 8.29. +	0	+		101	101	
-2125. 9.15. -2112. 8.29. +	4	*		100	101	
	0	+		0	0	
-2125. 9.15. -2112. 8.29. +	0	+		0	101	

15696 Bytes yet free.

(512th/567) position: - 758. 1.22. - 744. 8.29. E Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Knd	S	from:	to:	
- 758. 1.22. - 744. 8.29. E	0	E		23	23	
- 761. 9. 1. - 743. 5.29. E	5	B		23	23	
- 758. 1.22. - 744. 8.29. E	7	B		22	23	
- 758. 1.22. - 744. 8.29. +	0	+		23	23	
	0	E		0	0	
- 758. 1.22. - 744. 8.29. E	0	E		0	23	
- 769. 1.22. - 754. 5.29.				568th position to B Menahem		23

15696 Bytes yet free.

(513th/568) position: - 807. 1.22. - 794. 8.29. B Azariah = Uziah 26

Forward relations for entry Azariah = Uziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uziah	D	Kind	S	from:	to:	
- 807. 1.22. - 794. 8.29. B	0	B		26	26	
- 808. 9. 1. - 794. 8.29. B	1	Ω		28	26	
- 810. 9. 1. - 792. 8.29. B	3	*		27	26	
- 810. 9. 1. - 792. 8.29. B	4	*		26	26	
- 807. 1.22. - 793. 8.29. B	6	E		26	26	
- 808. 1.22. - 794. 8.29. B	9	B		21	26	
- 809. 1.22. - 793. 8.29. B	9	B		22	26	
- 809. 1.22. - 792. 5.29. B	9	B		23	26	
- 810. 9. 1. - 792. 3.29. B	9	B		24	26	
- 809. 2. 1. - 792. 8.29. B	9	B		25	26	
	0	B		0	0	
- 807. 1.22. - 794. 8.29. B	0	B		0	26	
- 807. 1.22. - 794. 8.29.			569th position to Ω	Amaziah		28
- 835. 1.22. - 820. 8.29.			570th position to *	Jeroboam (Joash)		27
- 824. 1.22. - 809. 8.29.			571st position to *	Azariah = Uziah		26
- 769. 1.22. - 754. 3.29.			572nd position to B	Shallum		24

15696 Bytes yet free.

(514th/572) position: -1500. 9.15. -1488. 8.29. * Caleb 82

Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kind	S	from:	to:
-1500. 9.15. -1488. 8.29. *	0	*		82	82
-1501. 9.15. -1488. 8.29. *	10	B		81	82
-1500. 9.15. -1487. 8.29. *	10	B		85	82
	0	*		0	0
-1500. 9.15. -1488. 8.29. *	0	*		0	82

15696 Bytes yet free.

(515th/572) position: -1415. 9.15. -1404. 8.29. B Inheritance of Israel 81

Forward relations for entry Inheritance of Israel (81/120) are generated.

Backward relations for entry Caleb (82/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Optimize dates...

Inheritance of Israel	D	Kind	S	from:	to:	
-1415. 9.15. -1404. 8.29. B	0	B		81	81	
-1415. 9.15. -1402. 8.29. B	3	B		85	81	
-1416. 9.15. -1402. 8.29. B	4	*		82	81	
	7	+		82	81	
	8	+		83	81	
-1415. 1.22. -1404. 8.29. B	10	B		13	81	
	0	B		0	0	
-1415. 9.15. -1404. 8.29. B	0	B		0	81	
-1415. 9.15. ≥			573rd position to +	Caleb		82
-1415. 9.15. ≥			574th position to +	Joshua		83
- 716. 9.15. - 705. 8.29.			575th position to B	14th Jubile Year		13

15696 Bytes yet free.

(516th/575) position: -1544. 1.15. -1532.12.30. * Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kind	S	from:	to:
-1544. 1.15. -1532.12.30. *	0	*		87	87
-1544. 1.15. -1532.12.30. *	6	+		87	87
-1549. 7. 1. -1531. 8.29. *	9	B		87	87
	0	*		0	0
-1544. 1.15. -1532.12.30. *	0	*		0	87
-1462. 1.15. -1449. 8.29.	576th position to B Aaron				87

15696 Bytes yet free.

(517th/576) position: - 985. 4.15. - 973.10.29. B Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kind	S	from:	to:
- 985. 4.15. - 973.10.29. B	0	B		57	57
- 989. 4. 1. - 973.10.29. B	1	E		58	57
- 991. 4. 1. - 971.10.29. B	5	E		57	57
- 986.10.15. - 973.10.29. B	9	B		55	57
- 985. 4.15. - 972. 4.29. B	9	E		56	57
	0	B		0	0
- 985. 4.15. - 973.10.29. B	0	B		0	57
- 985. 4.15. - 973.10.29.	577th position to E David				58
- 946. 4.15. - 932.10.29.	578th position to E Solomon				57

15696 Bytes yet free.

(518th/578) position: - 985. 4.15. - 973.10.29. B Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kind	S	from:	to:
- 985. 4.15. - 973.10.29. B	0	B		57	57
- 985. 4.15. - 973.10.29. B	1	E		58	57
- 987. 4.15. - 971.10.29. B	5	E		57	57
- 986.10.15. - 973.10.29. B	9	B		55	57
- 985. 4.15. - 972. 4.29. B	9	E		56	57
	0	B		0	0
- 985. 4.15. - 973.10.29. B	0	B		0	57

15696 Bytes yet free.

(519th/578) position: -1420. 7.15. -1409. 6.30. E Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kind	S	from:	to:
-1420. 7.15. -1409. 6.30. E	0	E		86	86
-1420. 7.15. -1409. 6.30. E	1	B		84	86
-1426. 7. 1. -1408. 8.29. E	5	B		86	86
-1424. 7. 1. -1409. 6.30. E	7	B		83	86
-1420. 7.15. -1409. 6.30. +	0	+		86	86
-1425. 7. 1. -1408. 6.30. +	6	*		86	86
	0	E		0	0
-1420. 7.15. -1409. 6.30. E	0	E		0	86
-1461. 7.15. -1449. 8.29.	579th position to B Moses				86

-1420. 7.15. -1409. 6.30. 580th position to B Joshua 83
 -1541. 7.15. -1529. 6.30. 581st position to * Moses 86

15696 Bytes yet free.

(520th/581) position: -1121. 7.15. -1108. 6.30. B Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah	D	Kn	S	from:	to:†	
-1121. 7.15. -1108. 6.30. B	0	B		68	68	
-1125. 7. 1. -1108. 6.30. B	1	E		69	68	
-1121. 7.15. -1108. 6.30. B	3	B		84	68	
-1127. 7. 1. -1106. 6.30. B	6	E		68	68	
	0	B		0	0	
-1121. 7.15. -1108. 6.30. B	0	B		0	68	
-1121. 7.15. -1108. 6.30.				582nd position to E Philistines + Ammon		69
-1116. 7.15. -1101. 6.30.				583rd position to E Jephthah		68

15696 Bytes yet free.

(521st/583) position: -1408. 1.22.≥ B Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kn	S	from:	to:†	
-1408. 1.22.≥	B	0	B	79	79	
-1408. 1.22.≥	B	1	E	80	79	
-1411. 9. 1.≥	B	5	E	79	79	
		0	B	0	0	
-1408. 1.22.≥	B	0	B	0	79	
-1369. 1.22.≥				584th position to E Othniel		79

15696 Bytes yet free.

(522nd/584) position: - 829. 2. 1. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kn	S	from:	to:†	
- 829. 2. 1. - 810. 8.29. B	0	B		30	30	
- 830.12. 1. - 810. 8.29. B	1	E		31	30	
- 832.12. 1. - 810. 8.29. B	3	B		32	30	
- 829. 2. 1. - 810. 8.29. B	5	E		30	30	
≤- 795. 8.29. B	8	E		39	30	
- 831. 2. 1. - 810. 8.29. B	9	B		28	30	
	0	B		0	0	
- 829. 2. 1. - 810. 8.29. B	0	B		0	30	
- 829. 2. 1. - 810. 8.29.				585th position to E Jehoahaz (Jehu)		31
- 867. 2. 1. - 848. 8.29.				586th position to B Joash (Ahaziah)		32
- 829. 2. 1. - 795. 8.29.				587th position to E Elisha		39

15696 Bytes yet free.

(523rd/587) position: - 798. 2. 1. - 779. 8.29. + Amaziah 29

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kn	S	from:	to:†
---------	---	----	---	-------	------

- 798. 2. 1. - 779. 8.29. E	0 E	28	28
- 800. 2. 1. - 779. 8.29. E	6 B	28	28
- 798. 2. 1. - 779. 8.29. +	0 +	28	28
- 798. 2. 1. - 779. 8.29. +	3 +	30	29
	0 E	0	0
- 798. 2. 1. - 779. 8.29. E	0 E	0	28

15696 Bytes yet free.

(524th/587) position: - 828. 2. 1. - 809. 8.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D Knd S	from:	to:
- 828. 2. 1. - 809. 8.29. E	0 E	32	32
- 828. 2. 1. - 807. 8.29. E	5 B	32	32
- 828. 2. 1. - 809. 8.29. E	7 B	28	32
- 828. 2. 1. - 809. 8.29. +	0 +	32	32
	0 E	0	0
- 828. 2. 1. - 809. 8.29. E	0 E	0	32

15696 Bytes yet free.

(525th/587) position: - 854. 2. 1. - 833. 8.29. * Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D Knd S	from:	to:
- 854. 2. 1. - 833. 8.29. *	0 *	28	28
- 854. 2. 1. - 833. 8.29. *	10 B	28	28
	0 *	0	0
- 854. 2. 1. - 833. 8.29. *	0 *	0	28

15696 Bytes yet free.

(526th/587) position: - 875.12. 1. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D Knd S	from:	to:
- 875.12. 1. - 854. 8.29. B	0 B	34	34
- 875.12. 1. - 854. 8.29. B	1 E	35	34
- 875.12. 1. - 854. 8.29. B	2 E	37	34
- 875.12. 1. - 853. 8.29. B	5 E	34	34
	0 B	0	0
- 875.12. 1. - 854. 8.29. B	0 B	0	34

15696 Bytes yet free.

(527th/587) position: - 877.12. 1. - 854. 8.29. B Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D Knd S	from:	to:
- 877.12. 1. - 854. 8.29. B	0 B	35	35
	B 1 E	40	35
- 877.12. 1. - 852. 8.29. B	3 B	37	35
	B 4 *	35	35
- 877.12. 1. - 854. 8.29. B	6 E	35	35

```

- 878.12. 1. - 853. 8.29. B   3 B       37       36||
                        0 B       0       0||
- 877.12. 1. - 854. 8.29. B   0 B       0       35||
- 877.12. 1. - 854. 8.29.   588th position to E Jehoram (Jehoshaphat) 40
- 900.12. 1. - 875. 8.29.   589th position to * Ahaziah (Joram)       35

```

15696 Bytes yet free.

(528th/589) position: - 888.12. 1. - 865. 8.29. B Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)           D Knd S      from:      to:|
- 888.12. 1. - 865. 8.29. B   0 B       37       37||
- 890.12. 1. - 865. 8.29. B   9 B       35       37||
- 889.12. 1. - 864. 8.29. B   9 B       36       37||
- 882. 8. 1. - 854. 2.30. B   9 B       40       37||
- 888.12. 1. - 865. 8.29. B   5 E       38       38||
    5Y 8M              0 B       0       0||
- 882. 8. 1. - 865. 8.29. B   0 B       0       37||
- 882. 8. 1. - 865. 8.29.   590th position to B Joram (Ahab)       38
- 871. 8. 1. - 854. 8.29.   591st position to B Ahaziah (Joram)     35
- 876. 8. 1. - 859. 8.29.   592nd position to B Jehoram (Jehoshaphat) 40
- 871. 8. 1. - 854. 8.29.   593rd position to E Joram (Ahab)       38

```

15696 Bytes yet free.

(529th/593) position: - 928. 4. 1. - 907.10.29. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```

Nadab                 D Knd S      from:      to:|
- 928. 4. 1. - 907.10.29. E   0 E       50       50||
- 928. 4. 1. - 906.10.29. E   5 B       50       50||
- 928. 4. 1. - 907.10.29. E   7 B       49       50||
- 928. 4. 1. - 907.10.29. +   0 +       50       50||
- 929. 4. 1. - 907.10.29. +   4 B       51       50||
                        0 E       0       0||
- 928. 4. 1. - 907.10.29. E   0 E       0       50||

```

15696 Bytes yet free.

(530th/593) position: - 928. 4. 1. - 907.10.29. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

```

Baasha                D Knd S      from:      to:|
- 928. 4. 1. - 907.10.29. B   0 B       49       49||
- 928. 4. 1. - 907.10.29. B   1 E       50       49||
- 929. 4. 1. - 907.10.29. B   3 B       51       49||
- 930. 4. 1. - 907.10.29. B   5 E       49       49||
                        0 B       0       0||
- 928. 4. 1. - 907.10.29. B   0 B       0       49||

```

15696 Bytes yet free.

(531st/593) position: - 905. 4. 1. - 884.10.29. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:
- 905. 4. 1. - 884.10.29. E	0	E		49	49
- 905. 4. 1. - 882.10.29. E	5	B		49	49
- 905. 4. 1. - 884.10.29. E	7	B		48	49
- 905. 4. 1. - 884.10.29. +	0	+		49	49
	0	E		0	0
- 905. 4. 1. - 884.10.29. E	0	E		0	49

15696 Bytes yet free.

(532nd/593) position: - 868. 8. 1. - 842. 2.30. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
- 868. 8. 1. - 842. 2.30. α	0	α		40	40
- 868. 8. 1. - 842. 2.30. α	1	E		42	40
	0	α		0	0
- 868. 8. 1. - 842. 2.30. α	0	α		0	40

15696 Bytes yet free.

(533rd/593) position: - 872. 4. 1. - 849. 2.30. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
- 872. 4. 1. - 849. 2.30. E	0	E		41	41
- 872. 4. 1. - 847. 2.30. E	5	B		41	41
- 873. 8. 1. - 849. 2.30. E	7	α		37	41
≤- 849. 2.30. E	8	E		43	41
- 872. 4. 1. - 849. 2.30. +	0	+		41	41
	0	E		0	0
- 872. 4. 1. - 849. 2.30. E	0	E		0	41
- 872. 4. 1. - 849. 2.30.				594th position to α Joram (Ahab)	37
- 872. 4. 1. - 849. 2.30.				595th position to E Elijah	43

15696 Bytes yet free.

(534th/595) position: - 872. 4. 1. - 849. 2.30. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 872. 4. 1. - 849. 2.30. α	0	α		37	37
- 872. 4. 1. - 849. 2.30. α	1	E		41	37
- 872. 4. 1. ≥	α	2	E	43	37
- 875. 8. 1. - 856. 8.29. α	3	B		40	37
- 874. 4. 7. - 850.10.29. α	4	B		42	37
6Y 6M 1D	0	α		0	0
- 872. 4. 1. - 856. 8.29. α	0	α		0	37
- 872. 4. 1. - 856. 8.29.				596th position to α Joram (Ahab)	37
- 872. 4. 1. - 856. 8.29.				597th position to E Ahaziah (Ahab)	41
- 872. 4. 1. - 856. 8.29.				598th position to E Elijah	43
- 875. 4. 1. - 859. 8.29.				599th position to B Jehoram (Jehoshaphat)	40
- 891. 4. 7. - 873. 8.29.				600th position to B Jehoshaphat	42

15696 Bytes yet free.

(535th/600) position: - 872. 4. 1. - 856. 8.29. E Ahaziah (Ahab) 41
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 872. 4. 1. - 856. 8.29.	E	0	E	41	41	
- 872. 4. 1. - 847. 2.30.	E	5	B	41	41	
- 872. 4. 1. - 856. 8.29.	E	7	α	37	41	
≤- 856. 8.29.	E	8	E	43	41	
- 872. 4. 1. - 856. 8.29.	+	0	+	41	41	
		0	E	0	0	
- 872. 4. 1. - 856. 8.29.	E	0	E	0	41	
- 873. 4. 1. - 857. 8.29.				601st position to B Ahaziah (Ahab)		41

15696 Bytes yet free.

(536th/601) position: - 872. 4. 1. - 856. 8.29. E Elijah 43
 Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
- 872. 4. 1. - 856. 8.29.	E	0	E	43	43	
- 872. 4. 1. ≥	E	2	E	41	43	
	E	7	B	39	43	
≤- 856. 8.29.	E	8	α	37	43	
- 872. 4. 1. - 856. 8.29.	+	0	+	43	43	
		0	E	0	0	
- 872. 4. 1. - 856. 8.29.	E	0	E	0	43	
- 872. 4. 1. - 856. 8.29.				602nd position to B Elisha		39

15696 Bytes yet free.

(537th/602) position: - 875. 4. 1. - 859. 8.29. B Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
- 875. 4. 1. - 859. 8.29.	B	0	B	40	40	
- 878. 8. 1. - 859. 8.29.	B	3	B	37	40	
	B	4	*	40	40	
- 886.12. 1. - 861. 8.29.	B	6	E	40	40	
- 875. 4. 1. - 857. 8.29.	B	9	α	37	40	
2Y		0	B	0	0	
- 875. 4. 1. - 861. 8.29.	B	0	B	0	40	
- 875. 4. 1. - 861. 8.29.				603rd position to B Jehoram (Jehoshaphat)		40
- 881. 4. 1. - 865. 8.29.				604th position to B Joram (Ahab)		37
- 908. 4. 1. - 892. 8.29.				605th position to * Jehoram (Jehoshaphat)		40
- 868. 4. 1. - 854. 8.29.				606th position to E Jehoram (Jehoshaphat)		40
- 872. 4. 1. - 858. 8.29.				607th position to α Joram (Ahab)		37

15696 Bytes yet free.

(538th/607) position: - 894. 4. 7. - 872.10.29. E Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:	
- 894. 4. 7. - 872.10.29.	E	0	E	45	45	

```

- 894. 4. 7. - 870.11. 7. E 6 B 45 45||
- 894. 4. 7. - 872.10.29. E 7 B 44 45||
- 894. 4. 7. - 872.10.29. + 0 + 45 45||
                        0 E 0 0||
- 894. 4. 7. - 872.10.29. E 0 E 0 45||
- 905. 4. 7. - 883.10.29. 608th position to B Omri 45

```

15696 Bytes yet free.

```

(539th/608) position: - 873. 4. 7. - 850. 2.30. E Ahab 44
Forward relations for entry Ahab (44/120) are generated.
Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
Backward relations for entry Elijah (43/120) are generated.
Optimize dates...

```

```

Ahab D Knd S from: to:|
- 873. 4. 7. - 850. 2.30. E 0 E 44 44||
- 894. 4. 7. ≥ E 2 B 43 44||
- 873. 4. 7. - 849.10.29. E 5 B 44 44||
- 873. 4. 1. - 857. 8.29. E 7 B 41 44||
- 873. 4. 7. - 850. 2.30. + 0 + 44 44||
                        6Y 6M 1D 0 E 0 0||
- 873. 4. 7. - 857. 8.29. E 0 E 0 44||
- 873. 4. 7. - 857. 8.29. 609th position to E Ahab 44
- 894. 4. 7. - 857. 8.29. 610th position to B Elijah 43
- 894. 4. 7. - 878. 8.29. 611th position to B Ahab 44
- 873. 4. 7. - 857. 8.29. 612th position to B Ahaziah (Ahab) 41

```

15696 Bytes yet free.

```

(540th/612) position: - 873. 4. 7. - 857. 8.29. B Ahaziah (Ahab) 41
Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
Backward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Elijah (43/120) are generated.
Optimize dates...

```

```

Ahaziah (Ahab) D Knd S from: to:|
- 873. 4. 7. - 857. 8.29. B 0 B 41 41||
- 873. 4. 7. - 857. 8.29. B 1 E 44 41||
- 875. 4. 7. - 855. 8.29. B 3 B 42 41||
- 875. 4. 1. - 857. 8.29. B 5 E 41 41||
                        0 B 0 0||
- 873. 4. 7. - 857. 8.29. B 0 B 0 41||
- 872. 4. 7. - 856. 8.29. 613th position to E Ahaziah (Ahab) 41

```

15696 Bytes yet free.

```

(541st/613) position: - 894. 4. 7. - 857. 8.29. B Elijah 43
Forward relations for entry Elijah (43/120) are generated.
Backward relations for entry Elisha (39/120) are generated.
Backward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Ahab (44/120) are generated.
Optimize dates...

```

```

Elijah D Knd S from: to:|
- 894. 4. 7. - 857. 8.29. B 0 B 43 43||
- 894. 4. 7. ≥ B 1 B 44 43||
                        ≤- 857. 8.29. B 8 E 44 43||
                        0 B 0 0||
- 894. 4. 7. - 857. 8.29. B 0 B 0 43||

```

15696 Bytes yet free.

```

(542nd/613) position: - 891. 4. 7. - 873. 8.29. B Jehoshaphat 42
Forward relations for entry Jehoshaphat (42/120) are generated.

```

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
- 891. 4. 7. - 873. 8.29.	B	0	B	42	42	
- 891. 4. 1. - 869.10.29.	B	1	E	51	42	
- 891. 4. 7. - 873. 8.29.	B	3	B	44	42	
- 894. 8. 1. - 866. 2.30.	B	4	*	42	42	
- 894. 8. 1. - 866. 2.30.	B	6	E	42	42	
- 891. 4. 7. - 873. 8.29.	B	9	B	41	42	
- 891. 4. 1. - 875. 8.29.	B	10	α	37	42	
2Y		0	B	0	0	
- 891. 4. 7. - 875. 8.29.	B	0	B	0	42	
- 891. 4. 7. - 875. 8.29.				614th position to B	Jehoshaphat	42
- 891. 4. 7. - 875. 8.29.				615th position to E	Asa	51
- 927. 4. 7. - 909. 8.29.				616th position to *	Jehoshaphat	42
- 867. 4. 7. - 849. 8.29.				617th position to E	Jehoshaphat	42

15696 Bytes yet free.

(543rd/617) position: - 872. 4. 7. - 856. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 872. 4. 7. - 856. 8.29.	E	0	E	41	41	
- 872. 4. 7. - 854. 8.29.	E	5	B	41	41	
- 872. 4. 1. - 858. 8.29.	E	7	α	37	41	
≤- 856. 8.29.	E	8	E	43	41	
- 872. 4. 7. - 856. 8.29. +		0	+	41	41	
2Y		0	E	0	0	
- 872. 4. 7. - 858. 8.29.	E	0	E	0	41	
- 872. 4. 7. - 858. 8.29.				618th position to E	Ahaziah (Ahab)	41
- 873. 4. 7. - 859. 8.29.				619th position to B	Ahaziah (Ahab)	41
- 872. 4. 7. - 858. 8.29.				620th position to α	Joram (Ahab)	37
- 872. 4. 7. - 856. 8.29.				621st position to E	Elijah	43

15696 Bytes yet free.

(544th/621) position: - 904. 4. 7. - 883.11. 7. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:	
- 904. 4. 7. - 883.11. 7.	E	0	E	47	47	
- 904. 4. 7. - 883.11. 7.	E	5	B	47	47	
- 905. 4. 7. - 883.11. 7.	E	7	B	46	47	
- 905. 4. 7. - 883.10.29.	E	8	B	45	47	
- 904. 4. 7. - 883.11. 7. +		0	+	47	47	
8D		0	E	0	0	
- 904. 4. 7. - 883.10.29.	E	0	E	0	47	
- 904. 4. 7. - 883.10.29.				622nd position to E	Zimri	47
- 904. 4. 1. - 883.10.23.				623rd position to B	Zimri	47
- 904. 4. 7. - 883.10.29.				624th position to B	Tibni	46
- 904. 4. 7. - 883.10.29.				625th position to B	Omri	45

15696 Bytes yet free.

(545th/625) position: - 904. 4. 7. - 883.10.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Knd	S	from:	to:
- 904. 4. 7. - 883.10.29. B	0	B		46	46
- 904. 4. 7. - 883.10.29. B	1	E		47	46
	0	B		0	0
- 904. 4. 7. - 883.10.29. B	0	B		0	46

15696 Bytes yet free.

(546th/625) position: - 904. 4. 7. - 883.10.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Knd	S	from:	to:
- 904. 4. 7. - 883.10.29. B	0	B		45	45
- 904. 4. 7. - 883.10.29. B	2	E		47	45
- 907. 4. 7. - 883.10.29. B	6	E		45	45
	0	B		0	0
- 904. 4. 7. - 883.10.29. B	0	B		0	45
- 893. 4. 7. - 872.10.29. 626th position to E Omri					45

15696 Bytes yet free.

(547th/626) position: - 893. 4. 7. - 872.10.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Knd	S	from:	to:
- 893. 4. 7. - 872.10.29. E	0	E		45	45
- 893. 4. 7. - 870.10.29. E	6	B		45	45
- 894. 4. 7. - 878. 8.29. E	7	B		44	45
- 893. 4. 7. - 872.10.29. +	0	+		45	45
6Y 2M	0	E		0	0
- 893. 4. 7. - 878. 8.29. E	0	E		0	45
- 893. 4. 7. - 878. 8.29. 627th position to E Omri					45
- 904. 4. 7. - 889. 8.29. 628th position to B Omri					45
- 893. 4. 7. - 878. 8.29. 629th position to B Ahab					44

15696 Bytes yet free.

(548th/629) position: - 905. 4. 1. - 884.10.29. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Knd	S	from:	to:
- 905. 4. 1. - 884.10.29. B	0	B		48	48
- 905. 4. 1. - 884.10.29. B	1	E		49	48
- 906. 4. 1. - 884.10.29. B	3	B		51	48
- 907. 4. 1. - 884.10.29. B	5	E		48	48
	0	B		0	0
- 905. 4. 1. - 884.10.29. B	0	B		0	48

15696 Bytes yet free.

(549th/629) position: - 905. 4. 1. - 884.10.29. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Knd	S	from:	to:
- 905. 4. 1. - 884.10.29. E	0	E		49	49
- 905. 4. 1. - 882.10.29. E	5	B		49	49

```

- 905. 4. 1. - 884.10.29. E   7 B      48      49||
- 905. 4. 1. - 884.10.29. +   0 +      49      49||
                               0 E      0      0||
- 905. 4. 1. - 884.10.29. E   0 E      0      49||

```

15696 Bytes yet free.

(550th/629) position: - 904. 4. 1. - 883.10.29. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

```

Elah          D Knd S      from:      to:|
- 904. 4. 1. - 883.10.29. E   0 E      48      48||
- 904. 4. 1. - 881.10.29. E   5 B      48      48||
- 904. 4. 1. - 883.10.23. E   7 B      47      48||
- 904. 4. 1. - 883.10.29. +   0 +      48      48||
- 905. 4. 1. - 883.10.29. +   4 B      51      48||
                        6D   0 E      0      0||
- 904. 4. 1. - 883.10.23. E   0 E      0      48||
- 904. 4. 1. - 883.10.23. 630th position to E Elah 48
- 905. 4. 1. - 884.10.23. 631st position to B Elah 48

```

15696 Bytes yet free.

(551st/631) position: - 891. 4. 7. - 875. 8.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```

Jehoshaphat   D Knd S      from:      to:|
- 891. 4. 7. - 875. 8.29. B   0 B      42      42||
- 891. 4. 7. - 875. 8.29. B   1 E      51      42||
- 890. 4. 7. - 873. 8.29. B   3 B      44      42||
- 893. 4. 7. - 873. 8.29. B   4 *      42      42||
- 893. 4. 7. - 873. 8.29. B   6 E      42      42||
- 891. 4. 7. - 875. 8.29. B   9 B      41      42||
- 891. 4. 7. - 875. 8.29. B  10 α      37      42||
      1Y          0 B      0      0||
- 890. 4. 7. - 875. 8.29. B   0 B      0      42||
- 890. 4. 7. - 875. 8.29. 632nd position to B Jehoshaphat 42
- 890. 4. 7. - 875. 8.29. 633rd position to E Asa 51
- 926. 4. 7. - 909. 8.29. 634th position to * Jehoshaphat 42
- 866. 4. 7. - 849. 8.29. 635th position to E Jehoshaphat 42

```

15696 Bytes yet free.

(552nd/635) position: - 893. 4. 7. - 878. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahab          D Knd S      from:      to:|
- 893. 4. 7. - 878. 8.29. B   0 B      44      44||
- 893. 4. 7. - 878. 8.29. B   1 E      45      44||
- 894. 4. 1. - 872.10.29. B   3 B      51      44||
- 896. 4. 7. - 878. 8.29. B   5 E      44      44||
      ≤- 857. 8.29. B   7 B      43      44||
- 895. 4. 7. - 878. 8.29. B   9 B      42      44||
                        0 B      0      0||
- 893. 4. 7. - 878. 8.29. B   0 B      0      44||
- 931. 4. 1. - 915. 8.29. 636th position to B Asa 51
- 872. 4. 7. - 857. 8.29. 637th position to E Ahab 44

```

- 893. 4. 7. - 857. 8.29. 638th position to B Elijah

43

15696 Bytes yet free.

(553rd/638) position: - 893. 4. 7. - 878. 8.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kn	S	from:	to:
- 893. 4. 7. - 878. 8.29. E	0	E		45	45
- 893. 4. 7. - 876. 8.29. E	6	B		45	45
- 893. 4. 7. - 878. 8.29. E	7	B		44	45
- 893. 4. 7. - 878. 8.29. +	0	+		45	45
	0	E		0	0
- 893. 4. 7. - 878. 8.29. E	0	E		0	45

15696 Bytes yet free.

(554th/638) position: - 872. 4. 7. - 857. 8.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kn	S	from:	to:
- 872. 4. 7. - 857. 8.29. E	0	E		44	44
- 893. 4. 7. ≥	E	2	B	43	44
- 872. 4. 7. - 855. 8.29. E	5	B		44	44
- 873. 4. 7. - 859. 8.29. E	7	B		41	44
- 872. 4. 7. - 857. 8.29. +	0	+		44	44
2Y	0	E		0	0
- 872. 4. 7. - 859. 8.29. E	0	E		0	44
- 872. 4. 7. - 859. 8.29.				639th position to E Ahab	44
- 893. 4. 7. - 859. 8.29.				640th position to B Elijah	43
- 893. 4. 7. - 880. 8.29.				641st position to B Ahab	44
- 872. 4. 7. - 859. 8.29.				642nd position to B Ahaziah (Ahab)	41

15696 Bytes yet free.

(555th/642) position: - 893. 4. 7. - 859. 8.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kn	S	from:	to:
- 893. 4. 7. - 859. 8.29. B	0	B		43	43
- 893. 4. 7. ≥	B	1	B	44	43
≤- 859. 8.29. B	8	E		44	43
	0	B		0	0
- 893. 4. 7. - 859. 8.29. B	0	B		0	43

15696 Bytes yet free.

(556th/642) position: - 890. 4. 7. - 875. 8.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kn	S	from:	to:
- 890. 4. 7. - 875. 8.29. B	0	B		42	42
- 890. 4. 7. - 875. 8.29. B	1	E		51	42
- 890. 4. 7. - 875. 8.29. B	3	B		44	42
- 892. 4. 7. - 873. 8.29. B	4	*		42	42

```

- 892. 4. 7. - 873. 8.29. B 6 E 42 42||
- 890. 4. 7. - 875. 8.29. B 9 B 41 42||
- 891. 4. 7. - 875. 8.29. B 10 α 37 42||
      0 B 0 0||
- 890. 4. 7. - 875. 8.29. B 0 B 0 42||

```

15696 Bytes yet free.

(557th/642) position: - 901. 4. 1. - 879.10.29. E Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Tibni D Knd S from: to:|
- 901. 4. 1. - 879.10.29. E 0 E 46 46||
- 901. 4. 1. - 879.10.29. E 7 α 45 46||
- 901. 4. 1. - 879.10.29. + 0 + 46 46||
      0 E 0 0||
- 901. 4. 1. - 879.10.29. E 0 E 0 46||

```

15696 Bytes yet free.

(558th/642) position: - 904. 4. 1. - 883.10.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri D Knd S from: to:|
- 904. 4. 1. - 883.10.23. B 0 B 47 47||
- 904. 4. 1. - 883.10.23. B 1 E 48 47||
- 905. 4. 1. - 887. 8.29. B 3 B 51 47||
- 904. 3.29. - 883.10.23. B 5 E 47 47||
      4Y 1M24D 0 B 0 0||
- 904. 4. 1. - 887. 8.29. B 0 B 0 47||
- 904. 4. 1. - 887. 8.29. 643rd position to B Zimri 47
- 904. 4. 1. - 887. 8.29. 644th position to E Elah 48
- 904. 4. 7. - 887. 9. 7. 645th position to E Zimri 47

```

15696 Bytes yet free.

(559th/645) position: - 904. 4. 7. - 887. 9. 7. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri D Knd S from: to:|
- 904. 4. 7. - 887. 9. 7. E 0 E 47 47||
- 904. 4. 7. - 887. 9. 7. E 5 B 47 47||
- 904. 4. 7. - 883.10.29. E 7 B 46 47||
- 904. 4. 7. - 889. 8.29. E 8 B 45 47||
- 904. 4. 7. - 887. 9. 7. + 0 + 47 47||
      2Y 8D 0 E 0 0||
- 904. 4. 7. - 889. 8.29. E 0 E 0 47||
- 904. 4. 7. - 889. 8.29. 646th position to E Zimri 47
- 904. 4. 1. - 889. 8.23. 647th position to B Zimri 47
- 904. 4. 7. - 889. 8.29. 648th position to B Tibni 46

```

15696 Bytes yet free.

(560th/648) position: ≤-1172. 6.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites D Knd S from: to:†
 ≤-1172. 6.30. B 0 B 74 74||
 B 1 E 75 74||
 ≤-1172. 6.30. B 5 E 74 74||
 0 B 0 0||
 ≤-1172. 6.30. B 0 B 0 74||
 ≤-1172. 6.30. 649th position to E Deborah and Barak 75

15696 Bytes yet free.

(561st/649) position: -1143. 7. 1. -1109. 5.29. B Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli D Knd S from: to:†
 -1143. 7. 1. -1109. 5.29. B 0 B 64 64||
 -1143. 7. 1. -1109. 5.29. B 6 E 64 64||
 0 B 0 0||
 -1143. 7. 1. -1109. 5.29. B 0 B 0 64||

15696 Bytes yet free.

(562nd/649) position: -1201. 7. 1. -1167. 5.29. * Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli D Knd S from: to:†
 -1201. 7. 1. -1167. 5.29. * 0 * 64 64||
 -1201. 7. 1. -1167. 5.29. * 5 + 64 64||
 0 * 0 0||
 -1201. 7. 1. -1167. 5.29. * 0 * 0 64||

15696 Bytes yet free.

(563rd/649) position: -1255. 1. 1.≥ E Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera D Knd S from: to:†
 -1255. 1. 1.≥ E 0 E 76 76||
 -1255. 1. 1.≥ E 5 B 76 76||
 E 7 B 75 76||
 -1255. 1. 1.≥ + 0 + 76 76||
 0 E 0 0||
 -1255. 1. 1.≥ E 0 E 0 76||
 -1255. 1. 1.≥ 650th position to B Deborah and Barak 75

15696 Bytes yet free.

(564th/650) position: -1274. 9. 1.≥ E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud D Knd S from: to:†
 -1274. 9. 1.≥ E 0 E 77 77||
 -1274. 9. 1.≥ E 5 B 77 77||
 -1274. 1. 1.≥ E 7 B 76 77||
 0 E 0 0||
 -1274. 9. 1.≥ E 0 E 0 77||
 -1274. 9. 1.≥ 651st position to B Sisera 76

15696 Bytes yet free.

(565th/651) position: -2362. 9.15. -2351. 8.29. B Tower of Babel 102
 Forward relations for entry Tower of Babel (102/120) are generated.
 Backward relations for entry Peleg (101/120) are generated.
 Optimize dates...

Tower of Babel	D	Knd	S	from:	to:
-2362. 9.15. -2351. 8.29. B	0	B		102	102
-2362. 9.15. -2351. 8.29. B	7	*		101	102
	0	B		0	0
-2362. 9.15. -2351. 8.29. B	0	B		0	102

15696 Bytes yet free.

(566th/651) position: -2395. 9.15. -2384. 8.29. * Eber 103
 Forward relations for entry Eber (103/120) are generated.
 Optimize dates...

Eber	D	Knd	S	from:	to:
-2395. 9.15. -2384. 8.29. *	0	*		103	103
-2395. 9.15. -2376.11. 6. *	3	*		104	103
-2397. 9.15. -2384. 8.29. *	9	*		101	103
-2397. 9.15. -2374.11. 6. *	10	+		104	103
	0	*		0	0
-2395. 9.15. -2384. 8.29. *	0	*		0	103
-2424. 9.15. -2413. 8.29.			652nd position to *	Salah	104
-1993. 9.15. -1980. 8.29.			653rd position to +	Salah	104

15696 Bytes yet free.

(567th/653) position: -1933. 9.15. -1920. 8.29. + Eber 103
 Forward relations for entry Eber (103/120) are generated.
 Optimize dates...

Eber	D	Knd	S	from:	to:
-1933. 9.15. -1920. 8.29. +	0	+		103	103
-1933. 9.15. -1920. 8.29. +	4	*		101	103
	0	+		0	0
-1933. 9.15. -1920. 8.29. +	0	+		0	103

15696 Bytes yet free.

(568th/653) position: - 769. 1.22. - 754. 5.29. B Menahem 23
 Forward relations for entry Menahem (23/120) are generated.
 Backward relations for entry Pekahiah (22/120) are generated.
 Optimize dates...

Menahem	D	Knd	S	from:	to:
- 769. 1.22. - 754. 5.29. B	0	B		23	23
- 770. 9. 1. - 754. 5.29. B	1	E		24	23
- 769. 1.22. - 754. 8.29. B	3	B		26	23
- 769. 1.22. - 753. 8.29. B	5	E		23	23
	0	B		0	0
- 769. 1.22. - 754. 5.29. B	0	B		0	23
- 769. 1.22. - 754. 5.29.			654th position to E	Shallum	24

15696 Bytes yet free.

(569th/654) position: - 807. 1.22. - 794. 8.29. Ω Amaziah 28
 Forward relations for entry Amaziah (28/120) are generated.
 Backward relations for entry Azariah = Uzziah (26/120) are generated.
 Forward relations for entry Amaziah (29/120) are generated.
 Optimize dates...

Amaziah	D	Knd	S	from:	to:
- 807. 1.22. - 794. 8.29. Ω	0	Ω		28	28
- 807. 1.22. - 794. 8.29. Ω	7	B		26	28
	0	Ω		0	0

- 807. 1.22. - 794. 8.29. Ω 0 Ω 0 28||

15696 Bytes yet free.

(570th/654) position: - 835. 1.22. - 820. 8.29. * Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:
- 835. 1.22. - 820. 8.29. *	0	*		27	27
- 835. 1.22. - 820. 8.29. *	9	B		26	27
	0	*		0	0
- 835. 1.22. - 820. 8.29. *	0	*		0	27

15696 Bytes yet free.

(571st/654) position: - 824. 1.22. - 809. 8.29. * Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
- 824. 1.22. - 809. 8.29. *	0	*		26	26
- 824. 1.22. - 809. 8.29. *	10	B		26	26
	0	*		0	0
- 824. 1.22. - 809. 8.29. *	0	*		0	26

15696 Bytes yet free.

(572nd/654) position: - 769. 1.22. - 754. 3.29. B Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:
- 769. 1.22. - 754. 3.29. B	0	B		24	24
- 770. 9. 1. - 754. 3.29. B	1	E		25	24
- 769. 1.22. - 754. 8.29. B	3	B		26	24
- 770.11.22. - 754. 5.29. B	5	E		24	24
	0	B		0	0
- 769. 1.22. - 754. 3.29. B	0	B		0	24
- 769. 1.22. - 754. 3.29. 655th position to E Zachariah					25

15696 Bytes yet free.

(573rd/655) position: -1415. 9.15.≥ + Caleb 82

Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kind	S	from:	to:
-1415. 9.15.≥	+	0	+	82	82
-1415. 9.15.≥	+	1	B	81	82
		0	+	0	0
-1415. 9.15.≥	+	0	+	0	82

15696 Bytes yet free.

(574th/655) position: -1415. 9.15.≥ + Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:
-1415. 9.15.≥	E	0	E	83	83
	E	7	B	80	83
-1415. 9.15.≥	+	0	+	83	83
-1415. 9.15.≥	+	2	B	81	83

```

-1417. 1.22.≥      +   5 *      83      83||
                   0 E      0      0||
-1415. 9.15.≥      E   0 E      0      83||
-1415. 9.15.≥      656th position to B Chushanrishathaim      80
-1526. 9.15.≥      657th position to * Joshua      83

```

15696 Bytes yet free.

(575th/657) position: - 716. 9.15. - 705. 8.29. B 14th Jubile Year 13
 Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

```

14th Jubile Year      D Knd S      from:      to:|
- 716. 9.15. - 705. 8.29. B   0 B      13      13||
- 716. 1.22. - 705. 8.29. B   3 B      14      13||
- 716. 9.15. - 705. 8.29. B   4 B      81      13||
- 716. 1.22. - 705. 8.29. B   6 E      13      13||
                   0 B      0      0||
- 716. 9.15. - 705. 8.29. B   0 B      0      13||
- 715. 9.15. - 704. 8.29. 658th position to E 14th Jubile Year      13

```

15696 Bytes yet free.

(576th/658) position: -1462. 1.15. -1449. 8.29. B Aaron 87
 Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

```

Aaron      D Knd S      from:      to:|
-1462. 1.15. -1449. 8.29. B   0 B      87      87||
-1461. 7.15. -1449. 8.29. B   1 B      86      87||
-1462. 1.15. -1448.12.30. B   3 *      87      87||
      ≤-1449. 8.29. B   8 E      89      87||
      1Y 6M      0 B      0      0||
-1461. 7.15. -1449. 8.29. B   0 B      0      87||
-1461. 7.15. -1449. 8.29. 659th position to B Aaron      87

```

15696 Bytes yet free.

(577th/659) position: - 985. 4.15. - 973.10.29. E David 58
 Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

```

David      D Knd S      from:      to:|
- 985. 4.15. - 973.10.29. Ω   0 Ω      58      58||
- 991. 9. 1. - 971.10.29. Ω   6 α      58      58||
- 985. 4.15. - 973.10.29. E   0 E      58      58||
- 991. 4. 1. - 971. 5.29. E   5 B      58      58||
- 985. 4.15. - 973.10.29. E   7 B      57      58||
- 985. 4.15. - 973.10.29. +   0 +      58      58||
                   0 Ω      0      0||
- 985. 4.15. - 973.10.29. Ω   0 Ω      0      58||
-1019. 4.15. -1005.10.29. 660th position to α David      58
-1026. 4.15. -1012. 5.29. 661st position to B David      58

```

15696 Bytes yet free.

(578th/661) position: - 946. 4.15. - 932.10.29. E Solomon 57
 Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

```

Solomon      D Knd S      from:      to:|

```



```

- 946. 4.15. - 932.10.29. E 0 E 57 57||
- 946. 4.15. - 932.10.29. E 5 B 57 57||
- 950. 4. 1. - 932.10.29. E 7 B 53 57||
- 950. 4. 1. - 932.10.29. E 7 B 54 57||
- 946. 4.15. - 932.10.29. + 0 + 57 57||
                                0 E 0 0||
- 946. 4.15. - 932.10.29. E 0 E 0 57||
- 946. 4.15. - 932.10.29. 662nd position to B Jeroboam (Nebat) 53
- 946. 4.15. - 932.10.29. 663rd position to B Rehoboam 54

```

15696 Bytes yet free.

(579th/663) position: -1461. 7.15. -1449. 8.29. B Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Moses D Knd S from: to:|
-1461. 7.15. -1449. 8.29. B 0 B 86 86||
-1462. 7.15. -1448. 6.30. B 3 * 86 86||
-1461. 7.15. -1448. 6.30. B 5 E 86 86||
-1461. 7.15. -1449. 8.29. B 7 B 87 86||
      ≤-1449. 8.29. B 7 E 89 86||
                        0 B 0 0||
-1461. 7.15. -1449. 8.29. B 0 B 0 86||

```

15696 Bytes yet free.

(580th/663) position: -1420. 7.15. -1409. 6.30. B Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

```

Joshua D Knd S from: to:|
-1420. 7.15. -1409. 6.30. B 0 B 83 83||
-1420. 7.15. -1409. 6.30. B 1 E 86 83||
                        0 B 0 0||
-1420. 7.15. -1409. 6.30. B 0 B 0 83||

```

15696 Bytes yet free.

(581st/663) position: -1541. 7.15. -1529. 6.30. * Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Moses D Knd S from: to:|
-1541. 7.15. -1529. 6.30. * 0 * 86 86||
-1541. 7.15. -1529. 6.30. * 6 + 86 86||
-1542. 7.15. -1528. 8.29. * 9 B 86 86||
                        0 * 0 0||
-1541. 7.15. -1529. 6.30. * 0 * 0 86||

```

15696 Bytes yet free.

(582nd/663) position: -1121. 7.15. -1108. 6.30. E Philistines + Ammon 69

Forward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

```

Philistines + Ammon D Knd S from: to:|
-1121. 7.15. -1108. 6.30. E 0 E 69 69||

```

```

-1127. 7. 1. -1106. 6.30. E   5 B      69      69||
-1121. 7.15. -1108. 6.30. E   7 B      68      69||
                        0 E      0      0||
-1121. 7.15. -1108. 6.30. E   0 E      0      69||
-1140. 7.15. -1125. 6.30.   664th position to B Philistines + Ammon   69

```

15696 Bytes yet free.

(583rd/664) position: -1116. 7.15. -1101. 6.30. E Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

```

Jephthah           D Knd S      from:      to:|
-1116. 7.15. -1101. 6.30. E   0 E      68      68||
-1116. 7.15. -1101. 6.30. E   6 B      68      68||
      ≤-1090. 5.29. E   7 B      63      68||
                        E   7 B      67      68||
-1116. 7.15. -1101. 6.30. +   0 +      68      68||
                        0 E      0      0||
-1116. 7.15. -1101. 6.30. E   0 E      0      68||
-1116. 7.15. -1090. 5.29.   665th position to B Philistines   63
-1116. 7.15. ≥          666th position to B Ibzan   67

```

15696 Bytes yet free.

(584th/666) position: -1369. 1.22. ≥ E Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

```

Othniel           D Knd S      from:      to:|
-1369. 1.22. ≥      E   0 E      79      79||
-1369. 1.22. ≥      E   5 B      79      79||
-1370. 9. 1. ≥      E   7 B      78      79||
-1369. 1.22. ≥      +   0 +      79      79||
                        0 E      0      0||
-1369. 1.22. ≥      E   0 E      0      79||
-1369. 1.22. ≥          667th position to B Eglon   78

```

15696 Bytes yet free.

(585th/667) position: - 829. 2. 1. - 810. 8.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu)   D Knd S      from:      to:|
- 829. 2. 1. - 810. 8.29. E   0 E      31      31||
- 830.12. 1. - 808. 8.29. E   5 B      31      31||
- 829. 2. 1. - 810. 8.29. E   7 B      30      31||
- 829. 2. 1. - 810. 8.29. +   0 +      31      31||
                        0 E      0      0||
- 829. 2. 1. - 810. 8.29. E   0 E      0      31||

```

15696 Bytes yet free.

(586th/667) position: - 867. 2. 1. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah)   D Knd S      from:      to:|
- 867. 2. 1. - 848. 8.29. B   0 B      32      32||
- 868.12. 1. - 848. 8.29. B   1 E      34      32||

```

```

- 869.12. 1. - 846. 8.29. B 3 B 33 32||
- 869. 2. 1. - 848. 8.29. B 5 E 32 32||
- 870.12. 1. - 846. 8.29. B 4 * 32 32||
- 867. 2. 1. - 846. 8.29. B 9 B 30 32||
- 870.12. 1. - 848. 8.29. B 9 B 31 32||
  0 B 0 0||
- 867. 2. 1. - 848. 8.29. B 0 B 0 32||
- 867. 2. 1. - 848. 8.29. 668th position to E Athaliah 34
- 875. 2. 1. - 854. 8.29. 669th position to * Joash (Ahaziah) 32
- 845. 2. 1. - 826. 8.29. 670th position to B Jehoahaz (Jehu) 31

```

15696 Bytes yet free.

(587th/670) position: - 829. 2. 1. - 795. 8.29. E Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Elisha D Knd S from: to:|
- 829. 2. 1. - 795. 8.29. E 0 E 39 39||
- 829. 2. 1. ≥ E 2 B 30 39||
- 829. 2. 1. - 795. 8.29. + 0 + 39 39||
  ≤- 795. 8.29. + 8 E 30 39||
  0 E 0 0||
- 829. 2. 1. - 795. 8.29. E 0 E 0 39||

```

15696 Bytes yet free.

(588th/670) position: - 868. 4. 1. - 854. 8.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S from: to:|
- 868. 4. 1. - 854. 8.29. E 0 E 40 40||
- 868. 4. 1. - 852. 8.29. E 6 B 40 40||
- 871. 8. 1. - 854. 8.29. E 7 B 35 40||
- 868. 4. 1. - 854. 8.29. + 0 + 40 40||
  0 E 0 0||
- 868. 4. 1. - 854. 8.29. E 0 E 0 40||
- 868. 4. 1. - 854. 8.29. 671st position to B Ahaziah (Joram) 35

```

15696 Bytes yet free.

(589th/671) position: - 900.12. 1. - 875. 8.29. * Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

```

Ahaziah (Joram) D Knd S from: to:|
- 900.12. 1. - 875. 8.29. * 0 * 35 35||
- 891. 4. 1. - 875. 8.29. * 10 B 35 35||
  8Y 4M 0 * 0 0||
- 891. 4. 1. - 875. 8.29. * 0 * 0 35||
- 891. 4. 1. - 875. 8.29. 672nd position to * Ahaziah (Joram) 35

```

15696 Bytes yet free.

(590th/672) position: - 881. 4. 1. - 865. 8.29. B Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
- 881. 4. 1. - 865. 8.29.	B	0	B	37	37	
- 881. 4. 1. - 865. 8.29.	B	9	B	35	37	
- 880. 4. 1. - 864. 8.29.	B	9	B	36	37	
- 881. 4. 1. - 865. 8.29.	B	9	B	40	37	
- 884. 8. 1. - 865. 8.29.	B	5	E	38	38	
1Y		0	B	0	0	
- 880. 4. 1. - 865. 8.29.	B	0	B	0	37	
- 880. 4. 1. - 865. 8.29.				673rd position to B Joram (Ahab)		38
- 869. 4. 1. - 854. 8.29.				674th position to E Joram (Ahab)		38

15696 Bytes yet free.

(591st/674) position: - 868. 4. 1. - 854. 8.29. B Ahaziah (Joram) 35
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:	
- 868. 4. 1. - 854. 8.29.	B	0	B	35	35	
- 868. 4. 1. - 854. 8.29.	B	1	E	40	35	
- 869. 4. 1. - 852. 8.29.	B	3	B	37	35	
- 870. 4. 1. - 852. 8.29.	B	4	*	35	35	
- 877.12. 1. - 854. 8.29.	B	6	E	35	35	
- 870. 4. 1. - 853. 8.29.	B	3	B	37	36	
		0	B	0	0	
- 868. 4. 1. - 854. 8.29.	B	0	B	0	35	
- 868. 4. 1. - 854. 8.29.				675th position to E Ahaziah (Joram)		35

15696 Bytes yet free.

(592nd/675) position: - 875. 4. 1. - 861. 8.29. B Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
- 875. 4. 1. - 861. 8.29.	B	0	B	40	40	
- 876. 4. 1. - 859. 8.29.	B	3	B	37	40	
- 877. 4. 1. - 859. 8.29.	B	4	*	40	40	
- 877. 4. 1. - 861. 8.29.	B	6	E	40	40	
- 875. 4. 7. - 859. 8.29.	B	9	α	37	40	
6D		0	B	0	0	
- 875. 4. 7. - 861. 8.29.	B	0	B	0	40	
- 875. 4. 7. - 861. 8.29.				676th position to B Jehoram (Jehoshaphat)		40
- 908. 4. 7. - 892. 8.29.				677th position to * Jehoram (Jehoshaphat)		40
- 868. 4. 7. - 854. 8.29.				678th position to E Jehoram (Jehoshaphat)		40

15696 Bytes yet free.

(593rd/678) position: - 869. 4. 1. - 854. 8.29. E Joram (Ahab) 38
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
- 869. 4. 1. - 854. 8.29.	E	0	E	37	37	
- 875.12. 1. - 854. 8.29.	E	8	B	33	37	
- 875.12. 1. - 854. 8.29.	E	8	B	34	37	

```

- 869. 4. 1. - 852. 8.29. E   5 B      38      38||
- 869. 4. 1. - 854. 8.29. +   0 +      37      37||
                        0 E      0      0||
- 869. 4. 1. - 854. 8.29. E   0 E      0      37||
- 869. 4. 1. - 854. 8.29.   679th position to B Jehu      33
- 869. 4. 1. - 854. 8.29.   680th position to B Athaliah   34

```

15696 Bytes yet free.

```

(594th/680) position: - 872. 4. 7. - 858. 8.29.   α Joram (Ahab)      37
Forward relations for entry Joram (Ahab)           (37/120) are generated.
Backward relations for entry Jehu                  (33/120) are generated.
Backward relations for entry Athaliah              (34/120) are generated.
Forward relations for entry Joram (Ahab)           (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab)           D Knd S      from:      to:|
- 872. 4. 7. - 858. 8.29. α   0 α      37      37||
- 872. 4. 7. - 858. 8.29. α   1 E      41      37||
- 872. 4. 7. ≥          α   2 E      43      37||
- 874. 4. 7. - 858. 8.29. α   3 B      40      37||
- 873. 4. 7. - 856. 8.29. α   4 B      42      37||
                        0 α      0      0||
- 872. 4. 7. - 858. 8.29. α   0 α      0      37||
- 872. 4. 7. - 858. 8.29.   681st position to E Elijah      43

```

15696 Bytes yet free.

```

(595th/681) position: - 872. 4. 7. - 858. 8.29.   E Elijah      43
Forward relations for entry Elijah                 (43/120) are generated.
Backward relations for entry Elisha                (39/120) are generated.
Backward relations for entry Joram (Ahab)          (37/120) are generated.
Backward relations for entry Ahab                  (44/120) are generated.

```

Optimize dates...

```

Elijah           D Knd S      from:      to:|
- 872. 4. 7. - 858. 8.29. E   0 E      43      43||
- 872. 4. 7. ≥          E   2 E      41      43||
- 872. 4. 1. - 856. 8.29. E   7 B      39      43||
    ≤- 858. 8.29. E   8 α      37      43||
- 872. 4. 7. - 858. 8.29. +   0 +      43      43||
                        0 E      0      0||
- 872. 4. 7. - 858. 8.29. E   0 E      0      43||
- 872. 4. 7. - 858. 8.29.   682nd position to B Elisha      39

```

15696 Bytes yet free.

```

(596th/682) position: - 872. 4. 7. - 858. 8.29.   α Joram (Ahab)      37
Forward relations for entry Joram (Ahab)           (37/120) are generated.
Backward relations for entry Jehu                  (33/120) are generated.
Backward relations for entry Athaliah              (34/120) are generated.
Forward relations for entry Joram (Ahab)           (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab)           D Knd S      from:      to:|
- 872. 4. 7. - 858. 8.29. α   0 α      37      37||
- 872. 4. 7. - 858. 8.29. α   1 E      41      37||
- 872. 4. 7. ≥          α   2 E      43      37||
- 874. 4. 7. - 858. 8.29. α   3 B      40      37||
- 873. 4. 7. - 856. 8.29. α   4 B      42      37||
                        0 α      0      0||
- 872. 4. 7. - 858. 8.29. α   0 α      0      37||

```

15696 Bytes yet free.

(597th/682) position: - 872. 4. 7. - 858. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 872. 4. 7. - 858. 8.29.	E	0	E	41	41	
- 871. 4. 7. - 856. 8.29.	E	5	B	41	41	
- 872. 4. 7. - 858. 8.29.	E	7	α	37	41	
≤- 858. 8.29.	E	8	E	43	41	
- 872. 4. 7. - 858. 8.29. +	0	+		41	41	
1Y	0	E		0	0	
- 871. 4. 7. - 858. 8.29.	E	0	E	0	41	
- 871. 4. 7. - 858. 8.29.				683rd position to E Ahaziah (Ahab)		41
- 871. 4. 7. - 858. 8.29.				684th position to α Joram (Ahab)		37
- 871. 4. 7. - 858. 8.29.				685th position to E Elijah		43

15696 Bytes yet free.

(598th/685) position: - 871. 4. 7. - 858. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
- 871. 4. 7. - 858. 8.29.	E	0	E	43	43	
- 871. 4. 7. ≥	E	2	E	41	43	
- 872. 4. 7. - 858. 8.29.	E	7	B	39	43	
≤- 858. 8.29.	E	8	α	37	43	
- 871. 4. 7. - 858. 8.29. +	0	+		43	43	
	0	E		0	0	
- 871. 4. 7. - 858. 8.29.	E	0	E	0	43	
- 871. 4. 7. - 858. 8.29.				686th position to B Elisha		39

15696 Bytes yet free.

(599th/686) position: - 875. 4. 7. - 861. 8.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
- 875. 4. 7. - 861. 8.29.	B	0	B	40	40	
- 876. 4. 1. - 859. 8.29.	B	3	B	37	40	
- 877. 4. 7. - 859. 8.29.	B	4	*	40	40	
- 877. 4. 7. - 861. 8.29.	B	6	E	40	40	
- 874. 4. 7. - 859. 8.29.	B	9	α	37	40	
1Y	0	B		0	0	
- 874. 4. 7. - 861. 8.29.	B	0	B	0	40	
- 874. 4. 7. - 861. 8.29.				687th position to B Jehoram (Jehoshaphat)		40
- 880. 4. 7. - 865. 8.29.				688th position to B Joram (Ahab)		37
- 907. 4. 7. - 892. 8.29.				689th position to * Jehoram (Jehoshaphat)		40
- 867. 4. 7. - 854. 8.29.				690th position to E Jehoram (Jehoshaphat)		40

15696 Bytes yet free.

(600th/690) position: - 890. 4. 7. - 875. 8.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
-------------	---	------	---	-------	-----

- 890. 4. 7. - 875. 8.29. B	0 B	42	42
- 890. 4. 7. - 875. 8.29. B	1 E	51	42
- 890. 4. 7. - 875. 8.29. B	3 B	44	42
- 892. 4. 7. - 873. 8.29. B	4 *	42	42
- 892. 4. 7. - 873. 8.29. B	6 E	42	42
- 890. 4. 7. - 875. 8.29. B	9 B	41	42
- 890. 4. 7. - 875. 8.29. B	10 α	37	42
	0 B	0	0
- 890. 4. 7. - 875. 8.29. B	0 B	0	42

15696 Bytes yet free.

(601st/690) position: - 872. 4. 7. - 859. 8.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D Knd S	from:	to:
- 872. 4. 7. - 859. 8.29. B	0 B	41	41
- 872. 4. 7. - 859. 8.29. B	1 E	44	41
- 874. 4. 7. - 857. 8.29. B	3 B	42	41
- 874. 4. 7. - 859. 8.29. B	5 E	41	41
	0 B	0	0
- 872. 4. 7. - 859. 8.29. B	0 B	0	41

15696 Bytes yet free.

(602nd/690) position: - 871. 4. 7. - 858. 8.29. B Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D Knd S	from:	to:
- 871. 4. 7. - 858. 8.29. B	0 B	39	39
- 871. 4. 7. - 858. 8.29. B	1 E	43	39
	0 B	0	0
- 871. 4. 7. - 858. 8.29. B	0 B	0	39

15696 Bytes yet free.

(603rd/690) position: - 874. 4. 7. - 861. 8.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D Knd S	from:	to:
- 874. 4. 7. - 861. 8.29. B	0 B	40	40
- 876. 4. 7. - 859. 8.29. B	3 B	37	40
- 876. 4. 7. - 859. 8.29. B	4 *	40	40
- 876. 4. 7. - 861. 8.29. B	6 E	40	40
- 874. 4. 7. - 859. 8.29. B	9 α	37	40
	0 B	0	0
- 874. 4. 7. - 861. 8.29. B	0 B	0	40

15696 Bytes yet free.

(604th/690) position: - 880. 4. 7. - 865. 8.29. B Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D Knd S	from:	to:
- 880. 4. 7. - 865. 8.29. B	0 B	37	37

```

- 881. 4. 1. - 865. 8.29. B   9 B      35      37||
- 880. 4. 1. - 864. 8.29. B   9 B      36      37||
- 880. 4. 7. - 865. 8.29. B   9 B      40      37||
- 882. 4. 1. - 865. 8.29. B   5 E      38      38||
                        0 B      0      0||
- 880. 4. 7. - 865. 8.29. B   0 B      0      37||
- 869. 4. 7. - 854. 8.29.   691st position to E Joram (Ahab)      38

```

15696 Bytes yet free.

(605th/691) position: - 907. 4. 7. - 892. 8.29. * Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 907. 4. 7. - 892. 8.29. *   0 *      40      40||
- 907. 4. 7. - 892. 8.29. *  10 B      40      40||
                        0 *      0      0||
- 907. 4. 7. - 892. 8.29. *   0 *      0      40||

```

15696 Bytes yet free.

(606th/691) position: - 867. 4. 7. - 854. 8.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 867. 4. 7. - 854. 8.29. E   0 E      40      40||
- 867. 4. 7. - 852. 8.29. E   6 B      40      40||
- 868. 4. 1. - 854. 8.29. E   7 B      35      40||
- 867. 4. 7. - 854. 8.29. +   0 +      40      40||
                        0 E      0      0||
- 867. 4. 7. - 854. 8.29. E   0 E      0      40||
- 867. 4. 7. - 854. 8.29.   692nd position to B Ahaziah (Joram)      35

```

15696 Bytes yet free.

(607th/692) position: - 871. 4. 7. - 858. 8.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)                D Knd S      from:      to:|
- 871. 4. 7. - 858. 8.29. α   0 α      37      37||
- 871. 4. 7. - 858. 8.29. α   1 E      41      37||
- 871. 4. 7. ≥              α   2 E      43      37||
- 873. 4. 7. - 858. 8.29. α   3 B      40      37||
- 873. 4. 7. - 856. 8.29. α   4 B      42      37||
                        0 α      0      0||
- 871. 4. 7. - 858. 8.29. α   0 α      0      37||

```

15696 Bytes yet free.

(608th/692) position: - 904. 4. 7. - 889. 8.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri                        D Knd S      from:      to:|
- 904. 4. 7. - 889. 8.29. B   0 B      45      45||
- 904. 4. 7. - 889. 8.29. B   2 E      47      45||
- 906. 4. 7. - 889. 8.29. B   6 E      45      45||

```



```

                                0 B      0      0||
- 904. 4. 7. - 889. 8.29. B  0 B      0      45||

```

15696 Bytes yet free.

(609th/692) position: - 872. 4. 7. - 859. 8.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahab          D Knd S      from:      to:|
- 872. 4. 7. - 859. 8.29. E  0 E      44      44||
- 893. 4. 7. ≥      E  2 B      43      44||
- 872. 4. 7. - 857. 8.29. E  5 B      44      44||
- 872. 4. 7. - 859. 8.29. E  7 B      41      44||
- 872. 4. 7. - 859. 8.29. +  0 +      44      44||
                                0 E      0      0||
- 872. 4. 7. - 859. 8.29. E  0 E      0      44||

```

15696 Bytes yet free.

(610th/692) position: - 893. 4. 7. - 859. 8.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Elijah        D Knd S      from:      to:|
- 893. 4. 7. - 859. 8.29. B  0 B      43      43||
- 893. 4. 7. ≥      B  1 B      44      43||
    ≤- 859. 8.29. B  8 E      44      43||
                                0 B      0      0||
- 893. 4. 7. - 859. 8.29. B  0 B      0      43||

```

15696 Bytes yet free.

(611th/692) position: - 893. 4. 7. - 880. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahab          D Knd S      from:      to:|
- 893. 4. 7. - 880. 8.29. B  0 B      44      44||
- 893. 4. 7. - 878. 8.29. B  1 E      45      44||
- 894. 4. 1. - 876. 8.29. B  3 B      51      44||
- 895. 4. 7. - 880. 8.29. B  5 E      44      44||
    ≤- 859. 8.29. B  7 B      43      44||
- 895. 4. 7. - 878. 8.29. B  9 B      42      44||
                                0 B      0      0||
- 893. 4. 7. - 880. 8.29. B  0 B      0      44||
- 893. 4. 7. - 880. 8.29. 693rd position to E Omri      45
- 931. 4. 1. - 917. 8.29. 694th position to B Asa      51

```

15696 Bytes yet free.

(612th/694) position: - 872. 4. 7. - 859. 8.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab) D Knd S      from:      to:|
- 872. 4. 7. - 859. 8.29. B  0 B      41      41||

```

```

- 872. 4. 7. - 859. 8.29. B 1 E 44 41||
- 874. 4. 7. - 857. 8.29. B 3 B 42 41||
- 874. 4. 7. - 859. 8.29. B 5 E 41 41||
                                0 B 0 0||
- 872. 4. 7. - 859. 8.29. B 0 B 0 41||

```

15696 Bytes yet free.

(613th/694) position: - 871. 4. 7. - 858. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab) D Knd S from: to:|
- 871. 4. 7. - 858. 8.29. E 0 E 41 41||
- 871. 4. 7. - 856. 8.29. E 5 B 41 41||
- 871. 4. 7. - 858. 8.29. E 7 α 37 41||
    ≤- 858. 8.29. E 8 E 43 41||
- 871. 4. 7. - 858. 8.29. + 0 + 41 41||
                                0 E 0 0||
- 871. 4. 7. - 858. 8.29. E 0 E 0 41||

```

15696 Bytes yet free.

(614th/694) position: - 890. 4. 7. - 875. 8.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```

Jehoshaphat D Knd S from: to:|
- 890. 4. 7. - 875. 8.29. B 0 B 42 42||
- 890. 4. 7. - 875. 8.29. B 1 E 51 42||
- 890. 4. 7. - 875. 8.29. B 3 B 44 42||
- 892. 4. 7. - 873. 8.29. B 4 * 42 42||
- 892. 4. 7. - 873. 8.29. B 6 E 42 42||
- 890. 4. 7. - 875. 8.29. B 9 B 41 42||
- 890. 4. 7. - 875. 8.29. B 10 α 37 42||
                                0 B 0 0||
- 890. 4. 7. - 875. 8.29. B 0 B 0 42||

```

15696 Bytes yet free.

(615th/694) position: - 890. 4. 7. - 875. 8.29. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

```

Asa D Knd S from: to:|
- 890. 4. 7. - 875. 8.29. E 0 E 51 51||
- 891. 4. 1. - 875. 8.29. E 5 B 51 51||
- 890. 4. 7. - 875. 8.29. E 7 B 42 51||
- 890. 4. 7. - 875. 8.29. + 0 + 51 51||
                                0 E 0 0||
- 890. 4. 7. - 875. 8.29. E 0 E 0 51||

```

15696 Bytes yet free.

(616th/694) position: - 926. 4. 7. - 909. 8.29. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```

Jehoshaphat D Knd S from: to:|
- 926. 4. 7. - 909. 8.29. * 0 * 42 42||
- 926. 4. 7. - 909. 8.29. * 10 B 42 42||

```

```

          0 *          0          0||
- 926. 4. 7. - 909. 8.29. * 0 *          0          42||

```

15696 Bytes yet free.

(617th/694) position: - 866. 4. 7. - 849. 8.29. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```

Jehoshaphat          D Knd S      from:      to:|
- 866. 4. 7. - 849. 8.29. E 0 E          42          42||
- 866. 4. 7. - 849. 8.29. E 6 B          42          42||
- 868. 8. 1. - 842. 2.30. E 7 α          40          42||
- 866. 4. 7. - 849. 8.29. + 0 +          42          42||
                          0 E          0          0||
- 866. 4. 7. - 849. 8.29. E 0 E          0          42||
- 866. 4. 7. - 849. 8.29. 695th position to α Jehoram (Jehoshaphat) 40

```

15696 Bytes yet free.

(618th/695) position: - 871. 4. 7. - 858. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab)          D Knd S      from:      to:|
- 871. 4. 7. - 858. 8.29. E 0 E          41          41||
- 871. 4. 7. - 856. 8.29. E 5 B          41          41||
- 871. 4. 7. - 858. 8.29. E 7 α          37          41||
      ≤- 858. 8.29. E 8 E          43          41||
- 871. 4. 7. - 858. 8.29. + 0 +          41          41||
                          0 E          0          0||
- 871. 4. 7. - 858. 8.29. E 0 E          0          41||

```

15696 Bytes yet free.

(619th/695) position: - 872. 4. 7. - 859. 8.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab)          D Knd S      from:      to:|
- 872. 4. 7. - 859. 8.29. B 0 B          41          41||
- 872. 4. 7. - 859. 8.29. B 1 E          44          41||
- 874. 4. 7. - 857. 8.29. B 3 B          42          41||
- 874. 4. 7. - 859. 8.29. B 5 E          41          41||
                          0 B          0          0||
- 872. 4. 7. - 859. 8.29. B 0 B          0          41||

```

15696 Bytes yet free.

(620th/695) position: - 871. 4. 7. - 858. 8.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)          D Knd S      from:      to:|
- 871. 4. 7. - 858. 8.29. α 0 α          37          37||
- 871. 4. 7. - 858. 8.29. α 1 E          41          37||
- 871. 4. 7. ≥          α 2 E          43          37||
- 873. 4. 7. - 858. 8.29. α 3 B          40          37||

```

```

- 873. 4. 7. - 856. 8.29. α   4 B      42      37||
                        0 α      0      0||
- 871. 4. 7. - 858. 8.29. α   0 α      0      37||

```

15696 Bytes yet free.

(621st/695) position: - 871. 4. 7. - 858. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Elijah           D Knd S      from:      to:|
- 871. 4. 7. - 858. 8.29. E   0 E      43      43||
- 871. 4. 7. ≥      E   2 E      41      43||
- 871. 4. 7. - 858. 8.29. E   7 B      39      43||
      ≤- 858. 8.29. E   8 α      37      43||
- 871. 4. 7. - 858. 8.29. +   0 +      43      43||
                        0 E      0      0||
- 871. 4. 7. - 858. 8.29. E   0 E      0      43||

```

15696 Bytes yet free.

(622nd/695) position: - 904. 4. 7. - 889. 8.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri           D Knd S      from:      to:|
- 904. 4. 7. - 889. 8.29. E   0 E      47      47||
- 904. 4. 7. - 889. 9. 1. E   5 B      47      47||
- 904. 4. 7. - 889. 8.29. E   7 B      46      47||
- 904. 4. 7. - 889. 8.29. E   8 B      45      47||
- 904. 4. 7. - 889. 8.29. +   0 +      47      47||
                        0 E      0      0||
- 904. 4. 7. - 889. 8.29. E   0 E      0      47||

```

15696 Bytes yet free.

(623rd/695) position: - 904. 4. 1. - 889. 8.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri           D Knd S      from:      to:|
- 904. 4. 1. - 889. 8.23. B   0 B      47      47||
- 904. 4. 1. - 887. 8.29. B   1 E      48      47||
- 905. 4. 1. - 889. 8.29. B   3 B      51      47||
- 904. 3.29. - 889. 8.23. B   5 E      47      47||
                        0 B      0      0||
- 904. 4. 1. - 889. 8.23. B   0 B      0      47||
- 904. 4. 1. - 889. 8.23. 696th position to E Elah 48

```

15696 Bytes yet free.

(624th/696) position: - 904. 4. 7. - 889. 8.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Tibni           D Knd S      from:      to:|
- 904. 4. 7. - 889. 8.29. B   0 B      46      46||
- 904. 4. 7. - 889. 8.29. B   1 E      47      46||

```

```

                                0 B      0      0||
- 904. 4. 7. - 889. 8.29. B  0 B      0      46||

```

15696 Bytes yet free.

(625th/696) position: - 904. 4. 7. - 889. 8.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri          D Knd S      from:      to:|
- 904. 4. 7. - 889. 8.29. B  0 B      45      45||
- 904. 4. 7. - 889. 8.29. B  2 E      47      45||
- 906. 4. 7. - 891. 8.29. B  6 E      45      45||
                2Y          0 B          0      0||
- 904. 4. 7. - 891. 8.29. B  0 B          0      45||
- 904. 4. 7. - 891. 8.29. 697th position to B Omri      45
- 904. 4. 7. - 891. 8.29. 698th position to E Zimri      47

```

15696 Bytes yet free.

(626th/698) position: - 893. 4. 7. - 880. 8.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri          D Knd S      from:      to:|
- 893. 4. 7. - 880. 8.29. E  0 E      45      45||
- 893. 4. 7. - 878. 8.29. E  6 B      45      45||
- 893. 4. 7. - 880. 8.29. E  7 B      44      45||
- 893. 4. 7. - 880. 8.29. +  0 +      45      45||
                        0 E          0      0||
- 893. 4. 7. - 880. 8.29. E  0 E          0      45||

```

15696 Bytes yet free.

(627th/698) position: - 893. 4. 7. - 880. 8.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri          D Knd S      from:      to:|
- 893. 4. 7. - 880. 8.29. E  0 E      45      45||
- 893. 4. 7. - 878. 8.29. E  6 B      45      45||
- 893. 4. 7. - 880. 8.29. E  7 B      44      45||
- 893. 4. 7. - 880. 8.29. +  0 +      45      45||
                        0 E          0      0||
- 893. 4. 7. - 880. 8.29. E  0 E          0      45||

```

15696 Bytes yet free.

(628th/698) position: - 904. 4. 7. - 891. 8.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri          D Knd S      from:      to:|
- 904. 4. 7. - 891. 8.29. B  0 B      45      45||
- 904. 4. 7. - 891. 8.29. B  2 E      47      45||
- 906. 4. 7. - 891. 8.29. B  6 E      45      45||
                        0 B          0      0||
- 904. 4. 7. - 891. 8.29. B  0 B          0      45||

```

15696 Bytes yet free.

(629th/698) position: - 893. 4. 7. - 880. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:
- 893. 4. 7. - 880. 8.29. B	0	B		44	44
- 893. 4. 7. - 880. 8.29. B	1	E		45	44
- 894. 4. 1. - 878. 8.29. B	3	B		51	44
- 895. 4. 7. - 880. 8.29. B	5	E		44	44
≤- 859. 8.29. B	7	B		43	44
- 895. 4. 7. - 878. 8.29. B	9	B		42	44
	0	B		0	0
- 893. 4. 7. - 880. 8.29. B	0	B		0	44

15696 Bytes yet free.

(630th/698) position: - 904. 4. 1. - 889. 8.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:
- 904. 4. 1. - 889. 8.23. E	0	E		48	48
- 904. 4. 1. - 881.10.23. E	5	B		48	48
- 904. 4. 1. - 889. 8.23. E	7	B		47	48
- 904. 4. 1. - 889. 8.23. +	0	+		48	48
- 905. 4. 1. - 889. 8.29. +	4	B		51	48
	0	E		0	0
- 904. 4. 1. - 889. 8.23. E	0	E		0	48
- 905. 4. 1. - 890. 8.23. 699th position to B Elah					48

15696 Bytes yet free.

(631st/699) position: - 905. 4. 1. - 890. 8.23. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:
- 905. 4. 1. - 890. 8.23. B	0	B		48	48
- 905. 4. 1. - 884.10.29. B	1	E		49	48
- 906. 4. 1. - 890. 8.29. B	3	B		51	48
- 907. 4. 1. - 890. 8.23. B	5	E		48	48
	0	B		0	0
- 905. 4. 1. - 890. 8.23. B	0	B		0	48
- 905. 4. 1. - 890. 8.23. 700th position to E Baasha					49

15696 Bytes yet free.

(632nd/700) position: - 890. 4. 7. - 875. 8.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 890. 4. 7. - 875. 8.29. B	0	B		42	42
- 890. 4. 7. - 875. 8.29. B	1	E		51	42
- 890. 4. 7. - 875. 8.29. B	3	B		44	42
- 892. 4. 7. - 873. 8.29. B	4	*		42	42
- 892. 4. 7. - 873. 8.29. B	6	E		42	42
- 890. 4. 7. - 875. 8.29. B	9	B		41	42
- 890. 4. 7. - 875. 8.29. B	10	α		37	42
	0	B		0	0
- 890. 4. 7. - 875. 8.29. B	0	B		0	42

15696 Bytes yet free.

(633rd/700) position: - 890. 4. 7. - 875. 8.29. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:
- 890. 4. 7. - 875. 8.29. E	0	E		51	51
- 891. 4. 1. - 875. 8.29. E	5	B		51	51
- 890. 4. 7. - 875. 8.29. E	7	B		42	51
- 890. 4. 7. - 875. 8.29. +	0	+		51	51
	0	E		0	0
- 890. 4. 7. - 875. 8.29. E	0	E		0	51

15696 Bytes yet free.

(634th/700) position: - 926. 4. 7. - 909. 8.29. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 926. 4. 7. - 909. 8.29. *	0	*		42	42
- 926. 4. 7. - 909. 8.29. *	10	B		42	42
	0	*		0	0
- 926. 4. 7. - 909. 8.29. *	0	*		0	42

15696 Bytes yet free.

(635th/700) position: - 866. 4. 7. - 849. 8.29. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 866. 4. 7. - 849. 8.29. E	0	E		42	42
- 866. 4. 7. - 849. 8.29. E	6	B		42	42
- 866. 4. 7. - 849. 8.29. E	7	α		40	42
- 866. 4. 7. - 849. 8.29. +	0	+		42	42
	0	E		0	0
- 866. 4. 7. - 849. 8.29. E	0	E		0	42

15696 Bytes yet free.

(636th/700) position: - 931. 4. 1. - 917. 8.29. B Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:
- 931. 4. 1. - 917. 8.29. B	0	B		51	51
- 931. 4. 1. - 911.10.29. B	1	E		52	51
- 927. 4.15. - 911.10.29. B	3	B		53	51
- 932. 4. 7. - 915. 8.29. B	5	E		51	51
- 932. 4. 7. - 917. 8.29. B	9	B		44	51
- 933. 4. 1. - 909.10.29. B	9	α		45	51
- 932. 4. 1. - 915. 8.23. B	9	B		47	51
- 932. 4. 1. - 915. 8.23. B	9	B		48	51
- 932. 4. 1. - 909.10.29. B	9	B		49	51
- 932. 4. 1. - 910.10.29. B	9	B		50	51
- 932. 4. 1. - 915. 8.23. B	10	+		48	51
- 932. 4. 1. - 909.10.29. B	10	+		50	51
4Y 14D	0	B		0	0
- 927. 4.15. - 917. 8.29. B	0	B		0	51
- 927. 4.15. - 917. 8.29.				701st position to B Asa	51

- 927. 4.15. - 917. 8.29.	702nd position to E Abijam = Abijah	52
- 946. 4.15. - 936. 8.29.	703rd position to B Jeroboam (Nebat)	53
- 887. 4.15. - 875. 8.29.	704th position to E Asa	51
- 890. 4.15. - 880. 8.29.	705th position to B Ahab	44
- 897. 4.15. - 885. 8.29.	706th position to α Omri	45
- 901. 4.15. - 889. 8.23.	707th position to B Zimri	47
- 902. 4.15. - 890. 8.23.	708th position to B Elah	48
- 925. 4.15. - 913. 8.29.	709th position to B Baasha	49
- 926. 4.15. - 914. 8.29.	710th position to B Nadab	50
- 901. 4.15. - 889. 8.23.	711th position to + Elah	48
- 925. 4.15. - 913. 8.29.	712th position to + Nadab	50

15696 Bytes yet free.

(637th/712) position: - 872. 4. 7. - 859. 8.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D Knd S	from:	to:
- 872. 4. 7. - 859. 8.29. E	0 E	44	44
- 893. 4. 7. ≥	E 2 B	43	44
- 869. 4.15. - 857. 8.29. E	5 B	44	44
- 872. 4. 7. - 859. 8.29. E	7 B	41	44
- 872. 4. 7. - 859. 8.29. +	0 +	44	44
3Y 8D	0 E	0	0
- 869. 4.15. - 859. 8.29. E	0 E	0	44
- 869. 4.15. - 859. 8.29.	713th position to E Ahab		44
- 869. 4.15. - 859. 8.29.	714th position to B Ahaziah (Ahab)		41

15696 Bytes yet free.

(638th/714) position: - 893. 4. 7. - 859. 8.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D Knd S	from:	to:
- 893. 4. 7. - 859. 8.29. B	0 B	43	43
- 890. 4.15. ≥	B 1 B	44	43
≤- 859. 8.29. B	8 E	44	43
3Y 8D	0 B	0	0
- 890. 4.15. - 859. 8.29. B	0 B	0	43
- 890. 4.15. - 859. 8.29.	715th position to B Elijah		43

15696 Bytes yet free.

(639th/715) position: - 869. 4.15. - 859. 8.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D Knd S	from:	to:
- 869. 4.15. - 859. 8.29. E	0 E	44	44
- 890. 4.15. ≥	E 2 B	43	44
- 869. 4.15. - 857. 8.29. E	5 B	44	44
- 869. 4.15. - 859. 8.29. E	7 B	41	44
- 869. 4.15. - 859. 8.29. +	0 +	44	44
	0 E	0	0
- 869. 4.15. - 859. 8.29. E	0 E	0	44

15696 Bytes yet free.

(640th/715) position: - 890. 4.15. - 859. 8.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:
- 890. 4.15. - 859. 8.29.	B	0	B	43	43
- 890. 4.15. ≥	B	1	B	44	43
≤ - 859. 8.29.	B	8	E	44	43
		0	B	0	0
- 890. 4.15. - 859. 8.29.	B	0	B	0	43

15696 Bytes yet free.

(641st/715) position: - 890. 4.15. - 880. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:
- 890. 4.15. - 880. 8.29.	B	0	B	44	44
- 893. 4. 7. - 880. 8.29.	B	1	E	45	44
- 890. 4.15. - 878. 8.29.	B	3	B	51	44
- 892. 4.15. - 880. 8.29.	B	5	E	44	44
≤ - 859. 8.29.	B	7	B	43	44
- 895. 4. 7. - 878. 8.29.	B	9	B	42	44
		0	B	0	0
- 890. 4.15. - 880. 8.29.	B	0	B	0	44
- 890. 4.15. - 880. 8.29.				716th position to E Omri	45
- 887. 4.15. - 875. 8.29.				717th position to B Jehoshaphat	42

15696 Bytes yet free.

(642nd/717) position: - 869. 4.15. - 859. 8.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
- 869. 4.15. - 859. 8.29.	B	0	B	41	41
- 869. 4.15. - 859. 8.29.	B	1	E	44	41
- 871. 4.15. - 857. 8.29.	B	3	B	42	41
- 874. 4. 7. - 859. 8.29.	B	5	E	41	41
		0	B	0	0
- 869. 4.15. - 859. 8.29.	B	0	B	0	41
- 868. 4.15. - 858. 8.29.				718th position to E Ahaziah (Ahab)	41

15696 Bytes yet free.

(643rd/718) position: - 901. 4.15. - 889. 8.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
- 901. 4.15. - 889. 8.23.	B	0	B	47	47
- 901. 4.15. - 889. 8.23.	B	1	E	48	47
- 901. 4.15. - 889. 8.29.	B	3	B	51	47

```

- 904. 3.29. - 891. 8.23. B   5 E       47       47||
                      2Y       0 B       0       0||
- 901. 4.15. - 891. 8.23. B   0 B       0       47||
- 901. 4.15. - 891. 8.23.   719th position to B Zimri           47
- 901. 4.15. - 891. 8.23.   720th position to E Elah           48
- 927. 4.15. - 917. 8.23.   721st position to B Asa            51
- 901. 4.21. - 891. 8.29.   722nd position to E Zimri          47

```

15696 Bytes yet free.

```

(644th/722) position: - 901. 4.15. - 891. 8.23.   E Elah           48
Forward relations for entry Elah           (48/120) are generated.
Backward relations for entry Zimri          (47/120) are generated.
Optimize dates...

```

```

Elah                      D Knd S      from:      to:|
- 901. 4.15. - 891. 8.23. E   0 E       48       48||
- 901. 4.15. - 887. 8.23. E   5 B       48       48||
- 901. 4.15. - 891. 8.23. E   7 B       47       48||
- 901. 4.15. - 891. 8.23. +   0 +       48       48||
- 901. 4.15. - 889. 8.23. +   4 B       51       48||
                      0 E       0       0||
- 901. 4.15. - 891. 8.23. E   0 E       0       48||
- 902. 4.15. - 892. 8.23.   723rd position to B Elah           48

```

15696 Bytes yet free.

```

(645th/723) position: - 901. 4.21. - 891. 8.29.   E Zimri           47
Forward relations for entry Zimri           (47/120) are generated.
Backward relations for entry Tibni          (46/120) are generated.
Backward relations for entry Omri           (45/120) are generated.
Optimize dates...

```

```

Zimri                     D Knd S      from:      to:|
- 901. 4.21. - 891. 8.29. E   0 E       47       47||
- 901. 4.21. - 891. 9. 1. E   5 B       47       47||
- 904. 4. 7. - 889. 8.29. E   7 B       46       47||
- 904. 4. 7. - 891. 8.29. E   8 B       45       47||
- 901. 4.21. - 891. 8.29. +   0 +       47       47||
                      0 E       0       0||
- 901. 4.21. - 891. 8.29. E   0 E       0       47||
- 901. 4.21. - 891. 8.29.   724th position to B Tibni          46
- 901. 4.21. - 891. 8.29.   725th position to B Omri           45

```

15696 Bytes yet free.

```

(646th/725) position: - 901. 4.21. - 891. 8.29.   E Zimri           47
Forward relations for entry Zimri           (47/120) are generated.
Backward relations for entry Tibni          (46/120) are generated.
Backward relations for entry Omri           (45/120) are generated.
Optimize dates...

```

```

Zimri                     D Knd S      from:      to:|
- 901. 4.21. - 891. 8.29. E   0 E       47       47||
- 901. 4.21. - 891. 9. 1. E   5 B       47       47||
- 901. 4.21. - 891. 8.29. E   7 B       46       47||
- 901. 4.21. - 891. 8.29. E   8 B       45       47||
- 901. 4.21. - 891. 8.29. +   0 +       47       47||
                      0 E       0       0||
- 901. 4.21. - 891. 8.29. E   0 E       0       47||

```

15696 Bytes yet free.

```

(647th/725) position: - 901. 4.15. - 891. 8.23.   B Zimri           47
Forward relations for entry Zimri           (47/120) are generated.

```

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kn	S	from:	to:†
- 901. 4.15. - 891. 8.23. B	0	B		47	47
- 901. 4.15. - 891. 8.23. B	1	E		48	47
- 901. 4.15. - 889. 8.23. B	3	B		51	47
- 901. 4.13. - 891. 8.23. B	5	E		47	47
	0	B		0	0
- 901. 4.15. - 891. 8.23. B	0	B		0	47

15696 Bytes yet free.

(648th/725) position: - 901. 4.21. - 891. 8.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kn	S	from:	to:†
- 901. 4.21. - 891. 8.29. B	0	B		46	46
- 901. 4.21. - 891. 8.29. B	1	E		47	46
	0	B		0	0
- 901. 4.21. - 891. 8.29. B	0	B		0	46

15696 Bytes yet free.

(649th/725) position: ≤-1172. 6.30. E Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kn	S	from:	to:†
≤-1172. 6.30. E	0	E		75	75
-1216. 1. 1. ≥	E	5	B	75	75
≤-1172. 6.30. E	7	B		74	75
1216Y	0	E		0	0
-1216. 1. 1. -1172. 6.30. E	0	E		0	75
-1216. 1. 1. -1172. 6.30.				726th position to E Deborah and Barak	75
-1255. 1. 1. -1211. 6.30.				727th position to B Deborah and Barak	75
-1216. 1. 1. -1172. 6.30.				728th position to B Midianites	74

15696 Bytes yet free.

(650th/728) position: -1255. 1. 1. -1211. 6.30. B Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kn	S	from:	to:†
-1255. 1. 1. -1211. 6.30. B	0	B		75	75
-1255. 1. 1. ≥	B	1	E	76	75
-1257. 1. 1. -1211. 6.30. B	5	E		75	75
	0	B		0	0
-1255. 1. 1. -1211. 6.30. B	0	B		0	75
-1255. 1. 1. -1211. 6.30.				729th position to E Sisera	76

15696 Bytes yet free.

(651st/729) position: -1274. 9. 1. ≥ B Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kn	S	from:	to:†
-1274. 9. 1. ≥	B	0	B	76	76
-1274. 9. 1. ≥	B	1	E	77	76

```

-1276. 1. 1. -1230. 6.30. B 5 E 76 76||
                1229Y 6M 1D 0 B 0 0||
-1274. 9. 1. -1230. 6.30. B 0 B 0 76||
-1274. 9. 1. -1230. 6.30. 730th position to B Sisera 76
-1274. 9. 1. -1230. 6.30. 731st position to E Ehud 77
-1255. 9. 1. -1211. 6.30. 732nd position to E Sisera 76

```

15696 Bytes yet free.

(652nd/732) position: -2424. 9.15. -2413. 8.29. * Salah 104

Forward relations for entry Salah (104/120) are generated.

Optimize dates...

```

Salah D Knd S from: to:|
-2424. 9.15. -2413. 8.29. * 0 * 104 104||
-2424. 9.15. -2407.11. 6. * 3 * 105 104||
-2426. 9.15. -2413. 8.29. * 9 * 103 104||
-2426. 9.15. -2405.11. 6. * 9 + 106 104||
                0 * 0 0||
-2424. 9.15. -2413. 8.29. * 0 * 0 104||
-2458. 9.15. -2447. 8.29. 733rd position to * Arphaxad 105
-2022. 9.15. -2009. 8.29. 734th position to + Arphaxad 106

```

15696 Bytes yet free.

(653rd/734) position: -1993. 9.15. -1980. 8.29. + Salah 104

Forward relations for entry Salah (104/120) are generated.

Optimize dates...

```

Salah D Knd S from: to:|
-1993. 9.15. -1980. 8.29. + 0 + 104 104||
-1993. 9.15. -1980. 8.29. + 4 * 103 104||
                0 + 0 0||
-1993. 9.15. -1980. 8.29. + 0 + 0 104||

```

15696 Bytes yet free.

(654th/734) position: - 769. 1.22. - 754. 5.29. E Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

```

Shallum D Knd S from: to:|
- 769. 1.22. - 754. 5.29. E 0 E 24 24||
- 769. 1.22. - 754. 5.29. E 5 B 24 24||
- 769. 1.22. - 754. 5.29. E 7 B 23 24||
- 769. 1.22. - 754. 5.29. + 0 + 24 24||
                0 E 0 0||
- 769. 1.22. - 754. 5.29. E 0 E 0 24||

```

15696 Bytes yet free.

(655th/734) position: - 769. 1.22. - 754. 3.29. E Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

```

Zachariah D Knd S from: to:|
- 769. 1.22. - 754. 3.29. E 0 E 25 25||
- 770. 7. 1. - 754. 3.29. E 5 B 25 25||
- 769. 1.22. - 754. 3.29. E 7 B 24 25||
- 769. 1.22. - 754. 3.29. + 0 + 25 25||
                0 E 0 0||
- 769. 1.22. - 754. 3.29. E 0 E 0 25||
- 770. 6.22. - 755. 8.29. 735th position to B Zachariah 25

```

15696 Bytes yet free.

(656th/735) position: -1415. 9.15.≥ B Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
-1415. 9.15.≥	B	0	B	80	80
-1415. 9.15.≥	B	1	E	83	80
-1417. 1.22.≥	B	5	E	80	80
		0	B	0	0
-1415. 9.15.≥	B	0	B	0	80
-1408. 9.15.≥				736th position to E Chushanrishathaim	80

15696 Bytes yet free.

(657th/736) position: -1526. 9.15.≥ * Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:
-1526. 9.15.≥	*	0	*	83	83
-1526. 9.15.≥	*	5	+	83	83
		0	*	0	0
-1526. 9.15.≥	*	0	*	0	83

15696 Bytes yet free.

(658th/736) position: - 715. 9.15. - 704. 8.29. E 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:
- 715. 9.15. - 704. 8.29. E	0	E		13	13
- 715. 9.15. - 704. 8.29. E	6	B		13	13
	0	E		0	0
- 715. 9.15. - 704. 8.29. E	0	E		0	13

15696 Bytes yet free.

(659th/736) position: -1461. 7.15. -1449. 8.29. B Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kind	S	from:	to:
-1461. 7.15. -1449. 8.29. B	0	B		87	87
-1461. 7.15. -1449. 8.29. B	1	B		86	87
-1462. 1.15. -1448.12.30. B	3	*		87	87
≤-1449. 8.29. B	8	E		89	87
	0	B		0	0
-1461. 7.15. -1449. 8.29. B	0	B		0	87

15696 Bytes yet free.

(660th/736) position: -1019. 4.15. -1005.10.29. α David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
-1019. 4.15. -1005.10.29. α	0	α		58	58
-1029. 4. 1.≥	α	1	E	59	58
-1019. 9.15. -1005.12.29. α	4	B		58	58
-1019. 4.15. -1005.10.29. α	6	Ω		58	58

```

      5M              0 α      0      0||
-1019. 9.15. -1005.10.29. α  0 α      0      58||
-1019. 9.15. -1005.10.29.   737th position to α David                      58

```

15696 Bytes yet free.

(661st/737) position: -1026. 4.15. -1012. 5.29. B David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

```

David          D Knd S      from:      to:|
-1026. 4.15. -1012. 5.29. B  0 B      58      58||
-1030. 4.  1. -1012. 5.29. B  2 E      60      58||
-1032. 4.  1. -1010. 5.29. B  3 *      58      58||
-1026. 4.15. -1012.10.29. B  5 E      58      58||
-1026. 2.15. -1012. 5.29. B 10 α      58      58||
                        0 B      0      0||
-1026. 4.15. -1012. 5.29. B  0 B      0      58||
-1026. 4.15. -1012. 5.29.   738th position to E Saul                      60
-1057. 4.15. -1041. 5.29.   739th position to * David                      58

```

15696 Bytes yet free.

(662nd/739) position: - 946. 4.15. - 936. 8.29. B Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

```

Jeroboam (Nebat) D Knd S      from:      to:|
- 946. 4.15. - 936. 8.29. B  0 B      53      53||
- 946. 4.15. - 932.10.29. B  1 E      57      53||
- 952. 4.  1. - 930.10.29. B  5 E      53      53||
- 948. 4.15. - 936. 8.23. B  9 B      51      53||
- 952. 4.  1. - 931.10.29. B  9 B      52      53||
                        6D      0 B      0      0||
- 946. 4.15. - 936. 8.23. B  0 B      0      53||
- 946. 4.15. - 936. 8.23.   740th position to B Jeroboam (Nebat)          53
- 946. 4.15. - 936. 8.23.   741st position to E Solomon                      57
- 925. 4.15. - 913. 8.23.   742nd position to E Jeroboam (Nebat)          53
- 929. 4.15. - 917. 8.23.   743rd position to B Abijam = Abijah            52

```

15696 Bytes yet free.

(663rd/743) position: - 946. 4.15. - 932.10.29. B Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam        D Knd S      from:      to:|
- 946. 4.15. - 932.10.29. B  0 B      54      54||
- 946. 4.15. - 936. 8.23. B  1 E      57      54||
- 952. 4.  1. - 930.10.29. B  3 *      54      54||
- 951. 4.  1. - 930.10.29. B  5 E      54      54||
                        4Y 2M 6D      0 B      0      0||
- 946. 4.15. - 936. 8.23. B  0 B      0      54||
- 946. 4.15. - 936. 8.23.   744th position to B Rehoboam                  54
- 988. 4.15. - 976. 8.23.   745th position to * Rehoboam                  54
- 930. 4.15. - 918. 8.23.   746th position to E Rehoboam                  54

```

15696 Bytes yet free.

(664th/746) position: -1140. 7.15. -1125. 6.30. B Philistines + Ammon 69

Forward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

Philistines + Ammon	D	Knd	S	from:	to:†
-1140. 7.15. -1125. 6.30. B	0	B		69	69
	B	1	E	72	69
-1140. 7.15. -1125. 6.30. B	5	E		69	69
	0	B		0	0
-1140. 7.15. -1125. 6.30. B	0	B		0	69

15696 Bytes yet free.

(665th/746) position: -1116. 7.15. -1090. 5.29. B Philistines 63
 Forward relations for entry Philistines (63/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Samson (62/120) are generated.
 Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Philistines	D	Knd	S	from:	to:†
-1116. 7.15. -1090. 5.29. B	0	B		63	63
-1116. 7.15.≥	B	1	E	68	63
-1122. 7. 1. -1090. 5.29. B	6	E		63	63
≤-1070. 5.29. B	7	B		62	63
	0	B		0	0
-1116. 7.15. -1090. 5.29. B	0	B		0	63
-1077. 7.15. -1051. 5.29. 747th position to E					Philistines 63
-1116. 7.15. -1070. 5.29. 748th position to B					Samson 62

15696 Bytes yet free.

(666th/748) position: -1116. 7.15.≥ B Ibzan 67
 Forward relations for entry Ibzan (67/120) are generated.
 Backward relations for entry Elon (66/120) are generated.

Optimize dates...

Ibzan	D	Knd	S	from:	to:†
-1116. 7.15.≥	B	0	B	67	67
-1116. 7.15.≥	B	1	E	68	67
-1122. 7. 1.≥	B	5	E	67	67
	0	B		0	0
-1116. 7.15.≥	B	0	B	0	67
-1110. 7.15.≥				749th position to E	Ibzan 67

15696 Bytes yet free.

(667th/749) position: -1369. 1.22.≥ B Eglon 78
 Forward relations for entry Eglon (78/120) are generated.
 Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Knd	S	from:	to:†
-1369. 1.22.≥	B	0	B	78	78
-1369. 1.22.≥	B	1	E	79	78
-1372. 9. 1.≥	B	5	E	78	78
	0	B		0	0
-1369. 1.22.≥	B	0	B	0	78
-1352. 1.22.≥				750th position to E	Eglon 78

15696 Bytes yet free.

(668th/750) position: - 867. 2. 1. - 848. 8.29. E Athaliah 34
 Forward relations for entry Athaliah (34/120) are generated.
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Knd	S	from:	to:†
- 867. 2. 1. - 848. 8.29. E	0	E		34	34

```

- 864. 4. 1. - 847. 8.29. E 5 B 34 34||
- 867. 2. 1. - 848. 8.29. E 7 B 32 34||
- 867. 2. 1. - 848. 8.29. + 0 + 34 34||
  3Y 2M 0 E 0 0||
- 864. 4. 1. - 848. 8.29. E 0 E 0 34||
- 864. 4. 1. - 848. 8.29. 751st position to E Athaliah 34
- 864. 4. 1. - 848. 8.29. 752nd position to B Joash (Ahaziah) 32

```

15696 Bytes yet free.

```

(669th/752) position: - 875. 2. 1. - 854. 8.29. * Joash (Ahaziah) 32
Forward relations for entry Joash (Ahaziah) (32/120) are generated.
Backward relations for entry Amaziah (28/120) are generated.
Optimize dates...

```

```

Joash (Ahaziah) D Knd S from: to:|
- 875. 2. 1. - 854. 8.29. * 0 * 32 32||
- 872. 4. 1. - 854. 8.29. * 10 B 32 32||
  3Y 2M 0 * 0 0||
- 872. 4. 1. - 854. 8.29. * 0 * 0 32||
- 872. 4. 1. - 854. 8.29. 753rd position to * Joash (Ahaziah) 32

```

15696 Bytes yet free.

```

(670th/753) position: - 845. 2. 1. - 826. 8.29. B Jehoahaz (Jehu) 31
Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
Optimize dates...

```

```

Jehoahaz (Jehu) D Knd S from: to:|
- 845. 2. 1. - 826. 8.29. B 0 B 31 31||
- 846.12. 1. - 826. 8.29. B 1 E 33 31||
- 842. 4. 1. - 824. 8.29. B 3 B 32 31||
- 847. 2. 1. - 826. 8.29. B 5 E 31 31||
  3Y 2M 0 B 0 0||
- 842. 4. 1. - 826. 8.29. B 0 B 0 31||
- 842. 4. 1. - 826. 8.29. 754th position to B Jehoahaz (Jehu) 31
- 842. 4. 1. - 826. 8.29. 755th position to E Jehu 33
- 826. 4. 1. - 810. 8.29. 756th position to E Jehoahaz (Jehu) 31

```

15696 Bytes yet free.

```

(671st/756) position: - 867. 4. 7. - 854. 8.29. B Ahaziah (Joram) 35
Forward relations for entry Ahaziah (Joram) (35/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Ahaziah (Joram) (36/120) are generated.
Optimize dates...

```

```

Ahaziah (Joram) D Knd S from: to:|
- 867. 4. 7. - 854. 8.29. B 0 B 35 35||
- 867. 4. 7. - 854. 8.29. B 1 E 40 35||
- 869. 4. 7. - 852. 8.29. B 3 B 37 35||
- 870. 4. 1. - 852. 8.29. B 4 * 35 35||
- 870. 4. 1. - 854. 8.29. B 6 E 35 35||
- 870. 4. 7. - 853. 8.29. B 3 B 37 36||
  0 B 0 0||
- 867. 4. 7. - 854. 8.29. B 0 B 0 35||
- 890. 4. 7. - 875. 8.29. 757th position to * Ahaziah (Joram) 35
- 867. 4. 7. - 854. 8.29. 758th position to E Ahaziah (Joram) 35
- 879. 4. 7. - 865. 8.29. 759th position to B Joram (Ahab) 37

```

15696 Bytes yet free.

```

(672nd/759) position: - 890. 4. 7. - 875. 8.29. * Ahaziah (Joram) 35

```


Forward relations for entry Ahaziah (Joram) (35/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kn	S	from:	to:†
- 890. 4. 7. - 875. 8.29. *	0	*		35	35
- 890. 4. 7. - 875. 8.29. *	10	B		35	35
	0	*		0	0
- 890. 4. 7. - 875. 8.29. *	0	*		0	35

15696 Bytes yet free.

(673rd/759) position: - 879. 4. 7. - 865. 8.29. B Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kn	S	from:	to:†
- 879. 4. 7. - 865. 8.29. B	0	B		37	37
- 880. 4. 7. - 865. 8.29. B	9	B		35	37
- 879. 4. 7. - 864. 8.29. B	9	B		36	37
- 880. 4. 7. - 865. 8.29. B	9	B		40	37
- 882. 4. 7. - 865. 8.29. B	5	E		38	38
	0	B		0	0
- 879. 4. 7. - 865. 8.29. B	0	B		0	37
- 868. 4. 7. - 854. 8.29.	760th			position to E Joram (Ahab)	38

15696 Bytes yet free.

(674th/760) position: - 868. 4. 7. - 854. 8.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kn	S	from:	to:†
- 868. 4. 7. - 854. 8.29. E	0	E		37	37
- 869. 4. 1. - 854. 8.29. E	8	B		33	37
- 869. 4. 1. - 854. 8.29. E	8	B		34	37
- 868. 4. 7. - 852. 8.29. E	5	B		38	38
- 868. 4. 7. - 854. 8.29. +	0	+		37	37
	0	E		0	0
- 868. 4. 7. - 854. 8.29. E	0	E		0	37
- 868. 4. 7. - 854. 8.29.	761st			position to B Jehu	33
- 868. 4. 7. - 854. 8.29.	762nd			position to B Athaliah	34

15696 Bytes yet free.

(675th/762) position: - 867. 4. 7. - 854. 8.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kn	S	from:	to:†
- 867. 4. 7. - 854. 8.29. E	0	E		35	35
- 867. 4. 7. - 852. 8.29. E	6	B		35	35
- 868. 4. 7. - 854. 8.29. E	7	B		33	35
- 868. 4. 7. - 854. 8.29. E	7	B		34	35

```

- 867. 4. 7. - 854. 8.29. + 0 + 35 35||
                        0 E 0 0||
- 867. 4. 7. - 854. 8.29. E 0 E 0 35||
- 867. 4. 7. - 854. 8.29. 763rd position to B Jehu 33
- 867. 4. 7. - 854. 8.29. 764th position to B Athaliah 34

```

15696 Bytes yet free.

(676th/764) position: - 874. 4. 7. - 861. 8.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
- 874. 4. 7. - 861. 8.29. B	0	B		40	40
- 875. 4. 7. - 859. 8.29. B	3	B		37	40
- 876. 4. 7. - 859. 8.29. B	4	*		40	40
- 876. 4. 7. - 861. 8.29. B	6	E		40	40
- 874. 4. 7. - 859. 8.29. B	9	α		37	40
	0	B		0	0
- 874. 4. 7. - 861. 8.29. B	0	B		0	40

15696 Bytes yet free.

(677th/764) position: - 907. 4. 7. - 892. 8.29. * Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
- 907. 4. 7. - 892. 8.29. *	0	*		40	40
- 907. 4. 7. - 892. 8.29. *	10	B		40	40
	0	*		0	0
- 907. 4. 7. - 892. 8.29. *	0	*		0	40

15696 Bytes yet free.

(678th/764) position: - 867. 4. 7. - 854. 8.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
- 867. 4. 7. - 854. 8.29. E	0	E		40	40
- 867. 4. 7. - 852. 8.29. E	6	B		40	40
- 867. 4. 7. - 854. 8.29. E	7	B		35	40
- 867. 4. 7. - 854. 8.29. +	0	+		40	40
	0	E		0	0
- 867. 4. 7. - 854. 8.29. E	0	E		0	40

15696 Bytes yet free.

(679th/764) position: - 867. 4. 7. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
- 867. 4. 7. - 854. 8.29. B	0	B		33	33
- 867. 4. 7. - 854. 8.29. B	1	E		35	33
- 868. 4. 7. - 854. 8.29. B	2	E		37	33
- 871. 4. 1. - 853. 8.29. B	5	E		33	33
- 872. 4. 1. - 854. 8.29. B	9	B		32	33
	0	B		0	0
- 867. 4. 7. - 854. 8.29. B	0	B		0	33
- 867. 4. 7. - 854. 8.29. 765th position to E Joram (Ahab)					37

- 840. 4. 7. - 826. 8.29. 766th position to E Jehu 33
 - 861. 4. 7. - 848. 8.29. 767th position to B Joash (Ahaziah) 32

15696 Bytes yet free.

(680th/767) position: - 867. 4. 7. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Knd	S	from:	to:†	
- 867. 4. 7. - 854. 8.29.	B	0	B	34	34	
- 867. 4. 7. - 854. 8.29.	B	1	E	35	34	
- 867. 4. 7. - 854. 8.29.	B	2	E	37	34	
- 871. 4. 1. - 853. 8.29.	B	5	E	34	34	
		0	B	0	0	
- 867. 4. 7. - 854. 8.29.	B	0	B	0	34	
- 862. 4. 7. - 848. 8.29.				768th position to E Athaliah		34

15696 Bytes yet free.

(681st/768) position: - 871. 4. 7. - 858. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Knd	S	from:	to:†	
- 871. 4. 7. - 858. 8.29.	E	0	E	43	43	
- 868. 4.15. ≥	E	2	E	41	43	
- 871. 4. 7. - 858. 8.29.	E	7	B	39	43	
≤- 858. 8.29.	E	8	α	37	43	
- 871. 4. 7. - 858. 8.29. +		0	+	43	43	
3Y 8D		0	E	0	0	
- 868. 4.15. - 858. 8.29.	E	0	E	0	43	
- 868. 4.15. - 858. 8.29.				769th position to E Elijah		43
- 868. 4.15. - 858. 8.29.				770th position to B Elisha		39
- 868. 4.15. - 858. 8.29.				771st position to α Joram (Ahab)		37

15696 Bytes yet free.

(682nd/771) position: - 868. 4.15. - 858. 8.29. B Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Knd	S	from:	to:†	
- 868. 4.15. - 858. 8.29.	B	0	B	39	39	
- 868. 4.15. - 858. 8.29.	B	1	E	43	39	
		0	B	0	0	
- 868. 4.15. - 858. 8.29.	B	0	B	0	39	

15696 Bytes yet free.

(683rd/771) position: - 868. 4.15. - 858. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Knd	S	from:	to:†	
- 868. 4.15. - 858. 8.29.	E	0	E	41	41	
- 868. 4.15. - 856. 8.29.	E	5	B	41	41	
- 868. 4.15. - 858. 8.29.	E	7	α	37	41	
≤- 858. 8.29.	E	8	E	43	41	

```

- 868. 4.15. - 858. 8.29. + 0 + 41 41||
                        0 E 0 0||
- 868. 4.15. - 858. 8.29. E 0 E 0 41||

```

15696 Bytes yet free.

(684th/771) position: - 868. 4.15. - 858. 8.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)          D Knd S      from:      to:|
- 868. 4.15. - 858. 8.29. α 0 α      37      37||
- 868. 4.15. - 858. 8.29. α 1 E      41      37||
- 868. 4.15. ≥         α 2 E      43      37||
- 873. 4. 7. - 858. 8.29. α 3 B      40      37||
- 870. 4.15. - 856. 8.29. α 4 B      42      37||
                        0 α      0      0||
- 868. 4.15. - 858. 8.29. α 0 α      0      37||
- 871. 4.15. - 861. 8.29. 772nd position to B Jehoram (Jehoshaphat) 40

```

15696 Bytes yet free.

(685th/772) position: - 868. 4.15. - 858. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Elijah                D Knd S      from:      to:|
- 868. 4.15. - 858. 8.29. E 0 E      43      43||
- 868. 4.15. ≥         E 2 E      41      43||
- 868. 4.15. - 858. 8.29. E 7 B      39      43||
    ≤- 858. 8.29. E 8 α      37      43||
- 868. 4.15. - 858. 8.29. + 0 +      43      43||
                        0 E      0      0||
- 868. 4.15. - 858. 8.29. E 0 E      0      43||

```

15696 Bytes yet free.

(686th/772) position: - 868. 4.15. - 858. 8.29. B Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Elisha                D Knd S      from:      to:|
- 868. 4.15. - 858. 8.29. B 0 B      39      39||
- 868. 4.15. - 858. 8.29. B 1 E      43      39||
                        0 B      0      0||
- 868. 4.15. - 858. 8.29. B 0 B      0      39||

```

15696 Bytes yet free.

(687th/772) position: - 871. 4.15. - 861. 8.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S      from:      to:|
- 871. 4.15. - 861. 8.29. B 0 B      40      40||
- 875. 4. 7. - 859. 8.29. B 3 B      37      40||
- 876. 4. 7. - 859. 8.29. B 4 *      40      40||
- 876. 4. 7. - 861. 8.29. B 6 E      40      40||

```

```

- 871. 4.15. - 859. 8.29. B   9 α      37      40||
                        0 B      0      0||
- 871. 4.15. - 861. 8.29. B   0 B      0      40||
- 877. 4.15. - 865. 8.29. 773rd position to B Joram (Ahab)      37
- 904. 4.15. - 892. 8.29. 774th position to * Jehoram (Jehoshaphat) 40
- 864. 4.15. - 854. 8.29. 775th position to E Jehoram (Jehoshaphat) 40

```

15696 Bytes yet free.

```

(688th/775) position: - 877. 4.15. - 865. 8.29.   B Joram (Ahab)      37
Forward relations for entry Joram (Ahab)           (37/120) are generated.
Backward relations for entry Jehu                   (33/120) are generated.
Backward relations for entry Athaliah               (34/120) are generated.
Forward relations for entry Joram (Ahab)            (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab)           D Knd S      from:      to:|
- 877. 4.15. - 865. 8.29. B   0 B      37      37||
- 880. 4. 7. - 865. 8.29. B   9 B      35      37||
- 879. 4. 7. - 864. 8.29. B   9 B      36      37||
- 877. 4.15. - 865. 8.29. B   9 B      40      37||
- 880. 4. 7. - 865. 8.29. B   5 E      38      38||
                        0 B      0      0||
- 877. 4.15. - 865. 8.29. B   0 B      0      37||
- 866. 4.15. - 854. 8.29. 776th position to B Ahaziah (Joram)      35
- 866. 4.15. - 854. 8.29. 777th position to E Joram (Ahab)      38

```

15696 Bytes yet free.

```

(689th/777) position: - 904. 4.15. - 892. 8.29.   * Jehoram (Jehoshaphat) 40
Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
Backward relations for entry Ahaziah (Joram)      (35/120) are generated.

```

Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S      from:      to:|
- 904. 4.15. - 892. 8.29. *   0 *      40      40||
- 904. 4.15. - 892. 8.29. *  10 B      40      40||
                        0 *      0      0||
- 904. 4.15. - 892. 8.29. *   0 *      0      40||

```

15696 Bytes yet free.

```

(690th/777) position: - 864. 4.15. - 854. 8.29.   E Jehoram (Jehoshaphat) 40
Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
Backward relations for entry Ahaziah (Joram)      (35/120) are generated.

```

Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S      from:      to:|
- 864. 4.15. - 854. 8.29. E   0 E      40      40||
- 864. 4.15. - 852. 8.29. E   6 B      40      40||
- 866. 4.15. - 854. 8.29. E   7 B      35      40||
- 864. 4.15. - 854. 8.29. +   0 +      40      40||
                        0 E      0      0||
- 864. 4.15. - 854. 8.29. E   0 E      0      40||
- 864. 4.15. - 854. 8.29. 778th position to B Ahaziah (Joram)      35

```

15696 Bytes yet free.

```

(691st/778) position: - 866. 4.15. - 854. 8.29.   E Joram (Ahab)      38
Forward relations for entry Joram (Ahab)           (37/120) are generated.
Backward relations for entry Jehu                   (33/120) are generated.
Backward relations for entry Athaliah               (34/120) are generated.
Forward relations for entry Joram (Ahab)            (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab)           D Knd S      from:      to:|

```

```

- 866. 4.15. - 854. 8.29. E 0 E 37 37||
- 867. 4. 7. - 854. 8.29. E 8 B 33 37||
- 867. 4. 7. - 854. 8.29. E 8 B 34 37||
- 866. 4.15. - 852. 8.29. E 5 B 38 38||
- 866. 4.15. - 854. 8.29. + 0 + 37 37||
                                0 E 0 0||
- 866. 4.15. - 854. 8.29. E 0 E 0 37||
- 866. 4.15. - 854. 8.29. 779th position to B Jehu 33
- 866. 4.15. - 854. 8.29. 780th position to B Athaliah 34

```

15696 Bytes yet free.

```

(692nd/780) position: - 864. 4.15. - 854. 8.29. B Ahaziah (Joram) 35
Forward relations for entry Ahaziah (Joram) (35/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Ahaziah (Joram) (36/120) are generated.

```

Optimize dates...

```

Ahaziah (Joram) D Knd S from: to:|
- 864. 4.15. - 854. 8.29. B 0 B 35 35||
- 864. 4.15. - 854. 8.29. B 1 E 40 35||
- 866. 4.15. - 852. 8.29. B 3 B 37 35||
- 869. 4. 7. - 852. 8.29. B 4 * 35 35||
- 869. 4. 7. - 854. 8.29. B 6 E 35 35||
- 867. 4.15. - 853. 8.29. B 3 B 37 36||
                                0 B 0 0||
- 864. 4.15. - 854. 8.29. B 0 B 0 35||
- 887. 4.15. - 875. 8.29. 781st position to * Ahaziah (Joram) 35
- 864. 4.15. - 854. 8.29. 782nd position to E Ahaziah (Joram) 35
- 876. 4.15. - 865. 8.29. 783rd position to B Joram (Ahab) 37

```

15696 Bytes yet free.

```

(693rd/783) position: - 890. 4.15. - 880. 8.29. E Omri 45
Forward relations for entry Omri (45/120) are generated.
Backward relations for entry Ahab (44/120) are generated.

```

Optimize dates...

```

Omri D Knd S from: to:|
- 890. 4.15. - 880. 8.29. E 0 E 45 45||
- 890. 4.21. - 878. 8.29. E 6 B 45 45||
- 890. 4.15. - 880. 8.29. E 7 B 44 45||
- 890. 4.15. - 880. 8.29. + 0 + 45 45||
                                6D 0 E 0 0||
- 890. 4.21. - 880. 8.29. E 0 E 0 45||
- 890. 4.21. - 880. 8.29. 784th position to E Omri 45
- 890. 4.21. - 880. 8.29. 785th position to B Ahab 44

```

15696 Bytes yet free.

```

(694th/785) position: - 927. 4.15. - 917. 8.23. B Asa 51
Forward relations for entry Asa (51/120) are generated.
Backward relations for entry Jehoshaphat (42/120) are generated.

```

Optimize dates...

```

Asa D Knd S from: to:|
- 927. 4.15. - 917. 8.23. B 0 B 51 51||
- 927. 4.15. - 917. 8.29. B 1 E 52 51||
- 927. 4.15. - 915. 8.23. B 3 B 53 51||
- 929. 4.15. - 915. 8.29. B 5 E 51 51||
- 929. 4.21. - 917. 8.29. B 9 B 44 51||
- 929. 4.15. - 915. 8.29. B 9 α 45 51||
- 929. 4.15. - 917. 8.23. B 9 B 47 51||

```

- 929. 4.15. - 917. 8.23. B	9 B	48	51
- 929. 4.15. - 915. 8.29. B	9 B	49	51
- 929. 4.15. - 915. 8.29. B	9 B	50	51
- 929. 4.15. - 917. 8.23. B	10 +	48	51
- 929. 4.15. - 915. 8.29. B	10 +	50	51
	0 B	0	0
- 927. 4.15. - 917. 8.23. B	0 B	0	51
- 927. 4.15. - 917. 8.23.	786th position to E Abijam = Abijah		52
- 887. 4.15. - 875. 8.23.	787th position to E Asa		51
- 897. 4.15. - 885. 8.23.	788th position to α Omri		45
- 925. 4.15. - 913. 8.23.	789th position to B Baasha		49
- 926. 4.15. - 914. 8.23.	790th position to B Nadab		50
- 925. 4.15. - 913. 8.23.	791st position to + Nadab		50

15696 Bytes yet free.

(695th/791) position: - 866. 4. 7. - 849. 8.29. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
- 866. 4. 7. - 849. 8.29. α	0	α		40	40
- 866. 4. 7. - 849. 8.29. α	1	E		42	40
	0	α		0	0
- 866. 4. 7. - 849. 8.29. α	0	α		0	40

15696 Bytes yet free.

(696th/791) position: - 901. 4.15. - 891. 8.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:
- 901. 4.15. - 891. 8.23. E	0	E		48	48
- 901. 4.15. - 889. 8.23. E	5	B		48	48
- 901. 4.15. - 891. 8.23. E	7	B		47	48
- 901. 4.15. - 891. 8.23. +	0	+		48	48
- 901. 4.15. - 889. 8.23. +	4	B		51	48
	0	E		0	0
- 901. 4.15. - 891. 8.23. E	0	E		0	48

15696 Bytes yet free.

(697th/791) position: - 901. 4.21. - 891. 8.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:
- 901. 4.21. - 891. 8.29. B	0	B		45	45
- 901. 4.21. - 891. 8.29. B	2	E		47	45
- 903. 4.21. - 891. 8.29. B	6	E		45	45
	0	B		0	0
- 901. 4.21. - 891. 8.29. B	0	B		0	45

15696 Bytes yet free.

(698th/791) position: - 901. 4.21. - 891. 8.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
-------	---	------	---	-------	-----

```

- 901. 4.21. - 891. 8.29. E 0 E 47 47||
- 901. 4.21. - 891. 9. 1. E 5 B 47 47||
- 901. 4.21. - 891. 8.29. E 7 B 46 47||
- 901. 4.21. - 891. 8.29. E 8 B 45 47||
- 901. 4.21. - 891. 8.29. + 0 + 47 47||
                        0 E 0 0||
- 901. 4.21. - 891. 8.29. E 0 E 0 47||

```

15696 Bytes yet free.

(699th/791) position: - 902. 4.15. - 892. 8.23. B Elah 48
 Forward relations for entry Elah (48/120) are generated.
 Backward relations for entry Zimri (47/120) are generated.
 Optimize dates...

```

Elah D Knd S from: to:|
- 902. 4.15. - 892. 8.23. B 0 B 48 48||
- 905. 4. 1. - 890. 8.23. B 1 E 49 48||
- 902. 4.15. - 890. 8.23. B 3 B 51 48||
- 904. 4.15. - 892. 8.23. B 5 E 48 48||
                        0 B 0 0||
- 902. 4.15. - 892. 8.23. B 0 B 0 48||
- 902. 4.15. - 892. 8.23. 792nd position to E Baasha 49

```

15696 Bytes yet free.

(700th/792) position: - 902. 4.15. - 892. 8.23. E Baasha 49
 Forward relations for entry Baasha (49/120) are generated.
 Backward relations for entry Elah (48/120) are generated.
 Optimize dates...

```

Baasha D Knd S from: to:|
- 902. 4.15. - 892. 8.23. E 0 E 49 49||
- 902. 4.15. - 888. 8.23. E 5 B 49 49||
- 902. 4.15. - 892. 8.23. E 7 B 48 49||
- 902. 4.15. - 892. 8.23. + 0 + 49 49||
                        0 E 0 0||
- 902. 4.15. - 892. 8.23. E 0 E 0 49||
- 925. 4.15. - 915. 8.23. 793rd position to B Baasha 49

```

15696 Bytes yet free.

(701st/793) position: - 927. 4.15. - 917. 8.23. B Asa 51
 Forward relations for entry Asa (51/120) are generated.
 Backward relations for entry Jehoshaphat (42/120) are generated.
 Optimize dates...

```

Asa D Knd S from: to:|
- 927. 4.15. - 917. 8.23. B 0 B 51 51||
- 927. 4.15. - 917. 8.23. B 1 E 52 51||
- 927. 4.15. - 915. 8.23. B 3 B 53 51||
- 929. 4.15. - 915. 8.23. B 5 E 51 51||
- 929. 4.21. - 917. 8.29. B 9 B 44 51||
- 929. 4.15. - 915. 8.23. B 9 α 45 51||
- 929. 4.15. - 917. 8.23. B 9 B 47 51||
- 929. 4.15. - 917. 8.23. B 9 B 48 51||
- 929. 4.15. - 917. 8.23. B 9 B 49 51||
- 929. 4.15. - 915. 8.23. B 9 B 50 51||
- 929. 4.15. - 917. 8.23. B 10 + 48 51||
- 929. 4.15. - 915. 8.23. B 10 + 50 51||
                        0 B 0 0||
- 927. 4.15. - 917. 8.23. B 0 B 0 51||

```

15696 Bytes yet free.

(702nd/793) position: - 927. 4.15. - 917. 8.23. E Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:
- 927. 4.15. - 917. 8.23. E	0	E		52	52
- 927. 4.15. - 913. 8.23. E	5	B		52	52
- 927. 4.15. - 917. 8.23. E	7	B		51	52
- 927. 4.15. - 917. 8.23. +	0	+		52	52
	0	E		0	0
- 927. 4.15. - 917. 8.23. E	0	E		0	52
- 929. 4.15. - 919. 8.23.				794th position to B Abijam = Abijah	52

15696 Bytes yet free.

(703rd/794) position: - 946. 4.15. - 936. 8.23. B Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
- 946. 4.15. - 936. 8.23. B	0	B		53	53
- 946. 4.15. - 936. 8.23. B	1	E		57	53
- 948. 4.15. - 934. 8.23. B	5	E		53	53
- 948. 4.15. - 936. 8.23. B	9	B		51	53
- 948. 4.15. - 936. 8.23. B	9	B		52	53
	0	B		0	0
- 946. 4.15. - 936. 8.23. B	0	B		0	53

15696 Bytes yet free.

(704th/794) position: - 887. 4.15. - 875. 8.23. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:
- 887. 4.15. - 875. 8.23. E	0	E		51	51
- 887. 4.15. - 875. 8.23. E	5	B		51	51
- 887. 4.15. - 875. 8.29. E	7	B		42	51
- 887. 4.15. - 875. 8.23. +	0	+		51	51
	0	E		0	0
- 887. 4.15. - 875. 8.23. E	0	E		0	51
- 887. 4.15. - 875. 8.23.				795th position to B Jehoshaphat	42

15696 Bytes yet free.

(705th/795) position: - 890. 4.21. - 880. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:
- 890. 4.21. - 880. 8.29. B	0	B		44	44
- 890. 4.21. - 880. 8.29. B	1	E		45	44
- 890. 4.15. - 878. 8.23. B	3	B		51	44
- 892. 4.15. - 880. 8.29. B	5	E		44	44
≤- 859. 8.29. B	7	B		43	44
- 892. 4.15. - 878. 8.23. B	9	B		42	44
	0	B		0	0
- 890. 4.21. - 880. 8.29. B	0	B		0	44
- 869. 4.21. - 859. 8.29.				796th position to E Ahab	44
- 890. 4.21. - 859. 8.29.				797th position to B Elijah	43

- 887. 4.21. - 875. 8.23. 798th position to B Jehoshaphat 42

15696 Bytes yet free.

(706th/798) position: - 897. 4.15. - 885. 8.23. α Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kn	S	from:	to:
- 897. 4.15. - 885. 8.23.	α	0	α	45	45
- 901. 4. 1. - 879.10.29.	α	1	E	46	45
- 897. 4.15. - 885. 8.23.	α	3	B	51	45
		0	α	0	0
- 897. 4.15. - 885. 8.23.	α	0	α	0	45
- 897. 4.15. - 885. 8.23.				799th position to E Tibni	46

15696 Bytes yet free.

(707th/799) position: - 901. 4.15. - 891. 8.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kn	S	from:	to:
- 901. 4.15. - 891. 8.23.	B	0	B	47	47
- 901. 4.15. - 891. 8.23.	B	1	E	48	47
- 901. 4.15. - 889. 8.23.	B	3	B	51	47
- 901. 4.13. - 891. 8.23.	B	5	E	47	47
		0	B	0	0
- 901. 4.15. - 891. 8.23.	B	0	B	0	47

15696 Bytes yet free.

(708th/799) position: - 902. 4.15. - 892. 8.23. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kn	S	from:	to:
- 902. 4.15. - 892. 8.23.	B	0	B	48	48
- 902. 4.15. - 892. 8.23.	B	1	E	49	48
- 902. 4.15. - 890. 8.23.	B	3	B	51	48
- 904. 4.15. - 892. 8.23.	B	5	E	48	48
		0	B	0	0
- 902. 4.15. - 892. 8.23.	B	0	B	0	48

15696 Bytes yet free.

(709th/799) position: - 925. 4.15. - 915. 8.23. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kn	S	from:	to:
- 925. 4.15. - 915. 8.23.	B	0	B	49	49
- 925. 4.15. - 913. 8.23.	B	1	E	50	49
- 925. 4.15. - 913. 8.23.	B	3	B	51	49
- 927. 4.15. - 915. 8.23.	B	5	E	49	49
		0	B	0	0
- 925. 4.15. - 915. 8.23.	B	0	B	0	49
- 925. 4.15. - 915. 8.23.				800th position to E Nadab	50

15696 Bytes yet free.

(710th/800) position: - 926. 4.15. - 914. 8.23. B Nadab 50

Forward relations for entry Nadab (50/120) are generated.
 Backward relations for entry Baasha (49/120) are generated.
 Optimize dates...

Nadab	D	Kind	S	from:	to:	
- 926. 4.15. - 914. 8.23. B	0	B		50	50	
- 925. 4.15. - 913. 8.23. B	1	E		53	50	
- 926. 4.15. - 914. 8.23. B	3	B		51	50	
- 928. 4.15. - 916. 8.23. B	5	E		50	50	
1Y	2Y	0	B	0	0	
- 925. 4.15. - 916. 8.23. B	0	B		0	50	
- 925. 4.15. - 916. 8.23.			801st position to B Nadab			50
- 925. 4.15. - 916. 8.23.			802nd position to E Jeroboam (Nebat)			53
- 924. 4.15. - 915. 8.23.			803rd position to E Nadab			50

15696 Bytes yet free.
 (711th/803) position: - 901. 4.15. - 891. 8.23. + Elah 48
 Forward relations for entry Elah (48/120) are generated.
 Backward relations for entry Zimri (47/120) are generated.
 Optimize dates...

Elah	D	Kind	S	from:	to:
- 901. 4.15. - 891. 8.23. E	0	E		48	48
- 901. 4.15. - 889. 8.23. E	5	B		48	48
- 901. 4.15. - 891. 8.23. E	7	B		47	48
- 901. 4.15. - 891. 8.23. +	0	+		48	48
- 901. 4.15. - 889. 8.23. +	4	B		51	48
	0	E		0	0
- 901. 4.15. - 891. 8.23. E	0	E		0	48

15696 Bytes yet free.
 (712th/803) position: - 924. 4.15. - 915. 8.23. + Nadab 50
 Forward relations for entry Nadab (50/120) are generated.
 Backward relations for entry Baasha (49/120) are generated.
 Optimize dates...

Nadab	D	Kind	S	from:	to:	
- 924. 4.15. - 915. 8.23. E	0	E		50	50	
- 924. 4.15. - 913. 8.23. E	5	B		50	50	
- 925. 4.15. - 915. 8.23. E	7	B		49	50	
- 924. 4.15. - 915. 8.23. +	0	+		50	50	
- 925. 4.15. - 913. 8.23. +	4	B		51	50	
	0	E		0	0	
- 924. 4.15. - 915. 8.23. E	0	E		0	50	
- 924. 4.15. - 915. 8.23.			804th position to B Baasha			49

15696 Bytes yet free.
 (713th/804) position: - 869. 4.21. - 859. 8.29. E Ahab 44
 Forward relations for entry Ahab (44/120) are generated.
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
 Backward relations for entry Elijah (43/120) are generated.
 Optimize dates...

Ahab	D	Kind	S	from:	to:	
- 869. 4.21. - 859. 8.29. E	0	E		44	44	
- 890. 4.21. ≥	E	2	B	43	44	
- 869. 4.21. - 857. 8.29. E	5	B		44	44	
- 869. 4.15. - 859. 8.29. E	7	B		41	44	
- 869. 4.21. - 859. 8.29. +	0	+		44	44	
	0	E		0	0	
- 869. 4.21. - 859. 8.29. E	0	E		0	44	
- 869. 4.21. - 859. 8.29.			805th position to B Ahaziah (Ahab)			41

15696 Bytes yet free.

(714th/805) position: - 869. 4.21. - 859. 8.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 869. 4.21. - 859. 8.29.	B	0	B	41	41	
- 869. 4.21. - 859. 8.29.	B	1	E	44	41	
- 871. 4.21. - 857. 8.23.	B	3	B	42	41	
- 871. 4.15. - 859. 8.29.	B	5	E	41	41	
		0	B	0	0	
- 869. 4.21. - 859. 8.29.	B	0	B	0	41	
- 868. 4.21. - 858. 8.29.				806th position to E Ahaziah (Ahab)		41

15696 Bytes yet free.

(715th/806) position: - 890. 4.21. - 859. 8.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
- 890. 4.21. - 859. 8.29.	B	0	B	43	43	
- 890. 4.21. ≥	B	1	B	44	43	
≤ - 859. 8.29.	B	8	E	44	43	
		0	B	0	0	
- 890. 4.21. - 859. 8.29.	B	0	B	0	43	

15696 Bytes yet free.

(716th/806) position: - 890. 4.21. - 880. 8.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:	
- 890. 4.21. - 880. 8.29.	E	0	E	45	45	
- 890. 4.21. - 878. 8.29.	E	6	B	45	45	
- 890. 4.21. - 880. 8.29.	E	7	B	44	45	
- 890. 4.21. - 880. 8.29. +		0	+	45	45	
		0	E	0	0	
- 890. 4.21. - 880. 8.29.	E	0	E	0	45	

15696 Bytes yet free.

(717th/806) position: - 887. 4.21. - 875. 8.23. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
- 887. 4.21. - 875. 8.23.	B	0	B	42	42	
- 887. 4.15. - 875. 8.23.	B	1	E	51	42	
- 887. 4.21. - 875. 8.29.	B	3	B	44	42	
- 892. 4. 7. - 873. 8.29.	B	4	*	42	42	
- 892. 4. 7. - 873. 8.29.	B	6	E	42	42	
- 887. 4.21. - 875. 8.29.	B	9	B	41	42	
- 887. 4.15. - 875. 8.29.	B	10	α	37	42	
		0	B	0	0	
- 887. 4.21. - 875. 8.23.	B	0	B	0	42	

- 887. 4.21. - 875. 8.23. 807th position to E Asa 51
 - 923. 4.21. - 909. 8.23. 808th position to * Jehoshaphat 42
 - 863. 4.21. - 849. 8.23. 809th position to E Jehoshaphat 42

15696 Bytes yet free.

(718th/809) position: - 868. 4.21. - 858. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kn	S	from:	to:	
- 868. 4.21. - 858. 8.29. E	0	E		41	41	
- 868. 4.21. - 856. 8.29. E	5	B		41	41	
- 868. 4.15. - 858. 8.29. E	7	α		37	41	
≤- 858. 8.29. E	8	E		43	41	
- 868. 4.21. - 858. 8.29. +	0	+		41	41	
	0	E		0	0	
- 868. 4.21. - 858. 8.29. E	0	E		0	41	
- 868. 4.21. - 858. 8.29.				810th position to α Joram (Ahab)		37
- 868. 4.21. - 858. 8.29.				811th position to E Elijah		43

15696 Bytes yet free.

(719th/811) position: - 901. 4.15. - 891. 8.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kn	S	from:	to:
- 901. 4.15. - 891. 8.23. B	0	B		47	47
- 901. 4.15. - 891. 8.23. B	1	E		48	47
- 901. 4.15. - 889. 8.23. B	3	B		51	47
- 901. 4.13. - 891. 8.23. B	5	E		47	47
	0	B		0	0
- 901. 4.15. - 891. 8.23. B	0	B		0	47

15696 Bytes yet free.

(720th/811) position: - 901. 4.15. - 891. 8.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kn	S	from:	to:
- 901. 4.15. - 891. 8.23. E	0	E		48	48
- 901. 4.15. - 889. 8.23. E	5	B		48	48
- 901. 4.15. - 891. 8.23. E	7	B		47	48
- 901. 4.15. - 891. 8.23. +	0	+		48	48
- 901. 4.15. - 889. 8.23. +	4	B		51	48
	0	E		0	0
- 901. 4.15. - 891. 8.23. E	0	E		0	48

15696 Bytes yet free.

(721st/811) position: - 927. 4.15. - 917. 8.23. B Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kn	S	from:	to:
- 927. 4.15. - 917. 8.23. B	0	B		51	51
- 927. 4.15. - 917. 8.23. B	1	E		52	51
- 927. 4.15. - 915. 8.23. B	3	B		53	51

- 929. 4.21. - 915. 8.23. B	5 E	51	51
- 929. 4.21. - 917. 8.29. B	9 B	44	51
- 929. 4.15. - 915. 8.23. B	9 α	45	51
- 929. 4.15. - 917. 8.23. B	9 B	47	51
- 929. 4.15. - 917. 8.23. B	9 B	48	51
- 928. 4.15. - 917. 8.23. B	9 B	49	51
- 928. 4.15. - 917. 8.23. B	9 B	50	51
- 929. 4.15. - 917. 8.23. B	10 +	48	51
- 928. 4.15. - 917. 8.23. B	10 +	50	51
	0 B	0	0
- 927. 4.15. - 917. 8.23. B	0 B	0	51

15696 Bytes yet free.

(722nd/811) position: - 901. 4.21. - 891. 8.29. E Zimri 47
 Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D Knd S	from:	to:
- 901. 4.21. - 891. 8.29. E	0 E	47	47
- 901. 4.21. - 891. 9. 1. E	5 B	47	47
- 901. 4.21. - 891. 8.29. E	7 B	46	47
- 901. 4.21. - 891. 8.29. E	8 B	45	47
- 901. 4.21. - 891. 8.29. +	0 +	47	47
	0 E	0	0
- 901. 4.21. - 891. 8.29. E	0 E	0	47

15696 Bytes yet free.

(723rd/811) position: - 902. 4.15. - 892. 8.23. B Elah 48
 Forward relations for entry Elah (48/120) are generated.
 Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D Knd S	from:	to:
- 902. 4.15. - 892. 8.23. B	0 B	48	48
- 902. 4.15. - 892. 8.23. B	1 E	49	48
- 902. 4.15. - 890. 8.23. B	3 B	51	48
- 904. 4.15. - 892. 8.23. B	5 E	48	48
	0 B	0	0
- 902. 4.15. - 892. 8.23. B	0 B	0	48

15696 Bytes yet free.

(724th/811) position: - 901. 4.21. - 891. 8.29. B Tibni 46
 Forward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D Knd S	from:	to:
- 901. 4.21. - 891. 8.29. B	0 B	46	46
- 901. 4.21. - 891. 8.29. B	1 E	47	46
	0 B	0	0
- 901. 4.21. - 891. 8.29. B	0 B	0	46

15696 Bytes yet free.

(725th/811) position: - 901. 4.21. - 891. 8.29. B Omri 45
 Forward relations for entry Omri (45/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D Knd S	from:	to:
- 901. 4.21. - 891. 8.29. B	0 B	45	45

```

- 901. 4.21. - 891. 8.29. B 2 E 47 45||
- 903. 4.21. - 891. 8.29. B 6 E 45 45||
                                0 B 0 0||
- 901. 4.21. - 891. 8.29. B 0 B 0 45||

```

15696 Bytes yet free.

(726th/811) position: -1216. 1. 1. -1172. 6.30. E Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

```

Deborah and Barak      D Knd S      from:      to:|
-1216. 1. 1. -1172. 6.30. E 0 E      75      75||
-1216. 1. 1. -1170. 6.30. E 5 B      75      75||
-1216. 1. 1. -1172. 6.30. E 7 B      74      75||
                                0 E      0      0||
-1216. 1. 1. -1172. 6.30. E 0 E      0      75||

```

15696 Bytes yet free.

(727th/811) position: -1255. 1. 1. -1211. 6.30. B Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

```

Deborah and Barak      D Knd S      from:      to:|
-1255. 1. 1. -1211. 6.30. B 0 B      75      75||
-1255. 9. 1. -1211. 6.30. B 1 E      76      75||
-1257. 1. 1. -1211. 6.30. B 5 E      75      75||
      8M                0 B      0      0||
-1255. 9. 1. -1211. 6.30. B 0 B      0      75||
-1255. 9. 1. -1211. 6.30.      812th position to B Deborah and Barak 75
-1216. 9. 1. -1172. 6.30.      813th position to E Deborah and Barak 75

```

15696 Bytes yet free.

(728th/813) position: -1216. 1. 1. -1172. 6.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

```

Midianites            D Knd S      from:      to:|
-1216. 1. 1. -1172. 6.30. B 0 B      74      74||
-1216. 9. 1. -1172. 6.30. B 1 E      75      74||
      ≤-1172. 6.30. B 5 E      74      74||
      8M                0 B      0      0||
-1216. 9. 1. -1172. 6.30. B 0 B      0      74||
-1216. 9. 1. -1172. 6.30.      814th position to B Midianites 74
-1210. 9. 1. -1166. 6.30.      815th position to E Midianites 74

```

15696 Bytes yet free.

(729th/815) position: -1255. 9. 1. -1211. 6.30. E Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

```

Sisera                D Knd S      from:      to:|
-1255. 9. 1. -1211. 6.30. E 0 E      76      76||
-1255. 9. 1. -1209. 6.30. E 5 B      76      76||
-1255. 9. 1. -1211. 6.30. E 7 B      75      76||
-1255. 9. 1. -1211. 6.30. + 0 +      76      76||
                                0 E      0      0||
-1255. 9. 1. -1211. 6.30. E 0 E      0      76||

```

15696 Bytes yet free.

(730th/815) position: -1274. 9. 1. -1230. 6.30. B Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kn	S	from:	to:†
-1274. 9. 1. -1230. 6.30. B	0	B		76	76
-1274. 9. 1. -1230. 6.30. B	1	E		77	76
-1276. 9. 1. -1230. 6.30. B	5	E		76	76
	0	B		0	0
-1274. 9. 1. -1230. 6.30. B	0	B		0	76

15696 Bytes yet free.

(731st/815) position: -1274. 9. 1. -1230. 6.30. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kn	S	from:	to:†
-1274. 9. 1. -1230. 6.30. E	0	E		77	77
-1274. 9. 1. ≥	5	B		77	77
-1274. 9. 1. -1230. 6.30. E	7	B		76	77
	0	E		0	0
-1274. 9. 1. -1230. 6.30. E	0	E		0	77
-1353. 9. 1. -1309. 6.30.				816th position to B Ehud	77

15696 Bytes yet free.

(732nd/816) position: -1255. 9. 1. -1211. 6.30. E Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kn	S	from:	to:†
-1255. 9. 1. -1211. 6.30. E	0	E		76	76
-1255. 9. 1. -1209. 6.30. E	5	B		76	76
-1255. 9. 1. -1211. 6.30. E	7	B		75	76
-1255. 9. 1. -1211. 6.30. +	0	+		76	76
	0	E		0	0
-1255. 9. 1. -1211. 6.30. E	0	E		0	76

15696 Bytes yet free.

(733rd/816) position: -2458. 9.15. -2447. 8.29. * Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kn	S	from:	to:†
-2458. 9.15. -2447. 8.29. *	0	*		105	105
-2458. 9.15. -2441. 1. 3. *	3	E		107	105
-2460. 9.15. -2443.11. 6. *	4	*		109	105
-2460. 9.15. -2447. 8.29. *	9	*		104	105
-2460. 9.15. -2441.11. 6. *	10	+		109	105
	0	*		0	0
-2458. 9.15. -2447. 8.29. *	0	*		0	105
-2459. 9.15. -2448. 8.29.				817th position to E Great Flood	107
-2559. 9.15. -2546. 8.29.				818th position to * Shem	109
-1959. 9.15. -1946. 8.29.				819th position to + Shem	109

15696 Bytes yet free.

(734th/819) position: -2022. 9.15. -2009. 8.29. + Arphaxad 106

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Knd	S	from:	to:†
-2022. 9.15. -2009. 8.29. +	0	+		105	105
-2022. 9.15. -2009. 8.29. +	3	*		104	106
	0	+		0	0
-2022. 9.15. -2009. 8.29. +	0	+		0	105

15696 Bytes yet free.

(735th/819) position: - 770. 6.22. - 755. 8.29. B Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Knd	S	from:	to:†
- 770. 6.22. - 755. 8.29. B	0	B		25	25
- 770. 2. 1. - 755. 8.29. B	1	E		27	25
- 770. 1.22. - 755. 8.29. B	3	B		26	25
- 770. 6.22. - 755.10.29. B	5	E		25	25
	0	B		0	0
- 770. 6.22. - 755. 8.29. B	0	B		0	25
- 770. 6.22. - 755. 8.29.				820th position to E Jeroboam (Joash)	27

15696 Bytes yet free.

(736th/820) position: -1408. 9.15.≥ E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Knd	S	from:	to:†
-1408. 9.15.≥	E	0	E	80	80
-1408. 9.15.≥	E	5	B	80	80
-1408. 1.22.≥	E	7	B	79	80
	0	E		0	0
-1408. 9.15.≥	E	0	E	0	80
-1408. 9.15.≥				821st position to B Othniel	79

15696 Bytes yet free.

(737th/821) position: -1019. 9.15. -1005.10.29. α David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Knd	S	from:	to:†
-1019. 9.15. -1005.10.29. α	0	α		58	58
-1029. 4. 1.≥	α	1	E	59	58
-1019. 9.15. -1005.12.29. α	4	B		58	58
-1019. 4.15. -1005.10.29. α	6	Ω		58	58
	0	α		0	0
-1019. 9.15. -1005.10.29. α	0	α		0	58

15696 Bytes yet free.

(738th/821) position: -1026. 4.15. -1012. 5.29. E Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Knd	S	from:	to:†
-1026. 4.15. -1012. 5.29. E	0	E		60	60
-1032. 4. 1. -1010. 5.29. E	5	B		60	60
-1030. 4. 1. -1012. 5.29. E	7	B		59	60

```

-1026. 4.15. -1012. 5.29. E   8 B      58      60||
-1026. 4.15. -1012. 5.29. +   0 +      60      60||
                        0 E      0      0||
-1026. 4.15. -1012. 5.29. E   0 E      0      60||
-1067. 4.15. -1051. 5.29.      822nd position to B Saul      60
-1026. 4.15. -1012. 5.29.      823rd position to B Ishbosheth      59

```

15696 Bytes yet free.

(739th/823) position: -1057. 4.15. -1041. 5.29. * David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

```

David          D Knd S      from:      to:|
-1057. 4.15. -1041. 5.29. *   0 *      58      58||
-1057. 4.15. -1041. 5.29. *   9 B      58      58||
                        0 *      0      0||
-1057. 4.15. -1041. 5.29. *   0 *      0      58||

```

15696 Bytes yet free.

(740th/823) position: - 946. 4.15. - 936. 8.23. B Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

```

Jeroboam (Nebat) D Knd S      from:      to:|
- 946. 4.15. - 936. 8.23. B   0 B      53      53||
- 946. 4.15. - 936. 8.23. B   1 E      57      53||
- 948. 4.15. - 937. 8.23. B   5 E      53      53||
- 948. 4.15. - 936. 8.23. B   9 B      51      53||
- 948. 4.15. - 936. 8.23. B   9 B      52      53||
                        1Y      0 B      0      0||
- 946. 4.15. - 937. 8.23. B   0 B      0      53||
- 946. 4.15. - 937. 8.23.      824th position to B Jeroboam (Nebat)      53
- 946. 4.15. - 937. 8.23.      825th position to E Solomon      57

```

15696 Bytes yet free.

(741st/825) position: - 946. 4.15. - 937. 8.23. E Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

```

Solomon          D Knd S      from:      to:|
- 946. 4.15. - 937. 8.23. E   0 E      57      57||
- 946. 4.15. - 932.10.29. E   5 B      57      57||
- 946. 4.15. - 937. 8.23. E   7 B      53      57||
- 946. 4.15. - 936. 8.23. E   7 B      54      57||
- 946. 4.15. - 937. 8.23. +   0 +      57      57||
                        0 E      0      0||
- 946. 4.15. - 937. 8.23. E   0 E      0      57||
- 985. 4.15. - 976. 8.23.      826th position to B Solomon      57
- 946. 4.15. - 937. 8.23.      827th position to B Rehoboam      54

```

15696 Bytes yet free.

(742nd/827) position: - 925. 4.15. - 916. 8.23. E Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

```

Jeroboam (Nebat) D Knd S      from:      to:|
- 925. 4.15. - 916. 8.23. E   0 E      53      53||

```

```

- 925. 4.15. - 914. 8.23. E   5 B      53      53||
- 925. 4.15. - 916. 8.23. E   7 B      50      53||
- 925. 4.15. - 916. 8.23. +   0 +      53      53||
                        0 E          0      0||
- 925. 4.15. - 916. 8.23. E   0 E          0      53||

```

15696 Bytes yet free.

(743rd/827) position: - 929. 4.15. - 919. 8.23. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```

Abijam = Abijah           D Knd S      from:      to:|
- 929. 4.15. - 919. 8.23. B   0 B        52        52||
- 930. 4.15. - 918. 8.23. B   1 E        54        52||
- 929. 4.15. - 918. 8.23. B   3 B        53        52||
- 931. 4.15. - 919. 8.23. B   5 E        52        52||
                        0 B          0          0||
- 929. 4.15. - 919. 8.23. B   0 B          0        52||
- 929. 4.15. - 919. 8.23. 828th position to E Rehoboam 54

```

15696 Bytes yet free.

(744th/828) position: - 946. 4.15. - 937. 8.23. B Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam                 D Knd S      from:      to:|
- 946. 4.15. - 937. 8.23. B   0 B        54        54||
- 946. 4.15. - 937. 8.23. B   1 E        57        54||
- 948. 4.15. - 934. 8.23. B   3 *        54        54||
- 947. 4.15. - 935. 8.23. B   5 E        54        54||
                        0 B          0          0||
- 946. 4.15. - 937. 8.23. B   0 B          0        54||
- 988. 4.15. - 977. 8.23. 829th position to * Rehoboam 54

```

15696 Bytes yet free.

(745th/829) position: - 988. 4.15. - 977. 8.23. * Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam                 D Knd S      from:      to:|
- 988. 4.15. - 977. 8.23. *   0 *        54        54||
- 988. 4.15. - 977. 8.23. *   9 B        54        54||
                        0 *          0          0||
- 988. 4.15. - 977. 8.23. *   0 *          0        54||

```

15696 Bytes yet free.

(746th/829) position: - 929. 4.15. - 919. 8.23. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam                 D Knd S      from:      to:|
- 929. 4.15. - 919. 8.23. E   0 E        54        54||
- 930. 4.15. - 919. 8.23. E   5 B        54        54||
- 929. 4.15. - 919. 8.23. E   7 B        52        54||
- 929. 4.15. - 919. 8.23. +   0 +        54        54||
                        0 E          0          0||
- 929. 4.15. - 919. 8.23. E   0 E          0        54||

```

15696 Bytes yet free.

(747th/829) position: -1077. 7.15. -1051. 5.29. E Philistines 63

Forward relations for entry Philistines (63/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Backward relations for entry Samson (62/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Philistines	D	Kind	S	from:	to:
-1077. 7.15. -1051. 5.29.	E	0	E	63	63
-1101. 7. 1. ≥	E	2	E	62	63
-1083. 7. 1. -1049. 5.29.	E	3	B	61	63
-1077. 7.15. -1049. 5.29.	E	6	B	63	63
≤ -1051. 5.29.	E	7	E	61	63
≤ -1051. 5.29.	E	8	B	60	63
		0	E	0	0
-1077. 7.15. -1051. 5.29.	E	0	E	0	63
-1098. 7.15. -1070. 5.29.				830th position to B Samuel	61

15696 Bytes yet free.

(748th/830) position: -1116. 7.15. -1070. 5.29. B Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kind	S	from:	to:
-1116. 7.15. -1070. 5.29.	B	0	B	62	62
-1116. 7.15. ≥	B	1	B	63	62
-1122. 7. 1. -1070. 5.29.	B	5	E	62	62
		0	B	0	0
-1116. 7.15. -1070. 5.29.	B	0	B	0	62
-1097. 7.15. -1051. 5.29.				831st position to E Samson	62

15696 Bytes yet free.

(749th/831) position: -1110. 7.15. ≥ E Ibzan 67

Forward relations for entry Ibzan (67/120) are generated.

Backward relations for entry Elon (66/120) are generated.

Optimize dates...

Ibzan	D	Kind	S	from:	to:
-1110. 7.15. ≥	E	0	E	67	67
-1110. 7.15. ≥	E	5	B	67	67
	E	7	B	66	67
-1110. 7.15. ≥	+	0	+	67	67
		0	E	0	0
-1110. 7.15. ≥	E	0	E	0	67
-1110. 7.15. ≥				832nd position to B Elon	66

15696 Bytes yet free.

(750th/832) position: -1352. 1.22. ≥ E Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Kind	S	from:	to:
-1352. 1.22. ≥	E	0	E	78	78
-1352. 1.22. ≥	E	5	B	78	78
-1353. 9. 1. -1309. 6.30.	E	7	B	77	78
-1352. 1.22. ≥	+	0	+	78	78
1308Y 6M 1D		0	E	0	0
-1352. 1.22. -1309. 6.30.	E	0	E	0	78
-1352. 1.22. -1309. 6.30.				833rd position to E Eglon	78

-1369. 1.22. -1326. 6.30. 834th position to B Eglon 78
 -1352. 1.22. -1309. 6.30. 835th position to B Ehud 77

15696 Bytes yet free.

(751st/835) position: - 862. 4. 7. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kn	S	from:	to:	
- 862. 4. 7. - 848. 8.29.	E	0	E	34	34	
- 861. 4.15. - 847. 8.29.	E	5	B	34	34	
- 861. 4. 7. - 848. 8.29.	E	7	B	32	34	
- 862. 4. 7. - 848. 8.29.	+	0	+	34	34	
1Y 8D				0	0	
- 861. 4.15. - 848. 8.29.	E	0	E	0	34	
- 861. 4.15. - 848. 8.29.				836th position to E Athaliah		34
- 861. 4.15. - 848. 8.29.				837th position to B Joash (Ahaziah)		32

15696 Bytes yet free.

(752nd/837) position: - 861. 4.15. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kn	S	from:	to:	
- 861. 4.15. - 848. 8.29.	B	0	B	32	32	
- 861. 4.15. - 848. 8.29.	B	1	E	34	32	
- 860. 4.15. - 846. 8.29.	B	3	B	33	32	
- 869. 2. 1. - 848. 8.29.	B	5	E	32	32	
- 866. 4. 1. - 846. 8.29.	B	4	*	32	32	
- 867. 2. 1. - 846. 8.29.	B	9	B	30	32	
- 866. 4. 1. - 848. 8.29.	B	9	B	31	32	
1Y				0	0	
- 860. 4.15. - 848. 8.29.	B	0	B	0	32	
- 860. 4.15. - 848. 8.29.				838th position to B Joash (Ahaziah)		32
- 860. 4.15. - 848. 8.29.				839th position to E Athaliah		34
- 821. 4.15. - 809. 8.29.				840th position to E Joash (Ahaziah)		32
- 868. 4.15. - 854. 8.29.				841st position to * Joash (Ahaziah)		32
- 824. 4.15. - 810. 8.29.				842nd position to B Joash (Jehoahaz)		30
- 838. 4.15. - 826. 8.29.				843rd position to B Jehoahaz (Jehu)		31

15696 Bytes yet free.

(753rd/843) position: - 868. 4.15. - 854. 8.29. * Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kn	S	from:	to:	
- 868. 4.15. - 854. 8.29.	*	0	*	32	32	
- 868. 4.15. - 854. 8.29.	*	10	B	32	32	
				0	0	
- 868. 4.15. - 854. 8.29.	*	0	*	0	32	

15696 Bytes yet free.

(754th/843) position: - 838. 4.15. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kn	S	from:	to:	
- 838. 4.15. - 826. 8.29.	B	0	B	31	31	

```

- 840. 4. 7. - 826. 8.29. B 1 E 33 31||
- 838. 4.15. - 824. 8.29. B 3 B 32 31||
- 844. 4. 1. - 826. 8.29. B 5 E 31 31||
                        0 B 0 0||
- 838. 4.15. - 826. 8.29. B 0 B 0 31||
- 838. 4.15. - 826. 8.29. 844th position to E Jehu 33
- 822. 4.15. - 810. 8.29. 845th position to E Jehoahaz (Jehu) 31

```

15696 Bytes yet free.

```

(755th/845) position: - 838. 4.15. - 826. 8.29. E Jehu 33
Forward relations for entry Jehu (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
Optimize dates...

```

Jehu	D	Kn	S	from:	to:
- 838. 4.15. - 826. 8.29. E	0	E	33	33	31
- 839. 4.15. - 825. 8.29. E	5	B	33	33	31
- 838. 4.15. - 826. 8.29. E	7	B	31	33	31
- 838. 4.15. - 826. 8.29. +	0	+	33	33	31
	0	E	0	0	0
- 838. 4.15. - 826. 8.29. E	0	E	0	33	31

15696 Bytes yet free.

```

(756th/845) position: - 822. 4.15. - 810. 8.29. E Jehoahaz (Jehu) 31
Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
Optimize dates...

```

Jehoahaz (Jehu)	D	Kn	S	from:	to:
- 822. 4.15. - 810. 8.29. E	0	E	31	31	31
- 822. 4.15. - 808. 8.29. E	5	B	31	31	31
- 824. 4.15. - 810. 8.29. E	7	B	30	31	31
- 822. 4.15. - 810. 8.29. +	0	+	31	31	31
	0	E	0	0	0
- 822. 4.15. - 810. 8.29. E	0	E	0	31	31
- 822. 4.15. - 810. 8.29. 846th position to B Joash (Jehoahaz)					30

15696 Bytes yet free.

```

(757th/846) position: - 887. 4.15. - 875. 8.29. * Ahaziah (Joram) 35
Forward relations for entry Ahaziah (Joram) (35/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Ahaziah (Joram) (36/120) are generated.
Optimize dates...

```

Ahaziah (Joram)	D	Kn	S	from:	to:
- 887. 4.15. - 875. 8.29. *	0	*	35	35	35
- 887. 4.15. - 875. 8.29. *	10	B	35	35	35
	0	*	0	0	0
- 887. 4.15. - 875. 8.29. *	0	*	0	35	35

15696 Bytes yet free.

```

(758th/846) position: - 864. 4.15. - 854. 8.29. E Ahaziah (Joram) 35
Forward relations for entry Ahaziah (Joram) (35/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Ahaziah (Joram) (36/120) are generated.
Optimize dates...

```

Ahaziah (Joram)	D	Kn	S	from:	to:
- 864. 4.15. - 854. 8.29. E	0	E	35	35	35
- 864. 4.15. - 852. 8.29. E	6	B	35	35	35

```

- 866. 4.15. - 854. 8.29. E 7 B 33 35||
- 866. 4.15. - 854. 8.29. E 7 B 34 35||
- 864. 4.15. - 854. 8.29. + 0 + 35 35||
                        0 E 0 0||
- 864. 4.15. - 854. 8.29. E 0 E 0 35||
- 864. 4.15. - 854. 8.29. 847th position to B Jehu 33
- 864. 4.15. - 854. 8.29. 848th position to B Athaliah 34

```

15696 Bytes yet free.

```

(759th/848) position: - 876. 4.15. - 865. 8.29. B Joram (Ahab) 37
Forward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Joram (Ahab) (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab) D Knd S from: to:|
- 876. 4.15. - 865. 8.29. B 0 B 37 37||
- 877. 4.15. - 865. 8.29. B 9 B 35 37||
- 876. 4.15. - 864. 8.29. B 9 B 36 37||
- 877. 4.15. - 865. 8.29. B 9 B 40 37||
- 879. 4.15. - 865. 8.29. B 5 E 38 38||
                        0 B 0 0||
- 876. 4.15. - 865. 8.29. B 0 B 0 37||
- 865. 4.15. - 854. 8.29. 849th position to E Joram (Ahab) 38

```

15696 Bytes yet free.

```

(760th/849) position: - 865. 4.15. - 854. 8.29. E Joram (Ahab) 38
Forward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Jehu (33/120) are generated.
Backward relations for entry Athaliah (34/120) are generated.
Forward relations for entry Joram (Ahab) (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab) D Knd S from: to:|
- 865. 4.15. - 854. 8.29. E 0 E 37 37||
- 864. 4.15. - 854. 8.29. E 8 B 33 37||
- 864. 4.15. - 854. 8.29. E 8 B 34 37||
- 865. 4.15. - 852. 8.29. E 5 B 38 38||
- 865. 4.15. - 854. 8.29. + 0 + 37 37||
    1Y 0 E 0 0||
- 864. 4.15. - 854. 8.29. E 0 E 0 37||
- 864. 4.15. - 854. 8.29. 850th position to E Joram (Ahab) 38

```

15696 Bytes yet free.

```

(761st/850) position: - 864. 4.15. - 854. 8.29. B Jehu 33
Forward relations for entry Jehu (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

```

Optimize dates...

```

Jehu D Knd S from: to:|
- 864. 4.15. - 854. 8.29. B 0 B 33 33||
- 864. 4.15. - 854. 8.29. B 1 E 35 33||
- 864. 4.15. - 854. 8.29. B 2 E 37 33||
- 867. 4.15. - 853. 8.29. B 5 E 33 33||
- 868. 4.15. - 854. 8.29. B 9 B 32 33||
                        0 B 0 0||
- 864. 4.15. - 854. 8.29. B 0 B 0 33||
- 837. 4.15. - 826. 8.29. 851st position to E Jehu 33
- 858. 4.15. - 848. 8.29. 852nd position to B Joash (Ahaziah) 32

```

15696 Bytes yet free.

(762nd/852) position: - 864. 4.15. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 864. 4.15. - 854. 8.29. B	0	B		34	34	
- 864. 4.15. - 854. 8.29. B	1	E		35	34	
- 864. 4.15. - 854. 8.29. B	2	E		37	34	
- 867. 4.15. - 853. 8.29. B	5	E		34	34	
	0	B		0	0	
- 864. 4.15. - 854. 8.29. B	0	B		0	34	
- 859. 4.15. - 848. 8.29.				853rd position to E Athaliah		34

15696 Bytes yet free.

(763rd/853) position: - 864. 4.15. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:	
- 864. 4.15. - 854. 8.29. B	0	B		33	33	
- 864. 4.15. - 854. 8.29. B	1	E		35	33	
- 864. 4.15. - 854. 8.29. B	2	E		37	33	
- 866. 4.15. - 853. 8.29. B	5	E		33	33	
- 866. 4.15. - 854. 8.29. B	9	B		32	33	
	0	B		0	0	
- 864. 4.15. - 854. 8.29. B	0	B		0	33	

15696 Bytes yet free.

(764th/853) position: - 864. 4.15. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 864. 4.15. - 854. 8.29. B	0	B		34	34	
- 864. 4.15. - 854. 8.29. B	1	E		35	34	
- 864. 4.15. - 854. 8.29. B	2	E		37	34	
- 866. 4.15. - 853. 8.29. B	5	E		34	34	
	0	B		0	0	
- 864. 4.15. - 854. 8.29. B	0	B		0	34	

15696 Bytes yet free.

(765th/853) position: - 864. 4.15. - 854. 8.29. E Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
- 864. 4.15. - 854. 8.29. E	0	E		37	37	
- 864. 4.15. - 854. 8.29. E	8	B		33	37	
- 864. 4.15. - 854. 8.29. E	8	B		34	37	
- 865. 4.15. - 852. 8.29. E	5	B		38	38	
- 864. 4.15. - 854. 8.29. +	0	+		37	37	
	0	E		0	0	
- 864. 4.15. - 854. 8.29. E	0	E		0	37	

15696 Bytes yet free.

(766th/853) position: - 837. 4.15. - 826. 8.29. E Jehu 33
 Forward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Optimize dates...

Jehu	D	Kn	S	from:	to:	
- 837. 4.15. - 826. 8.29. E	0	E		33	33	
- 837. 4.15. - 825. 8.29. E	5	B		33	33	
- 838. 4.15. - 826. 8.29. E	7	B		31	33	
- 837. 4.15. - 826. 8.29. +	0	+		33	33	
	0	E		0	0	
- 837. 4.15. - 826. 8.29. E	0	E		0	33	
- 837. 4.15. - 826. 8.29.				854th position to B Jehoahaz (Jehu)		31

15696 Bytes yet free.

(767th/854) position: - 858. 4.15. - 848. 8.29. B Joash (Ahaziah) 32
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.
 Backward relations for entry Amaziah (28/120) are generated.
 Optimize dates...

Joash (Ahaziah)	D	Kn	S	from:	to:	
- 858. 4.15. - 848. 8.29. B	0	B		32	32	
- 859. 4.15. - 848. 8.29. B	1	E		34	32	
- 858. 4.15. - 846. 8.29. B	3	B		33	32	
- 862. 4.15. - 848. 8.29. B	5	E		32	32	
- 862. 4.15. - 846. 8.29. B	4	*		32	32	
- 860. 4.15. - 846. 8.29. B	9	B		30	32	
- 861. 4.15. - 848. 8.29. B	9	B		31	32	
	0	B		0	0	
- 858. 4.15. - 848. 8.29. B	0	B		0	32	
- 858. 4.15. - 848. 8.29.				855th position to E Athaliah		34
- 819. 4.15. - 809. 8.29.				856th position to E Joash (Ahaziah)		32
- 866. 4.15. - 854. 8.29.				857th position to * Joash (Ahaziah)		32
- 836. 4.15. - 826. 8.29.				858th position to B Jehoahaz (Jehu)		31

15696 Bytes yet free.

(768th/858) position: - 858. 4.15. - 848. 8.29. E Athaliah 34
 Forward relations for entry Athaliah (34/120) are generated.
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.
 Optimize dates...

Athaliah	D	Kn	S	from:	to:	
- 858. 4.15. - 848. 8.29. E	0	E		34	34	
- 859. 4.15. - 847. 8.29. E	5	B		34	34	
- 858. 4.15. - 848. 8.29. E	7	B		32	34	
- 858. 4.15. - 848. 8.29. +	0	+		34	34	
	0	E		0	0	
- 858. 4.15. - 848. 8.29. E	0	E		0	34	

15696 Bytes yet free.

(769th/858) position: - 868. 4.21. - 858. 8.29. E Elijah 43
 Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Elijah	D	Kn	S	from:	to:	
- 868. 4.21. - 858. 8.29. E	0	E		43	43	
- 868. 4.21. ≥		E	2	E	41	43
- 868. 4.15. - 858. 8.29. E	7	B		39	43	
≤- 858. 8.29. E	8	α		37	43	


```

- 877. 4.15. - 865. 8.29. B   9 B   35   37||
- 876. 4.15. - 864. 8.29. B   9 B   36   37||
- 877. 4.21. - 865. 8.29. B   9 B   40   37||
- 877. 4.15. - 865. 8.29. B   5 E   38   38||
                                0 B   0   0||
- 876. 4.15. - 865. 8.29. B   0 B   0   37||

```

15696 Bytes yet free.

(774th/862) position: - 904. 4.21. - 892. 8.29. * Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S   from:   to:|
- 904. 4.21. - 892. 8.29. *   0 *    40     40||
- 904. 4.21. - 892. 8.29. *  10 B    40     40||
                                0 *    0     0||
- 904. 4.21. - 892. 8.29. *   0 *    0     40||

```

15696 Bytes yet free.

(775th/862) position: - 864. 4.21. - 854. 8.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S   from:   to:|
- 864. 4.21. - 854. 8.29. E   0 E    40     40||
- 864. 4.21. - 852. 8.29. E   6 B    40     40||
- 864. 4.15. - 854. 8.29. E   7 B    35     40||
- 864. 4.21. - 854. 8.29. +   0 +    40     40||
                                0 E    0     0||
- 864. 4.21. - 854. 8.29. E   0 E    0     40||
- 864. 4.21. - 854. 8.29. 863rd position to B Ahaziah (Joram) 35

```

15696 Bytes yet free.

(776th/863) position: - 864. 4.21. - 854. 8.29. B Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

```

Ahaziah (Joram)           D Knd S   from:   to:|
- 864. 4.21. - 854. 8.29. B   0 B    35     35||
- 864. 4.21. - 854. 8.29. B   1 E    40     35||
- 865. 4.15. - 852. 8.29. B   3 B    37     35||
- 866. 4.15. - 852. 8.29. B   4 *    35     35||
- 866. 4.15. - 854. 8.29. B   6 E    35     35||
- 866. 4.15. - 853. 8.29. B   3 B    37     36||
                                0 B    0     0||
- 864. 4.21. - 854. 8.29. B   0 B    0     35||
- 887. 4.21. - 875. 8.29. 864th position to * Ahaziah (Joram) 35
- 864. 4.21. - 854. 8.29. 865th position to E Ahaziah (Joram) 35
- 876. 4.21. - 865. 8.29. 866th position to B Joram (Ahab) 37

```

15696 Bytes yet free.

(777th/866) position: - 864. 4.15. - 854. 8.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
- 864. 4.15. - 854. 8.29. E	0	E		37	37
- 864. 4.15. - 854. 8.29. E	8	B		33	37
- 864. 4.15. - 854. 8.29. E	8	B		34	37
- 865. 4.21. - 852. 8.29. E	5	B		38	38
- 864. 4.15. - 854. 8.29. +	0	+		37	37
	0	E		0	0
- 864. 4.15. - 854. 8.29. E	0	E		0	37

15696 Bytes yet free.

(778th/866) position: - 864. 4.21. - 854. 8.29. B Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
- 864. 4.21. - 854. 8.29. B	0	B		35	35
- 864. 4.21. - 854. 8.29. B	1	E		40	35
- 865. 4.21. - 852. 8.29. B	3	B		37	35
- 866. 4.21. - 852. 8.29. B	4	*		35	35
- 866. 4.21. - 854. 8.29. B	6	E		35	35
- 866. 4.21. - 853. 8.29. B	3	B		37	36
	0	B		0	0
- 864. 4.21. - 854. 8.29. B	0	B		0	35

15696 Bytes yet free.

(779th/866) position: - 864. 4.15. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
- 864. 4.15. - 854. 8.29. B	0	B		33	33
- 864. 4.21. - 854. 8.29. B	1	E		35	33
- 864. 4.15. - 854. 8.29. B	2	E		37	33
- 866. 4.15. - 853. 8.29. B	5	E		33	33
- 866. 4.15. - 854. 8.29. B	9	B		32	33
6D	0	B		0	0
- 864. 4.21. - 854. 8.29. B	0	B		0	33
- 864. 4.21. - 854. 8.29.				867th position to B Jehu	33
- 864. 4.21. - 854. 8.29.				868th position to E Joram (Ahab)	37
- 837. 4.21. - 826. 8.29.				869th position to E Jehu	33
- 858. 4.21. - 848. 8.29.				870th position to B Joash (Ahaziah)	32

15696 Bytes yet free.

(780th/870) position: - 864. 4.15. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:
- 864. 4.15. - 854. 8.29. B	0	B		34	34
- 864. 4.21. - 854. 8.29. B	1	E		35	34
- 864. 4.21. - 854. 8.29. B	2	E		37	34
- 865. 4.15. - 853. 8.29. B	5	E		34	34
6D	0	B		0	0
- 864. 4.21. - 854. 8.29. B	0	B		0	34
- 864. 4.21. - 854. 8.29.				871st position to B Athaliah	34

15696 Bytes yet free.

(781st/871) position: - 887. 4.21. - 875. 8.29. * Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kn	S	from:	to:
- 887. 4.21. - 875. 8.29. *	0	*		35	35
- 887. 4.21. - 875. 8.29. *	10	B		35	35
	0	*		0	0
- 887. 4.21. - 875. 8.29. *	0	*		0	35

15696 Bytes yet free.

(782nd/871) position: - 864. 4.21. - 854. 8.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kn	S	from:	to:
- 864. 4.21. - 854. 8.29. E	0	E		35	35
- 864. 4.21. - 852. 8.29. E	6	B		35	35
- 864. 4.21. - 854. 8.29. E	7	B		33	35
- 864. 4.21. - 854. 8.29. E	7	B		34	35
- 864. 4.21. - 854. 8.29. +	0	+		35	35
	0	E		0	0
- 864. 4.21. - 854. 8.29. E	0	E		0	35

15696 Bytes yet free.

(783rd/871) position: - 876. 4.21. - 865. 8.29. B Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kn	S	from:	to:
- 876. 4.21. - 865. 8.29. B	0	B		37	37
- 877. 4.21. - 865. 8.29. B	9	B		35	37
- 876. 4.21. - 864. 8.29. B	9	B		36	37
- 877. 4.21. - 865. 8.29. B	9	B		40	37
- 877. 4.21. - 865. 8.29. B	5	E		38	38
	0	B		0	0
- 876. 4.21. - 865. 8.29. B	0	B		0	37

15696 Bytes yet free.

(784th/871) position: - 890. 4.21. - 880. 8.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kn	S	from:	to:
- 890. 4.21. - 880. 8.29. E	0	E		45	45
- 890. 4.21. - 878. 8.29. E	6	B		45	45
- 890. 4.21. - 880. 8.29. E	7	B		44	45
- 890. 4.21. - 880. 8.29. +	0	+		45	45
	0	E		0	0
- 890. 4.21. - 880. 8.29. E	0	E		0	45

15696 Bytes yet free.

(785th/871) position: - 890. 4.21. - 880. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:
- 890. 4.21. - 880. 8.29.	B	0	B	44	44
- 890. 4.21. - 880. 8.29.	B	1	E	45	44
- 890. 4.15. - 878. 8.23.	B	3	B	51	44
- 892. 4.21. - 880. 8.29.	B	5	E	44	44
≤- 859. 8.29.	B	7	B	43	44
- 892. 4.21. - 878. 8.23.	B	9	B	42	44
		0	B	0	0
- 890. 4.21. - 880. 8.29.	B	0	B	0	44

15696 Bytes yet free.

(786th/871) position: - 927. 4.15. - 917. 8.23. E Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:
- 927. 4.15. - 917. 8.23.	E	0	E	52	52
- 927. 4.15. - 915. 8.23.	E	5	B	52	52
- 927. 4.15. - 917. 8.23.	E	7	B	51	52
- 927. 4.15. - 917. 8.23.	+	0	+	52	52
		0	E	0	0
- 927. 4.15. - 917. 8.23.	E	0	E	0	52

15696 Bytes yet free.

(787th/871) position: - 887. 4.21. - 875. 8.23. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:
- 887. 4.21. - 875. 8.23.	E	0	E	51	51
- 887. 4.15. - 875. 8.23.	E	5	B	51	51
- 887. 4.21. - 875. 8.23.	E	7	B	42	51
- 887. 4.21. - 875. 8.23.	+	0	+	51	51
		0	E	0	0
- 887. 4.21. - 875. 8.23.	E	0	E	0	51

15696 Bytes yet free.

(788th/871) position: - 897. 4.15. - 885. 8.23. α Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:
- 897. 4.15. - 885. 8.23.	α	0	α	45	45
- 897. 4.15. - 885. 8.23.	α	1	E	46	45
- 897. 4.15. - 885. 8.23.	α	3	B	51	45
		0	α	0	0
- 897. 4.15. - 885. 8.23.	α	0	α	0	45

15696 Bytes yet free.

(789th/871) position: - 924. 4.15. - 915. 8.23. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.
Optimize dates...

Baasha	D	Kind	S	from:	to:†	
- 924. 4.15. - 915. 8.23. B	0	B		49	49	
- 924. 4.15. - 915. 8.23. B	1	E		50	49	
- 925. 4.15. - 913. 8.23. B	3	B		51	49	
- 927. 4.15. - 915. 8.23. B	5	E		49	49	
	0	B		0	0	
- 924. 4.15. - 915. 8.23. B	0	B		0	49	
- 901. 4.15. - 892. 8.23.	872nd position to E Baasha					49

15696 Bytes yet free.

(790th/872) position: - 925. 4.15. - 916. 8.23. B Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:†	
- 925. 4.15. - 916. 8.23. B	0	B		50	50	
- 925. 4.15. - 916. 8.23. B	1	E		53	50	
- 926. 4.15. - 914. 8.23. B	3	B		51	50	
- 927. 4.15. - 916. 8.23. B	5	E		50	50	
	0	B		0	0	
- 925. 4.15. - 916. 8.23. B	0	B		0	50	

15696 Bytes yet free.

(791st/872) position: - 924. 4.15. - 915. 8.23. + Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:†	
- 924. 4.15. - 915. 8.23. E	0	E		50	50	
- 924. 4.15. - 913. 8.23. E	5	B		50	50	
- 924. 4.15. - 915. 8.23. E	7	B		49	50	
- 924. 4.15. - 915. 8.23. +	0	+		50	50	
- 925. 4.15. - 913. 8.23. +	4	B		51	50	
	0	E		0	0	
- 924. 4.15. - 915. 8.23. E	0	E		0	50	

15696 Bytes yet free.

(792nd/872) position: - 901. 4.15. - 892. 8.23. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:†	
- 901. 4.15. - 892. 8.23. E	0	E		49	49	
- 901. 4.15. - 890. 8.23. E	5	B		49	49	
- 902. 4.15. - 892. 8.23. E	7	B		48	49	
- 901. 4.15. - 892. 8.23. +	0	+		49	49	
	0	E		0	0	
- 901. 4.15. - 892. 8.23. E	0	E		0	49	
- 901. 4.15. - 892. 8.23.	873rd position to B Elah					48

15696 Bytes yet free.

(793rd/873) position: - 924. 4.15. - 915. 8.23. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:†	
--------	---	------	---	-------	------	--

- 924. 4.15. - 915. 8.23. B	0 B	49	49
- 924. 4.15. - 915. 8.23. B	1 E	50	49
- 925. 4.15. - 913. 8.23. B	3 B	51	49
- 926. 4.15. - 915. 8.23. B	5 E	49	49
	0 B	0	0
- 924. 4.15. - 915. 8.23. B	0 B	0	49

15696 Bytes yet free.

(794th/873) position: - 929. 4.15. - 919. 8.23. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D Knd S	from:	to:
- 929. 4.15. - 919. 8.23. B	0 B	52	52
- 929. 4.15. - 919. 8.23. B	1 E	54	52
- 929. 4.15. - 918. 8.23. B	3 B	53	52
- 931. 4.15. - 919. 8.23. B	5 E	52	52
	0 B	0	0
- 929. 4.15. - 919. 8.23. B	0 B	0	52

15696 Bytes yet free.

(795th/873) position: - 887. 4.21. - 875. 8.23. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D Knd S	from:	to:
- 887. 4.21. - 875. 8.23. B	0 B	42	42
- 887. 4.21. - 875. 8.23. B	1 E	51	42
- 887. 4.21. - 875. 8.29. B	3 B	44	42
- 889. 4.21. - 873. 8.23. B	4 *	42	42
- 889. 4.21. - 873. 8.23. B	6 E	42	42
- 887. 4.21. - 875. 8.29. B	9 B	41	42
- 887. 4.21. - 875. 8.29. B	10 α	37	42
	0 B	0	0
- 887. 4.21. - 875. 8.23. B	0 B	0	42

15696 Bytes yet free.

(796th/873) position: - 869. 4.21. - 859. 8.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D Knd S	from:	to:
- 869. 4.21. - 859. 8.29. E	0 E	44	44
- 890. 4.21. ≥	E 2 B	43	44
- 869. 4.21. - 857. 8.29. E	5 B	44	44
- 869. 4.21. - 859. 8.29. E	7 B	41	44
- 869. 4.21. - 859. 8.29. +	0 +	44	44
	0 E	0	0
- 869. 4.21. - 859. 8.29. E	0 E	0	44

15696 Bytes yet free.

(797th/873) position: - 890. 4.21. - 859. 8.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Knd	S	from:	to:
- 890. 4.21. - 859. 8.29. B	0	B		43	43
- 890. 4.21. ≥	B	1	B	44	43
≤- 859. 8.29. B	8	E		44	43
	0	B		0	0
- 890. 4.21. - 859. 8.29. B	0	B		0	43

15696 Bytes yet free.

(798th/873) position: - 887. 4.21. - 875. 8.23. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Knd	S	from:	to:
- 887. 4.21. - 875. 8.23. B	0	B		42	42
- 887. 4.21. - 875. 8.23. B	1	E		51	42
- 887. 4.21. - 875. 8.29. B	3	B		44	42
- 889. 4.21. - 873. 8.23. B	4	*		42	42
- 889. 4.21. - 873. 8.23. B	6	E		42	42
- 887. 4.21. - 875. 8.29. B	9	B		41	42
- 887. 4.21. - 875. 8.29. B	10	α		37	42
	0	B		0	0
- 887. 4.21. - 875. 8.23. B	0	B		0	42

15696 Bytes yet free.

(799th/873) position: - 897. 4.15. - 885. 8.23. E Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Knd	S	from:	to:
- 897. 4.15. - 885. 8.23. E	0	E		46	46
- 897. 4.15. - 885. 8.23. E	7	α		45	46
- 897. 4.15. - 885. 8.23. +	0	+		46	46
	0	E		0	0
- 897. 4.15. - 885. 8.23. E	0	E		0	46

15696 Bytes yet free.

(800th/873) position: - 924. 4.15. - 915. 8.23. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Knd	S	from:	to:
- 924. 4.15. - 915. 8.23. E	0	E		50	50
- 924. 4.15. - 913. 8.23. E	5	B		50	50
- 924. 4.15. - 915. 8.23. E	7	B		49	50
- 924. 4.15. - 915. 8.23. +	0	+		50	50
- 925. 4.15. - 913. 8.23. +	4	B		51	50
	0	E		0	0
- 924. 4.15. - 915. 8.23. E	0	E		0	50

15696 Bytes yet free.

(801st/873) position: - 925. 4.15. - 916. 8.23. B Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Knd	S	from:	to:
- 925. 4.15. - 916. 8.23. B	0	B		50	50
- 925. 4.15. - 916. 8.23. B	1	E		53	50
- 926. 4.15. - 914. 8.23. B	3	B		51	50

```

- 927. 4.15. - 916. 8.23. B   5 E       50       50||
                        0 B       0       0||
- 925. 4.15. - 916. 8.23. B   0 B       0       50||

```

15696 Bytes yet free.

(802nd/873) position: - 925. 4.15. - 916. 8.23. E Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

```

Jeroboam (Nebat)      D Knd S   from:   to:|
- 925. 4.15. - 916. 8.23. E   0 E     53     53||
- 925. 4.15. - 914. 8.23. E   5 B     53     53||
- 925. 4.15. - 916. 8.23. E   7 B     50     53||
- 925. 4.15. - 916. 8.23. +   0 +     53     53||
                        0 E       0       0||
- 925. 4.15. - 916. 8.23. E   0 E       0     53||

```

15696 Bytes yet free.

(803rd/873) position: - 924. 4.15. - 915. 8.23. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```

Nadab      D Knd S   from:   to:|
- 924. 4.15. - 915. 8.23. E   0 E     50     50||
- 924. 4.15. - 913. 8.23. E   5 B     50     50||
- 924. 4.15. - 915. 8.23. E   7 B     49     50||
- 924. 4.15. - 915. 8.23. +   0 +     50     50||
- 925. 4.15. - 913. 8.23. +   4 B     51     50||
                        0 E       0       0||
- 924. 4.15. - 915. 8.23. E   0 E       0     50||

```

15696 Bytes yet free.

(804th/873) position: - 924. 4.15. - 915. 8.23. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

```

Baasha      D Knd S   from:   to:|
- 924. 4.15. - 915. 8.23. B   0 B     49     49||
- 924. 4.15. - 915. 8.23. B   1 E     50     49||
- 925. 4.15. - 913. 8.23. B   3 B     51     49||
- 926. 4.15. - 915. 8.23. B   5 E     49     49||
                        0 B       0       0||
- 924. 4.15. - 915. 8.23. B   0 B       0     49||

```

15696 Bytes yet free.

(805th/873) position: - 869. 4.21. - 859. 8.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab)      D Knd S   from:   to:|
- 869. 4.21. - 859. 8.29. B   0 B     41     41||
- 869. 4.21. - 859. 8.29. B   1 E     44     41||
- 871. 4.21. - 857. 8.23. B   3 B     42     41||
- 871. 4.21. - 859. 8.29. B   5 E     41     41||
                        0 B       0       0||
- 869. 4.21. - 859. 8.29. B   0 B       0     41||

```

15696 Bytes yet free.

(806th/873) position: - 868. 4.21. - 858. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Knd	S	from:	to:
- 868. 4.21. - 858. 8.29. E	0	E		41	41
- 868. 4.21. - 856. 8.29. E	5	B		41	41
- 868. 4.21. - 858. 8.29. E	7	α		37	41
≤- 858. 8.29. E	8	E		43	41
- 868. 4.21. - 858. 8.29. +	0	+		41	41
	0	E		0	0
- 868. 4.21. - 858. 8.29. E	0	E		0	41

15696 Bytes yet free.

(807th/873) position: - 887. 4.21. - 875. 8.23. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Knd	S	from:	to:
- 887. 4.21. - 875. 8.23. E	0	E		51	51
- 887. 4.15. - 875. 8.23. E	5	B		51	51
- 887. 4.21. - 875. 8.23. E	7	B		42	51
- 887. 4.21. - 875. 8.23. +	0	+		51	51
	0	E		0	0
- 887. 4.21. - 875. 8.23. E	0	E		0	51

15696 Bytes yet free.

(808th/873) position: - 923. 4.21. - 909. 8.23. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Knd	S	from:	to:
- 923. 4.21. - 909. 8.23. *	0	*		42	42
- 923. 4.21. - 909. 8.23. *	10	B		42	42
	0	*		0	0
- 923. 4.21. - 909. 8.23. *	0	*		0	42

15696 Bytes yet free.

(809th/873) position: - 863. 4.21. - 849. 8.23. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Knd	S	from:	to:
- 863. 4.21. - 849. 8.23. E	0	E		42	42
- 863. 4.21. - 849. 8.23. E	6	B		42	42
- 866. 4. 7. - 849. 8.29. E	7	α		40	42
- 863. 4.21. - 849. 8.23. +	0	+		42	42
	0	E		0	0
- 863. 4.21. - 849. 8.23. E	0	E		0	42
- 863. 4.21. - 849. 8.23.				874th position to α Jehoram (Jehoshaphat)	40

15696 Bytes yet free.

(810th/874) position: - 868. 4.21. - 858. 8.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.
Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
- 868. 4.21. - 858. 8.29. α	0	α		37	37
- 868. 4.21. - 858. 8.29. α	1	E		41	37
- 868. 4.21. ≥	α	2	E	43	37
- 870. 4.21. - 858. 8.29. α	3	B		40	37
- 870. 4.21. - 856. 8.23. α	4	B		42	37
	0	α		0	0
- 868. 4.21. - 858. 8.29. α	0	α		0	37

15696 Bytes yet free.

(811th/874) position: - 868. 4.21. - 858. 8.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:†
- 868. 4.21. - 858. 8.29. E	0	E		43	43
- 868. 4.21. ≥	E	2	E	41	43
- 868. 4.21. - 858. 8.29. E	7	B		39	43
≤- 858. 8.29. E	8	α		37	43
- 868. 4.21. - 858. 8.29. +	0	+		43	43
	0	E		0	0
- 868. 4.21. - 858. 8.29. E	0	E		0	43

15696 Bytes yet free.

(812th/874) position: -1255. 9. 1. -1211. 6.30. B Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:†
-1255. 9. 1. -1211. 6.30. B	0	B		75	75
-1255. 9. 1. -1211. 6.30. B	1	E		76	75
-1257. 9. 1. -1211. 6.30. B	5	E		75	75
	0	B		0	0
-1255. 9. 1. -1211. 6.30. B	0	B		0	75

15696 Bytes yet free.

(813th/874) position: -1216. 9. 1. -1172. 6.30. E Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:†
-1216. 9. 1. -1172. 6.30. E	0	E		75	75
-1216. 9. 1. -1170. 6.30. E	5	B		75	75
-1216. 9. 1. -1172. 6.30. E	7	B		74	75
	0	E		0	0
-1216. 9. 1. -1172. 6.30. E	0	E		0	75

15696 Bytes yet free.

(814th/874) position: -1216. 9. 1. -1172. 6.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D	Kind	S	from:	to:†
-1216. 9. 1. -1172. 6.30. B	0	B		74	74

```
-1216. 9. 1. -1172. 6.30. B 1 E 75 74||
-1218. 9. 1. -1172. 6.30. B 5 E 74 74||
                                0 B 0 0||
-1216. 9. 1. -1172. 6.30. B 0 B 0 74||
```

15696 Bytes yet free.

(815th/874) position: -1210. 9. 1. -1166. 6.30. E Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

```
Midianites D Knd S from: to:|
-1210. 9. 1. -1166. 6.30. E 0 E 74 74||
-1210. 9. 1. -1164. 6.30. E 5 B 74 74||
    ≤-1166. 6.30. E 7 B 73 74||
                                0 E 0 0||
-1210. 9. 1. -1166. 6.30. E 0 E 0 74||
-1210. 9. 1. -1166. 6.30. 875th position to B Gideon = Jerubbaal 73
```

15696 Bytes yet free.

(816th/875) position: -1352. 1.22. -1309. 6.30. B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

```
Ehud D Knd S from: to:|
-1352. 1.22. -1309. 6.30. B 0 B 77 77||
-1352. 1.22. -1309. 6.30. B 1 E 78 77||
-1355. 9. 1. -1309. 6.30. B 5 E 77 77||
                                0 B 0 0||
-1352. 1.22. -1309. 6.30. B 0 B 0 77||
-1273. 1.22. -1230. 6.30. 876th position to E Ehud 77
```

15696 Bytes yet free.

(817th/876) position: -2459. 9.15. -2448. 8.29. E Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

```
Great Flood D Knd S from: to:|
-2459. 9.15. -2448. 8.29. E 0 E 107 107||
-2461. 9.15. -2448. 8.29. E 9 * 105 107||
-2461. 9.15. -2443.11. 6. E 10 + 110 107||
-2459. 9.15. -2444. 1. 3. E 3 * 110 108||
                                0 E 0 0||
-2459. 9.15. -2448. 8.29. E 0 E 0 107||
-2110. 9.15. -2097. 8.29. 877th position to + Noah 110
-3059. 7.19. -3048. 7. 3. 878th position to * Noah 110
```

15696 Bytes yet free.

(818th/878) position: -2559. 9.15. -2546. 8.29. * Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

```
Shem D Knd S from: to:|
-2559. 9.15. -2546. 8.29. * 0 * 109 109||
-2560. 7.19. -2547. 7. 3. * 3 * 110 109||
-2559. 9.15. -2546. 8.29. * 10 * 105 109||
    1Y 1M26D 0 * 0 0||
-2559. 9.15. -2547. 7. 3. * 0 * 0 109||
-2559. 9.15. -2547. 7. 3. 879th position to * Shem 109
```

15696 Bytes yet free.

(819th/879) position: -1959. 9.15. -1946. 8.29. + Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:†
-1959. 9.15. -1946. 8.29. +	0	+		109	109
-1959. 9.15. -1946. 8.29. +	4	*		105	109
	0	+		0	0
-1959. 9.15. -1946. 8.29. +	0	+		0	109

15696 Bytes yet free.

(820th/879) position: - 770. 6.22. - 755. 8.29. E Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:†
- 770. 6.22. - 755. 8.29. E	0	E		27	27
- 772. 2. 1. - 753. 8.29. E	5	B		27	27
- 770. 6.22. - 755. 8.29. E	7	B		25	27
- 770. 6.22. - 755. 8.29. +	0	+		27	27
	0	E		0	0
- 770. 6.22. - 755. 8.29. E	0	E		0	27
- 812. 6.22. - 795. 8.29.				880th position to B Jeroboam (Joash)	27

15696 Bytes yet free.

(821st/880) position: -1408. 9.15.≥ B Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kind	S	from:	to:†
-1408. 9.15.≥	B	0	B	79	79
-1408. 9.15.≥	B	1	E	80	79
-1410. 1.22.≥	B	5	E	79	79
	0	B		0	0
-1408. 9.15.≥	B	0	B	0	79
-1369. 9.15.≥				881st position to E Othniel	79

15696 Bytes yet free.

(822nd/881) position: -1067. 4.15. -1051. 5.29. B Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kind	S	from:	to:†
-1067. 4.15. -1051. 5.29. B	0	B		60	60
-1071. 4. 1. -1051. 5.29. B	1	E		61	60
-1077. 7.15.≥	B	2	E	63	60
-1067. 4.15. -1051. 5.29. B	5	E		60	60
	0	B		0	0
-1067. 4.15. -1051. 5.29. B	0	B		0	60
-1067. 4.15. -1051. 5.29.				882nd position to E Samuel	61

15696 Bytes yet free.

(823rd/882) position: -1026. 4.15. -1012. 5.29. B Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Kind	S	from:	to:†
------------	---	------	---	-------	------

```

-1026. 4.15. -1012. 5.29. B 0 B 59 59||
-1026. 4.15. -1012. 5.29. B 1 E 60 59||
-1032. 4. 1. -1010. 5.29. B 3 * 59 59||
-1032. 4. 1. -1010. 5.29. B 5 E 59 59||
                                0 B 0 0||
-1026. 4.15. -1012. 5.29. B 0 B 0 59||
-1067. 4.15. -1051. 5.29. 883rd position to * Ishbosheth 59
-1025. 4.15. -1009. 5.29. 884th position to E Ishbosheth 59

```

15696 Bytes yet free.

(824th/884) position: - 946. 4.15. - 937. 8.23. B Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

```

Jeroboam (Nebat)      D Knd S      from:      to:|
- 946. 4.15. - 937. 8.23. B 0 B 53 53||
- 946. 4.15. - 937. 8.23. B 1 E 57 53||
- 948. 4.15. - 937. 8.23. B 5 E 53 53||
- 948. 4.15. - 936. 8.23. B 9 B 51 53||
- 948. 4.15. - 936. 8.23. B 9 B 52 53||
                                0 B 0 0||
- 946. 4.15. - 937. 8.23. B 0 B 0 53||

```

15696 Bytes yet free.

(825th/884) position: - 946. 4.15. - 937. 8.23. E Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

```

Solomon              D Knd S      from:      to:|
- 946. 4.15. - 937. 8.23. E 0 E 57 57||
- 946. 4.15. - 935. 8.23. E 5 B 57 57||
- 946. 4.15. - 937. 8.23. E 7 B 53 57||
- 946. 4.15. - 937. 8.23. E 7 B 54 57||
- 946. 4.15. - 937. 8.23. + 0 + 57 57||
                                0 E 0 0||
- 946. 4.15. - 937. 8.23. E 0 E 0 57||

```

15696 Bytes yet free.

(826th/884) position: - 985. 4.15. - 976. 8.23. B Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

```

Solomon              D Knd S      from:      to:|
- 985. 4.15. - 976. 8.23. B 0 B 57 57||
- 985. 4.15. - 973.10.29. B 1 E 58 57||
- 987. 4.15. - 976. 8.23. B 5 E 57 57||
- 986.10.15. - 973.10.29. B 9 B 55 57||
- 985. 4.15. - 972. 4.29. B 9 E 56 57||
                                0 B 0 0||
- 985. 4.15. - 976. 8.23. B 0 B 0 57||
- 985. 4.15. - 976. 8.23. 885th position to E David 58
- 981.10.15. - 971. 8.23. 886th position to B Building the Temple 55
- 973. 4.15. - 964. 8.23. 887th position to E Building the Temple 56

```

15696 Bytes yet free.

(827th/887) position: - 946. 4.15. - 937. 8.23. B Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.
 Backward relations for entry Abijam = Abijah (52/120) are generated.
 Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 946. 4.15. - 937. 8.23. B	0	B		54	54
- 946. 4.15. - 937. 8.23. B	1	E		57	54
- 948. 4.15. - 935. 8.23. B	3	*		54	54
- 947. 4.15. - 935. 8.23. B	5	E		54	54
	0	B		0	0
- 946. 4.15. - 937. 8.23. B	0	B		0	54

15696 Bytes yet free.

(828th/887) position: - 929. 4.15. - 919. 8.23. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.
 Backward relations for entry Abijam = Abijah (52/120) are generated.
 Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 929. 4.15. - 919. 8.23. E	0	E		54	54
- 930. 4.15. - 919. 8.23. E	5	B		54	54
- 929. 4.15. - 919. 8.23. E	7	B		52	54
- 929. 4.15. - 919. 8.23. +	0	+		54	54
	0	E		0	0
- 929. 4.15. - 919. 8.23. E	0	E		0	54

15696 Bytes yet free.

(829th/887) position: - 988. 4.15. - 977. 8.23. * Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.
 Backward relations for entry Abijam = Abijah (52/120) are generated.
 Optimize dates...

Rehoboam	D	Kind	S	from:	to:
- 988. 4.15. - 977. 8.23. *	0	*		54	54
- 988. 4.15. - 977. 8.23. *	9	B		54	54
	0	*		0	0
- 988. 4.15. - 977. 8.23. *	0	*		0	54

15696 Bytes yet free.

(830th/887) position: -1098. 7.15. -1070. 5.29. B Samuel 61

Forward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Saul (60/120) are generated.
 Optimize dates...

Samuel	D	Kind	S	from:	to:
-1098. 7.15. -1070. 5.29. B	0	B		61	61
-1102. 7. 1. -1070. 5.29. B	2	E		64	61
-1098. 7.15. -1070. 5.29. B	9	E		63	61
	0	B		0	0
-1098. 7.15. -1070. 5.29. B	0	B		0	61
-1098. 7.15. -1070. 5.29. 888th position to E Eli					64

15696 Bytes yet free.

(831st/888) position: -1097. 7.15. -1051. 5.29. E Samson 62

Forward relations for entry Samson (62/120) are generated.
 Backward relations for entry Philistines (63/120) are generated.
 Optimize dates...

Samson	D	Kind	S	from:	to:
-1097. 7.15. -1051. 5.29. E	0	E		62	62
-1097. 7.15. -1049. 5.29. E	5	B		62	62
≤ -1051. 5.29. E	8	E		63	62
-1097. 7.15. -1051. 5.29. +	0	+		62	62


```

0 E      0      0||
-1097. 7.15. -1051. 5.29. E 0 E      0      62||

```

15696 Bytes yet free.

(832nd/888) position: -1110. 7.15.≥ B Elon 66

Forward relations for entry Elon (66/120) are generated.

Backward relations for entry Abdon (65/120) are generated.

Optimize dates...

```

Elon      D Knd S      from:      to:|
-1110. 7.15.≥      B  0 B      66      66||
-1110. 7.15.≥      B  1 E      67      66||
-1116. 7. 1.≥      B  5 E      66      66||
              0 B      0      0||
-1110. 7.15.≥      B  0 B      0      66||
-1101. 7.15.≥      889th position to E Elon      66

```

15696 Bytes yet free.

(833rd/889) position: -1352. 1.22. -1309. 6.30. E Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

```

Eglon      D Knd S      from:      to:|
-1352. 1.22. -1309. 6.30. E  0 E      78      78||
-1352. 1.22. -1307. 6.30. E  5 B      78      78||
-1352. 1.22. -1309. 6.30. E  7 B      77      78||
-1352. 1.22. -1309. 6.30. +  0 +      78      78||
              0 E      0      0||
-1352. 1.22. -1309. 6.30. E  0 E      0      78||

```

15696 Bytes yet free.

(834th/889) position: -1369. 1.22. -1326. 6.30. B Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

```

Eglon      D Knd S      from:      to:|
-1369. 1.22. -1326. 6.30. B  0 B      78      78||
-1369. 9.15.≥      B  1 E      79      78||
-1371. 1.22. -1326. 6.30. B  5 E      78      78||
      7M23D      0 B      0      0||
-1369. 9.15. -1326. 6.30. B  0 B      0      78||
-1369. 9.15. -1326. 6.30.      890th position to B Eglon      78
-1369. 9.15. -1326. 6.30.      891st position to E Othniel      79
-1352. 9.15. -1309. 6.30.      892nd position to E Eglon      78

```

15696 Bytes yet free.

(835th/892) position: -1352. 1.22. -1309. 6.30. B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

```

Ehud      D Knd S      from:      to:|
-1352. 1.22. -1309. 6.30. B  0 B      77      77||
-1352. 9.15. -1309. 6.30. B  1 E      78      77||
-1354. 1.22. -1309. 6.30. B  5 E      77      77||
      7M23D      0 B      0      0||
-1352. 9.15. -1309. 6.30. B  0 B      0      77||
-1352. 9.15. -1309. 6.30.      893rd position to B Ehud      77
-1273. 9.15. -1230. 6.30.      894th position to E Ehud      77

```

15696 Bytes yet free.

(836th/894) position: - 858. 4.15. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 858. 4.15. - 848. 8.29. E	0	E		34	34	
- 859. 4.21. - 847. 8.29. E	5	B		34	34	
- 858. 4.21. - 848. 8.29. E	7	B		32	34	
- 858. 4.15. - 848. 8.29. +	0	+		34	34	
6D	0	E		0	0	
- 858. 4.21. - 848. 8.29. E	0	E		0	34	
- 858. 4.21. - 848. 8.29.				895th position to E Athaliah		34

15696 Bytes yet free.

(837th/895) position: - 858. 4.21. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 858. 4.21. - 848. 8.29. B	0	B		32	32	
- 858. 4.21. - 848. 8.29. B	1	E		34	32	
- 858. 4.21. - 846. 8.29. B	3	B		33	32	
- 860. 4.15. - 848. 8.29. B	5	E		32	32	
- 860. 4.15. - 846. 8.29. B	4	*		32	32	
- 860. 4.15. - 846. 8.29. B	9	B		30	32	
- 860. 4.15. - 848. 8.29. B	9	B		31	32	
	0	B		0	0	
- 858. 4.21. - 848. 8.29. B	0	B		0	32	
- 819. 4.21. - 809. 8.29.				896th position to E Joash (Ahaziah)		32
- 866. 4.21. - 854. 8.29.				897th position to * Joash (Ahaziah)		32
- 822. 4.21. - 810. 8.29.				898th position to B Joash (Jehoahaz)		30
- 836. 4.21. - 826. 8.29.				899th position to B Jehoahaz (Jehu)		31

15696 Bytes yet free.

(838th/899) position: - 858. 4.21. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
- 858. 4.21. - 848. 8.29. B	0	B		32	32	
- 858. 4.21. - 848. 8.29. B	1	E		34	32	
- 858. 4.21. - 846. 8.29. B	3	B		33	32	
- 860. 4.21. - 848. 8.29. B	5	E		32	32	
- 860. 4.21. - 846. 8.29. B	4	*		32	32	
- 860. 4.21. - 846. 8.29. B	9	B		30	32	
- 860. 4.21. - 848. 8.29. B	9	B		31	32	
	0	B		0	0	
- 858. 4.21. - 848. 8.29. B	0	B		0	32	

15696 Bytes yet free.

(839th/899) position: - 858. 4.21. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 858. 4.21. - 848. 8.29. E	0	E		34	34	
- 859. 4.21. - 847. 8.29. E	5	B		34	34	

```

- 858. 4.21. - 848. 8.29. E   7 B      32      34||
- 858. 4.21. - 848. 8.29. +   0 +      34      34||
                               0 E      0      0||
- 858. 4.21. - 848. 8.29. E   0 E      0      34||

```

15696 Bytes yet free.

(840th/899) position: - 819. 4.21. - 809. 8.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah)           D Knd S      from:      to:|
- 819. 4.21. - 809. 8.29. E   0 E      32      32||
- 819. 4.21. - 807. 8.29. E   5 B      32      32||
- 828. 2. 1. - 809. 8.29. E   7 B      28      32||
- 819. 4.21. - 809. 8.29. +   0 +      32      32||
                               0 E      0      0||
- 819. 4.21. - 809. 8.29. E   0 E      0      32||
- 819. 4.21. - 809. 8.29. 900th position to B Amaziah      28

```

15696 Bytes yet free.

(841st/900) position: - 866. 4.21. - 854. 8.29. * Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah)           D Knd S      from:      to:|
- 866. 4.21. - 854. 8.29. *   0 *      32      32||
- 866. 4.21. - 854. 8.29. *  10 B      32      32||
                               0 *      0      0||
- 866. 4.21. - 854. 8.29. *   0 *      0      32||

```

15696 Bytes yet free.

(842nd/900) position: - 822. 4.21. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

```

Joash (Jehoahaz)          D Knd S      from:      to:|
- 822. 4.21. - 810. 8.29. B   0 B      30      30||
- 822. 4.15. - 810. 8.29. B   1 E      31      30||
- 822. 4.21. - 810. 8.29. B   3 B      32      30||
- 829. 2. 1. - 810. 8.29. B   5 E      30      30||
    ≤- 795. 8.29. B   8 E      39      30||
- 822. 4.21. - 810. 8.29. B   9 B      28      30||
                               0 B      0      0||
- 822. 4.21. - 810. 8.29. B   0 B      0      30||
- 822. 4.21. - 810. 8.29. 901st position to E Jehoahaz (Jehu)      31
- 807. 4.21. - 795. 8.29. 902nd position to E Joash (Jehoahaz)      30
- 822. 4.21. - 795. 8.29. 903rd position to E Elisha      39

```

15696 Bytes yet free.

(843rd/903) position: - 836. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu)           D Knd S      from:      to:|
- 836. 4.21. - 826. 8.29. B   0 B      31      31||
- 837. 4.21. - 826. 8.29. B   1 E      33      31||
- 836. 4.21. - 824. 8.29. B   3 B      32      31||

```

```

- 840. 4.21. - 826. 8.29. B 5 E 31 31||
                        0 B 0 0||
- 836. 4.21. - 826. 8.29. B 0 B 0 31||
- 836. 4.21. - 826. 8.29. 904th position to E Jehu 33
- 820. 4.21. - 810. 8.29. 905th position to E Jehoahaz (Jehu) 31

```

15696 Bytes yet free.

(844th/905) position: - 836. 4.21. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
- 836. 4.21. - 826. 8.29. E	0	E		33	33
- 837. 4.21. - 825. 8.29. E	5	B		33	33
- 836. 4.21. - 826. 8.29. E	7	B		31	33
- 836. 4.21. - 826. 8.29. +	0	+		33	33
	0	E		0	0
- 836. 4.21. - 826. 8.29. E	0	E		0	33

15696 Bytes yet free.

(845th/905) position: - 820. 4.21. - 810. 8.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:
- 820. 4.21. - 810. 8.29. E	0	E		31	31
- 820. 4.21. - 808. 8.29. E	5	B		31	31
- 822. 4.21. - 810. 8.29. E	7	B		30	31
- 820. 4.21. - 810. 8.29. +	0	+		31	31
	0	E		0	0
- 820. 4.21. - 810. 8.29. E	0	E		0	31
- 820. 4.21. - 810. 8.29. 906th position to B Joash (Jehoahaz)					30

15696 Bytes yet free.

(846th/906) position: - 820. 4.21. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:
- 820. 4.21. - 810. 8.29. B	0	B		30	30
- 820. 4.21. - 810. 8.29. B	1	E		31	30
- 822. 4.21. - 810. 8.29. B	3	B		32	30
- 824. 4.21. - 810. 8.29. B	5	E		30	30
≤- 795. 8.29. B	8	E		39	30
- 822. 4.21. - 810. 8.29. B	9	B		28	30
	0	B		0	0
- 820. 4.21. - 810. 8.29. B	0	B		0	30
- 805. 4.21. - 795. 8.29. 907th position to E Joash (Jehoahaz)					30
- 820. 4.21. - 795. 8.29. 908th position to E Elisha					39

15696 Bytes yet free.

(847th/908) position: - 864. 4.21. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
- 864. 4.21. - 854. 8.29. B	0	B		33	33

```

- 864. 4.21. - 854. 8.29. B 1 E 35 33||
- 864. 4.21. - 854. 8.29. B 2 E 37 33||
- 865. 4.21. - 853. 8.29. B 5 E 33 33||
- 866. 4.21. - 854. 8.29. B 9 B 32 33||
                                0 B 0 0||
- 864. 4.21. - 854. 8.29. B 0 B 0 33||

```

15696 Bytes yet free.

(848th/908) position: - 864. 4.21. - 854. 8.29. B Athaliah 34
 Forward relations for entry Athaliah (34/120) are generated.
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.
 Optimize dates...

```

Athaliah          D Knd S    from:    to:|
- 864. 4.21. - 854. 8.29. B 0 B 34 34||
- 864. 4.21. - 854. 8.29. B 1 E 35 34||
- 864. 4.21. - 854. 8.29. B 2 E 37 34||
- 865. 4.21. - 853. 8.29. B 5 E 34 34||
                                0 B 0 0||
- 864. 4.21. - 854. 8.29. B 0 B 0 34||

```

15696 Bytes yet free.

(849th/908) position: - 864. 4.21. - 854. 8.29. E Joram (Ahab) 38
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.
 Optimize dates...

```

Joram (Ahab)      D Knd S    from:    to:|
- 864. 4.21. - 854. 8.29. E 0 E 37 37||
- 864. 4.21. - 854. 8.29. E 8 B 33 37||
- 864. 4.21. - 854. 8.29. E 8 B 34 37||
- 865. 4.21. - 852. 8.29. E 5 B 38 38||
- 864. 4.21. - 854. 8.29. + 0 + 37 37||
                                0 E 0 0||
- 864. 4.21. - 854. 8.29. E 0 E 0 37||

```

15696 Bytes yet free.

(850th/908) position: - 864. 4.21. - 854. 8.29. E Joram (Ahab) 38
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.
 Optimize dates...

```

Joram (Ahab)      D Knd S    from:    to:|
- 864. 4.21. - 854. 8.29. E 0 E 37 37||
- 864. 4.21. - 854. 8.29. E 8 B 33 37||
- 864. 4.21. - 854. 8.29. E 8 B 34 37||
- 865. 4.21. - 852. 8.29. E 5 B 38 38||
- 864. 4.21. - 854. 8.29. + 0 + 37 37||
                                0 E 0 0||
- 864. 4.21. - 854. 8.29. E 0 E 0 37||

```

15696 Bytes yet free.

(851st/908) position: - 836. 4.21. - 826. 8.29. E Jehu 33
 Forward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
 Optimize dates...

```

Jehu              D Knd S    from:    to:|

```

- 836. 4.21. - 826. 8.29. E	0 E	33	33
- 837. 4.21. - 825. 8.29. E	5 B	33	33
- 836. 4.21. - 826. 8.29. E	7 B	31	33
- 836. 4.21. - 826. 8.29. +	0 +	33	33
	0 E	0	0
- 836. 4.21. - 826. 8.29. E	0 E	0	33

15696 Bytes yet free.

(852nd/908) position: - 858. 4.21. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D Knd S	from:	to:
- 858. 4.21. - 848. 8.29. B	0 B	32	32
- 858. 4.21. - 848. 8.29. B	1 E	34	32
- 858. 4.21. - 846. 8.29. B	3 B	33	32
- 860. 4.21. - 848. 8.29. B	5 E	32	32
- 860. 4.21. - 846. 8.29. B	4 *	32	32
- 858. 4.21. - 846. 8.29. B	9 B	30	32
- 860. 4.21. - 848. 8.29. B	9 B	31	32
	0 B	0	0
- 858. 4.21. - 848. 8.29. B	0 B	0	32

15696 Bytes yet free.

(853rd/908) position: - 858. 4.21. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D Knd S	from:	to:
- 858. 4.21. - 848. 8.29. E	0 E	34	34
- 859. 4.21. - 847. 8.29. E	5 B	34	34
- 858. 4.21. - 848. 8.29. E	7 B	32	34
- 858. 4.21. - 848. 8.29. +	0 +	34	34
	0 E	0	0
- 858. 4.21. - 848. 8.29. E	0 E	0	34

15696 Bytes yet free.

(854th/908) position: - 836. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D Knd S	from:	to:
- 836. 4.21. - 826. 8.29. B	0 B	31	31
- 836. 4.21. - 826. 8.29. B	1 E	33	31
- 836. 4.21. - 824. 8.29. B	3 B	32	31
- 838. 4.21. - 826. 8.29. B	5 E	31	31
	0 B	0	0
- 836. 4.21. - 826. 8.29. B	0 B	0	31

15696 Bytes yet free.

(855th/908) position: - 858. 4.21. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D Knd S	from:	to:
- 858. 4.21. - 848. 8.29. E	0 E	34	34
- 859. 4.21. - 847. 8.29. E	5 B	34	34
- 858. 4.21. - 848. 8.29. E	7 B	32	34

```

- 858. 4.21. - 848. 8.29. + 0 + 34 34||
                        0 E 0 0||
- 858. 4.21. - 848. 8.29. E 0 E 0 34||

```

15696 Bytes yet free.

(856th/908) position: - 819. 4.21. - 809. 8.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah)      D Knd S      from:      to:|
- 819. 4.21. - 809. 8.29. E 0 E      32      32||
- 819. 4.21. - 807. 8.29. E 5 B      32      32||
- 819. 4.21. - 809. 8.29. E 7 B      28      32||
- 819. 4.21. - 809. 8.29. + 0 +      32      32||
                        0 E      0      0||
- 819. 4.21. - 809. 8.29. E 0 E      0      32||

```

15696 Bytes yet free.

(857th/908) position: - 866. 4.21. - 854. 8.29. * Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah)      D Knd S      from:      to:|
- 866. 4.21. - 854. 8.29. * 0 *      32      32||
- 866. 4.21. - 854. 8.29. * 10 B     32      32||
                        0 *      0      0||
- 866. 4.21. - 854. 8.29. * 0 *      0      32||

```

15696 Bytes yet free.

(858th/908) position: - 836. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu)      D Knd S      from:      to:|
- 836. 4.21. - 826. 8.29. B 0 B      31      31||
- 836. 4.21. - 826. 8.29. B 1 E      33      31||
- 836. 4.21. - 824. 8.29. B 3 B      32      31||
- 838. 4.21. - 826. 8.29. B 5 E      31      31||
                        0 B      0      0||
- 836. 4.21. - 826. 8.29. B 0 B      0      31||

```

15696 Bytes yet free.

(859th/908) position: - 868. 4.21. - 858. 8.29. B Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Elisha      D Knd S      from:      to:|
- 868. 4.21. - 858. 8.29. B 0 B      39      39||
- 868. 4.21. - 858. 8.29. B 1 E      43      39||
                        0 B      0      0||
- 868. 4.21. - 858. 8.29. B 0 B      0      39||

```

15696 Bytes yet free.

(860th/908) position: - 871. 4.21. - 861. 8.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S      from:      to:|

```

```

- 871. 4.21. - 861. 8.29. B 0 B 40 40||
- 872. 4.21. - 859. 8.29. B 3 B 37 40||
- 873. 4.21. - 859. 8.29. B 4 * 40 40||
- 873. 4.21. - 861. 8.29. B 6 E 40 40||
- 871. 4.21. - 859. 8.29. B 9 α 37 40||
  0 B 0 0||
- 871. 4.21. - 861. 8.29. B 0 B 0 40||

```

15696 Bytes yet free.

(861st/908) position: - 904. 4.21. - 892. 8.29. * Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S from: to:|
- 904. 4.21. - 892. 8.29. * 0 * 40 40||
- 904. 4.21. - 892. 8.29. * 10 B 40 40||
  0 * 0 0||
- 904. 4.21. - 892. 8.29. * 0 * 0 40||

```

15696 Bytes yet free.

(862nd/908) position: - 864. 4.21. - 854. 8.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S from: to:|
- 864. 4.21. - 854. 8.29. E 0 E 40 40||
- 864. 4.21. - 852. 8.29. E 6 B 40 40||
- 864. 4.21. - 854. 8.29. E 7 B 35 40||
- 864. 4.21. - 854. 8.29. + 0 + 40 40||
  0 E 0 0||
- 864. 4.21. - 854. 8.29. E 0 E 0 40||

```

15696 Bytes yet free.

(863rd/908) position: - 864. 4.21. - 854. 8.29. B Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

```

Ahaziah (Joram) D Knd S from: to:|
- 864. 4.21. - 854. 8.29. B 0 B 35 35||
- 864. 4.21. - 854. 8.29. B 1 E 40 35||
- 865. 4.21. - 852. 8.29. B 3 B 37 35||
- 866. 4.21. - 852. 8.29. B 4 * 35 35||
- 866. 4.21. - 854. 8.29. B 6 E 35 35||
- 866. 4.21. - 853. 8.29. B 3 B 37 36||
  0 B 0 0||
- 864. 4.21. - 854. 8.29. B 0 B 0 35||

```

15696 Bytes yet free.

(864th/908) position: - 887. 4.21. - 875. 8.29. * Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

```

Ahaziah (Joram) D Knd S from: to:|
- 887. 4.21. - 875. 8.29. * 0 * 35 35||

```



```
- 887. 4.21. - 875. 8.29. * 10 B      35      35||
                        0 *      0      0||
- 887. 4.21. - 875. 8.29. * 0 *      0      35||
```

15696 Bytes yet free.

```
(865th/908) position: - 864. 4.21. - 854. 8.29.   E Ahaziah (Joram)      35
Forward relations for entry Ahaziah (Joram)      (35/120) are generated.
Backward relations for entry Jehu                (33/120) are generated.
Backward relations for entry Athaliah            (34/120) are generated.
Forward relations for entry Ahaziah (Joram)      (36/120) are generated.
```

Optimize dates...

```
Ahaziah (Joram)      D Knd S      from:      to:|
- 864. 4.21. - 854. 8.29. E 0 E      35      35||
- 864. 4.21. - 852. 8.29. E 6 B      35      35||
- 864. 4.21. - 854. 8.29. E 7 B      33      35||
- 864. 4.21. - 854. 8.29. E 7 B      34      35||
- 864. 4.21. - 854. 8.29. + 0 +      35      35||
                        0 E      0      0||
- 864. 4.21. - 854. 8.29. E 0 E      0      35||
```

15696 Bytes yet free.

```
(866th/908) position: - 876. 4.21. - 865. 8.29.   B Joram (Ahab)      37
Forward relations for entry Joram (Ahab)      (37/120) are generated.
Backward relations for entry Jehu                (33/120) are generated.
Backward relations for entry Athaliah            (34/120) are generated.
Forward relations for entry Joram (Ahab)      (38/120) are generated.
```

Optimize dates...

```
Joram (Ahab)      D Knd S      from:      to:|
- 876. 4.21. - 865. 8.29. B 0 B      37      37||
- 877. 4.21. - 865. 8.29. B 9 B      35      37||
- 876. 4.21. - 864. 8.29. B 9 B      36      37||
- 877. 4.21. - 865. 8.29. B 9 B      40      37||
- 877. 4.21. - 865. 8.29. B 5 E      38      38||
                        0 B      0      0||
- 876. 4.21. - 865. 8.29. B 0 B      0      37||
```

15696 Bytes yet free.

```
(867th/908) position: - 864. 4.21. - 854. 8.29.   B Jehu      33
Forward relations for entry Jehu                (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu)      (31/120) are generated.
```

Optimize dates...

```
Jehu      D Knd S      from:      to:|
- 864. 4.21. - 854. 8.29. B 0 B      33      33||
- 864. 4.21. - 854. 8.29. B 1 E      35      33||
- 864. 4.21. - 854. 8.29. B 2 E      37      33||
- 865. 4.21. - 853. 8.29. B 5 E      33      33||
- 866. 4.21. - 854. 8.29. B 9 B      32      33||
                        0 B      0      0||
- 864. 4.21. - 854. 8.29. B 0 B      0      33||
```

15696 Bytes yet free.

```
(868th/908) position: - 864. 4.21. - 854. 8.29.   E Joram (Ahab)      37
Forward relations for entry Joram (Ahab)      (37/120) are generated.
Backward relations for entry Jehu                (33/120) are generated.
Backward relations for entry Athaliah            (34/120) are generated.
Forward relations for entry Joram (Ahab)      (38/120) are generated.
```

Optimize dates...

```
Joram (Ahab)      D Knd S      from:      to:|
```

```

- 864. 4.21. - 854. 8.29. E 0 E 37 37||
- 864. 4.21. - 854. 8.29. E 8 B 33 37||
- 864. 4.21. - 854. 8.29. E 8 B 34 37||
- 865. 4.21. - 852. 8.29. E 5 B 38 38||
- 864. 4.21. - 854. 8.29. + 0 + 37 37||
                                0 E 0 0||
- 864. 4.21. - 854. 8.29. E 0 E 0 37||

```

15696 Bytes yet free.

(869th/908) position: - 836. 4.21. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

```

Jehu D Knd S from: to:|
- 836. 4.21. - 826. 8.29. E 0 E 33 33||
- 837. 4.21. - 825. 8.29. E 5 B 33 33||
- 836. 4.21. - 826. 8.29. E 7 B 31 33||
- 836. 4.21. - 826. 8.29. + 0 + 33 33||
                                0 E 0 0||
- 836. 4.21. - 826. 8.29. E 0 E 0 33||

```

15696 Bytes yet free.

(870th/908) position: - 858. 4.21. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah) D Knd S from: to:|
- 858. 4.21. - 848. 8.29. B 0 B 32 32||
- 858. 4.21. - 848. 8.29. B 1 E 34 32||
- 858. 4.21. - 846. 8.29. B 3 B 33 32||
- 860. 4.21. - 848. 8.29. B 5 E 32 32||
- 860. 4.21. - 846. 8.29. B 4 * 32 32||
- 858. 4.21. - 846. 8.29. B 9 B 30 32||
- 860. 4.21. - 848. 8.29. B 9 B 31 32||
                                0 B 0 0||
- 858. 4.21. - 848. 8.29. B 0 B 0 32||

```

15696 Bytes yet free.

(871st/908) position: - 864. 4.21. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

```

Athaliah D Knd S from: to:|
- 864. 4.21. - 854. 8.29. B 0 B 34 34||
- 864. 4.21. - 854. 8.29. B 1 E 35 34||
- 864. 4.21. - 854. 8.29. B 2 E 37 34||
- 865. 4.21. - 853. 8.29. B 5 E 34 34||
                                0 B 0 0||
- 864. 4.21. - 854. 8.29. B 0 B 0 34||

```

15696 Bytes yet free.

(872nd/908) position: - 901. 4.15. - 892. 8.23. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

```

Baasha D Knd S from: to:|
- 901. 4.15. - 892. 8.23. E 0 E 49 49||
- 901. 4.15. - 890. 8.23. E 5 B 49 49||

```

```

- 901. 4.15. - 892. 8.23. E 7 B 48 49||
- 901. 4.15. - 892. 8.23. + 0 + 49 49||
                                0 E 0 0||
- 901. 4.15. - 892. 8.23. E 0 E 0 49||

```

15696 Bytes yet free.

(873rd/908) position: - 901. 4.15. - 892. 8.23. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

```

Elah D Knd S from: to:|
- 901. 4.15. - 892. 8.23. B 0 B 48 48||
- 901. 4.15. - 892. 8.23. B 1 E 49 48||
- 902. 4.15. - 890. 8.23. B 3 B 51 48||
- 904. 4.15. - 892. 8.23. B 5 E 48 48||
                                0 B 0 0||
- 901. 4.15. - 892. 8.23. B 0 B 0 48||
- 900. 4.15. - 891. 8.23. 909th position to E Elah 48

```

15696 Bytes yet free.

(874th/909) position: - 863. 4.21. - 849. 8.23. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S from: to:|
- 863. 4.21. - 849. 8.23. α 0 α 40 40||
- 863. 4.21. - 849. 8.23. α 1 E 42 40||
                                0 α 0 0||
- 863. 4.21. - 849. 8.23. α 0 α 0 40||

```

15696 Bytes yet free.

(875th/909) position: -1210. 9. 1. -1166. 6.30. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

```

Gideon = Jerubbaal D Knd S from: to:|
-1210. 9. 1. -1166. 6.30. B 0 B 73 73||
-1210. 9. 1. -1166. 6.30. B 1 E 74 73||
    ≤-1166. 6.30. B 5 E 73 73||
                                0 B 0 0||
-1210. 9. 1. -1166. 6.30. B 0 B 0 73||
-1171. 9. 1. -1127. 6.30. 910th position to E Gideon = Jerubbaal 73

```

15696 Bytes yet free.

(876th/910) position: -1273. 9.15. -1230. 6.30. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

```

Ehud D Knd S from: to:|
-1273. 9.15. -1230. 6.30. E 0 E 77 77||
-1273. 9.15. -1228. 6.30. E 5 B 77 77||
-1274. 9. 1. -1230. 6.30. E 7 B 76 77||
                                0 E 0 0||
-1273. 9.15. -1230. 6.30. E 0 E 0 77||
-1273. 9.15. -1230. 6.30. 911th position to B Sisera 76

```

15696 Bytes yet free.

(877th/911) position: -2110. 9.15. -2097. 8.29. + Noah

110

Forward relations for entry Noah (110/120) are generated.
Optimize dates...

Noah	D	Knd	S	from:	to:	
-2110. 9.15. -2097. 8.29. +	0	+		110	110	
-2110. 7.19. -2097. 7. 3. +	5	*		110	110	
-2110. 9.15. -2097. 8.29. +	4	E		107	110	
1M26D	0	+		0	0	
-2110. 9.15. -2097. 7. 3. +	0	+		0	110	
-2110. 9.15. -2097. 7. 3.	912th	position	to +	Noah		110

15696 Bytes yet free.

(878th/912) position: -3059. 7.19. -3048. 7. 3. * Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Knd	S	from:	to:	
-3059. 7.19. -3048. 7. 3. *	0	*		110	110	
-3061. 7.19. -3045.11. 6. *	3	*		111	110	
-3061. 9.15. -3046. 7. 3. *	5	+		110	110	
-3059. 7.19. -3045.11. 7. *	9	B		107	110	
-3059. 7.18. -3048. 7. 3. *	9	E		108	110	
-3060. 9.15. -3046. 7. 3. *	9	*		109	110	
-3059. 7.18. -3045.11. 7. *	10	Ω		107	110	
-3061. 7.19. -3045.12.23. *	10	+		111	110	
	0	*		0	0	
-3059. 7.19. -3048. 7. 3. *	0	*		0	110	
-3113. 7.19. -3100. 7. 3.	913th	position	to *	Lamech		111
-2460. 9. 6. -2449. 8.20.	914th	position	to B	Great Flood		107
-2459. 7.19. -2448. 7. 4.	915th	position	to Ω	Great Flood		107
-2460. 7.19. -2447. 7. 3.	916th	position	to +	Lamech		111

15696 Bytes yet free.

(879th/916) position: -2559. 9.15. -2547. 7. 3. * Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Knd	S	from:	to:	
-2559. 9.15. -2547. 7. 3. *	0	*		109	109	
-2560. 7.19. -2547. 7. 3. *	3	*		110	109	
-2559. 9.15. -2546. 8.29. *	10	*		105	109	
	0	*		0	0	
-2559. 9.15. -2547. 7. 3. *	0	*		0	109	

15696 Bytes yet free.

(880th/916) position: - 812. 6.22. - 795. 8.29. B Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Knd	S	from:	to:	
- 812. 6.22. - 795. 8.29. B	0	B		27	27	
- 805. 4.21. - 795. 8.29. B	1	E		30	27	
- 805. 4.21. - 793. 8.29. B	3	B		28	27	
- 812. 6.22. - 795. 8.29. B	5	E		27	27	
6Y 9M29D	0	B		0	0	
- 805. 4.21. - 795. 8.29. B	0	B		0	27	
- 805. 4.21. - 795. 8.29.	917th	position	to B	Jeroboam (Joash)		27
- 765. 4.21. - 755. 8.29.	918th	position	to E	Jeroboam (Joash)		27

15696 Bytes yet free.

(881st/918) position: -1369. 9.15. -1326. 6.30. E Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kind	S	from:	to:	
-1369. 9.15. -1326. 6.30. E	0	E		79	79	
-1369. 9.15. ≥	E	5	B	79	79	
-1369. 9.15. -1326. 6.30. E	7	B		78	79	
-1369. 9.15. -1326. 6.30. +	0	+		79	79	
	0	E		0	0	
-1369. 9.15. -1326. 6.30. E	0	E		0	79	
-1408. 9.15. -1365. 6.30.	919th position to B Othniel				79	

15696 Bytes yet free.

(882nd/919) position: -1067. 4.15. -1051. 5.29. E Samuel 61

Forward relations for entry Samuel (61/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel	D	Kind	S	from:	to:	
-1067. 4.15. -1051. 5.29. E	0	E		61	61	
-1077. 7.15. ≥	E	1	E	63	61	
-1067. 4.15. -1051. 5.29. E	7	B		60	61	
	0	E		0	0	
-1067. 4.15. -1051. 5.29. E	0	E		0	61	

15696 Bytes yet free.

(883rd/919) position: -1067. 4.15. -1051. 5.29. * Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Kind	S	from:	to:	
-1067. 4.15. -1051. 5.29. *	0	*		59	59	
-1067. 4.15. -1051. 5.29. *	9	B		59	59	
	0	*		0	0	
-1067. 4.15. -1051. 5.29. *	0	*		0	59	

15696 Bytes yet free.

(884th/919) position: -1025. 4.15. -1009. 5.29. E Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Kind	S	from:	to:	
-1025. 4.15. -1009. 5.29. E	0	E		59	59	
-1025. 4.15. -1009. 5.29. E	5	B		59	59	
≤-1005.10.29. E	7	α		58	59	
-1025. 4.15. -1009. 5.29. +	0	+		59	59	
	0	E		0	0	
-1025. 4.15. -1009. 5.29. E	0	E		0	59	

15696 Bytes yet free.

(885th/919) position: - 985. 4.15. - 976. 8.23. E David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:	
- 985. 4.15. - 976. 8.23. Ω	0	Ω		58	58	
- 987. 9.15. - 971.10.29. Ω	6	α		58	58	
- 985. 4.15. - 976. 8.23. E	0	E		58	58	
- 987. 4.15. - 971. 5.29. E	5	B		58	58	

```

- 985. 4.15. - 976. 8.23. E   7 B      57      58||
- 985. 4.15. - 976. 8.23. +   0 +      58      58||
                        0 Ω      0      0||
- 985. 4.15. - 976. 8.23. Ω   0 Ω      0      58||
-1019. 9.15. -1008. 8.23.   920th position to α David      58
-1026. 4.15. -1015. 8.23.   921st position to B David      58

```

15696 Bytes yet free.

(886th/921) position: - 981.10.15. - 971. 8.23. B Building the Temple 55
 Forward relations for entry Building the Temple (55/120) are generated.
 Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

```

Building the Temple      D Knd S      from:      to:|
- 981.10.15. - 971. 8.23. B   0 B      55      55||
- 982. 4.15. - 971. 8.23. B   3 B      57      55||
- 981. 4.15. - 970. 8.23. B   5 E      55      55||
- 981.10.15. - 970.10.29. B   4 E      89      55||
                        0 B      0      0||
- 981.10.15. - 971. 8.23. B   0 B      0      55||
-1460. 9.15. -1450. 7.23.   922nd position to E Israel in Egypt      89

```

15696 Bytes yet free.

(887th/922) position: - 973. 4.15. - 964. 8.23. E Building the Temple 56
 Forward relations for entry Building the Temple (55/120) are generated.
 Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

```

Building the Temple      D Knd S      from:      to:|
- 973. 4.15. - 964. 8.23. E   0 E      55      55||
- 975.10.15. - 963. 8.23. E   5 B      55      55||
- 975. 4.15. - 964. 8.23. E   3 B      57      56||
- 973. 4.15. - 963. 3.23. E   4 E      89      56||
                        0 E      0      0||
- 973. 4.15. - 964. 8.23. E   0 E      0      55||
-1460. 9.15. -1450. 1.23.   923rd position to E Israel in Egypt      89

```

15696 Bytes yet free.

(888th/923) position: -1098. 7.15. -1070. 5.29. E Eli 64
 Forward relations for entry Eli (64/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

```

Eli      D Knd S      from:      to:|
-1098. 7.15. -1070. 5.29. E   0 E      64      64||
-1104. 7. 1. -1068. 5.29. E   6 B      64      64||
-1098. 7.15. -1070. 5.29. E   8 B      61      64||
-1098. 7.15. -1070. 5.29. +   0 +      64      64||
-1104. 7. 1. -1068. 5.29. +   5 *      64      64||
                        0 E      0      0||
-1098. 7.15. -1070. 5.29. E   0 E      0      64||
-1139. 7.15. -1109. 5.29.   924th position to B Eli      64
-1197. 7.15. -1167. 5.29.   925th position to * Eli      64

```

15696 Bytes yet free.

(889th/925) position: -1101. 7.15.≥ E Elon 66
 Forward relations for entry Elon (66/120) are generated.
 Backward relations for entry Abdon (65/120) are generated.

Optimize dates...

```

Elon      D Knd S      from:      to:|
-1101. 7.15.≥      E   0 E      66      66||

```

```

-1101. 7.15.≥      E   5 B      66      66||
                  E   7 B      65      66||
-1101. 7.15.≥      +   0 +      66      66||
                  0 E        0        0||
-1101. 7.15.≥      E   0 E        0      66||
-1101. 7.15.≥      926th position to B Abdon      65

```

15696 Bytes yet free.

(890th/926) position: -1369. 9.15. -1326. 6.30. B Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

```

Eglon          D Knd S      from:      to:|
-1369. 9.15. -1326. 6.30. B   0 B        78      78||
-1369. 9.15. -1326. 6.30. B   1 E        79      78||
-1371. 9.15. -1326. 6.30. B   5 E        78      78||
                  0 B          0          0||
-1369. 9.15. -1326. 6.30. B   0 B          0      78||

```

15696 Bytes yet free.

(891st/926) position: -1369. 9.15. -1326. 6.30. E Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

```

Othniel        D Knd S      from:      to:|
-1369. 9.15. -1326. 6.30. E   0 E        79      79||
-1369. 9.15. -1324. 6.30. E   5 B        79      79||
-1369. 9.15. -1326. 6.30. E   7 B        78      79||
-1369. 9.15. -1326. 6.30. +   0 +        79      79||
                  0 E          0          0||
-1369. 9.15. -1326. 6.30. E   0 E          0      79||

```

15696 Bytes yet free.

(892nd/926) position: -1352. 9.15. -1309. 6.30. E Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

```

Eglon          D Knd S      from:      to:|
-1352. 9.15. -1309. 6.30. E   0 E        78      78||
-1352. 9.15. -1307. 6.30. E   5 B        78      78||
-1352. 9.15. -1309. 6.30. E   7 B        77      78||
-1352. 9.15. -1309. 6.30. +   0 +        78      78||
                  0 E          0          0||
-1352. 9.15. -1309. 6.30. E   0 E          0      78||

```

15696 Bytes yet free.

(893rd/926) position: -1352. 9.15. -1309. 6.30. B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

```

Ehud          D Knd S      from:      to:|
-1352. 9.15. -1309. 6.30. B   0 B        77      77||
-1352. 9.15. -1309. 6.30. B   1 E        78      77||
-1354. 9.15. -1309. 6.30. B   5 E        77      77||
                  0 B          0          0||
-1352. 9.15. -1309. 6.30. B   0 B          0      77||

```

15696 Bytes yet free.

(894th/926) position: -1273. 9.15. -1230. 6.30. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kn	S	from:	to:†
-1273. 9.15. -1230. 6.30. E	0	E		77	77
-1273. 9.15. -1228. 6.30. E	5	B		77	77
-1273. 9.15. -1230. 6.30. E	7	B		76	77
	0	E		0	0
-1273. 9.15. -1230. 6.30. E	0	E		0	77

15696 Bytes yet free.

(895th/926) position: - 858. 4.21. - 848. 8.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kn	S	from:	to:†
- 858. 4.21. - 848. 8.29. E	0	E		34	34
- 859. 4.21. - 847. 8.29. E	5	B		34	34
- 858. 4.21. - 848. 8.29. E	7	B		32	34
- 858. 4.21. - 848. 8.29. +	0	+		34	34
	0	E		0	0
- 858. 4.21. - 848. 8.29. E	0	E		0	34

15696 Bytes yet free.

(896th/926) position: - 819. 4.21. - 809. 8.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kn	S	from:	to:†
- 819. 4.21. - 809. 8.29. E	0	E		32	32
- 819. 4.21. - 807. 8.29. E	5	B		32	32
- 819. 4.21. - 809. 8.29. E	7	B		28	32
- 819. 4.21. - 809. 8.29. +	0	+		32	32
	0	E		0	0
- 819. 4.21. - 809. 8.29. E	0	E		0	32

15696 Bytes yet free.

(897th/926) position: - 866. 4.21. - 854. 8.29. * Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kn	S	from:	to:†
- 866. 4.21. - 854. 8.29. *	0	*		32	32
- 866. 4.21. - 854. 8.29. *	10	B		32	32
	0	*		0	0
- 866. 4.21. - 854. 8.29. *	0	*		0	32

15696 Bytes yet free.

(898th/926) position: - 820. 4.21. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kn	S	from:	to:†
- 820. 4.21. - 810. 8.29. B	0	B		30	30
- 820. 4.21. - 810. 8.29. B	1	E		31	30
- 822. 4.21. - 810. 8.29. B	3	B		32	30


```

- 822. 4.21. - 810. 8.29. B 5 E 30 30||
      ≤- 795. 8.29. B 8 E 39 30||
- 822. 4.21. - 810. 8.29. B 9 B 28 30||
      0 B 0 0||
- 820. 4.21. - 810. 8.29. B 0 B 0 30||

```

15696 Bytes yet free.

(899th/926) position: - 836. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu) D Knd S from: to:|
- 836. 4.21. - 826. 8.29. B 0 B 31 31||
- 836. 4.21. - 826. 8.29. B 1 E 33 31||
- 836. 4.21. - 824. 8.29. B 3 B 32 31||
- 838. 4.21. - 826. 8.29. B 5 E 31 31||
      0 B 0 0||
- 836. 4.21. - 826. 8.29. B 0 B 0 31||

```

15696 Bytes yet free.

(900th/926) position: - 819. 4.21. - 809. 8.29. B Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

```

Amaziah D Knd S from: to:|
- 819. 4.21. - 809. 8.29. B 0 B 28 28||
- 819. 4.21. - 809. 8.29. B 1 E 32 28||
- 819. 4.21. - 807. 8.29. B 3 B 30 28||
- 830. 2. 1. - 807. 8.29. B 4 * 28 28||
- 828. 2. 1. - 807. 8.29. B 6 E 28 28||
- 821. 4.21. - 809. 8.29. B 9 B 27 28||
      0 B 0 0||
- 819. 4.21. - 809. 8.29. B 0 B 0 28||
- 845. 4.21. - 833. 8.29. 927th position to * Amaziah 28
- 791. 4.21. - 779. 8.29. 928th position to E Amaziah 28

```

15696 Bytes yet free.

(901st/928) position: - 820. 4.21. - 810. 8.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu) D Knd S from: to:|
- 820. 4.21. - 810. 8.29. E 0 E 31 31||
- 820. 4.21. - 808. 8.29. E 5 B 31 31||
- 820. 4.21. - 810. 8.29. E 7 B 30 31||
- 820. 4.21. - 810. 8.29. + 0 + 31 31||
      0 E 0 0||
- 820. 4.21. - 810. 8.29. E 0 E 0 31||

```

15696 Bytes yet free.

(902nd/928) position: - 805. 4.21. - 795. 8.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

```

Joash (Jehoahaz) D Knd S from: to:|
- 805. 4.21. - 795. 8.29. E 0 E 30 30||

```

```

- 820. 4.21. ≥ E 2 + 39 30||
- 805. 4.21. - 793. 8.29. E 5 B 30 30||
- 805. 4.21. - 795. 8.29. E 7 B 27 30||
- 805. 4.21. - 795. 8.29. + 0 + 30 30||
- 807. 4.21. - 793. 8.29. + 9 + 29 30||
      0 E 0 0||
- 805. 4.21. - 795. 8.29. E 0 E 0 30||

```

15696 Bytes yet free.

(903rd/928) position: - 820. 4.21. - 795. 8.29. E Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Elisha D Knd S from: to:|
- 820. 4.21. - 795. 8.29. E 0 E 39 39||
- 820. 4.21. ≥ E 2 B 30 39||
- 820. 4.21. - 795. 8.29. + 0 + 39 39||
      ≤- 795. 8.29. + 8 E 30 39||
      0 E 0 0||
- 820. 4.21. - 795. 8.29. E 0 E 0 39||

```

15696 Bytes yet free.

(904th/928) position: - 836. 4.21. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

```

Jehu D Knd S from: to:|
- 836. 4.21. - 826. 8.29. E 0 E 33 33||
- 837. 4.21. - 825. 8.29. E 5 B 33 33||
- 836. 4.21. - 826. 8.29. E 7 B 31 33||
- 836. 4.21. - 826. 8.29. + 0 + 33 33||
      0 E 0 0||
- 836. 4.21. - 826. 8.29. E 0 E 0 33||

```

15696 Bytes yet free.

(905th/928) position: - 820. 4.21. - 810. 8.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu) D Knd S from: to:|
- 820. 4.21. - 810. 8.29. E 0 E 31 31||
- 820. 4.21. - 808. 8.29. E 5 B 31 31||
- 820. 4.21. - 810. 8.29. E 7 B 30 31||
- 820. 4.21. - 810. 8.29. + 0 + 31 31||
      0 E 0 0||
- 820. 4.21. - 810. 8.29. E 0 E 0 31||

```

15696 Bytes yet free.

(906th/928) position: - 820. 4.21. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

```

Joash (Jehoahaz) D Knd S from: to:|
- 820. 4.21. - 810. 8.29. B 0 B 30 30||
- 820. 4.21. - 810. 8.29. B 1 E 31 30||
- 822. 4.21. - 810. 8.29. B 3 B 32 30||
- 822. 4.21. - 810. 8.29. B 5 E 30 30||

```

≤-	795. 8.29. B	8 E	39	30
- 822. 4.21. -	810. 8.29. B	9 B	28	30
		0 B	0	0
- 820. 4.21. -	810. 8.29. B	0 B	0	30

15696 Bytes yet free.

(907th/928) position: - 805. 4.21. - 795. 8.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D Knd S	from:	to:
- 805. 4.21. - 795. 8.29. E	0 E	30	30
- 820. 4.21. ≥	E 2 +	39	30
- 805. 4.21. - 793. 8.29. E	5 B	30	30
- 805. 4.21. - 795. 8.29. E	7 B	27	30
- 805. 4.21. - 795. 8.29. +	0 +	30	30
- 807. 4.21. - 793. 8.29. +	9 +	29	30
	0 E	0	0
- 805. 4.21. - 795. 8.29. E	0 E	0	30

15696 Bytes yet free.

(908th/928) position: - 820. 4.21. - 795. 8.29. E Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D Knd S	from:	to:
- 820. 4.21. - 795. 8.29. E	0 E	39	39
- 820. 4.21. ≥	E 2 B	30	39
- 820. 4.21. - 795. 8.29. +	0 +	39	39
≤-	795. 8.29. +	8 E	30
	0 E	0	0
- 820. 4.21. - 795. 8.29. E	0 E	0	39

15696 Bytes yet free.

(909th/928) position: - 900. 4.15. - 891. 8.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D Knd S	from:	to:
- 900. 4.15. - 891. 8.23. E	0 E	48	48
- 900. 4.15. - 889. 8.23. E	5 B	48	48
- 901. 4.15. - 891. 8.23. E	7 B	47	48
- 900. 4.15. - 891. 8.23. +	0 +	48	48
- 901. 4.15. - 889. 8.23. +	4 B	51	48
	0 E	0	0
- 900. 4.15. - 891. 8.23. E	0 E	0	48
- 900. 4.15. - 891. 8.23.	929th position to B Zimri		47

15696 Bytes yet free.

(910th/929) position: -1171. 9. 1. -1127. 6.30. E Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D Knd S	from:	to:
-1171. 9. 1. -1127. 6.30. E	0 E	73	73
-1171. 9. 1. -1125. 6.30. E	5 B	73	73
≤-	1127. 6.30. E	7 B	72

```

-1171. 9. 1. -1127. 6.30. + 0 + 73 73||
                        0 E 0 0||
-1171. 9. 1. -1127. 6.30. E 0 E 0 73||
-1171. 9. 1. -1127. 6.30. 930th position to B Abimelech 72

```

15696 Bytes yet free.

```

(911th/930) position: -1273. 9.15. -1230. 6.30. B Sisera 76
Forward relations for entry Sisera (76/120) are generated.
Backward relations for entry Deborah and Barak (75/120) are generated.
Optimize dates...

```

```

Sisera D Knd S from: to:|
-1273. 9.15. -1230. 6.30. B 0 B 76 76||
-1273. 9.15. -1230. 6.30. B 1 E 77 76||
-1276. 9. 1. -1230. 6.30. B 5 E 76 76||
                        0 B 0 0||
-1273. 9.15. -1230. 6.30. B 0 B 0 76||
-1254. 9.15. -1211. 6.30. 931st position to E Sisera 76

```

15696 Bytes yet free.

```

(912th/931) position: -2110. 9.15. -2097. 7. 3. + Noah 110
Forward relations for entry Noah (110/120) are generated.
Optimize dates...

```

```

Noah D Knd S from: to:|
-2110. 9.15. -2097. 7. 3. + 0 + 110 110||
-2110. 7.19. -2097. 7. 3. + 5 * 110 110||
-2110. 9.15. -2097. 8.29. + 4 E 107 110||
                        0 + 0 0||
-2110. 9.15. -2097. 7. 3. + 0 + 0 110||

```

15696 Bytes yet free.

```

(913th/931) position: -3113. 7.19. -3100. 7. 3. * Lamech 111
Forward relations for entry Lamech (111/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Lamech D Knd S from: to:|
-3113. 7.19. -3100. 7. 3. * 0 * 111 111||
-3115. 9. 6. -3099.11. 6. * 3 * 112 111||
-3114. 7.19. -3099. 7. 3. * 5 + 111 111||
-3113. 7.19. -3100. 7. 3. * 9 * 110 111||
-3115. 7.19. -3098.11. 6. * 10 + 112 111||
                        0 * 0 0||
-3113. 7.19. -3100. 7. 3. * 0 * 0 111||
-2461. 7.19. -2446. 7. 3. 932nd position to + Methuselah 112

```

15696 Bytes yet free.

```

(914th/932) position: -2460. 9. 6. -2449. 8.20. B Great Flood 107
Forward relations for entry Great Flood (107/120) are generated.
Forward relations for entry Great Flood (108/120) are generated.
Optimize dates...

```

```

Great Flood D Knd S from: to:|
-2460. 9. 6. -2449. 8.20. B 0 B 107 107||
-2460. 7.19.≥ B 1 + 111 107||
-2461. 7.19.≥ B 2 + 112 107||
-2460. 9. 5. -2449. 8.20. B 3 * 110 107||
-2460. 9. 6.≥ B 1 + 114 108||
                        0 B 0 0||
-2460. 9. 6. -2449. 8.20. B 0 B 0 107||
-2460. 7.19. -2449. 8.20. 933rd position to + Lamech 111

```

-2461. 7.19. -2449. 8.20. 934th position to + Methuselah 112
 -2460. 9. 6. -2449. 8.20. 935th position to + Jared 114

15696 Bytes yet free.

(915th/935) position: -2459. 7.19. -2448. 7. 4. Ω Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood	D	Kn	S	from:	to:†
-2459. 7.19. -2448. 7. 4. Ω	0	Ω		107	107
-2459. 7.19. -2448. 7. 4. Ω	4	*		110	107
	0	Ω		0	0
-2459. 7.19. -2448. 7. 4. Ω	0	Ω		0	107

15696 Bytes yet free.

(916th/935) position: -2460. 7.19. -2449. 8.20. + Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kn	S	from:	to:†
-2460. 7.19. -2449. 8.20. +	0	+		111	111
-2461. 7.19. -2446. 7. 3. +	5	*		111	111
-2460. 7.19. -2447. 7. 3. +	4	*		110	111
≤-2449. 8.20. +	7	B		107	111
	0	+		0	0
-2460. 7.19. -2449. 8.20. +	0	+		0	111
-3113. 7.19. -3101. 8.20. 936th position to * Lamech					111

15696 Bytes yet free.

(917th/936) position: - 805. 4.21. - 795. 8.29. B Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kn	S	from:	to:†
- 805. 4.21. - 795. 8.29. B	0	B		27	27
- 805. 4.21. - 795. 8.29. B	1	E		30	27
- 805. 4.21. - 793. 8.29. B	3	B		28	27
- 807. 4.21. - 795. 8.29. B	5	E		27	27
	0	B		0	0
- 805. 4.21. - 795. 8.29. B	0	B		0	27

15696 Bytes yet free.

(918th/936) position: - 765. 4.21. - 755. 8.29. E Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kn	S	from:	to:†
- 765. 4.21. - 755. 8.29. E	0	E		27	27
- 765. 4.21. - 753. 8.29. E	5	B		27	27
- 770. 6.22. - 755. 8.29. E	7	B		25	27
- 765. 4.21. - 755. 8.29. +	0	+		27	27
	0	E		0	0
- 765. 4.21. - 755. 8.29. E	0	E		0	27
- 765. 4.21. - 755. 8.29. 937th position to B Zachariah					25

15696 Bytes yet free.

(919th/937) position: -1408. 9.15. -1365. 6.30. B Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kind	S	from:	to:	
-1408. 9.15. -1365. 6.30. B	0	B		79	79	
-1408. 9.15. ≥	B	1	E	80	79	
-1410. 9.15. -1365. 6.30. B	5	E		79	79	
	0	B		0	0	
-1408. 9.15. -1365. 6.30. B	0	B		0	79	
-1408. 9.15. -1365. 6.30.	938th position to E Chushanrishathaim				80	

15696 Bytes yet free.

(920th/938) position: -1019. 9.15. -1008. 8.23. α David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:	
-1019. 9.15. -1008. 8.23. α	0	α		58	58	
-1025. 4.15. ≥	α	1	E	59	58	
-1019. 9.15. -1007. 3.23. α	4	B		58	58	
-1019. 4.15. -1008. 8.23. α	6	Ω		58	58	
	0	α		0	0	
-1019. 9.15. -1008. 8.23. α	0	α		0	58	
-1026. 4.15. -1015. 3.23.	939th position to B David				58	

15696 Bytes yet free.

(921st/939) position: -1026. 4.15. -1015. 3.23. B David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:	
-1026. 4.15. -1015. 3.23. B	0	B		58	58	
-1026. 4.15. -1012. 5.29. B	2	E		60	58	
-1028. 4.15. -1010. 5.29. B	3	*		58	58	
-1026. 4.15. -1015. 8.23. B	5	E		58	58	
-1026. 2.15. -1015. 3.23. B	10	α		58	58	
	0	B		0	0	
-1026. 4.15. -1015. 3.23. B	0	B		0	58	
-1026. 4.15. -1015. 3.23.	940th position to E Saul				60	
-1057. 4.15. -1044. 3.23.	941st position to * David				58	

15696 Bytes yet free.

(922nd/941) position: -1460. 9.15. -1450. 1.23. E Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:	
-1460. 9.15. -1450. 1.23. E	0	E		89	89	
-1461. 7.15. ≥	E	1	B	86	89	
-1461. 7.15. ≥	E	2	B	87	89	
-1460. 9.15. -1447. 8.29. E	6	B		89	89	
-1461. 9.15. -1449. 8.29. E	9	B		85	89	
-1460. 9.14. -1449. 8.30. E	9	+		88	89	
-1460. 8.15. -1450. 7.23. E	10	B		55	89	
-1460. 8.15. -1450. 1.23. E	10	E		56	89	
-1460. 9.14. -1449. 8.30. E	10	B		84	89	
	0	E		0	0	
-1460. 9.15. -1450. 1.23. E	0	E		0	89	
-1461. 7.15. -1450. 1.23.	942nd position to B Moses				86	
-1461. 7.15. -1450. 1.23.	943rd position to B Aaron				87	

-1889. 9.15. -1879. 1.23.	944th position to B Israel in Egypt	89
-1459. 9.15. -1448. 1.23.	945th position to B Explorers of Canaan	85
-1420. 1.15. -1411. 5.24.	946th position to + Aaron	88
- 981.10.15. - 971. 3.23.	947th position to B Building the Temple	55
-1420. 7.15. -1411.11.24.	948th position to B Moses' Speech	84

15696 Bytes yet free.

(923rd/948) position: -1460. 9.15. -1450. 1.23. E Israel in Egypt 89
 Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kn	S	from:	to:
-1460. 9.15. -1450. 1.23. E	0	E		89	89
-1461. 7.15.≥	E	1	B	86	89
-1461. 7.15.≥	E	2	B	87	89
-1460. 9.15. -1448. 1.23. E	6	B		89	89
-1461. 9.15. -1449. 1.23. E	9	B		85	89
-1460. 9.14. -1450. 1.24. E	9	+		88	89
-1460. 8.15. -1450. 2.23. E	10	B		55	89
-1460. 8.15. -1450. 1.23. E	10	E		56	89
-1460. 9.14. -1450. 1.24. E	10	B		84	89
	0	E		0	0
-1460. 9.15. -1450. 1.23. E	0	E		0	89

15696 Bytes yet free.

(924th/948) position: -1139. 7.15. -1109. 5.29. B Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kn	S	from:	to:
-1139. 7.15. -1109. 5.29. B	0	B		64	64
-1139. 7.15. -1109. 5.29. B	6	E		64	64
	0	B		0	0
-1139. 7.15. -1109. 5.29. B	0	B		0	64

15696 Bytes yet free.

(925th/948) position: -1197. 7.15. -1167. 5.29. * Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kn	S	from:	to:
-1197. 7.15. -1167. 5.29. *	0	*		64	64
-1197. 7.15. -1167. 5.29. *	5	+		64	64
	0	*		0	0
-1197. 7.15. -1167. 5.29. *	0	*		0	64

15696 Bytes yet free.

(926th/948) position: -1101. 7.15.≥ B Abdon 65

Forward relations for entry Abdon (65/120) are generated.

Optimize dates...

Abdon	D	Kn	S	from:	to:
-1101. 7.15.≥	B	0	B	65	65
-1101. 7.15.≥	B	1	E	66	65
-1107. 7. 1.≥	B	5	E	65	65
	0	B		0	0
-1101. 7.15.≥	B	0	B	0	65
-1094. 7.15.≥				949th position to E Abdon	65

15696 Bytes yet free.

(927th/949) position: - 845. 4.21. - 833. 8.29. * Amaziah 28
 Forward relations for entry Amaziah (28/120) are generated.
 Backward relations for entry Azariah = Uzziah (26/120) are generated.
 Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kn	S	from:	to:
- 845. 4.21. - 833. 8.29. *	0	*		28	28
- 845. 4.21. - 833. 8.29. *	10	B		28	28
	0	*		0	0
- 845. 4.21. - 833. 8.29. *	0	*		0	28

15696 Bytes yet free.

(928th/949) position: - 791. 4.21. - 779. 8.29. E Amaziah 28
 Forward relations for entry Amaziah (28/120) are generated.
 Backward relations for entry Azariah = Uzziah (26/120) are generated.
 Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kn	S	from:	to:
- 791. 4.21. - 779. 8.29. E	0	E		28	28
- 791. 4.21. - 779. 8.29. E	6	B		28	28
- 791. 4.21. - 779. 8.29. +	0	+		28	28
- 791. 4.21. - 779. 8.29. +	3	+		30	29
	0	E		0	0
- 791. 4.21. - 779. 8.29. E	0	E		0	28

15696 Bytes yet free.

(929th/949) position: - 900. 4.15. - 891. 8.23. B Zimri 47
 Forward relations for entry Zimri (47/120) are generated.
 Backward relations for entry Tibni (46/120) are generated.
 Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kn	S	from:	to:
- 900. 4.15. - 891. 8.23. B	0	B		47	47
- 900. 4.15. - 891. 8.23. B	1	E		48	47
- 901. 4.15. - 889. 8.23. B	3	B		51	47
- 901. 4.13. - 891. 8.23. B	5	E		47	47
	0	B		0	0
- 900. 4.15. - 891. 8.23. B	0	B		0	47
- 900. 4.21. - 891. 8.29.				950th position to E Zimri	47

15696 Bytes yet free.

(930th/950) position: -1171. 9. 1. -1127. 6.30. B Abimelech 72
 Forward relations for entry Abimelech (72/120) are generated.
 Backward relations for entry Philistines + Ammon (69/120) are generated.
 Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Kn	S	from:	to:
-1171. 9. 1. -1127. 6.30. B	0	B		72	72
-1171. 9. 1. -1127. 6.30. B	1	E		73	72
≤-1127. 6.30. B	5	E		72	72
	0	B		0	0
-1171. 9. 1. -1127. 6.30. B	0	B		0	72
-1169. 9. 1. -1125. 6.30.				951st position to E Abimelech	72

15696 Bytes yet free.

(931st/951) position: -1254. 9.15. -1211. 6.30. E Sisera 76
 Forward relations for entry Sisera (76/120) are generated.
 Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kn	S	from:	to:	
-1254. 9.15. -1211. 6.30. E	0	E		76	76	
-1254. 9.15. -1209. 6.30. E	5	B		76	76	
-1255. 9. 1. -1211. 6.30. E	7	B		75	76	
-1254. 9.15. -1211. 6.30. +	0	+		76	76	
	0	E		0	0	
-1254. 9.15. -1211. 6.30. E	0	E		0	76	
-1254. 9.15. -1211. 6.30.	952nd position to B Deborah and Barak				75	

15696 Bytes yet free.

(932nd/952) position: -2461. 7.19. -2449. 8.20. + Methuselah 112

Forward relations for entry Methuselah (112/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Methuselah	D	Kn	S	from:	to:	
-2461. 7.19. -2449. 8.20. +	0	+		112	112	
-2462. 9. 6. -2446.11. 6. +	5	*		112	112	
-2461. 7.19. -2447. 8.20. +	4	*		111	112	
≤-2449. 8.20. +	8	B		107	112	
	0	+		0	0	
-2461. 7.19. -2449. 8.20. +	0	+		0	112	
-3181. 9. 6. -3168. 8.20.	953rd position to * Methuselah				112	

15696 Bytes yet free.

(933rd/953) position: -2460. 7.19. -2449. 8.20. + Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kn	S	from:	to:	
-2460. 7.19. -2449. 8.20. +	0	+		111	111	
-2461. 7.19. -2447. 8.20. +	5	*		111	111	
-2460. 7.19. -2447. 7. 3. +	4	*		110	111	
≤-2449. 8.20. +	7	B		107	111	
	0	+		0	0	
-2460. 7.19. -2449. 8.20. +	0	+		0	111	

15696 Bytes yet free.

(934th/953) position: -2461. 7.19. -2449. 8.20. + Methuselah 112

Forward relations for entry Methuselah (112/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Methuselah	D	Kn	S	from:	to:	
-2461. 7.19. -2449. 8.20. +	0	+		112	112	
-2462. 9. 6. -2447. 8.20. +	5	*		112	112	
-2461. 7.19. -2447. 8.20. +	4	*		111	112	
≤-2449. 8.20. +	8	B		107	112	
	0	+		0	0	
-2461. 7.19. -2449. 8.20. +	0	+		0	112	

15696 Bytes yet free.

(935th/953) position: -2460. 9. 6. -2449. 8.20. + Jared 114

Forward relations for entry Jared (114/120) are generated.

Backward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Jared	D	Kn	S	from:	to:	
-2460. 9. 6. -2449. 8.20. +	0	+		114	114	
-2460. 9. 6. -2448.11. 6. +	5	*		114	114	

```

-2461. 9. 6. -2447.11. 6. + 4 * 113 114||
      ≤-2449. 8.20. + 7 B 108 114||
      0 + 0 0||
-2460. 9. 6. -2449. 8.20. + 0 + 0 114||
-3245. 9. 6. -3233. 8.20. 954th position to * Enoch 113

```

15696 Bytes yet free.

(936th/954) position: -3113. 7.19. -3101. 8.20. * Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kind	S	from:	to:
-3113. 7.19. -3101. 8.20. *	0	*	111	111	
-3115. 9. 6. -3100. 8.20. *	3	*	112	111	
-3114. 7.19. -3101. 8.20. *	5	+	111	111	
-3113. 7.19. -3100. 7. 3. *	9	*	110	111	
-3115. 7.19. -3101. 8.20. *	10	+	112	111	
	0	*	0	0	
-3113. 7.19. -3101. 8.20. *	0	*	0	111	

15696 Bytes yet free.

(937th/954) position: - 765. 4.21. - 755. 8.29. B Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:
- 765. 4.21. - 755. 8.29. B	0	B	25	25	
- 765. 4.21. - 755. 8.29. B	1	E	27	25	
- 770. 1.22. - 755. 8.29. B	3	B	26	25	
- 770. 6.22. - 755.10.29. B	5	E	25	25	
	0	B	0	0	
- 765. 4.21. - 755. 8.29. B	0	B	0	25	
- 804. 4.21. - 794. 8.29. 955th position to B Azariah = Uzziah				26	
- 765. 9.21. - 754. 3.29. 956th position to E Zachariah				25	

15696 Bytes yet free.

(938th/956) position: -1408. 9.15. -1365. 6.30. E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
-1408. 9.15. -1365. 6.30. E	0	E	80	80	
-1408. 9.15. ≥	5	B	80	80	
-1408. 9.15. -1365. 6.30. E	7	B	79	80	
	0	E	0	0	
-1408. 9.15. -1365. 6.30. E	0	E	0	80	
-1415. 9.15. -1372. 6.30. 957th position to B Chushanrishathaim				80	

15696 Bytes yet free.

(939th/957) position: -1026. 4.15. -1015. 3.23. B David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
-1026. 4.15. -1015. 3.23. B	0	B	58	58	
-1026. 4.15. -1015. 3.23. B	2	E	60	58	
-1028. 4.15. -1013. 3.23. B	3	*	58	58	
-1026. 4.15. -1015. 8.23. B	5	E	58	58	

```

-1026. 2.15. -1015. 3.23. B 10 α      58      58||
                        0 B      0      0||
-1026. 4.15. -1015. 3.23. B 0 B      0      58||

```

15696 Bytes yet free.

(940th/957) position: -1026. 4.15. -1015. 3.23. E Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

```

Saul          D Knd S      from:      to:|
-1026. 4.15. -1015. 3.23. E 0 E      60      60||
-1028. 4.15. -1010. 5.29. E 5 B      60      60||
-1026. 4.15. -1012. 5.29. E 7 B      59      60||
-1026. 4.15. -1015. 3.23. E 8 B      58      60||
-1026. 4.15. -1015. 3.23. + 0 +      60      60||
                        0 E      0      0||
-1026. 4.15. -1015. 3.23. E 0 E      0      60||
-1067. 4.15. -1054. 3.23. 958th position to B Saul 60
-1026. 4.15. -1015. 3.23. 959th position to B Ishbosheth 59

```

15696 Bytes yet free.

(941st/959) position: -1057. 4.15. -1044. 3.23. * David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

```

David          D Knd S      from:      to:|
-1057. 4.15. -1044. 3.23. * 0 *      58      58||
-1057. 4.15. -1044. 3.23. * 9 B      58      58||
                        0 *      0      0||
-1057. 4.15. -1044. 3.23. * 0 *      0      58||

```

15696 Bytes yet free.

(942nd/959) position: -1461. 7.15. -1450. 1.23. B Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Moses          D Knd S      from:      to:|
-1461. 7.15. -1450. 1.23. B 0 B      86      86||
-1462. 7.15. -1448. 6.30. B 3 *      86      86||
-1461. 7.15. -1448. 6.30. B 5 E      86      86||
-1461. 7.15. -1450. 1.23. B 7 B      87      86||
      ≤-1450. 1.23. B 7 E      89      86||
                        0 B      0      0||
-1461. 7.15. -1450. 1.23. B 0 B      0      86||
-1541. 7.15. -1529. 1.23. 960th position to * Moses 86
-1420. 7.15. -1409. 1.23. 961st position to E Moses 86

```

15696 Bytes yet free.

(943rd/961) position: -1461. 7.15. -1450. 1.23. B Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

```

Aaron          D Knd S      from:      to:|
-1461. 7.15. -1450. 1.23. B 0 B      87      87||

```

```

-1461. 7.15. -1450. 1.23. B 1 B 86 87||
-1462. 1.15. -1448.12.30. B 3 * 87 87||
      <-1450. 1.23. B 8 E 89 87||
      0 B 0 0||
-1461. 7.15. -1450. 1.23. B 0 B 0 87||
-1544. 1.15. -1532. 1.23. 962nd position to * Aaron 87

```

15696 Bytes yet free.

(944th/962) position: -1889. 9.15. -1879. 1.23. B Israel in Egypt 89
 Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Israel in Egypt      D Knd S      from:      to:|
-1889. 9.15. -1879. 1.23. B 0 B 89 89||
-1889. 9.15. -1876. 8.29. B 3 * 90 89||
-1891. 9.15. -1879. 1.23. B 6 E 89 89||
-1890. 9.15. -1876. 8.29. B 10 + 90 89||
      0 B 0 0||
-1889. 9.15. -1879. 1.23. B 0 B 0 89||
-2018. 9.15. -2008. 1.23. 963rd position to * Jacob = Israel 90
-1872. 9.15. -1861. 1.23. 964th position to + Jacob = Israel 90

```

15696 Bytes yet free.

(945th/964) position: -1459. 9.15. -1448. 1.23. B Explorers of Canaan 85
 Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

```

Explorers of Canaan  D Knd S      from:      to:|
-1459. 9.15. -1448. 1.23. B 0 B 85 85||
-1459. 9.15. -1448. 1.23. B 3 E 89 85||
-1459. 9.15. -1448. 8.29. B 5 E 85 85||
-1461. 9.15. -1447. 8.29. B 4 * 82 85||
-1461. 9.15. -1448. 8.29. B 9 B 81 85||
-1459. 7.15. -1448.11.24. B 9 B 84 85||
      0 B 0 0||
-1459. 9.15. -1448. 1.23. B 0 B 0 85||
-1459.10.25. -1448. 3. 3. 965th position to E Explorers of Canaan 85

```

15696 Bytes yet free.

(946th/965) position: -1420. 1.15. -1411. 5.24. + Aaron 88
 Forward relations for entry Aaron (87/120) are generated.
 Backward relations for entry Israel in Egypt (89/120) are generated.
 Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

```

Aaron      D Knd S      from:      to:|
-1420. 1.15. -1411. 5.24. E 0 E 87 87||
-1420. 1.15. -1411. 5.24. + 0 + 87 87||
-1422. 1.15. -1408. 1.23. + 6 * 87 87||
-1420. 1.15. -1411. 5.24. + 3 E 89 88||
      0 E 0 0||
-1420. 1.15. -1411. 5.24. E 0 E 0 87||
-1544. 1.15. -1533. 5.24. 966th position to * Aaron 87

```

15696 Bytes yet free.

(947th/966) position: - 981.10.15. - 971. 3.23. B Building the Temple 55
 Forward relations for entry Building the Temple (55/120) are generated.
 Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

```

Building the Temple  D Knd S      from:      to:|
- 981.10.15. - 971. 3.23. B 0 B 55 55||

```

```

- 982. 4.15. - 971. 8.23. B 3 B 57 55||
- 981. 4.15. - 970. 8.23. B 5 E 55 55||
- 981.10.15. - 971. 3.23. B 4 E 89 55||
                                0 B 0 0||
- 981.10.15. - 971. 3.23. B 0 B 0 55||

```

15696 Bytes yet free.

(948th/966) position: -1420. 7.15. -1411.11.24. B Moses' Speech 84

Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

```

Moses' Speech      D Knd S      from:      to:|
-1420. 7.15. -1411.11.24. B 0 B      84      84||
-1422. 9.15. -1409. 1.23. B 3 B      85      84||
-1420. 7.15. -1411.11.24. B 4 E      89      84||
-1420. 7.15. -1409. 1.23. B 7 E      86      84||
-1422. 7.15. -1407. 6.30. B 9 B      68      84||
                                0 B 0 0||
-1420. 7.15. -1411.11.24. B 0 B      0      84||
-1420. 7.15. -1411.11.24. 967th position to E Moses      86
-1121. 7.15. -1110.11.24. 968th position to B Jephthah      68

```

15696 Bytes yet free.

(949th/968) position: -1094. 7.15.≥ E Abdon 65

Forward relations for entry Abdon (65/120) are generated.

Optimize dates...

```

Abdon      D Knd S      from:      to:|
-1094. 7.15.≥ E 0 E      65      65||
-1094. 7.15.≥ E 5 B      65      65||
-1094. 7.15.≥ + 0 +      65      65||
                                0 E 0 0||
-1094. 7.15.≥ E 0 E      0      65||

```

15696 Bytes yet free.

(950th/968) position: - 900. 4.21. - 891. 8.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri      D Knd S      from:      to:|
- 900. 4.21. - 891. 8.29. E 0 E      47      47||
- 900. 4.21. - 891. 9. 1. E 5 B      47      47||
- 901. 4.21. - 891. 8.29. E 7 B      46      47||
- 901. 4.21. - 891. 8.29. E 8 B      45      47||
- 900. 4.21. - 891. 8.29. + 0 +      47      47||
                                0 E 0 0||
- 900. 4.21. - 891. 8.29. E 0 E      0      47||
- 900. 4.21. - 891. 8.29. 969th position to B Tibni      46
- 900. 4.21. - 891. 8.29. 970th position to B Omri      45

```

15696 Bytes yet free.

(951st/970) position: -1169. 9. 1. -1125. 6.30. E Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

```

Abimelech      D Knd S      from:      to:|
-1169. 9. 1. -1125. 6.30. E 0 E      72      72||

```

```

-1169. 9. 1. -1123. 6.30. E 5 B 72 72||
      ≤-1125. 6.30. E 7 B 69 72||
      E 7 B 71 72||
-1169. 9. 1. -1125. 6.30. + 0 + 72 72||
      0 E 0 0||
-1169. 9. 1. -1125. 6.30. E 0 E 0 72||
-1169. 9. 1. ≥ 971st position to B Tola 71

```

15696 Bytes yet free.

```

(952nd/971) position: -1254. 9.15. -1211. 6.30. B Deborah and Barak 75
Forward relations for entry Deborah and Barak (75/120) are generated.
Backward relations for entry Midianites (74/120) are generated.
Optimize dates...

```

```

Deborah and Barak D Knd S from: to:|
-1254. 9.15. -1211. 6.30. B 0 B 75 75||
-1254. 9.15. -1211. 6.30. B 1 E 76 75||
-1257. 9. 1. -1211. 6.30. B 5 E 75 75||
      0 B 0 0||
-1254. 9.15. -1211. 6.30. B 0 B 0 75||
-1215. 9.15. -1172. 6.30. 972nd position to E Deborah and Barak 75

```

15696 Bytes yet free.

```

(953rd/972) position: -3181. 9. 6. -3168. 8.20. * Methuselah 112
Forward relations for entry Methuselah (112/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Methuselah D Knd S from: to:|
-3181. 9. 6. -3168. 8.20. * 0 * 112 112||
-3181. 9. 6. -3167. 8.20. * 3 * 113 112||
-3182. 7.19. -3168. 8.20. * 5 + 112 112||
-3181. 7.19. -3167. 8.20. * 9 * 111 112||
-3182. 9. 6. -3166.11. 6. * 10 + 113 112||
      0 * 0 0||
-3181. 9. 6. -3168. 8.20. * 0 * 0 112||
-2881. 9. 6. -2867. 8.20. 973rd position to + Enoch 113

```

15696 Bytes yet free.

```

(954th/973) position: -3245. 9. 6. -3233. 8.20. * Enoch 113
Forward relations for entry Enoch (113/120) are generated.
Optimize dates...

```

```

Enoch D Knd S from: to:|
-3245. 9. 6. -3233. 8.20. * 0 * 113 113||
-3245. 9. 6. -3233.11. 6. * 3 * 114 113||
-3247. 9. 6. -3231. 8.20. * 5 + 113 113||
-3247. 9. 6. -3232. 8.20. * 9 * 112 113||
-3246. 9. 6. -3233. 8.20. * 10 + 114 113||
      0 * 0 0||
-3245. 9. 6. -3233. 8.20. * 0 * 0 113||

```

15696 Bytes yet free.

```

(955th/973) position: - 804. 4.21. - 794. 8.29. B Azariah = Uzziah 26
Forward relations for entry Azariah = Uzziah (26/120) are generated.
Backward relations for entry Jotham (19/120) are generated.
Optimize dates...

```

```

Azariah = Uzziah D Knd S from: to:|
- 804. 4.21. - 794. 8.29. B 0 B 26 26||
- 807. 1.22. - 794. 8.29. B 1 Q 28 26||
- 809. 1.22. - 792. 8.29. B 3 * 27 26||

```

```

- 809. 1.22. - 792. 8.29. B 4 * 26 26||
- 807. 1.22. - 793. 8.29. B 6 E 26 26||
- 808. 1.22. - 794. 8.29. B 9 B 21 26||
- 809. 1.22. - 793. 8.29. B 9 B 22 26||
- 809. 1.22. - 792. 5.29. B 9 B 23 26||
- 809. 1.22. - 792. 3.29. B 9 B 24 26||
- 804. 4.21. - 792. 8.29. B 9 B 25 26||
  0 B 0 0||
- 804. 4.21. - 794. 8.29. B 0 B 0 26||
- 804. 4.21. - 794. 8.29. 974th position to Q Amaziah 28
- 832. 4.21. - 820. 8.29. 975th position to * Jeroboam (Joash) 27
- 821. 4.21. - 809. 8.29. 976th position to * Azariah = Uzziah 26
- 753. 4.21. - 742. 8.29. 977th position to E Azariah = Uzziah 26
- 753. 4.21. - 743. 8.29. 978th position to B Pekah 21
- 755. 4.21. - 744. 8.29. 979th position to B Pekahiah 22
- 766. 4.21. - 754. 5.29. 980th position to B Menahem 23
- 766. 4.21. - 754. 3.29. 981st position to B Shallum 24

```

15696 Bytes yet free.

(956th/981) position: - 765. 9.21. - 754. 3.29. E Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

```

Zachariah D Knd S from: to:|
- 765. 9.21. - 754. 3.29. E 0 E 25 25||
- 765. 9.21. - 754. 3.29. E 5 B 25 25||
- 766. 4.21. - 754. 3.29. E 7 B 24 25||
- 765. 9.21. - 754. 3.29. + 0 + 25 25||
  0 E 0 0||
- 765. 9.21. - 754. 3.29. E 0 E 0 25||
- 765. 9.21. - 754. 3.29. 982nd position to B Shallum 24

```

15696 Bytes yet free.

(957th/982) position: -1415. 9.15. -1372. 6.30. B Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

```

Chushanrishathaim D Knd S from: to:|
-1415. 9.15. -1372. 6.30. B 0 B 80 80||
-1415. 9.15. ≥ B 1 E 83 80||
-1417. 9.15. -1372. 6.30. B 5 E 80 80||
  0 B 0 0||
-1415. 9.15. -1372. 6.30. B 0 B 0 80||
-1415. 9.15. -1372. 6.30. 983rd position to E Joshua 83

```

15696 Bytes yet free.

(958th/983) position: -1067. 4.15. -1054. 3.23. B Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

```

Saul D Knd S from: to:|
-1067. 4.15. -1054. 3.23. B 0 B 60 60||
-1067. 4.15. -1051. 5.29. B 1 E 61 60||
-1077. 7.15. ≥ B 2 E 63 60||
-1067. 4.15. -1054. 3.23. B 5 E 60 60||
  0 B 0 0||
-1067. 4.15. -1054. 3.23. B 0 B 0 60||

```

-1067. 4.15. -1054. 3.23. 984th position to E Samuel 61
 -1077. 7.15. -1054. 3.23. 985th position to E Philistines 63

15696 Bytes yet free.

(959th/985) position: -1026. 4.15. -1015. 3.23. B Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth D Knd S from: to:|

-1026. 4.15. -1015. 3.23. B 0 B 59 59||

-1026. 4.15. -1015. 3.23. B 1 E 60 59||

-1028. 4.15. -1010. 5.29. B 3 * 59 59||

-1028. 4.15. -1010. 5.29. B 5 E 59 59||

0 B 0 0||

-1026. 4.15. -1015. 3.23. B 0 B 0 59||

-1067. 4.15. -1054. 3.23. 986th position to * Ishbosheth 59

-1025. 4.15. -1012. 3.23. 987th position to E Ishbosheth 59

15696 Bytes yet free.

(960th/987) position: -1541. 7.15. -1529. 1.23. * Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses D Knd S from: to:|

-1541. 7.15. -1529. 1.23. * 0 * 86 86||

-1541. 7.15. -1531.11.24. * 6 + 86 86||

-1542. 7.15. -1529. 1.23. * 9 B 86 86||

1Y 1M29D 0 * 0 0||

-1541. 7.15. -1531.11.24. * 0 * 0 86||

-1541. 7.15. -1531.11.24. 988th position to * Moses 86

15696 Bytes yet free.

(961st/988) position: -1420. 7.15. -1411.11.24. E Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses D Knd S from: to:|

-1420. 7.15. -1411.11.24. E 0 E 86 86||

-1420. 7.15. -1411.11.24. E 1 B 84 86||

-1422. 7.15. -1409. 1.23. E 5 B 86 86||

-1420. 7.15. -1409. 6.30. E 7 B 83 86||

-1420. 7.15. -1411.11.24. + 0 + 86 86||

-1421. 7.15. -1410.11.24. + 6 * 86 86||

0 E 0 0||

-1420. 7.15. -1411.11.24. E 0 E 0 86||

-1420. 7.15. -1411.11.24. 989th position to B Joshua 83

15696 Bytes yet free.

(962nd/989) position: -1544. 1.15. -1533. 5.24. * Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron D Knd S from: to:|


```

-1544. 1.15. -1533. 5.24. * 0 *      87      87||
-1544. 1.15. -1533. 5.24. * 6 +      87      87||
-1545. 7.15. -1532. 1.23. * 9 B      87      87||
                        0 *      0      0||
-1544. 1.15. -1533. 5.24. * 0 *      0      87||

```

15696 Bytes yet free.

(963rd/989) position: -2018. 9.15. -2008. 1.23. * Jacob = Israel 90
 Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

```

Jacob = Israel      D Knd S      from:      to:|
-2018. 9.15. -2008. 1.23. * 0 *      90      90||
-2018. 9.15. -2005. 8.29. * 3 *      91      90||
-2020. 9.15. -2007. 1.23. * 5 +      90      90||
-2020. 9.15. -2008. 1.23. * 9 B      89      90||
                        0 *      0      0||
-2018. 9.15. -2008. 1.23. * 0 *      0      90||
-2077. 9.15. -2067. 1.23. 990th position to * Isaac      91

```

15696 Bytes yet free.

(964th/990) position: -1872. 9.15. -1861. 1.23. + Jacob = Israel 90
 Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

```

Jacob = Israel      D Knd S      from:      to:|
-1872. 9.15. -1861. 1.23. + 0 +      90      90||
-1872. 9.15. -1860. 1.23. + 5 *      90      90||
-1873. 9.15. -1861. 1.23. + 4 B      89      90||
                        0 +      0      0||
-1872. 9.15. -1861. 1.23. + 0 +      0      90||

```

15696 Bytes yet free.

(965th/990) position: -1459.10.25. -1448. 3. 3. E Explorers of Canaan 85
 Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

```

Explorers of Canaan      D Knd S      from:      to:|
-1459.10.25. -1448. 3. 3. E 0 E      85      85||
-1459.10.25. -1448. 3. 3. E 5 B      85      85||
                        0 E      0      0||
-1459.10.25. -1448. 3. 3. E 0 E      0      85||

```

15696 Bytes yet free.

(966th/990) position: -1544. 1.15. -1533. 5.24. * Aaron 87
 Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

```

Aaron      D Knd S      from:      to:|
-1544. 1.15. -1533. 5.24. * 0 *      87      87||
-1544. 1.15. -1533. 5.24. * 6 +      87      87||
-1545. 7.15. -1532. 1.23. * 9 B      87      87||
                        0 *      0      0||
-1544. 1.15. -1533. 5.24. * 0 *      0      87||

```

15696 Bytes yet free.

(967th/990) position: -1420. 7.15. -1411.11.24. E Moses 86
 Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.
Optimize dates...

Moses	D	Kn	S	from:	to:†
-1420. 7.15. -1411.11.24. E	0	E		86	86
-1420. 7.15. -1411.11.24. E	1	B		84	86
-1422. 7.15. -1409. 1.23. E	5	B		86	86
-1420. 7.15. -1411.11.24. E	7	B		83	86
-1420. 7.15. -1411.11.24. +	0	+		86	86
-1421. 7.15. -1410.11.24. +	6	*		86	86
	0	E		0	0
-1420. 7.15. -1411.11.24. E	0	E		0	86

15696 Bytes yet free.

(968th/990) position: -1121. 7.15. -1110.11.24. B Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah	D	Kn	S	from:	to:†
-1121. 7.15. -1110.11.24. B	0	B		68	68
-1121. 7.15. -1108. 6.30. B	1	E		69	68
-1121. 7.15. -1110.11.24. B	3	B		84	68
-1123. 7.15. -1106. 6.30. B	6	E		68	68
	0	B		0	0
-1121. 7.15. -1110.11.24. B	0	B		0	68
-1121. 7.15. -1110.11.24.	991st	position	to E	Philistines + Ammon	69
-1116. 7.15. -1103.11.24.	992nd	position	to E	Jephthah	68

15696 Bytes yet free.

(969th/992) position: - 900. 4.21. - 891. 8.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kn	S	from:	to:†
- 900. 4.21. - 891. 8.29. B	0	B		46	46
- 900. 4.21. - 891. 8.29. B	1	E		47	46
	0	B		0	0
- 900. 4.21. - 891. 8.29. B	0	B		0	46

15696 Bytes yet free.

(970th/992) position: - 900. 4.21. - 891. 8.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kn	S	from:	to:†
- 900. 4.21. - 891. 8.29. B	0	B		45	45
- 900. 4.21. - 891. 8.29. B	2	E		47	45
- 903. 4.21. - 891. 8.29. B	6	E		45	45
	0	B		0	0
- 900. 4.21. - 891. 8.29. B	0	B		0	45
- 889. 4.21. - 880. 8.29.	993rd	position	to E	Omri	45

15696 Bytes yet free.

(971st/993) position: -1169. 9. 1.≥ B Tola 71

Forward relations for entry Tola (71/120) are generated.

Backward relations for entry Jair (70/120) are generated.

Optimize dates...

Tola	D	Kn	S	from:	to:†
------	---	----	---	-------	------

-1169. 9. 1.≥	B	0 B	71	71	
-1169. 9. 1.≥	B	1 E	72	71	
	B	5 E	71	71	
		0 B	0	0	
-1169. 9. 1.≥	B	0 B	0	71	
-1147. 9. 1.≥		994th position to E Tola			71

15696 Bytes yet free.

(972nd/994) position: -1215. 9.15. -1172. 6.30. E Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Knd S	from:	to:	
-1215. 9.15. -1172. 6.30. E	0 E	75	75		
-1215. 9.15. -1170. 6.30. E	5 B	75	75		
-1216. 9. 1. -1172. 6.30. E	7 B	74	75		
	0 E	0	0		
-1215. 9.15. -1172. 6.30. E	0 E	0	75		
-1215. 9.15. -1172. 6.30.		995th position to B Midianites			74

15696 Bytes yet free.

(973rd/995) position: -2881. 9. 6. -2867. 8.20. + Enoch 113

Forward relations for entry Enoch (113/120) are generated.

Optimize dates...

Enoch	D	Knd S	from:	to:	
-2881. 9. 6. -2867. 8.20. +	0 +	113	113		
-2881. 9. 6. -2867. 8.20. +	5 *	113	113		
-2882. 9. 6. -2867. 8.20. +	4 *	112	113		
	0 +	0	0		
-2881. 9. 6. -2867. 8.20. +	0 +	0	113		

15696 Bytes yet free.

(974th/995) position: - 804. 4.21. - 794. 8.29. Ω Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Knd S	from:	to:	
- 804. 4.21. - 794. 8.29. Ω	0 Ω	28	28		
- 804. 4.21. - 794. 8.29. Ω	7 B	26	28		
	0 Ω	0	0		
- 804. 4.21. - 794. 8.29. Ω	0 Ω	0	28		

15696 Bytes yet free.

(975th/995) position: - 832. 4.21. - 820. 8.29. * Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Knd S	from:	to:	
- 832. 4.21. - 820. 8.29. *	0 *	27	27		
- 832. 4.21. - 820. 8.29. *	9 B	26	27		
	0 *	0	0		
- 832. 4.21. - 820. 8.29. *	0 *	0	27		

15696 Bytes yet free.

(976th/995) position: - 821. 4.21. - 809. 8.29. * Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:
- 821. 4.21. - 809. 8.29. *	0	*		26	26
- 821. 4.21. - 809. 8.29. *	10	B		26	26
	0	*		0	0
- 821. 4.21. - 809. 8.29. *	0	*		0	26

15696 Bytes yet free.

(977th/995) position: - 753. 4.21. - 742. 8.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:
- 753. 4.21. - 742. 8.29. E	0	E		26	26
- 753. 4.21. - 741. 8.29. E	6	B		26	26
- 754. 1.22. - 742. 8.29. E	7	α		19	26
- 753. 4.21. - 742. 8.29. +	0	+		26	26
	2	B		20	26
	0	E		0	0
- 753. 4.21. - 742. 8.29. E	0	E		0	26
- 753. 4.21. - 742. 8.29.				996th position to α Jotham	19

15696 Bytes yet free.

(978th/996) position: - 753. 4.21. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kn	S	from:	to:
- 753. 4.21. - 743. 8.29. B	0	B		21	21
- 755. 1.22. - 743. 8.29. B	1	E		22	21
- 753. 4.21. - 741. 8.29. B	3	B		26	21
- 755. 1.22. - 742. 8.29. B	5	E		21	21
- 757. 1.22. - 741. 8.29. B	9	α		17	21
- 756. 4.21. - 743. 8.29. B	9	α		19	21
	0	B		0	0
- 753. 4.21. - 743. 8.29. B	0	B		0	21
- 753. 4.21. - 743. 8.29.				997th position to E Pekahiah	22
- 734. 4.21. - 723. 8.29.				998th position to E Pekah	21
- 737. 4.21. - 725. 8.29.				999th position to α Ahaz	17
- 752. 4.21. - 742. 8.29.				1000th position to α Jotham	19

15696 Bytes yet free.

(979th/1000) position: - 755. 4.21. - 744. 8.29. B Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kn	S	from:	to:
- 755. 4.21. - 744. 8.29. B	0	B		22	22
- 758. 1.22. - 744. 8.29. B	1	E		23	22
- 755. 4.21. - 743. 8.29. B	3	B		26	22
- 756. 4.21. - 744. 8.29. B	5	E		22	22
	0	B		0	0
- 755. 4.21. - 744. 8.29. B	0	B		0	22
- 755. 4.21. - 744. 8.29.				1001st position to E Menahem	23

15696 Bytes yet free.

(980th/1001) position: - 766. 4.21. - 754. 5.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:	
- 766. 4.21. - 754. 5.29. B	0	B		23	23	
- 769. 1.22. - 754. 5.29. B	1	E		24	23	
- 766. 4.21. - 754. 8.29. B	3	B		26	23	
- 766. 4.21. - 753. 8.29. B	5	E		23	23	
	0	B		0	0	
- 766. 4.21. - 754. 5.29. B	0	B		0	23	
- 766. 4.21. - 754. 5.29.				1002nd position to E Shallum		24

15696 Bytes yet free.

(981st/1002) position: - 765. 9.21. - 754. 3.29. B Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:	
- 765. 9.21. - 754. 3.29. B	0	B		24	24	
- 765. 9.21. - 754. 3.29. B	1	E		25	24	
- 766. 4.21. - 754. 8.29. B	3	B		26	24	
- 766. 2.21. - 754. 5.29. B	5	E		24	24	
	0	B		0	0	
- 765. 9.21. - 754. 3.29. B	0	B		0	24	
- 765. 9.21. - 754. 5.29.				1003rd position to E Shallum		24

15696 Bytes yet free.

(982nd/1003) position: - 765. 9.21. - 754. 3.29. B Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:	
- 765. 9.21. - 754. 3.29. B	0	B		24	24	
- 765. 9.21. - 754. 3.29. B	1	E		25	24	
- 766. 4.21. - 754. 8.29. B	3	B		26	24	
- 765. 7.21. - 754. 5.29. B	5	E		24	24	
	0	B		0	0	
- 765. 9.21. - 754. 3.29. B	0	B		0	24	

15696 Bytes yet free.

(983rd/1003) position: -1415. 9.15. -1372. 6.30. E Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:	
-1415. 9.15. -1372. 6.30. E	0	E		83	83	
≤-1372. 6.30. E	7	B		80	83	
-1415. 9.15. -1372. 6.30. +	0	+		83	83	
-1415. 9.15. ≥	+	2	B	81	83	
-1417. 9.15. ≥	+	5	*	83	83	
	0	E		0	0	
-1415. 9.15. -1372. 6.30. E	0	E		0	83	
-1526. 9.15. -1481. 6.30.				1004th position to * Joshua		83

15696 Bytes yet free.

(984th/1004) position: -1067. 4.15. -1054. 3.23. E Samuel 61

Forward relations for entry Samuel (61/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel	D	Knd	S	from:	to:
-1067. 4.15. -1054. 3.23. E	0	E		61	61
-1077. 7.15. ≥	E	1	E	63	61
-1067. 4.15. -1054. 3.23. E	7	B		60	61
	0	E		0	0
-1067. 4.15. -1054. 3.23. E	0	E		0	61

15696 Bytes yet free.

(985th/1004) position: -1077. 7.15. -1054. 3.23. E Philistines 63

Forward relations for entry Philistines (63/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Backward relations for entry Samson (62/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Philistines	D	Knd	S	from:	to:
-1077. 7.15. -1054. 3.23. E	0	E		63	63
-1097. 7.15. ≥	E	2	E	62	63
-1079. 7.15. -1049. 5.29. E	3	B		61	63
-1077. 7.15. -1049. 5.29. E	6	B		63	63
≤-1054. 3.23. E	7	E		61	63
≤-1054. 3.23. E	8	B		60	63
	0	E		0	0
-1077. 7.15. -1054. 3.23. E	0	E		0	63
-1097. 7.15. -1054. 3.23.			1005th position to E	Samson	62
-1098. 7.15. -1073. 3.23.			1006th position to B	Samuel	61
-1116. 7.15. -1093. 3.23.			1007th position to B	Philistines	63

15696 Bytes yet free.

(986th/1007) position: -1067. 4.15. -1054. 3.23. * Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Knd	S	from:	to:
-1067. 4.15. -1054. 3.23. *	0	*		59	59
-1067. 4.15. -1054. 3.23. *	9	B		59	59
	0	*		0	0
-1067. 4.15. -1054. 3.23. *	0	*		0	59

15696 Bytes yet free.

(987th/1007) position: -1025. 4.15. -1012. 3.23. E Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Knd	S	from:	to:
-1025. 4.15. -1012. 3.23. E	0	E		59	59
-1025. 4.15. -1012. 3.23. E	5	B		59	59
≤-1008. 8.23. E	7	α		58	59
-1025. 4.15. -1012. 3.23. +	0	+		59	59
	0	E		0	0
-1025. 4.15. -1012. 3.23. E	0	E		0	59

15696 Bytes yet free.

(988th/1007) position: -1541. 7.15. -1531.11.24. * Moses 86

Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kind	S	from:	to:
-1541. 7.15. -1531.11.24. *	0	*		86	86
-1541. 7.15. -1531.11.24. *	6	+		86	86
-1542. 7.15. -1529. 1.23. *	9	B		86	86
	0	*		0	0
-1541. 7.15. -1531.11.24. *	0	*		0	86

15696 Bytes yet free.

(989th/1007) position: -1420. 7.15. -1411.11.24. B Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:
-1420. 7.15. -1411.11.24. B	0	B		83	83
-1420. 7.15. -1411.11.24. B	1	E		86	83
	0	B		0	0
-1420. 7.15. -1411.11.24. B	0	B		0	83

15696 Bytes yet free.

(990th/1007) position: -2077. 9.15. -2067. 1.23. * Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kind	S	from:	to:
-2077. 9.15. -2067. 1.23. *	0	*		91	91
-2078. 9.15. ≥	*	1	B	92	91
-2077. 9.15. -2064. 8.29. *	3	*		96	91
-2079. 9.15. -2064. 8.29. *	5	+		91	91
-2079. 9.15. -2064. 8.29. *	4	*		95	91
-2079. 9.15. -2067. 1.23. *	9	*		90	91
	0	*		0	0
-2077. 9.15. -2067. 1.23. *	0	*		0	91
-2078. 9.15. -2067. 1.23.	1008th	position to	B	Fire upon Sodom	92
-2176. 9.15. -2166. 1.23.	1009th	position to	*	Abram = Abraham	96
-1898. 9.15. -1886. 1.23.	1010th	position to	+	Isaac	91
-2168. 9.15. -2156. 1.23.	1011th	position to	*	Sarai = Sarah	95

15696 Bytes yet free.

(991st/1011) position: -1121. 7.15. -1110.11.24. E Philistines + Ammon 69

Forward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

Philistines + Ammon	D	Kind	S	from:	to:
-1121. 7.15. -1110.11.24. E	0	E		69	69
-1123. 7.15. -1106. 6.30. E	5	B		69	69
-1121. 7.15. -1110.11.24. E	7	B		68	69
	0	E		0	0
-1121. 7.15. -1110.11.24. E	0	E		0	69
-1140. 7.15. -1127.11.24.	1012th	position to	B	Philistines + Ammon	69

15696 Bytes yet free.

(992nd/1012) position: -1116. 7.15. -1103.11.24. E Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah	D	Kind	S	from:	to:
-1116. 7.15. -1103.11.24. E	0	E		68	68
-1116. 7.15. -1103.11.24. E	6	B		68	68

≤-1093. 3.23. E	7 B	63	68
	E 7 B	67	68
-1116. 7.15. -1103.11.24. +	0 +	68	68
	0 E	0	0
-1116. 7.15. -1103.11.24. E	0 E	0	68

15696 Bytes yet free.

(993rd/1012) position: - 889. 4.21. - 880. 8.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D Knd S	from:	to:
- 889. 4.21. - 880. 8.29. E	0 E	45	45
- 889. 4.21. - 878. 8.29. E	6 B	45	45
- 890. 4.21. - 880. 8.29. E	7 B	44	45
- 889. 4.21. - 880. 8.29. +	0 +	45	45
	0 E	0	0
- 889. 4.21. - 880. 8.29. E	0 E	0	45
- 889. 4.21. - 880. 8.29.	1013th position to B Ahab		44

15696 Bytes yet free.

(994th/1013) position: -1147. 9. 1.≥ E Tola 71

Forward relations for entry Tola (71/120) are generated.

Backward relations for entry Jair (70/120) are generated.

Optimize dates...

Tola	D Knd S	from:	to:
-1147. 9. 1.≥	E 0 E	71	71
-1147. 9. 1.≥	E 5 B	71	71
	E 7 B	70	71
-1147. 9. 1.≥	+ 0 +	71	71
	0 E	0	0
-1147. 9. 1.≥	E 0 E	0	71
-1147. 9. 1.≥	1014th position to B Jair		70

15696 Bytes yet free.

(995th/1014) position: -1215. 9.15. -1172. 6.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D Knd S	from:	to:
-1215. 9.15. -1172. 6.30. B	0 B	74	74
-1215. 9.15. -1172. 6.30. B	1 E	75	74
-1218. 9. 1. -1172. 6.30. B	5 E	74	74
	0 B	0	0
-1215. 9.15. -1172. 6.30. B	0 B	0	74
-1209. 9.15. -1166. 6.30.	1015th position to E Midianites		74

15696 Bytes yet free.

(996th/1015) position: - 752. 4.21. - 742. 8.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D Knd S	from:	to:
- 752. 4.21. - 742. 8.29. α	0 α	19	19
- 753. 4.21. - 742. 8.29. α	1 E	26	19
- 752. 4.21. - 740. 8.29. α	3 B	21	19
- 755. 1.22. - 742. 8.29. α	10 B	16	19

	0 α	0	0	
- 752. 4.21. - 742. 8.29.	α 0 α	0	19	
- 752. 4.21. - 742. 8.29.	1016th position to E Azariah = Uzziah			26
- 733. 4.21. - 723. 8.29.	1017th position to B Hoshea			16

15696 Bytes yet free.

(997th/1017) position: - 753. 4.21. - 743. 8.29. E Pekahiah 22
 Forward relations for entry Pekahiah (22/120) are generated.
 Backward relations for entry Pekah (21/120) are generated.
 Optimize dates...

Pekahiah	D Knd S	from:	to:
- 753. 4.21. - 743. 8.29. E	0 E	22	22
- 754. 4.21. - 741. 8.29. E	5 B	22	22
- 753. 4.21. - 743. 8.29. E	7 B	21	22
- 753. 4.21. - 743. 8.29. +	0 +	22	22
	0 E	0	0
- 753. 4.21. - 743. 8.29. E	0 E	0	22

15696 Bytes yet free.

(998th/1017) position: - 734. 4.21. - 723. 8.29. E Pekah 21
 Forward relations for entry Pekah (21/120) are generated.
 Backward relations for entry Hoshea (16/120) are generated.
 Optimize dates...

Pekah	D Knd S	from:	to:	
- 734. 4.21. - 723. 8.29. E	0 E	21	21	
- 734. 4.21. - 722. 8.29. E	5 B	21	21	
- 733. 4.21. - 723. 8.29. E	7 B	16	21	
- 734. 4.21. - 723. 8.29. +	0 +	21	21	
1Y	0 E	0	0	
- 733. 4.21. - 723. 8.29. E	0 E	0	21	
- 733. 4.21. - 723. 8.29.	1018th position to E Pekah			21

15696 Bytes yet free.

(999th/1018) position: - 737. 4.21. - 725. 8.29. α Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D Knd S	from:	to:	
- 737. 4.21. - 725. 8.29. α	0 α	17	17	
- 739. 1.22. - 725. 8.29. α	2 Ω	19	17	
- 737. 4.21. - 725. 8.29. α	3 B	21	17	
	0 α	0	0	
- 737. 4.21. - 725. 8.29. α	0 α	0	17	
- 737. 4.21. - 725. 8.29.	1019th position to Ω Jotham			19

15696 Bytes yet free.

(1000th/1019) position: - 752. 4.21. - 742. 8.29. α Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D Knd S	from:	to:
- 752. 4.21. - 742. 8.29. α	0 α	19	19
- 752. 4.21. - 742. 8.29. α	1 E	26	19
- 752. 4.21. - 740. 8.29. α	3 B	21	19
- 754. 4.21. - 742. 8.29. α	10 B	16	19
	0 α	0	0

- 752. 4.21. - 742. 8.29. α 0 α 0 19||

15696 Bytes yet free.

(1001st/1019) position: - 755. 4.21. - 744. 8.29. E Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kn	S	from:	to:
- 755. 4.21. - 744. 8.29. E	0	E		23	23
- 757. 4.21. - 743. 5.29. E	5	B		23	23
- 755. 4.21. - 744. 8.29. E	7	B		22	23
- 755. 4.21. - 744. 8.29. +	0	+		23	23
	0	E		0	0
- 755. 4.21. - 744. 8.29. E	0	E		0	23

15696 Bytes yet free.

(1002nd/1019) position: - 765. 9.21. - 754. 5.29. E Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kn	S	from:	to:
- 765. 9.21. - 754. 5.29. E	0	E		24	24
- 765. 9.21. - 754. 5.29. E	5	B		24	24
- 766. 4.21. - 754. 5.29. E	7	B		23	24
- 765. 9.21. - 754. 5.29. +	0	+		24	24
	0	E		0	0
- 765. 9.21. - 754. 5.29. E	0	E		0	24
- 765. 9.21. - 754. 5.29.				1020th position to B Menahem	23

15696 Bytes yet free.

(1003rd/1020) position: - 765. 9.21. - 754. 5.29. E Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kn	S	from:	to:
- 765. 9.21. - 754. 5.29. E	0	E		24	24
- 765. 9.21. - 754. 5.29. E	5	B		24	24
- 765. 9.21. - 754. 5.29. E	7	B		23	24
- 765. 9.21. - 754. 5.29. +	0	+		24	24
	0	E		0	0
- 765. 9.21. - 754. 5.29. E	0	E		0	24

15696 Bytes yet free.

(1004th/1020) position: -1526. 9.15. -1481. 6.30. * Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kn	S	from:	to:
-1526. 9.15. -1481. 6.30. *	0	*		83	83
-1526. 9.15. -1481. 6.30. *	5	+		83	83
	0	*		0	0
-1526. 9.15. -1481. 6.30. *	0	*		0	83

15696 Bytes yet free.

(1005th/1020) position: -1097. 7.15. -1054. 3.23. E Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kn	S	from:	to:	
-1097. 7.15. -1054. 3.23. E	0	E		62	62	
-1097. 7.15. -1049. 5.29. E	5	B		62	62	
≤-1054. 3.23. E	8	E		63	62	
-1097. 7.15. -1054. 3.23. +	0	+		62	62	
	0	E		0	0	
-1097. 7.15. -1054. 3.23. E	0	E		0	62	
-1116. 7.15. -1073. 3.23.	1021st position to B Samson					62

15696 Bytes yet free.

(1006th/1021) position: -1098. 7.15. -1073. 3.23. B Samuel 61
 Forward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Saul (60/120) are generated.
 Optimize dates...

Samuel	D	Kn	S	from:	to:	
-1098. 7.15. -1073. 3.23. B	0	B		61	61	
-1098. 7.15. -1070. 5.29. B	2	E		64	61	
-1098. 7.15. -1073. 3.23. B	9	E		63	61	
	0	B		0	0	
-1098. 7.15. -1073. 3.23. B	0	B		0	61	
-1098. 7.15. -1073. 3.23.	1022nd position to E Eli					64

15696 Bytes yet free.

(1007th/1022) position: -1116. 7.15. -1093. 3.23. B Philistines 63
 Forward relations for entry Philistines (63/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Backward relations for entry Samson (62/120) are generated.
 Backward relations for entry Saul (60/120) are generated.
 Optimize dates...

Philistines	D	Kn	S	from:	to:	
-1116. 7.15. -1093. 3.23. B	0	B		63	63	
-1116. 7.15. ≥	B	1	E	68	63	
-1118. 7.15. -1093. 3.23. B	6	E		63	63	
≤-1073. 3.23. B	7	B		62	63	
	0	B		0	0	
-1116. 7.15. -1093. 3.23. B	0	B		0	63	

15696 Bytes yet free.

(1008th/1022) position: -2078. 9.15. -2067. 1.23. B Fire upon Sodom 92
 Forward relations for entry Fire upon Sodom (92/120) are generated.
 Backward relations for entry Isaac (91/120) are generated.
 Optimize dates...

Fire upon Sodom	D	Kn	S	from:	to:	
-2078. 9.15. -2067. 1.23. B	0	B		92	92	
-2078. 9.15. -2066. 1.23. B	3	*		96	92	
≤-2067. 1.23. B	7	*		91	92	
	0	B		0	0	
-2078. 9.15. -2067. 1.23. B	0	B		0	92	

15696 Bytes yet free.

(1009th/1022) position: -2176. 9.15. -2166. 1.23. * Abram = Abraham 96
 Forward relations for entry Abram = Abraham (96/120) are generated.
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.
 Optimize dates...

Abram = Abraham	D	Kn	S	from:	to:	
-2176. 9.15. -2166. 1.23. *	0	*		96	96	
-2176. 9.15. -2163. 8.29. *	3	*		97	96	
-2178. 9.15. -2163. 8.29. *	5	+		96	96	

```

-2178. 9.15. -2166. 1.23. * 9 * 91 96||
-2178. 9.15. -2165. 1.23. * 9 B 92 96||
-2178. 9.15. -2163. 8.29. * 9 * 93 96||
-2177. 9.15. -2163. 8.29. * 10 B 96 96||
      0 * 0 0||
-2176. 9.15. -2166. 1.23. * 0 * 0 96||
-2245. 9.15. -2235. 1.23. 1023rd position to * Terah 97
-2002. 9.15. -1990. 1.23. 1024th position to + Abram = Abraham 96
-2091. 9.15. -2079. 1.23. 1025th position to * Ishmael 93
-2101. 9.15. -2090. 1.23. 1026th position to B Abram = Abraham 96

```

15696 Bytes yet free.

(1010th/1026) position: -1898. 9.15. -1886. 1.23. + Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

```

Isaac D Knd S from: to:|
-1898. 9.15. -1886. 1.23. + 0 + 91 91||
-1898. 9.15. -1886. 1.23. + 5 * 91 91||
      0 + 0 0||
-1898. 9.15. -1886. 1.23. + 0 + 0 91||

```

15696 Bytes yet free.

(1011th/1026) position: -2168. 9.15. -2156. 1.23. * Sarai = Sarah 95

Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

```

Sarai = Sarah D Knd S from: to:|
-2168. 9.15. -2156. 1.23. * 0 * 95 95||
-2170. 9.15. -2153. 8.29. * 5 + 95 95||
-2168. 9.15. -2156. 1.23. * 10 * 91 95||
      0 * 0 0||
-2168. 9.15. -2156. 1.23. * 0 * 0 95||
-2042. 9.15. -2028. 1.23. 1027th position to + Sarai = Sarah 95

```

15696 Bytes yet free.

(1012th/1027) position: -1140. 7.15. -1127.11.24. B Philistines + Ammon 69

Forward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

```

Philistines + Ammon D Knd S from: to:|
-1140. 7.15. -1127.11.24. B 0 B 69 69||
-1169. 9. 1. ≥ B 1 E 72 69||
-1140. 7.15. -1127.11.24. B 5 E 69 69||
      0 B 0 0||
-1140. 7.15. -1127.11.24. B 0 B 0 69||
-1169. 9. 1. -1127.11.24. 1028th position to E Abimelech 72

```

15696 Bytes yet free.

(1013th/1028) position: - 889. 4.21. - 880. 8.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahab D Knd S from: to:|
- 889. 4.21. - 880. 8.29. B 0 B 44 44||
- 889. 4.21. - 880. 8.29. B 1 E 45 44||
- 890. 4.15. - 878. 8.23. B 3 B 51 44||
- 892. 4.21. - 880. 8.29. B 5 E 44 44||
      ≤- 859. 8.29. B 7 B 43 44||

```

```

- 892. 4.21. - 878. 8.23. B   9 B       42       44||
                        0 B       0       0||
- 889. 4.21. - 880. 8.29. B   0 B       0       44||
- 868. 4.21. - 859. 8.29.   1029th position to E Ahab       44
- 889. 4.21. - 859. 8.29.   1030th position to B Elijah     43
- 886. 4.21. - 875. 8.23.   1031st position to B Jehoshaphat 42

```

15696 Bytes yet free.

(1014th/1031) position: -1147. 9. 1.≥ B Jair 70
Forward relations for entry Jair (70/120) are generated.

Optimize dates...

```

Jair D Knd S from: to:|
-1147. 9. 1.≥ B 0 B 70 70||
-1147. 9. 1.≥ B 1 E 71 70||
                B 5 E 70 70||
                0 B 0 0||
-1147. 9. 1.≥ B 0 B 0 70||
-1126. 9. 1.≥ 1032nd position to E Jair 70

```

15696 Bytes yet free.

(1015th/1032) position: -1209. 9.15. -1166. 6.30. E Midianites 74
Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

```

Midianites D Knd S from: to:|
-1209. 9.15. -1166. 6.30. E 0 E 74 74||
-1209. 9.15. -1164. 6.30. E 5 B 74 74||
-1210. 9. 1. -1166. 6.30. E 7 B 73 74||
                0 E 0 0||
-1209. 9.15. -1166. 6.30. E 0 E 0 74||
-1209. 9.15. -1166. 6.30. 1033rd position to B Gideon = Jerubbaal 73

```

15696 Bytes yet free.

(1016th/1033) position: - 752. 4.21. - 742. 8.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

```

Azariah = Uzziah D Knd S from: to:|
- 752. 4.21. - 742. 8.29. E 0 E 26 26||
- 753. 4.21. - 741. 8.29. E 6 B 26 26||
- 752. 4.21. - 742. 8.29. E 7 α 19 26||
- 752. 4.21. - 742. 8.29. + 0 + 26 26||
                + 2 B 20 26||
                0 E 0 0||
- 752. 4.21. - 742. 8.29. E 0 E 0 26||

```

15696 Bytes yet free.

(1017th/1033) position: - 733. 4.21. - 723. 8.29. B Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

```

Hoshea D Knd S from: to:|
- 733. 4.21. - 723. 8.29. B 0 B 16 16||
- 733. 4.21. - 723. 8.29. B 1 E 21 16||
- 736. 1.22. - 723. 8.29. B 3 B 17 16||
- 735. 1.22. - 722. 8.29. B 5 E 16 16||
- 733. 4.21. - 721. 8.29. B 4 α 19 16||
- 734. 1.22. - 723. 8.29. B 9 B 14 16||

```

```

- 735. 1.22. - 722. 8.29. B 10 B      15      16||
                        0 B      0      0||
- 733. 4.21. - 723. 8.29. B 0 B      0      16||
- 746. 4.21. - 736. 8.29. 1034th position to B Ahaz      17
- 725. 4.21. - 714. 8.29. 1035th position to E Hoshea      16
- 725. 4.21. - 714. 8.29. 1036th position to B Captivity of Israel 15

```

15696 Bytes yet free.

(1018th/1036) position: - 733. 4.21. - 723. 8.29. E Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

```

Pekah          D Knd S      from:      to:|
- 733. 4.21. - 723. 8.29. E 0 E      21      21||
- 734. 4.21. - 722. 8.29. E 5 B      21      21||
- 733. 4.21. - 723. 8.29. E 7 B      16      21||
- 733. 4.21. - 723. 8.29. + 0 +      21      21||
                        0 E      0      0||
- 733. 4.21. - 723. 8.29. E 0 E      0      21||

```

15696 Bytes yet free.

(1019th/1036) position: - 737. 4.21. - 725. 8.29. Ω Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

```

Jotham         D Knd S      from:      to:|
- 737. 4.21. - 725. 8.29. Ω 0 Ω      19      19||
- 737. 4.21. - 725. 8.29. Ω 8 α      17      19||
- 737. 4.21. - 725. 8.29. + 0 +      19      19||
                        0 Ω      0      0||
- 737. 4.21. - 725. 8.29. Ω 0 Ω      0      19||

```

15696 Bytes yet free.

(1020th/1036) position: - 765. 9.21. - 754. 5.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

```

Menahem        D Knd S      from:      to:|
- 765. 9.21. - 754. 5.29. B 0 B      23      23||
- 765. 9.21. - 754. 5.29. B 1 E      24      23||
- 766. 4.21. - 754. 8.29. B 3 B      26      23||
- 766. 4.21. - 753. 8.29. B 5 E      23      23||
                        0 B      0      0||
- 765. 9.21. - 754. 5.29. B 0 B      0      23||

```

15696 Bytes yet free.

(1021st/1036) position: -1116. 7.15. -1073. 3.23. B Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

```

Samson         D Knd S      from:      to:|
-1116. 7.15. -1073. 3.23. B 0 B      62      62||
-1116. 7.15. ≥      B 1 B      63      62||
-1118. 7.15. -1073. 3.23. B 5 E      62      62||
                        0 B      0      0||
-1116. 7.15. -1073. 3.23. B 0 B      0      62||

```

15696 Bytes yet free.

(1022nd/1036) position: -1098. 7.15. -1073. 3.23. E Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Knd	S	from:	to:	
-1098. 7.15. -1073. 3.23. E	0	E		64	64	
-1100. 7.15. -1068. 5.29. E	6	B		64	64	
-1098. 7.15. -1073. 3.23. E	8	B		61	64	
-1098. 7.15. -1073. 3.23. +	0	+		64	64	
-1100. 7.15. -1068. 5.29. +	5	*		64	64	
	0	E		0	0	
-1098. 7.15. -1073. 3.23. E	0	E		0	64	
-1139. 7.15. -1112. 3.23.			1037th position to B	Eli		64
-1197. 7.15. -1170. 3.23.			1038th position to *	Eli		64

15696 Bytes yet free.

(1023rd/1038) position: -2245. 9.15. -2235. 1.23. * Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah	D	Knd	S	from:	to:	
-2245. 9.15. -2235. 1.23. *	0	*		97	97	
-2245. 9.15. -2232. 8.29. *	3	*		98	97	
-2247. 9.15. -2233. 8.29. *	5	+		97	97	
-2247. 9.15. -2235. 1.23. *	9	*		96	97	
-2247. 9.15. -2232. 8.29. *	10	+		98	97	
	0	*		0	0	
-2245. 9.15. -2235. 1.23. *	0	*		0	97	
-2273. 9.15. -2263. 1.23.			1039th position to *	Nahor		98
-2101. 9.15. -2089. 1.23.			1040th position to +	Terah		97
-2127. 9.15. -2115. 1.23.			1041st position to +	Nahor		98

15696 Bytes yet free.

(1024th/1041) position: -2002. 9.15. -1990. 1.23. + Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Knd	S	from:	to:	
-2002. 9.15. -1990. 1.23. E	0	E		96	96	
-2002. 9.15. -1990. 1.23. +	0	+		96	96	
-2002. 9.15. -1990. 1.23. +	5	*		96	96	
	0	E		0	0	
-2002. 9.15. -1990. 1.23. E	0	E		0	96	

15696 Bytes yet free.

(1025th/1041) position: -2091. 9.15. -2079. 1.23. * Ishmael 93

Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Ishmael	D	Knd	S	from:	to:	
-2091. 9.15. -2079. 1.23. *	0	*		93	93	
-2101. 9.15. ≥		1	B	94	93	
-2091. 9.15. -2079. 1.23. *	3	*		96	93	
-2093. 9.15. -2076. 8.29. *	5	+		93	93	
	0	*		0	0	
-2091. 9.15. -2079. 1.23. *	0	*		0	93	
-2101. 9.15. -2079. 1.23.			1042nd position to B	Battle in Siddim Vale		94
-1955. 9.15. -1941. 1.23.			1043rd position to +	Ishmael		93

15696 Bytes yet free.

(1026th/1043) position: -2101. 9.15. -2090. 1.23. B Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:	
-2101. 9.15. -2090. 1.23. B	0	B		96	96	
-2101. 9.15. ≥	B	1	+	97	96	
-2102. 9.15. -2090. 1.23. B	4	*		96	96	
≤ -2079. 1.23. B	7	B		94	96	
	0	B		0	0	
-2101. 9.15. -2090. 1.23. B	0	B		0	96	
-2101. 9.15. -2090. 1.23.				1044th position to + Terah		97

15696 Bytes yet free.

(1027th/1044) position: -2042. 9.15. -2028. 1.23. + Sarai = Sarah 95

Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

Sarai = Sarah	D	Kind	S	from:	to:	
-2042. 9.15. -2028. 1.23. +	0	+		95	95	
-2042. 9.15. -2028. 1.23. +	5	*		95	95	
	0	+		0	0	
-2042. 9.15. -2028. 1.23. +	0	+		0	95	

15696 Bytes yet free.

(1028th/1044) position: -1169. 9. 1. -1127.11.24. E Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Kind	S	from:	to:	
-1169. 9. 1. -1127.11.24. E	0	E		72	72	
-1169. 9. 1. -1123. 6.30. E	5	B		72	72	
≤ -1127.11.24. E	7	B		69	72	
	7	B		71	72	
-1169. 9. 1. -1127.11.24. +	0	+		72	72	
	0	E		0	0	
-1169. 9. 1. -1127.11.24. E	0	E		0	72	
-1171. 9. 1. -1129.11.24.				1045th position to B Abimelech		72

15696 Bytes yet free.

(1029th/1045) position: - 868. 4.21. - 859. 8.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:	
- 868. 4.21. - 859. 8.29. E	0	E		44	44	
- 889. 4.21. ≥	E	2	B	43	44	
- 868. 4.21. - 857. 8.29. E	5	B		44	44	
- 869. 4.21. - 859. 8.29. E	7	B		41	44	
- 868. 4.21. - 859. 8.29. +	0	+		44	44	
	0	E		0	0	
- 868. 4.21. - 859. 8.29. E	0	E		0	44	
- 868. 4.21. - 859. 8.29.				1046th position to B Ahaziah (Ahab)		41

15696 Bytes yet free.

(1030th/1046) position: - 889. 4.21. - 859. 8.29. B Elijah 43
 Forward relations for entry Elijah (43/120) are generated.
 Backward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Ahab (44/120) are generated.
 Optimize dates...

Elijah	D	Kind	S	from:	to:
- 889. 4.21. - 859. 8.29.	B	0	B	43	43
- 889. 4.21. ≥	B	1	B	44	43
≤ - 859. 8.29.	B	8	E	44	43
		0	B	0	0
- 889. 4.21. - 859. 8.29.	B	0	B	0	43

15696 Bytes yet free.

(1031st/1046) position: - 886. 4.21. - 875. 8.23. B Jehoshaphat 42
 Forward relations for entry Jehoshaphat (42/120) are generated.
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 886. 4.21. - 875. 8.23.	B	0	B	42	42
- 887. 4.21. - 875. 8.23.	B	1	E	51	42
- 886. 4.21. - 875. 8.29.	B	3	B	44	42
- 889. 4.21. - 873. 8.23.	B	4	*	42	42
- 889. 4.21. - 873. 8.23.	B	6	E	42	42
- 886. 4.21. - 875. 8.29.	B	9	B	41	42
- 887. 4.21. - 875. 8.29.	B	10	α	37	42
		0	B	0	0
- 886. 4.21. - 875. 8.23.	B	0	B	0	42
- 886. 4.21. - 875. 8.23.				1047th position to E Asa	51
- 922. 4.21. - 909. 8.23.				1048th position to * Jehoshaphat	42
- 862. 4.21. - 849. 8.23.				1049th position to E Jehoshaphat	42

15696 Bytes yet free.

(1032nd/1049) position: -1126. 9. 1. ≥ E Jair 70
 Forward relations for entry Jair (70/120) are generated.
 Optimize dates...

Jair	D	Kind	S	from:	to:
-1126. 9. 1. ≥	E	0	E	70	70
-1126. 9. 1. ≥	E	5	B	70	70
-1126. 9. 1. ≥	+	0	+	70	70
		0	E	0	0
-1126. 9. 1. ≥	E	0	E	0	70

15696 Bytes yet free.

(1033rd/1049) position: -1209. 9.15. -1166. 6.30. B Gideon = Jerubbaal 73
 Forward relations for entry Gideon = Jerubbaal (73/120) are generated.
 Backward relations for entry Abimelech (72/120) are generated.
 Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
-1209. 9.15. -1166. 6.30.	B	0	B	73	73
-1209. 9.15. -1166. 6.30.	B	1	E	74	73
-1212. 9. 1. -1166. 6.30.	B	5	E	73	73
		0	B	0	0
-1209. 9.15. -1166. 6.30.	B	0	B	0	73
-1170. 9.15. -1127. 6.30.				1050th position to E Gideon = Jerubbaal	73

15696 Bytes yet free.

(1034th/1050) position: - 746. 4.21. - 736. 8.29. B Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:	
- 746. 4.21. - 736. 8.29. B	0	B		17	17	
- 747. 1.22. - 736. 8.29. B	1	E		19	17	
- 749. 1.22. - 734. 8.29. B	4	*		17	17	
- 746. 4.21. - 734. 8.29. B	9	B		16	17	
- 747. 1.22. - 736. 8.29. B	5	E		18	18	
	0	B		0	0	
- 746. 4.21. - 736. 8.29. B	0	B		0	17	
- 746. 4.21. - 736. 8.29.			1051st position to E	Jotham		19
- 767. 4.21. - 755. 8.29.			1052nd position to *	Ahaz		17

15696 Bytes yet free.

(1035th/1052) position: - 725. 4.21. - 714. 8.29. E Hoshea 16
 Forward relations for entry Hoshea (16/120) are generated.
 Backward relations for entry Captivity of Israel (15/120) are generated.
 Optimize dates...

Hoshea	D	Kind	S	from:	to:	
- 725. 4.21. - 714. 8.29. E	0	E		16	16	
- 725. 4.21. - 713. 8.29. E	5	B		16	16	
- 725. 4.21. - 714. 8.29. E	7	B		15	16	
	0	E		0	0	
- 725. 4.21. - 714. 8.29. E	0	E		0	16	

15696 Bytes yet free.

(1036th/1052) position: - 725. 4.21. - 714. 8.29. B Captivity of Israel 15
 Forward relations for entry Captivity of Israel (15/120) are generated.
 Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:	
- 725. 4.21. - 714. 8.29. B	0	B		15	15	
- 725. 4.21. - 714. 8.29. B	1	E		16	15	
- 725. 1.22. - 714. 8.29. B	3	B		14	15	
- 725. 4.21. - 713. 8.29. B	4	B		16	15	
	0	B		0	0	
- 725. 4.21. - 714. 8.29. B	0	B		0	15	

15696 Bytes yet free.

(1037th/1052) position: -1139. 7.15. -1112. 3.23. B Eli 64
 Forward relations for entry Eli (64/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Optimize dates...

Eli	D	Kind	S	from:	to:	
-1139. 7.15. -1112. 3.23. B	0	B		64	64	
-1139. 7.15. -1112. 3.23. B	6	E		64	64	
	0	B		0	0	
-1139. 7.15. -1112. 3.23. B	0	B		0	64	

15696 Bytes yet free.

(1038th/1052) position: -1197. 7.15. -1170. 3.23. * Eli 64
 Forward relations for entry Eli (64/120) are generated.
 Backward relations for entry Samuel (61/120) are generated.
 Optimize dates...

Eli	D	Kind	S	from:	to:	
-1197. 7.15. -1170. 3.23. *	0	*		64	64	
-1197. 7.15. -1170. 3.23. *	5	+		64	64	

```

          0 *          0          0||
-1197. 7.15. -1170. 3.23. * 0 *          0          64||

```

15696 Bytes yet free.

(1039th/1052) position: -2273. 9.15. -2263. 1.23. * Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

```

Nahor          D Knd S      from:      to:|
-2273. 9.15. -2263. 1.23. * 0 *          98      98||
-2273. 9.15. -2260. 8.29. * 3 *          99      98||
-2275. 9.15. -2263. 1.23. * 9 *          97      98||
-2275. 9.15. -2260. 8.29. * 10 +         99      98||
          0 *          0          0||
-2273. 9.15. -2263. 1.23. * 0 *          0          98||
-2302. 9.15. -2292. 1.23. 1053rd position to * Serug 99
-2074. 9.15. -2062. 1.23. 1054th position to + Serug 99

```

15696 Bytes yet free.

(1040th/1054) position: -2101. 9.15. -2090. 1.23. + Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

```

Terah          D Knd S      from:      to:|
-2101. 9.15. -2090. 1.23. + 0 +         97      97||
-2101. 9.15. -2089. 1.23. + 5 *         97      97||
          ≤-2090. 1.23. + 7 B          96      97||
          0 +          0          0||
-2101. 9.15. -2090. 1.23. + 0 +          0          97||

```

15696 Bytes yet free.

(1041st/1054) position: -2127. 9.15. -2115. 1.23. + Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

```

Nahor          D Knd S      from:      to:|
-2127. 9.15. -2115. 1.23. + 0 +         98      98||
-2127. 9.15. -2115. 1.23. + 4 *         97      98||
          0 +          0          0||
-2127. 9.15. -2115. 1.23. + 0 +          0          98||

```

15696 Bytes yet free.

(1042nd/1054) position: -2101. 9.15. -2079. 1.23. B Battle in Siddim Vale 94

Forward relations for entry Battle in Siddim Vale (94/120) are generated.

Backward relations for entry Ishmael (93/120) are generated.

Optimize dates...

```

Battle in Siddim Vale D Knd S      from:      to:|
-2101. 9.15. -2079. 1.23. B 0 B          94      94||
-2101. 9.15. ≥          B 1 B          96      94||
          ≤-2079. 1.23. B 7 *          93      94||
          0 B          0          0||
-2101. 9.15. -2079. 1.23. B 0 B          0          94||

```

15696 Bytes yet free.

(1043rd/1054) position: -1955. 9.15. -1941. 1.23. + Ishmael 93

Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

```

Ishmael        D Knd S      from:      to:|
-1955. 9.15. -1941. 1.23. + 0 +         93      93||
-1955. 9.15. -1941. 1.23. + 5 *         93      93||

```

```

0 + 0 0||
-1955. 9.15. -1941. 1.23. + 0 + 0 93||

```

15696 Bytes yet free.

(1044th/1054) position: -2101. 9.15. -2090. 1.23. + Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

```

Terah D Knd S from: to:|
-2101. 9.15. -2090. 1.23. + 0 + 97 97||
-2101. 9.15. -2089. 1.23. + 5 * 97 97||
    ≤-2090. 1.23. + 7 B 96 97||
    0 + 0 0||
-2101. 9.15. -2090. 1.23. + 0 + 0 97||

```

15696 Bytes yet free.

(1045th/1054) position: -1171. 9. 1. -1129.11.24. B Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

```

Abimelech D Knd S from: to:|
-1171. 9. 1. -1129.11.24. B 0 B 72 72||
-1170. 9.15. -1127. 6.30. B 1 E 73 72||
-1173. 9. 1. -1129.11.24. B 5 E 72 72||
    1Y 14D 0 B 0 0||
-1170. 9.15. -1129.11.24. B 0 B 0 72||
-1170. 9.15. -1129.11.24. 1055th position to B Abimelech 72
-1170. 9.15. -1129.11.24. 1056th position to E Gideon = Jerubbaal 73
-1168. 9.15. -1127.11.24. 1057th position to E Abimelech 72

```

15696 Bytes yet free.

(1046th/1057) position: - 868. 4.21. - 859. 8.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahaziah (Ahab) D Knd S from: to:|
- 868. 4.21. - 859. 8.29. B 0 B 41 41||
- 868. 4.21. - 859. 8.29. B 1 E 44 41||
- 870. 4.21. - 857. 8.23. B 3 B 42 41||
- 871. 4.21. - 859. 8.29. B 5 E 41 41||
    0 B 0 0||
- 868. 4.21. - 859. 8.29. B 0 B 0 41||
- 867. 4.21. - 858. 8.29. 1058th position to E Ahaziah (Ahab) 41

```

15696 Bytes yet free.

(1047th/1058) position: - 886. 4.21. - 875. 8.23. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

```

Asa D Knd S from: to:|
- 886. 4.21. - 875. 8.23. E 0 E 51 51||
- 887. 4.15. - 875. 8.23. E 5 B 51 51||
- 886. 4.21. - 875. 8.23. E 7 B 42 51||
- 886. 4.21. - 875. 8.23. + 0 + 51 51||
    0 E 0 0||
- 886. 4.21. - 875. 8.23. E 0 E 0 51||

```

15696 Bytes yet free.

(1048th/1058) position: - 922. 4.21. - 909. 8.23. * Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 922. 4.21. - 909. 8.23. *	0	*		42	42
- 922. 4.21. - 909. 8.23. *	10	B		42	42
	0	*		0	0
- 922. 4.21. - 909. 8.23. *	0	*		0	42

15696 Bytes yet free.

(1049th/1058) position: - 862. 4.21. - 849. 8.23. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
- 862. 4.21. - 849. 8.23. E	0	E		42	42
- 862. 4.21. - 849. 8.23. E	6	B		42	42
- 863. 4.21. - 849. 8.23. E	7	α		40	42
- 862. 4.21. - 849. 8.23. +	0	+		42	42
	0	E		0	0
- 862. 4.21. - 849. 8.23. E	0	E		0	42
- 862. 4.21. - 849. 8.23.	1059th position to α Jehoram (Jehoshaphat)			40	

15696 Bytes yet free.

(1050th/1059) position: -1170. 9.15. -1129.11.24. E Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
-1170. 9.15. -1129.11.24. E	0	E		73	73
-1170. 9.15. -1125. 6.30. E	5	B		73	73
-1170. 9.15. -1129.11.24. E	7	B		72	73
-1170. 9.15. -1129.11.24. +	0	+		73	73
	0	E		0	0
-1170. 9.15. -1129.11.24. E	0	E		0	73
-1209. 9.15. -1168.11.24.	1060th position to B Gideon = Jerubbaal			73	

15696 Bytes yet free.

(1051st/1060) position: - 746. 4.21. - 736. 8.29. E Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:
- 746. 4.21. - 736. 8.29. E	0	E		19	19
- 749. 1.22. - 734. 8.29. E	6	B		19	19
- 746. 4.21. - 736. 8.29. E	7	B		17	19
	0	E		0	0
- 746. 4.21. - 736. 8.29. E	0	E		0	19
- 763. 4.21. - 751. 8.29.	1061st position to B Jotham			19	

15696 Bytes yet free.

(1052nd/1061) position: - 767. 4.21. - 755. 8.29. * Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.
Optimize dates...

Ahaz	D	Kind	S	from:	to:
- 767. 4.21. - 755. 8.29. *	0	*		17	17
- 767. 4.21. - 755. 8.29. *	10	B		17	17
	0	*		0	0
- 767. 4.21. - 755. 8.29. *	0	*		0	17

15696 Bytes yet free.

(1053rd/1061) position: -2302. 9.15. -2292. 1.23. * Serug 99
Forward relations for entry Serug (99/120) are generated.

Optimize dates...

Serug	D	Kind	S	from:	to:
-2302. 9.15. -2292. 1.23. *	0	*		99	99
-2302. 9.15. -2289. 8.29. *	3	*		100	99
-2304. 9.15. -2292. 1.23. *	9	*		98	99
-2304. 9.15. -2289. 8.29. *	10	+		100	99
	0	*		0	0
-2302. 9.15. -2292. 1.23. *	0	*		0	99
-2333. 9.15. -2323. 1.23.	1062nd	position to	* Reu		100
-2096. 9.15. -2084. 1.23.	1063rd	position to	+ Reu		100

15696 Bytes yet free.

(1054th/1063) position: -2074. 9.15. -2062. 1.23. + Serug 99
Forward relations for entry Serug (99/120) are generated.

Optimize dates...

Serug	D	Kind	S	from:	to:
-2074. 9.15. -2062. 1.23. +	0	+		99	99
-2074. 9.15. -2062. 1.23. +	4	*		98	99
	0	+		0	0
-2074. 9.15. -2062. 1.23. +	0	+		0	99

15696 Bytes yet free.

(1055th/1063) position: -1170. 9.15. -1129.11.24. B Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Kind	S	from:	to:
-1170. 9.15. -1129.11.24. B	0	B		72	72
-1170. 9.15. -1129.11.24. B	1	E		73	72
-1172. 9.15. -1129.11.24. B	5	E		72	72
	0	B		0	0
-1170. 9.15. -1129.11.24. B	0	B		0	72

15696 Bytes yet free.

(1056th/1063) position: -1170. 9.15. -1129.11.24. E Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
-1170. 9.15. -1129.11.24. E	0	E		73	73
-1170. 9.15. -1127.11.24. E	5	B		73	73
-1170. 9.15. -1129.11.24. E	7	B		72	73
-1170. 9.15. -1129.11.24. +	0	+		73	73
	0	E		0	0
-1170. 9.15. -1129.11.24. E	0	E		0	73

15696 Bytes yet free.

(1057th/1063) position: -1168. 9.15. -1127.11.24. E Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Kind	S	from:	to:	
-1168. 9.15. -1127.11.24.	E	0	E	72	72	
-1168. 9.15. -1125.11.24.	E	5	B	72	72	
≤-1127.11.24.	E	7	B	69	72	
	E	7	B	71	72	
-1168. 9.15. -1127.11.24. +	0	+		72	72	
	0	E		0	0	
-1168. 9.15. -1127.11.24.	E	0	E	0	72	
-1168. 9.15. ≥				1064th position to B Tola		71

15696 Bytes yet free.

(1058th/1064) position: - 867. 4.21. - 858. 8.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
- 867. 4.21. - 858. 8.29.	E	0	E	41	41	
- 867. 4.21. - 856. 8.29.	E	5	B	41	41	
- 868. 4.21. - 858. 8.29.	E	7	α	37	41	
≤- 858. 8.29.	E	8	E	43	41	
- 867. 4.21. - 858. 8.29. +	0	+		41	41	
	0	E		0	0	
- 867. 4.21. - 858. 8.29.	E	0	E	0	41	
- 867. 4.21. - 858. 8.29.				1065th position to α Joram (Ahab)		37
- 867. 4.21. - 858. 8.29.				1066th position to E Elijah		43

15696 Bytes yet free.

(1059th/1066) position: - 862. 4.21. - 849. 8.23. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
- 862. 4.21. - 849. 8.23.	α	0	α	40	40	
- 862. 4.21. - 849. 8.23.	α	1	E	42	40	
	0	α		0	0	
- 862. 4.21. - 849. 8.23.	α	0	α	0	40	

15696 Bytes yet free.

(1060th/1066) position: -1209. 9.15. -1168.11.24. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:	
-1209. 9.15. -1168.11.24.	B	0	B	73	73	
-1209. 9.15. -1166. 6.30.	B	1	E	74	73	
-1211. 9.15. -1168.11.24.	B	5	E	73	73	
	0	B		0	0	
-1209. 9.15. -1168.11.24.	B	0	B	0	73	
-1209. 9.15. -1168.11.24.				1067th position to E Midianites		74

15696 Bytes yet free.

(1061st/1067) position: - 763. 4.21. - 751. 8.29. B Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kind	S	from:	to:†	
- 763. 4.21. - 751. 8.29.	B	0	B	19	19	
- 766. 1.22. - 749. 8.29.	B	4	*	19	19	
- 763. 4.21. - 751. 8.29.	B	6	E	19	19	
		0	B	0	0	
- 763. 4.21. - 751. 8.29.	B	0	B	0	19	
- 789. 4.21. - 775. 8.29.				1068th position to *	Jotham	19

15696 Bytes yet free.

(1062nd/1068) position: -2333. 9.15. -2323. 1.23. * Reu 100
 Forward relations for entry Reu (100/120) are generated.
 Optimize dates...

Reu	D	Kind	S	from:	to:†	
-2333. 9.15. -2323. 1.23.	*	0	*	100	100	
-2333. 9.15. -2320. 8.29.	*	3	*	101	100	
-2335. 9.15. -2323. 1.23.	*	9	*	99	100	
-2335. 9.15. -2320. 8.29.	*	10	+	101	100	
		0	*	0	0	
-2333. 9.15. -2323. 1.23.	*	0	*	0	100	
-2362. 9.15. -2352. 1.23.				1069th position to *	Peleg	101
-2125. 9.15. -2113. 1.23.				1070th position to +	Peleg	101

15696 Bytes yet free.

(1063rd/1070) position: -2096. 9.15. -2084. 1.23. + Reu 100
 Forward relations for entry Reu (100/120) are generated.
 Optimize dates...

Reu	D	Kind	S	from:	to:†	
-2096. 9.15. -2084. 1.23.	+	0	+	100	100	
-2096. 9.15. -2084. 1.23.	+	4	*	99	100	
		0	+	0	0	
-2096. 9.15. -2084. 1.23.	+	0	+	0	100	

15696 Bytes yet free.

(1064th/1070) position: -1168. 9.15.≥ B Tola 71
 Forward relations for entry Tola (71/120) are generated.
 Backward relations for entry Jair (70/120) are generated.
 Optimize dates...

Tola	D	Kind	S	from:	to:†	
-1168. 9.15.≥	B	0	B	71	71	
-1168. 9.15.≥	B	1	E	72	71	
-1171. 9. 1.≥	B	5	E	71	71	
		0	B	0	0	
-1168. 9.15.≥	B	0	B	0	71	
-1146. 9.15.≥				1071st position to E	Tola	71

15696 Bytes yet free.

(1065th/1071) position: - 867. 4.21. - 858. 8.29. α Joram (Ahab) 37
 Forward relations for entry Joram (Ahab) (37/120) are generated.
 Backward relations for entry Jehu (33/120) are generated.
 Backward relations for entry Athaliah (34/120) are generated.
 Forward relations for entry Joram (Ahab) (38/120) are generated.
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†	
--------------	---	------	---	-------	------	--


```

- 867. 4.21. - 858. 8.29. α 0 α 37 37||
- 867. 4.21. - 858. 8.29. α 1 E 41 37||
- 867. 4.21. ≥ α 2 E 43 37||
- 870. 4.21. - 858. 8.29. α 3 B 40 37||
- 869. 4.21. - 856. 8.23. α 4 B 42 37||
                                0 α 0 0||
- 867. 4.21. - 858. 8.29. α 0 α 0 37||
- 870. 4.21. - 861. 8.29. 1072nd position to B Jehoram (Jehoshaphat) 40

```

15696 Bytes yet free.

```

(1066th/1072) position: - 867. 4.21. - 858. 8.29. E Elijah 43
Forward relations for entry Elijah (43/120) are generated.
Backward relations for entry Elisha (39/120) are generated.
Backward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Ahab (44/120) are generated.
Optimize dates...

```

```

Elijah D Knd S from: to:|
- 867. 4.21. - 858. 8.29. E 0 E 43 43||
- 867. 4.21. ≥ E 2 E 41 43||
- 868. 4.21. - 858. 8.29. E 7 B 39 43||
    ≤- 858. 8.29. E 8 α 37 43||
- 867. 4.21. - 858. 8.29. + 0 + 43 43||
                                0 E 0 0||
- 867. 4.21. - 858. 8.29. E 0 E 0 43||
- 867. 4.21. - 858. 8.29. 1073rd position to B Elisha 39

```

15696 Bytes yet free.

```

(1067th/1073) position: -1209. 9.15. -1168.11.24. E Midianites 74
Forward relations for entry Midianites (74/120) are generated.
Backward relations for entry Gideon = Jerubbaal (73/120) are generated.
Optimize dates...

```

```

Midianites D Knd S from: to:|
-1209. 9.15. -1168.11.24. E 0 E 74 74||
-1209. 9.15. -1164. 6.30. E 5 B 74 74||
-1209. 9.15. -1168.11.24. E 7 B 73 74||
                                0 E 0 0||
-1209. 9.15. -1168.11.24. E 0 E 0 74||
-1215. 9.15. -1174.11.24. 1074th position to B Midianites 74

```

15696 Bytes yet free.

```

(1068th/1074) position: - 789. 4.21. - 775. 8.29. * Jotham 19
Forward relations for entry Jotham (19/120) are generated.
Backward relations for entry Ahaz (17/120) are generated.
Backward relations for entry Ahaz (17/120) are generated.
Optimize dates...

```

```

Jotham D Knd S from: to:|
- 789. 4.21. - 775. 8.29. * 0 * 19 19||
- 789. 4.21. - 775. 8.29. * 10 B 19 19||
                                0 * 0 0||
- 789. 4.21. - 775. 8.29. * 0 * 0 19||

```

15696 Bytes yet free.

```

(1069th/1074) position: -2362. 9.15. -2352. 1.23. * Peleg 101
Forward relations for entry Peleg (101/120) are generated.
Optimize dates...

```

```

Peleg D Knd S from: to:|
-2362. 9.15. -2352. 1.23. * 0 * 101 101||
-2362. 9.15. -2351. 8.29. * 1 B 102 101||

```

```

-2362. 9.15. -2349. 8.29. * 3 * 103 101||
-2364. 9.15. -2352. 1.23. * 9 * 100 101||
-2364. 9.15. -2349. 8.29. * 10 + 103 101||
      0 * 0 0||
-2362. 9.15. -2352. 1.23. * 0 * 0 101||
-2362. 9.15. -2352. 1.23. 1075th position to B Tower of Babel 102
-2395. 9.15. -2385. 1.23. 1076th position to * Eber 103
-1933. 9.15. -1921. 1.23. 1077th position to + Eber 103

```

15696 Bytes yet free.

(1070th/1077) position: -2125. 9.15. -2113. 1.23. + Peleg 101
 Forward relations for entry Peleg (101/120) are generated.

Optimize dates...

```

Peleg      D Knd S      from:      to:|
-2125. 9.15. -2113. 1.23. + 0 + 101 101||
-2125. 9.15. -2113. 1.23. + 4 * 100 101||
      0 + 0 0||
-2125. 9.15. -2113. 1.23. + 0 + 0 101||

```

15696 Bytes yet free.

(1071st/1077) position: -1146. 9.15. ≥ E Tola 71
 Forward relations for entry Tola (71/120) are generated.
 Backward relations for entry Jair (70/120) are generated.

Optimize dates...

```

Tola      D Knd S      from:      to:|
-1146. 9.15. ≥ E 0 E 71 71||
-1146. 9.15. ≥ E 5 B 71 71||
      E 7 B 70 71||
-1146. 9.15. ≥ + 0 + 71 71||
      0 E 0 0||
-1146. 9.15. ≥ E 0 E 0 71||
-1146. 9.15. ≥ 1078th position to B Jair 70

```

15696 Bytes yet free.

(1072nd/1078) position: - 870. 4.21. - 861. 8.29. B Jehoram (Jehoshaphat) 40
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S      from:      to:|
- 870. 4.21. - 861. 8.29. B 0 B 40 40||
- 872. 4.21. - 859. 8.29. B 3 B 37 40||
- 873. 4.21. - 859. 8.29. B 4 * 40 40||
- 873. 4.21. - 861. 8.29. B 6 E 40 40||
- 870. 4.21. - 859. 8.29. B 9 α 37 40||
      0 B 0 0||
- 870. 4.21. - 861. 8.29. B 0 B 0 40||
- 903. 4.21. - 892. 8.29. 1079th position to * Jehoram (Jehoshaphat) 40
- 863. 4.21. - 854. 8.29. 1080th position to E Jehoram (Jehoshaphat) 40

```

15696 Bytes yet free.

(1073rd/1080) position: - 867. 4.21. - 858. 8.29. B Elisha 39
 Forward relations for entry Elisha (39/120) are generated.
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Elisha      D Knd S      from:      to:|
- 867. 4.21. - 858. 8.29. B 0 B 39 39||
- 867. 4.21. - 858. 8.29. B 1 E 43 39||
      0 B 0 0||

```

- 867. 4.21. - 858. 8.29. B 0 B 0 39||

15696 Bytes yet free.

(1074th/1080) position: -1215. 9.15. -1174.11.24. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D	Knd	S	from:	to:	
-1215. 9.15. -1174.11.24.	B	0	B	74	74	
-1215. 9.15. -1172. 6.30.	B	1	E	75	74	
-1217. 9.15. -1174.11.24.	B	5	E	74	74	
		0	B	0	0	
-1215. 9.15. -1174.11.24.	B	0	B	0	74	
-1215. 9.15. -1174.11.24.				1081st position to E Deborah and Barak		75

15696 Bytes yet free.

(1075th/1081) position: -2362. 9.15. -2352. 1.23. B Tower of Babel 102

Forward relations for entry Tower of Babel (102/120) are generated.

Backward relations for entry Peleg (101/120) are generated.

Optimize dates...

Tower of Babel	D	Knd	S	from:	to:	
-2362. 9.15. -2352. 1.23.	B	0	B	102	102	
-2362. 9.15. -2352. 1.23.	B	7	*	101	102	
		0	B	0	0	
-2362. 9.15. -2352. 1.23.	B	0	B	0	102	

15696 Bytes yet free.

(1076th/1081) position: -2395. 9.15. -2385. 1.23. * Eber 103

Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber	D	Knd	S	from:	to:	
-2395. 9.15. -2385. 1.23.	*	0	*	103	103	
-2395. 9.15. -2382. 8.29.	*	3	*	104	103	
-2397. 9.15. -2385. 1.23.	*	9	*	101	103	
-2397. 9.15. -2382. 8.29.	*	10	+	104	103	
		0	*	0	0	
-2395. 9.15. -2385. 1.23.	*	0	*	0	103	
-2424. 9.15. -2414. 1.23.				1082nd position to * Salah		104
-1993. 9.15. -1981. 1.23.				1083rd position to + Salah		104

15696 Bytes yet free.

(1077th/1083) position: -1933. 9.15. -1921. 1.23. + Eber 103

Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber	D	Knd	S	from:	to:	
-1933. 9.15. -1921. 1.23.	+	0	+	103	103	
-1933. 9.15. -1921. 1.23.	+	4	*	101	103	
		0	+	0	0	
-1933. 9.15. -1921. 1.23.	+	0	+	0	103	

15696 Bytes yet free.

(1078th/1083) position: -1146. 9.15.≥ B Jair 70

Forward relations for entry Jair (70/120) are generated.

Optimize dates...

Jair	D	Knd	S	from:	to:	
-1146. 9.15.≥	B	0	B	70	70	
-1146. 9.15.≥	B	1	E	71	70	
-1149. 9. 1.≥	B	5	E	70	70	

```

          0 B      0      0||
-1146. 9.15.≥      B  0 B      0      70||
-1125. 9.15.≥      1084th position to E Jair      70

```

15696 Bytes yet free.

(1079th/1084) position: - 903. 4.21. - 892. 8.29. * Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 903. 4.21. - 892. 8.29. *   0 *          40        40||
- 903. 4.21. - 892. 8.29. *  10 B          40        40||
                        0 *          0         0||
- 903. 4.21. - 892. 8.29. *   0 *          0        40||

```

15696 Bytes yet free.

(1080th/1084) position: - 863. 4.21. - 854. 8.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
- 863. 4.21. - 854. 8.29. E   0 E          40        40||
- 863. 4.21. - 852. 8.29. E   6 B          40        40||
- 864. 4.21. - 854. 8.29. E   7 B          35        40||
- 863. 4.21. - 854. 8.29. +   0 +          40        40||
                        0 E          0         0||
- 863. 4.21. - 854. 8.29. E   0 E          0        40||
- 863. 4.21. - 854. 8.29.  1085th position to B Ahaziah (Joram)      35

```

15696 Bytes yet free.

(1081st/1085) position: -1215. 9.15. -1174.11.24. E Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

```

Deborah and Barak          D Knd S      from:      to:|
-1215. 9.15. -1174.11.24. E   0 E          75        75||
-1215. 9.15. -1170. 6.30. E   5 B          75        75||
-1215. 9.15. -1174.11.24. E   7 B          74        75||
                        0 E          0         0||
-1215. 9.15. -1174.11.24. E   0 E          0        75||
-1254. 9.15. -1213.11.24.  1086th position to B Deborah and Barak      75

```

15696 Bytes yet free.

(1082nd/1086) position: -2424. 9.15. -2414. 1.23. * Salah 104

Forward relations for entry Salah (104/120) are generated.

Optimize dates...

```

Salah                      D Knd S      from:      to:|
-2424. 9.15. -2414. 1.23. *   0 *          104       104||
-2424. 9.15. -2411. 8.29. *   3 *          105       104||
-2426. 9.15. -2414. 1.23. *   9 *          103       104||
-2426. 9.15. -2411. 8.29. *   9 +          106       104||
                        0 *          0         0||
-2424. 9.15. -2414. 1.23. *   0 *          0        104||
-2458. 9.15. -2448. 1.23.  1087th position to * Arphaxad      105
-2022. 9.15. -2010. 1.23.  1088th position to + Arphaxad      106

```

15696 Bytes yet free.

(1083rd/1088) position: -1993. 9.15. -1981. 1.23. + Salah 104

Forward relations for entry Salah (104/120) are generated.
Optimize dates...

Salah	D	Kind	S	from:	to:†
-1993. 9.15. -1981. 1.23. +	0	+		104	104
-1993. 9.15. -1981. 1.23. +	4	*		103	104
	0	+		0	0
-1993. 9.15. -1981. 1.23. +	0	+		0	104

15696 Bytes yet free.

(1084th/1088) position: -1125. 9.15.≥ E Jair 70

Forward relations for entry Jair (70/120) are generated.
Optimize dates...

Jair	D	Kind	S	from:	to:†
-1125. 9.15.≥	E	0	E	70	70
-1125. 9.15.≥	E	5	B	70	70
-1125. 9.15.≥	+	0	+	70	70
	0	E		0	0
-1125. 9.15.≥	E	0	E	0	70

15696 Bytes yet free.

(1085th/1088) position: - 863. 4.21. - 854. 8.29. B Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:†
- 863. 4.21. - 854. 8.29. B	0	B		35	35
- 863. 4.21. - 854. 8.29. B	1	E		40	35
- 865. 4.21. - 852. 8.29. B	3	B		37	35
- 866. 4.21. - 852. 8.29. B	4	*		35	35
- 866. 4.21. - 854. 8.29. B	6	E		35	35
- 866. 4.21. - 853. 8.29. B	3	B		37	36
	0	B		0	0
- 863. 4.21. - 854. 8.29. B	0	B		0	35
- 886. 4.21. - 875. 8.29.	1089th	position to	* Ahaziah (Joram)		35
- 863. 4.21. - 854. 8.29.	1090th	position to	E Ahaziah (Joram)		35
- 875. 4.21. - 865. 8.29.	1091st	position to	B Joram (Ahab)		37

15696 Bytes yet free.

(1086th/1091) position: -1254. 9.15. -1213.11.24. B Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:†
-1254. 9.15. -1213.11.24. B	0	B		75	75
-1254. 9.15. -1211. 6.30. B	1	E		76	75
-1256. 9.15. -1213.11.24. B	5	E		75	75
	0	B		0	0
-1254. 9.15. -1213.11.24. B	0	B		0	75
-1254. 9.15. -1213.11.24.	1092nd	position to	E Sisera		76

15696 Bytes yet free.

(1087th/1092) position: -2458. 9.15. -2448. 1.23. * Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kind	S	from:	to:†
----------	---	------	---	-------	------

-2458.	9.15.	-2448.	1.23.	*	0 *	105	105	
-2458.	9.15.	-2445.	8.29.	*	3 E	107	105	
-2460.	9.15.	-2446.	7. 3.	*	4 *	109	105	
-2460.	9.15.	-2448.	1.23.	*	9 *	104	105	
-2460.	9.15.	-2445.	8.29.	*	10 +	109	105	
					0 *	0	0	
-2458.	9.15.	-2448.	1.23.	*	0 *	0	105	
-2459.	9.15.	-2449.	1.23.		1093rd position to E Great Flood			107
-2559.	9.15.	-2547.	1.23.		1094th position to * Shem			109
-1959.	9.15.	-1947.	1.23.		1095th position to + Shem			109

15696 Bytes yet free.

(1088th/1095) position: -2022. 9.15. -2010. 1.23. + Arphaxad 106

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad		D	Knd	S	from:	to:
-2022.	9.15.	-2010.	1.23.	+	0 +	105 105
-2022.	9.15.	-2010.	1.23.	+	3 *	104 106
					0 +	0 0
-2022.	9.15.	-2010.	1.23.	+	0 +	0 105

15696 Bytes yet free.

(1089th/1095) position: - 886. 4.21. - 875. 8.29. * Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)		D	Knd	S	from:	to:
- 886.	4.21.	- 875.	8.29.	*	0 *	35 35
- 886.	4.21.	- 875.	8.29.	*	10 B	35 35
					0 *	0 0
- 886.	4.21.	- 875.	8.29.	*	0 *	0 35

15696 Bytes yet free.

(1090th/1095) position: - 863. 4.21. - 854. 8.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)		D	Knd	S	from:	to:	
- 863.	4.21.	- 854.	8.29.	E	0 E	35 35	
- 863.	4.21.	- 852.	8.29.	E	6 B	35 35	
- 864.	4.21.	- 854.	8.29.	E	7 B	33 35	
- 864.	4.21.	- 854.	8.29.	E	7 B	34 35	
- 863.	4.21.	- 854.	8.29.	+	0 +	35 35	
					0 E	0 0	
- 863.	4.21.	- 854.	8.29.	E	0 E	0 35	
- 863.	4.21.	- 854.	8.29.		1096th position to B Jehu		33
- 863.	4.21.	- 854.	8.29.		1097th position to B Athaliah		34

15696 Bytes yet free.

(1091st/1097) position: - 875. 4.21. - 865. 8.29. B Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
- 875. 4.21. - 865. 8.29. B	0	B		37	37
- 876. 4.21. - 865. 8.29. B	9	B		35	37
- 875. 4.21. - 864. 8.29. B	9	B		36	37
- 876. 4.21. - 865. 8.29. B	9	B		40	37
- 877. 4.21. - 865. 8.29. B	5	E		38	38
	0	B		0	0
- 875. 4.21. - 865. 8.29. B	0	B		0	37

15696 Bytes yet free.

(1092nd/1097) position: -1254. 9.15. -1213.11.24. E Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kind	S	from:	to:†
-1254. 9.15. -1213.11.24. E	0	E		76	76
-1254. 9.15. -1209. 6.30. E	5	B		76	76
-1254. 9.15. -1213.11.24. E	7	B		75	76
-1254. 9.15. -1213.11.24. +	0	+		76	76
	0	E		0	0
-1254. 9.15. -1213.11.24. E	0	E		0	76
-1273. 9.15. -1232.11.24. 1098th position to B Sisera					76

15696 Bytes yet free.

(1093rd/1098) position: -2459. 9.15. -2449. 1.23. E Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood	D	Kind	S	from:	to:†
-2459. 9.15. -2449. 1.23. E	0	E		107	107
-2461. 9.15. -2449. 1.23. E	9	*		105	107
-2461. 9.15. -2446. 7. 3. E	10	+		110	107
-2459. 9.15. -2448. 8.30. E	3	*		110	108
	0	E		0	0
-2459. 9.15. -2449. 1.23. E	0	E		0	107
-2110. 9.15. -2098. 1.23. 1099th position to + Noah					110
-3059. 7.19. -3050.11.27. 1100th position to * Noah					110

15696 Bytes yet free.

(1094th/1100) position: -2559. 9.15. -2547. 1.23. * Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:†
-2559. 9.15. -2547. 1.23. *	0	*		109	109
-2560. 7.19. -2549.11.27. *	3	*		110	109
-2559. 9.15. -2547. 1.23. *	10	*		105	109
1Y 1M26D	0	*		0	0
-2559. 9.15. -2549.11.27. *	0	*		0	109
-2559. 9.15. -2549.11.27. 1101st position to * Shem					109

15696 Bytes yet free.

(1095th/1101) position: -1959. 9.15. -1947. 1.23. + Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:†
-1959. 9.15. -1947. 1.23. +	0	+		109	109

```

-1959. 9.15. -1947. 1.23. + 4 *      105      109||
                        0 +          0          0||
-1959. 9.15. -1947. 1.23. + 0 +          0      109||

```

15696 Bytes yet free.

(1096th/1101) position: - 863. 4.21. - 854. 8.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:	
- 863. 4.21. - 854. 8.29. B	0	B		33	33	
- 863. 4.21. - 854. 8.29. B	1	E		35	33	
- 864. 4.21. - 854. 8.29. B	2	E		37	33	
- 865. 4.21. - 853. 8.29. B	5	E		33	33	
- 866. 4.21. - 854. 8.29. B	9	B		32	33	
	0	B		0	0	
- 863. 4.21. - 854. 8.29. B	0	B		0	33	
- 863. 4.21. - 854. 8.29.				1102nd position to E Joram (Ahab)		37
- 857. 4.21. - 848. 8.29.				1103rd position to B Joash (Ahaziah)		32

15696 Bytes yet free.

(1097th/1103) position: - 863. 4.21. - 854. 8.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
- 863. 4.21. - 854. 8.29. B	0	B		34	34	
- 863. 4.21. - 854. 8.29. B	1	E		35	34	
- 863. 4.21. - 854. 8.29. B	2	E		37	34	
- 865. 4.21. - 853. 8.29. B	5	E		34	34	
	0	B		0	0	
- 863. 4.21. - 854. 8.29. B	0	B		0	34	

15696 Bytes yet free.

(1098th/1103) position: -1273. 9.15. -1232.11.24. B Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kind	S	from:	to:	
-1273. 9.15. -1232.11.24. B	0	B		76	76	
-1273. 9.15. -1230. 6.30. B	1	E		77	76	
-1275. 9.15. -1232.11.24. B	5	E		76	76	
	0	B		0	0	
-1273. 9.15. -1232.11.24. B	0	B		0	76	
-1273. 9.15. -1232.11.24.				1104th position to E Ehud		77

15696 Bytes yet free.

(1099th/1104) position: -2110. 9.15. -2098. 1.23. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kind	S	from:	to:	
-2110. 9.15. -2098. 1.23. +	0	+		110	110	
-2110. 7.19. -2099.11.27. +	5	*		110	110	
-2110. 9.15. -2098. 1.23. +	4	E		107	110	
1M26D	0	+		0	0	
-2110. 9.15. -2099.11.27. +	0	+		0	110	
-2110. 9.15. -2099.11.27.				1105th position to + Noah		110

15696 Bytes yet free.

(1100th/1105) position: -3059. 7.19. -3050.11.27. * Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Knd	S	from:	to:	
-3059. 7.19. -3050.11.27.	*	0	*	110	110	
-3061. 7.19. -3047. 8.20.	*	3	*	111	110	
-3061. 9.15. -3048.11.27.	*	5	+	110	110	
-3059. 7.19. -3048. 7. 4.	*	9	B	107	110	
-3059. 7.18. -3050.11.27.	*	9	E	108	110	
-3060. 9.15. -3048.11.27.	*	9	*	109	110	
-3059. 7.18. -3048. 7. 4.	*	10	Ω	107	110	
-3061. 7.19. -3048. 8.20.	*	10	+	111	110	
		0	*	0	0	
-3059. 7.19. -3050.11.27.	*	0	*	0	110	
-3113. 7.19. -3102.11.27.		1106th	position to	*	Lamech	111
-2460. 9. 6. -2450. 1.14.		1107th	position to	B	Great Flood	107
-2459. 7.19. -2450.11.28.		1108th	position to	Ω	Great Flood	107

15696 Bytes yet free.

(1101st/1108) position: -2559. 9.15. -2549.11.27. * Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Knd	S	from:	to:
-2559. 9.15. -2549.11.27.	*	0	*	109	109
-2560. 7.19. -2549.11.27.	*	3	*	110	109
-2559. 9.15. -2547. 1.23.	*	10	*	105	109
		0	*	0	0
-2559. 9.15. -2549.11.27.	*	0	*	0	109

15696 Bytes yet free.

(1102nd/1108) position: - 863. 4.21. - 854. 8.29. E Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Knd	S	from:	to:
- 863. 4.21. - 854. 8.29.	E	0	E	37	37
- 863. 4.21. - 854. 8.29.	E	8	B	33	37
- 863. 4.21. - 854. 8.29.	E	8	B	34	37
- 864. 4.21. - 852. 8.29.	E	5	B	38	38
- 863. 4.21. - 854. 8.29.	+	0	+	37	37
		0	E	0	0
- 863. 4.21. - 854. 8.29.	E	0	E	0	37

15696 Bytes yet free.

(1103rd/1108) position: - 857. 4.21. - 848. 8.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Knd	S	from:	to:
- 857. 4.21. - 848. 8.29.	B	0	B	32	32
- 858. 4.21. - 848. 8.29.	B	1	E	34	32
- 857. 4.21. - 846. 8.29.	B	3	B	33	32
- 860. 4.21. - 848. 8.29.	B	5	E	32	32
- 860. 4.21. - 846. 8.29.	B	4	*	32	32
- 858. 4.21. - 846. 8.29.	B	9	B	30	32

```

- 860. 4.21. - 848. 8.29. B   9 B      31      32||
                        0 B      0      0||
- 857. 4.21. - 848. 8.29. B   0 B      0      32||
- 857. 4.21. - 848. 8.29. 1109th position to E Athaliah      34
- 818. 4.21. - 809. 8.29. 1110th position to E Joash (Ahaziah) 32
- 865. 4.21. - 854. 8.29. 1111th position to * Joash (Ahaziah) 32
- 835. 4.21. - 826. 8.29. 1112th position to B Jehoahaz (Jehu) 31

```

15696 Bytes yet free.

(1104th/1112) position: -1273. 9.15. -1232.11.24. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

```

Ehud D Knd S from: to:|
-1273. 9.15. -1232.11.24. E 0 E 77 77||
-1273. 9.15. -1228. 6.30. E 5 B 77 77||
-1273. 9.15. -1232.11.24. E 7 B 76 77||
                        0 E 0 0||
-1273. 9.15. -1232.11.24. E 0 E 0 77||
-1352. 9.15. -1311.11.24. 1113th position to B Ehud 77

```

15696 Bytes yet free.

(1105th/1113) position: -2110. 9.15. -2099.11.27. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

```

Noah D Knd S from: to:|
-2110. 9.15. -2099.11.27. + 0 + 110 110||
-2110. 7.19. -2099.11.27. + 5 * 110 110||
-2110. 9.15. -2098. 1.23. + 4 E 107 110||
                        0 + 0 0||
-2110. 9.15. -2099.11.27. + 0 + 0 110||

```

15696 Bytes yet free.

(1106th/1113) position: -3113. 7.19. -3102.11.27. * Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

```

Lamech D Knd S from: to:|
-3113. 7.19. -3102.11.27. * 0 * 111 111||
-3115. 9. 6. -3100. 8.20. * 3 * 112 111||
-3114. 7.19. -3101. 8.20. * 5 + 111 111||
-3113. 7.19. -3102.11.27. * 9 * 110 111||
-3115. 7.19. -3101. 8.20. * 10 + 112 111||
                        0 * 0 0||
-3113. 7.19. -3102.11.27. * 0 * 0 111||

```

15696 Bytes yet free.

(1107th/1113) position: -2460. 9. 6. -2450. 1.14. B Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

```

Great Flood D Knd S from: to:|
-2460. 9. 6. -2450. 1.14. B 0 B 107 107||
-2460. 7.19.≥ B 1 + 111 107||
-2461. 7.19.≥ B 2 + 112 107||
-2460. 9. 5. -2450. 1.14. B 3 * 110 107||
-2460. 9. 6.≥ B 1 + 114 108||
                        0 B 0 0||

```

```

-2460. 9. 6. -2450. 1.14. B 0 B 0 107||
-2460. 7.19. -2450. 1.14. 1114th position to + Lamech 111
-2461. 7.19. -2450. 1.14. 1115th position to + Methuselah 112
-2460. 9. 6. -2450. 1.14. 1116th position to + Jared 114

```

15696 Bytes yet free.

```

(1108th/1116) position: -2459. 7.19. -2450.11.28. Ω Great Flood 107
Forward relations for entry Great Flood (107/120) are generated.
Forward relations for entry Great Flood (108/120) are generated.

```

Optimize dates...

Great Flood	D	Kind	S	from:	to:
-2459. 7.19. -2450.11.28. Ω	0	Ω		107	107
-2459. 7.19. -2450.11.28. Ω	4	*		110	107
	0	Ω		0	0
-2459. 7.19. -2450.11.28. Ω	0	Ω		0	107

15696 Bytes yet free.

```

(1109th/1116) position: - 857. 4.21. - 848. 8.29. E Athaliah 34
Forward relations for entry Athaliah (34/120) are generated.
Backward relations for entry Joash (Ahaziah) (32/120) are generated.

```

Optimize dates...

Athaliah	D	Kind	S	from:	to:
- 857. 4.21. - 848. 8.29. E	0	E		34	34
- 858. 4.21. - 847. 8.29. E	5	B		34	34
- 857. 4.21. - 848. 8.29. E	7	B		32	34
- 857. 4.21. - 848. 8.29. +	0	+		34	34
	0	E		0	0
- 857. 4.21. - 848. 8.29. E	0	E		0	34

15696 Bytes yet free.

```

(1110th/1116) position: - 818. 4.21. - 809. 8.29. E Joash (Ahaziah) 32
Forward relations for entry Joash (Ahaziah) (32/120) are generated.
Backward relations for entry Amaziah (28/120) are generated.

```

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 818. 4.21. - 809. 8.29. E	0	E		32	32
- 818. 4.21. - 807. 8.29. E	5	B		32	32
- 819. 4.21. - 809. 8.29. E	7	B		28	32
- 818. 4.21. - 809. 8.29. +	0	+		32	32
	0	E		0	0
- 818. 4.21. - 809. 8.29. E	0	E		0	32
- 818. 4.21. - 809. 8.29. 1117th position to B Amaziah					28

15696 Bytes yet free.

```

(1111th/1117) position: - 865. 4.21. - 854. 8.29. * Joash (Ahaziah) 32
Forward relations for entry Joash (Ahaziah) (32/120) are generated.
Backward relations for entry Amaziah (28/120) are generated.

```

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
- 865. 4.21. - 854. 8.29. *	0	*		32	32
- 865. 4.21. - 854. 8.29. *	10	B		32	32
	0	*		0	0
- 865. 4.21. - 854. 8.29. *	0	*		0	32

15696 Bytes yet free.

```

(1112th/1117) position: - 835. 4.21. - 826. 8.29. B Jehoahaz (Jehu) 31
Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

```

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:†	
- 835. 4.21. - 826. 8.29.	B	0	B	31	31	
- 836. 4.21. - 826. 8.29.	B	1	E	33	31	
- 835. 4.21. - 824. 8.29.	B	3	B	32	31	
- 838. 4.21. - 826. 8.29.	B	5	E	31	31	
		0	B	0	0	
- 835. 4.21. - 826. 8.29.	B	0	B	0	31	
- 835. 4.21. - 826. 8.29.				1118th position to E Jehu		33
- 819. 4.21. - 810. 8.29.				1119th position to E Jehoahaz (Jehu)		31

15696 Bytes yet free.

(1113th/1119) position: -1352. 9.15. -1311.11.24. B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:†	
-1352. 9.15. -1311.11.24.	B	0	B	77	77	
-1352. 9.15. -1309. 6.30.	B	1	E	78	77	
-1354. 9.15. -1311.11.24.	B	5	E	77	77	
		0	B	0	0	
-1352. 9.15. -1311.11.24.	B	0	B	0	77	
-1352. 9.15. -1311.11.24.				1120th position to E Eglon		78

15696 Bytes yet free.

(1114th/1120) position: -2460. 7.19. -2450. 1.14. + Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kind	S	from:	to:†	
-2460. 7.19. -2450. 1.14. +	0	+		111	111	
-2461. 7.19. -2448.11.27. +	5	*		111	111	
-2460. 7.19. -2449.11.27. +	4	*		110	111	
≤-2450. 1.14. +	7	B		107	111	
	0	+		0	0	
-2460. 7.19. -2450. 1.14. +	0	+		0	111	
-3113. 7.19. -3102. 1.14.				1121st position to * Lamech		111

15696 Bytes yet free.

(1115th/1121) position: -2461. 7.19. -2450. 1.14. + Methuselah 112

Forward relations for entry Methuselah (112/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Methuselah	D	Kind	S	from:	to:†	
-2461. 7.19. -2450. 1.14. +	0	+		112	112	
-2462. 9. 6. -2447. 8.20. +	5	*		112	112	
-2461. 7.19. -2448. 1.14. +	4	*		111	112	
≤-2450. 1.14. +	8	B		107	112	
	0	+		0	0	
-2461. 7.19. -2450. 1.14. +	0	+		0	112	
-3181. 9. 6. -3169. 1.14.				1122nd position to * Methuselah		112

15696 Bytes yet free.

(1116th/1122) position: -2460. 9. 6. -2450. 1.14. + Jared 114

Forward relations for entry Jared (114/120) are generated.

Backward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Jared	D	Kind	S	from:	to:†
-------	---	------	---	-------	------

```

-2460. 9. 6. -2450. 1.14. + 0 + 114 114||
-2460. 9. 6. -2448.11. 6. + 5 * 114 114||
-2461. 9. 6. -2447. 8.20. + 4 * 113 114||
      ≤-2450. 1.14. + 7 B 108 114||
      0 + 0 0||
-2460. 9. 6. -2450. 1.14. + 0 + 0 114||
-3306. 9. 6. -3296. 1.14. 1123rd position to * Jared 114
-3245. 9. 6. -3234. 1.14. 1124th position to * Enoch 113

```

15696 Bytes yet free.

(1117th/1124) position: - 818. 4.21. - 809. 8.29. B Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

```

Amaziah D Knd S from: to:|
- 818. 4.21. - 809. 8.29. B 0 B 28 28||
- 818. 4.21. - 809. 8.29. B 1 E 32 28||
- 819. 4.21. - 807. 8.29. B 3 B 30 28||
- 821. 4.21. - 807. 8.29. B 4 * 28 28||
- 821. 4.21. - 807. 8.29. B 6 E 28 28||
- 821. 4.21. - 809. 8.29. B 9 B 27 28||
      0 B 0 0||
- 818. 4.21. - 809. 8.29. B 0 B 0 28||
- 844. 4.21. - 833. 8.29. 1125th position to * Amaziah 28
- 790. 4.21. - 779. 8.29. 1126th position to E Amaziah 28
- 804. 4.21. - 795. 8.29. 1127th position to B Jeroboam (Joash) 27

```

15696 Bytes yet free.

(1118th/1127) position: - 835. 4.21. - 826. 8.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

```

Jehu D Knd S from: to:|
- 835. 4.21. - 826. 8.29. E 0 E 33 33||
- 836. 4.21. - 825. 8.29. E 5 B 33 33||
- 835. 4.21. - 826. 8.29. E 7 B 31 33||
- 835. 4.21. - 826. 8.29. + 0 + 33 33||
      0 E 0 0||
- 835. 4.21. - 826. 8.29. E 0 E 0 33||

```

15696 Bytes yet free.

(1119th/1127) position: - 819. 4.21. - 810. 8.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu) D Knd S from: to:|
- 819. 4.21. - 810. 8.29. E 0 E 31 31||
- 819. 4.21. - 808. 8.29. E 5 B 31 31||
- 820. 4.21. - 810. 8.29. E 7 B 30 31||
- 819. 4.21. - 810. 8.29. + 0 + 31 31||
      0 E 0 0||
- 819. 4.21. - 810. 8.29. E 0 E 0 31||
- 819. 4.21. - 810. 8.29. 1128th position to B Joash (Jehoahaz) 30

```

15696 Bytes yet free.

(1120th/1128) position: -1352. 9.15. -1311.11.24. E Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Kind	S	from:	to:
-1352. 9.15. -1311.11.24.	E	0	E	78	78
-1352. 9.15. -1307. 6.30.	E	5	B	78	78
-1352. 9.15. -1311.11.24.	E	7	B	77	78
-1352. 9.15. -1311.11.24.	+	0	+	78	78
		0	E	0	0
-1352. 9.15. -1311.11.24.	E	0	E	0	78
-1369. 9.15. -1328.11.24.				1129th position to B Eglon	78

15696 Bytes yet free.

(1121st/1129) position: -3113. 7.19. -3102. 1.14. * Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kind	S	from:	to:
-3113. 7.19. -3102. 1.14.	*	0	*	111	111
-3115. 9. 6. -3101. 1.14.	*	3	*	112	111
-3114. 7.19. -3102. 1.14.	*	5	+	111	111
-3113. 7.19. -3102.11.27.	*	9	*	110	111
-3115. 7.19. -3102. 1.14.	*	10	+	112	111
		0	*	0	0
-3113. 7.19. -3102. 1.14.	*	0	*	0	111

15696 Bytes yet free.

(1122nd/1129) position: -3181. 9. 6. -3169. 1.14. * Methuselah 112

Forward relations for entry Methuselah (112/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Methuselah	D	Kind	S	from:	to:
-3181. 9. 6. -3169. 1.14.	*	0	*	112	112
-3181. 9. 6. -3168. 1.14.	*	3	*	113	112
-3182. 7.19. -3169. 1.14.	*	5	+	112	112
-3181. 7.19. -3168. 1.14.	*	9	*	111	112
-3182. 9. 6. -3166. 8.20.	*	10	+	113	112
		0	*	0	0
-3181. 9. 6. -3169. 1.14.	*	0	*	0	112
-2881. 9. 6. -2868. 1.14.				1130th position to + Enoch	113

15696 Bytes yet free.

(1123rd/1130) position: -3306. 9. 6. -3296. 1.14. * Jared 114

Forward relations for entry Jared (114/120) are generated.

Backward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Jared	D	Kind	S	from:	to:
-3306. 9. 6. -3296. 1.14.	*	0	*	114	114
-3306. 9. 6. -3296.11. 6.	*	3	*	115	114
-3308. 9. 6. -3296. 1.14.	*	5	+	114	114
-3308. 9. 6. -3295. 1.14.	*	9	*	113	114
-3307. 9. 6. -3295.11. 6.	*	10	+	115	114
		0	*	0	0
-3306. 9. 6. -3296. 1.14.	*	0	*	0	114

15696 Bytes yet free.

(1124th/1130) position: -3245. 9. 6. -3234. 1.14. * Enoch 113

Forward relations for entry Enoch (113/120) are generated.

Optimize dates...

Enoch	D	Kn	S	from:	to:
-3245. 9. 6. -3234. 1.14. *	0	*		113	113
-3245. 9. 6. -3233. 1.14. *	3	*		114	113
-3247. 9. 6. -3232. 1.14. *	5	+		113	113
-3247. 9. 6. -3233. 1.14. *	9	*		112	113
-3246. 9. 6. -3234. 1.14. *	10	+		114	113
	0	*		0	0
-3245. 9. 6. -3234. 1.14. *	0	*		0	113

15696 Bytes yet free.

(1125th/1130) position: - 844. 4.21. - 833. 8.29. * Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kn	S	from:	to:
- 844. 4.21. - 833. 8.29. *	0	*		28	28
- 844. 4.21. - 833. 8.29. *	10	B		28	28
	0	*		0	0
- 844. 4.21. - 833. 8.29. *	0	*		0	28

15696 Bytes yet free.

(1126th/1130) position: - 790. 4.21. - 779. 8.29. E Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kn	S	from:	to:
- 790. 4.21. - 779. 8.29. E	0	E		28	28
- 790. 4.21. - 779. 8.29. E	6	B		28	28
- 790. 4.21. - 779. 8.29. +	0	+		28	28
- 791. 4.21. - 779. 8.29. +	3	+		30	29
	0	E		0	0
- 790. 4.21. - 779. 8.29. E	0	E		0	28

15696 Bytes yet free.

(1127th/1130) position: - 804. 4.21. - 795. 8.29. B Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kn	S	from:	to:
- 804. 4.21. - 795. 8.29. B	0	B		27	27
- 805. 4.21. - 795. 8.29. B	1	E		30	27
- 804. 4.21. - 793. 8.29. B	3	B		28	27
- 807. 4.21. - 795. 8.29. B	5	E		27	27
	0	B		0	0
- 804. 4.21. - 795. 8.29. B	0	B		0	27
- 804. 4.21. - 795. 8.29.	1131st position to E Joash (Jehoahaz)			30	
- 764. 4.21. - 755. 8.29.	1132nd position to E Jeroboam (Joash)			27	

15696 Bytes yet free.

(1128th/1132) position: - 819. 4.21. - 810. 8.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kn	S	from:	to:
- 819. 4.21. - 810. 8.29. B	0	B		30	30

```

- 819. 4.21. - 810. 8.29. B 1 E 31 30||
- 821. 4.21. - 810. 8.29. B 3 B 32 30||
- 821. 4.21. - 810. 8.29. B 5 E 30 30||
      ≤- 795. 8.29. B 8 E 39 30||
- 821. 4.21. - 810. 8.29. B 9 B 28 30||
      0 B 0 0||
- 819. 4.21. - 810. 8.29. B 0 B 0 30||
- 819. 4.21. - 795. 8.29. 1133rd position to E Elisha 39

```

15696 Bytes yet free.

(1129th/1133) position: -1369. 9.15. -1328.11.24. B Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

```

Eglon D Knd S from: to:|
-1369. 9.15. -1328.11.24. B 0 B 78 78||
-1369. 9.15. -1326. 6.30. B 1 E 79 78||
-1371. 9.15. -1328.11.24. B 5 E 78 78||
      0 B 0 0||
-1369. 9.15. -1328.11.24. B 0 B 0 78||
-1369. 9.15. -1328.11.24. 1134th position to E Othniel 79

```

15696 Bytes yet free.

(1130th/1134) position: -2881. 9. 6. -2868. 1.14. + Enoch 113

Forward relations for entry Enoch (113/120) are generated.

Optimize dates...

```

Enoch D Knd S from: to:|
-2881. 9. 6. -2868. 1.14. + 0 + 113 113||
-2881. 9. 6. -2868. 1.14. + 5 * 113 113||
-2882. 9. 6. -2868. 1.14. + 4 * 112 113||
      0 + 0 0||
-2881. 9. 6. -2868. 1.14. + 0 + 0 113||

```

15696 Bytes yet free.

(1131st/1134) position: - 804. 4.21. - 795. 8.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

```

Joash (Jehoahaz) D Knd S from: to:|
- 804. 4.21. - 795. 8.29. E 0 E 30 30||
- 819. 4.21. ≥ E 2 + 39 30||
- 804. 4.21. - 793. 8.29. E 5 B 30 30||
- 804. 4.21. - 795. 8.29. E 7 B 27 30||
- 804. 4.21. - 795. 8.29. + 0 + 30 30||
- 806. 4.21. - 793. 8.29. + 9 + 29 30||
      0 E 0 0||
- 804. 4.21. - 795. 8.29. E 0 E 0 30||

```

15696 Bytes yet free.

(1132nd/1134) position: - 764. 4.21. - 755. 8.29. E Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

```

Jeroboam (Joash) D Knd S from: to:|
- 764. 4.21. - 755. 8.29. E 0 E 27 27||
- 764. 4.21. - 753. 8.29. E 5 B 27 27||
- 765. 4.21. - 755. 8.29. E 7 B 25 27||

```



```

- 764. 4.21. - 755. 8.29. + 0 + 27 27||
                        0 E 0 0||
- 764. 4.21. - 755. 8.29. E 0 E 0 27||
- 764. 4.21. - 755. 8.29. 1135th position to B Zachariah 25

```

15696 Bytes yet free.

```

(1133rd/1135) position: - 819. 4.21. - 795. 8.29. E Elisha 39
Forward relations for entry Elisha (39/120) are generated.
Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
Optimize dates...

```

```

Elisha D Knd S from: to:|
- 819. 4.21. - 795. 8.29. E 0 E 39 39||
- 819. 4.21. ≥ E 2 B 30 39||
- 819. 4.21. - 795. 8.29. + 0 + 39 39||
      ≤- 795. 8.29. + 8 E 30 39||
      0 E 0 0||
- 819. 4.21. - 795. 8.29. E 0 E 0 39||

```

15696 Bytes yet free.

```

(1134th/1135) position: -1369. 9.15. -1328.11.24. E Othniel 79
Forward relations for entry Othniel (79/120) are generated.
Backward relations for entry Eglon (78/120) are generated.
Optimize dates...

```

```

Othniel D Knd S from: to:|
-1369. 9.15. -1328.11.24. E 0 E 79 79||
-1369. 9.15. -1324. 6.30. E 5 B 79 79||
-1369. 9.15. -1328.11.24. E 7 B 78 79||
-1369. 9.15. -1328.11.24. + 0 + 79 79||
      0 E 0 0||
-1369. 9.15. -1328.11.24. E 0 E 0 79||
-1408. 9.15. -1367.11.24. 1136th position to B Othniel 79

```

15696 Bytes yet free.

```

(1135th/1136) position: - 764. 4.21. - 755. 8.29. B Zachariah 25
Forward relations for entry Zachariah (25/120) are generated.
Backward relations for entry Shallum (24/120) are generated.
Optimize dates...

```

```

Zachariah D Knd S from: to:|
- 764. 4.21. - 755. 8.29. B 0 B 25 25||
- 764. 4.21. - 755. 8.29. B 1 E 27 25||
- 767. 4.21. - 755. 8.29. B 3 B 26 25||
- 765. 2.21. - 755.10.29. B 5 E 25 25||
      0 B 0 0||
- 764. 4.21. - 755. 8.29. B 0 B 0 25||
- 803. 4.21. - 794. 8.29. 1137th position to B Azariah = Uzziah 26
- 764. 9.21. - 754. 3.29. 1138th position to E Zachariah 25

```

15696 Bytes yet free.

```

(1136th/1138) position: -1408. 9.15. -1367.11.24. B Othniel 79
Forward relations for entry Othniel (79/120) are generated.
Backward relations for entry Eglon (78/120) are generated.
Optimize dates...

```

```

Othniel D Knd S from: to:|
-1408. 9.15. -1367.11.24. B 0 B 79 79||
-1408. 9.15. -1365. 6.30. B 1 E 80 79||
-1410. 9.15. -1367.11.24. B 5 E 79 79||
      0 B 0 0||
-1408. 9.15. -1367.11.24. B 0 B 0 79||

```

-1408. 9.15. -1367.11.24. 1139th position to E Chushanrishathaim 80

15696 Bytes yet free.

(1137th/1139) position: - 803. 4.21. - 794. 8.29. B Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:†	
- 803. 4.21. - 794. 8.29. B	0	B		26	26	
- 804. 4.21. - 794. 8.29. B	1	Q		28	26	
- 806. 4.21. - 792. 8.29. B	3	*		27	26	
- 806. 4.21. - 792. 8.29. B	4	*		26	26	
- 805. 4.21. - 793. 8.29. B	6	E		26	26	
- 806. 4.21. - 794. 8.29. B	9	B		21	26	
- 806. 4.21. - 793. 8.29. B	9	B		22	26	
- 805. 9.21. - 792. 5.29. B	9	B		23	26	
- 805. 9.21. - 792. 3.29. B	9	B		24	26	
- 803. 4.21. - 792. 8.29. B	9	B		25	26	
	0	B		0	0	
- 803. 4.21. - 794. 8.29. B	0	B		0	26	
- 803. 4.21. - 794. 8.29.				1140th position to Q	Amaziah	28
- 831. 4.21. - 820. 8.29.				1141st position to *	Jeroboam (Joash)	27
- 820. 4.21. - 809. 8.29.				1142nd position to *	Azariah = Uzziah	26
- 752. 4.21. - 743. 8.29.				1143rd position to B	Pekah	21
- 754. 4.21. - 744. 8.29.				1144th position to B	Pekahiah	22

15696 Bytes yet free.

(1138th/1144) position: - 764. 9.21. - 754. 3.29. E Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kn	S	from:	to:†	
- 764. 9.21. - 754. 3.29. E	0	E		25	25	
- 764. 9.21. - 754. 3.29. E	5	B		25	25	
- 765. 9.21. - 754. 3.29. E	7	B		24	25	
- 764. 9.21. - 754. 3.29. +	0	+		25	25	
	0	E		0	0	
- 764. 9.21. - 754. 3.29. E	0	E		0	25	
- 764. 9.21. - 754. 3.29.				1145th position to B	Shallum	24

15696 Bytes yet free.

(1139th/1145) position: -1408. 9.15. -1367.11.24. E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kn	S	from:	to:†	
-1408. 9.15. -1367.11.24. E	0	E		80	80	
-1408. 9.15. -1363. 6.30. E	5	B		80	80	
-1408. 9.15. -1367.11.24. E	7	B		79	80	
	0	E		0	0	
-1408. 9.15. -1367.11.24. E	0	E		0	80	
-1415. 9.15. -1374.11.24.				1146th position to B	Chushanrishathaim	80

15696 Bytes yet free.

(1140th/1146) position: - 803. 4.21. - 794. 8.29. Q Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Knd	S	from:	to:
- 803. 4.21. - 794. 8.29. Ω	0	Ω		28	28
- 803. 4.21. - 794. 8.29. Ω	7	B		26	28
	0	Ω		0	0
- 803. 4.21. - 794. 8.29. Ω	0	Ω		0	28

15696 Bytes yet free.

(1141st/1146) position: - 831. 4.21. - 820. 8.29. * Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Knd	S	from:	to:
- 831. 4.21. - 820. 8.29. *	0	*		27	27
- 831. 4.21. - 820. 8.29. *	9	B		26	27
	0	*		0	0
- 831. 4.21. - 820. 8.29. *	0	*		0	27

15696 Bytes yet free.

(1142nd/1146) position: - 820. 4.21. - 809. 8.29. * Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Knd	S	from:	to:
- 820. 4.21. - 809. 8.29. *	0	*		26	26
- 820. 4.21. - 809. 8.29. *	10	B		26	26
	0	*		0	0
- 820. 4.21. - 809. 8.29. *	0	*		0	26

15696 Bytes yet free.

(1143rd/1146) position: - 752. 4.21. - 743. 8.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Knd	S	from:	to:
- 752. 4.21. - 743. 8.29. B	0	B		21	21
- 753. 4.21. - 743. 8.29. B	1	E		22	21
- 752. 4.21. - 741. 8.29. B	3	B		26	21
- 754. 4.21. - 742. 8.29. B	5	E		21	21
- 755. 4.21. - 741. 8.29. B	9	α		17	21
- 755. 4.21. - 743. 8.29. B	9	α		19	21
	0	B		0	0
- 752. 4.21. - 743. 8.29. B	0	B		0	21
- 752. 4.21. - 743. 8.29.			1147th position to E Pekahiah		22
- 736. 4.21. - 725. 8.29.			1148th position to α Ahaz		17
- 751. 4.21. - 742. 8.29.			1149th position to α Jotham		19

15696 Bytes yet free.

(1144th/1149) position: - 754. 4.21. - 744. 8.29. B Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Knd	S	from:	to:
- 754. 4.21. - 744. 8.29. B	0	B		22	22
- 755. 4.21. - 744. 8.29. B	1	E		23	22
- 754. 4.21. - 743. 8.29. B	3	B		26	22
- 755. 4.21. - 744. 8.29. B	5	E		22	22
	0	B		0	0

- 754. 4.21. - 744. 8.29. B 0 B 0 22||
 - 754. 4.21. - 744. 8.29. 1150th position to E Menahem 23

15696 Bytes yet free.

(1145th/1150) position: - 764. 9.21. - 754. 3.29. B Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kn	S	from:	to:	
- 764. 9.21. - 754. 3.29. B	0	B		24	24	
- 764. 9.21. - 754. 3.29. B	1	E		25	24	
- 765. 4.21. - 754. 8.29. B	3	B		26	24	
- 765. 7.21. - 754. 5.29. B	5	E		24	24	
	0	B		0	0	
- 764. 9.21. - 754. 3.29. B	0	B		0	24	
- 764. 9.21. - 754. 5.29.				1151st position to E Shallum		24

15696 Bytes yet free.

(1146th/1151) position: -1415. 9.15. -1374.11.24. B Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kn	S	from:	to:	
-1415. 9.15. -1374.11.24. B	0	B		80	80	
-1415. 9.15. ≥	B	1	E	83	80	
-1417. 9.15. -1374.11.24. B	5	E		80	80	
	0	B		0	0	
-1415. 9.15. -1374.11.24. B	0	B		0	80	
-1415. 9.15. -1374.11.24.				1152nd position to E Joshua		83

15696 Bytes yet free.

(1147th/1152) position: - 752. 4.21. - 743. 8.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kn	S	from:	to:	
- 752. 4.21. - 743. 8.29. E	0	E		22	22	
- 753. 4.21. - 741. 8.29. E	5	B		22	22	
- 752. 4.21. - 743. 8.29. E	7	B		21	22	
- 752. 4.21. - 743. 8.29. +	0	+		22	22	
	0	E		0	0	
- 752. 4.21. - 743. 8.29. E	0	E		0	22	

15696 Bytes yet free.

(1148th/1152) position: - 736. 4.21. - 725. 8.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Forward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kn	S	from:	to:	
- 736. 4.21. - 725. 8.29. α	0	α		17	17	
- 737. 4.21. - 725. 8.29. α	2	Ω		19	17	
- 736. 4.21. - 725. 8.29. α	3	B		21	17	
	0	α		0	0	
- 736. 4.21. - 725. 8.29. α	0	α		0	17	
- 736. 4.21. - 725. 8.29.				1153rd position to Ω Jotham		19

15696 Bytes yet free.

(1149th/1153) position: - 751. 4.21. - 742. 8.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
- 751. 4.21. - 742. 8.29. α	0	α		19	19	
- 752. 4.21. - 742. 8.29. α	1	E		26	19	
- 751. 4.21. - 740. 8.29. α	3	B		21	19	
- 754. 4.21. - 742. 8.29. α	10	B		16	19	
	0	α		0	0	
- 751. 4.21. - 742. 8.29. α	0	α		0	19	
- 751. 4.21. - 742. 8.29.				1154th position to E Azariah = Uzziah		26
- 732. 4.21. - 723. 8.29.				1155th position to B Hoshea		16

15696 Bytes yet free.

(1150th/1155) position: - 754. 4.21. - 744. 8.29. E Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:	
- 754. 4.21. - 744. 8.29. E	0	E		23	23	
- 756. 9.21. - 743. 5.29. E	5	B		23	23	
- 754. 4.21. - 744. 8.29. E	7	B		22	23	
- 754. 4.21. - 744. 8.29. +	0	+		23	23	
	0	E		0	0	
- 754. 4.21. - 744. 8.29. E	0	E		0	23	

15696 Bytes yet free.

(1151st/1155) position: - 764. 9.21. - 754. 5.29. E Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:	
- 764. 9.21. - 754. 5.29. E	0	E		24	24	
- 764. 9.21. - 754. 5.29. E	5	B		24	24	
- 765. 9.21. - 754. 5.29. E	7	B		23	24	
- 764. 9.21. - 754. 5.29. +	0	+		24	24	
	0	E		0	0	
- 764. 9.21. - 754. 5.29. E	0	E		0	24	
- 764. 9.21. - 754. 5.29.				1156th position to B Menahem		23

15696 Bytes yet free.

(1152nd/1156) position: -1415. 9.15. -1374.11.24. E Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:	
-1415. 9.15. -1374.11.24. E	0	E		83	83	
≤-1374.11.24. E	7	B		80	83	
-1415. 9.15. -1374.11.24. +	0	+		83	83	
-1415. 9.15. ≥	2	B		81	83	
-1417. 9.15. -1370. 6.30. +	5	*		83	83	
	0	E		0	0	
-1415. 9.15. -1374.11.24. E	0	E		0	83	
-1526. 9.15. -1483.11.24.				1157th position to * Joshua		83

15696 Bytes yet free.

Menahem	D	Knd	S	from:	to:
- 764. 9.21. - 754. 5.29. B	0	B	23	23	
- 764. 9.21. - 754. 5.29. B	1	E	24	23	
- 765. 4.21. - 754. 8.29. B	3	B	26	23	
- 765. 4.21. - 753. 8.29. B	5	E	23	23	
	0	B	0	0	

- 764. 9.21. - 754. 5.29. B 0 B 0 23||

15696 Bytes yet free.

(1157th/1162) position: -1526. 9.15. -1483.11.24. * Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Knd	S	from:	to:
-1526. 9.15. -1483.11.24. *	0	*		83	83
-1526. 9.15. -1483.11.24. *	5	+		83	83
	0	*		0	0
-1526. 9.15. -1483.11.24. *	0	*		0	83

15696 Bytes yet free.

(1158th/1162) position: - 732. 4.21. - 723. 8.29. E Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Knd	S	from:	to:
- 732. 4.21. - 723. 8.29. E	0	E		21	21
- 733. 4.21. - 722. 8.29. E	5	B		21	21
- 732. 4.21. - 723. 8.29. E	7	B		16	21
- 732. 4.21. - 723. 8.29. +	0	+		21	21
	0	E		0	0
- 732. 4.21. - 723. 8.29. E	0	E		0	21

15696 Bytes yet free.

(1159th/1162) position: - 745. 4.21. - 736. 8.29. B Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Knd	S	from:	to:
- 745. 4.21. - 736. 8.29. B	0	B		17	17
- 746. 4.21. - 736. 8.29. B	1	E		19	17
- 748. 4.21. - 734. 8.29. B	4	*		17	17
- 745. 4.21. - 734. 8.29. B	9	B		16	17
- 747. 1.22. - 736. 8.29. B	5	E		18	18
	0	B		0	0
- 745. 4.21. - 736. 8.29. B	0	B		0	17
- 745. 4.21. - 736. 8.29.			1163rd position to E Jotham		19
- 766. 4.21. - 755. 8.29.			1164th position to * Ahaz		17
- 730. 4.21. - 721. 8.29.			1165th position to E Ahaz		18

15696 Bytes yet free.

(1160th/1165) position: - 724. 4.21. - 714. 8.29. E Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Knd	S	from:	to:
- 724. 4.21. - 714. 8.29. E	0	E		16	16
- 724. 4.21. - 713. 8.29. E	5	B		16	16
- 724. 4.21. - 714. 8.29. E	7	B		15	16
	0	E		0	0
- 724. 4.21. - 714. 8.29. E	0	E		0	16

15696 Bytes yet free.

(1161st/1165) position: - 730. 4.21. - 721. 8.29. B Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.
 Backward relations for entry Manasseh (12/120) are generated.
 Backward relations for entry Isaiah (20/120) are generated.
 Optimize dates...

Hezekiah	D	Kind	S	from:	to:	
- 730. 4.21. - 721. 8.29. B	0	B		14	14	
- 730. 4.21. - 721. 8.29. B	1	E		17	14	
- 730. 4.21. - 719. 8.29. B	3	B		16	14	
- 732. 1.22. - 719. 8.29. B	4	*		14	14	
- 730. 1.22. - 721. 8.29. B	6	E		14	14	
- 732. 9.15. - 719. 8.29. B	9	B		13	14	
- 731. 4.21. - 719. 8.29. B	9	B		15	14	
	0	B		0	0	
- 730. 4.21. - 721. 8.29. B	0	B		0	14	
- 756. 4.21. - 745. 8.29.				1166th position to * Hezekiah		14

15696 Bytes yet free.

(1162nd/1166) position: - 724. 4.21. - 714. 8.29. B Captivity of Israel 15
 Forward relations for entry Captivity of Israel (15/120) are generated.
 Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:	
- 724. 4.21. - 714. 8.29. B	0	B		15	15	
- 724. 4.21. - 714. 8.29. B	1	E		16	15	
- 725. 4.21. - 714. 8.29. B	3	B		14	15	
- 724. 4.21. - 713. 8.29. B	4	B		16	15	
	0	B		0	0	
- 724. 4.21. - 714. 8.29. B	0	B		0	15	

15696 Bytes yet free.

(1163rd/1166) position: - 745. 4.21. - 736. 8.29. E Jotham 19
 Forward relations for entry Jotham (19/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Ahaz (17/120) are generated.
 Optimize dates...

Jotham	D	Kind	S	from:	to:	
- 745. 4.21. - 736. 8.29. E	0	E		19	19	
- 748. 4.21. - 734. 8.29. E	6	B		19	19	
- 745. 4.21. - 736. 8.29. E	7	B		17	19	
	0	E		0	0	
- 745. 4.21. - 736. 8.29. E	0	E		0	19	
- 762. 4.21. - 751. 8.29.				1167th position to B Jotham		19

15696 Bytes yet free.

(1164th/1167) position: - 766. 4.21. - 755. 8.29. * Ahaz 17
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.
 Forward relations for entry Ahaz (18/120) are generated.
 Optimize dates...

Ahaz	D	Kind	S	from:	to:	
- 766. 4.21. - 755. 8.29. *	0	*		17	17	
- 766. 4.21. - 755. 8.29. *	10	B		17	17	
	0	*		0	0	
- 766. 4.21. - 755. 8.29. *	0	*		0	17	

15696 Bytes yet free.

(1165th/1167) position: - 730. 4.21. - 721. 8.29. E Ahaz 18
 Forward relations for entry Ahaz (17/120) are generated.
 Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.
Optimize dates...

Ahaz	D	Kn	S	from:	to:
- 730. 4.21. - 721. 8.29. Ω	0	Ω		17	17
- 730. 4.21. - 721. 8.29. E	0	E		17	17
- 730. 4.21. - 721. 8.29. E	7	B		14	17
- 730. 4.21. - 719. 8.29. E	5	B		18	18
- 730. 4.21. - 721. 8.29. +	0	+		17	17
	0	Ω		0	0
- 730. 4.21. - 721. 8.29. Ω	0	Ω		0	17

15696 Bytes yet free.

(1166th/1167) position: - 756. 4.21. - 745. 8.29. * Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kn	S	from:	to:
- 756. 4.21. - 745. 8.29. *	0	*		14	14
- 756. 4.21. - 745. 8.29. *	10	B		14	14
	0	*		0	0
- 756. 4.21. - 745. 8.29. *	0	*		0	14

15696 Bytes yet free.

(1167th/1167) position: - 762. 4.21. - 751. 8.29. B Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kn	S	from:	to:
- 762. 4.21. - 751. 8.29. B	0	B		19	19
- 765. 4.21. - 749. 8.29. B	4	*		19	19
- 762. 4.21. - 751. 8.29. B	6	E		19	19
	0	B		0	0
- 762. 4.21. - 751. 8.29. B	0	B		0	19
- 788. 4.21. - 775. 8.29.	1168th position to * Jotham				19

15696 Bytes yet free.

(1168th/1168) position: - 788. 4.21. - 775. 8.29. * Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kn	S	from:	to:
- 788. 4.21. - 775. 8.29. *	0	*		19	19
- 788. 4.21. - 775. 8.29. *	10	B		19	19
	0	*		0	0
- 788. 4.21. - 775. 8.29. *	0	*		0	19

The calculation has been finished successfully.

New calculation method: counting mode number 2.

Calculation begin: 03-22-2017 19:51:34

Calculation end: 03-22-2017 19:56:04

1168 records in list file

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLECHR.LST

19466 Bytes yet free.

The result file are copied to:

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\1*.*

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLECHR.HQL

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLECHR.LST

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLECHR.RDY

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLECHR.LOG