

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\TEST\_NIV.LOG

Calculation begin: 01-23-2018 07:14:03

20388 Bytes free.

Calculation method: counting mode number 1.

Entry Cyrus (1/7) is checked.  
 - 539.10.29.█- 539.10.29. 1st position to B Cyrus 1  
 Entry Zedekiah = Matthaniah (2/7) is checked.  
 Entry Jehoiachin (3/7) is checked.  
 Entry Daniel (4/7) is checked.  
 Entry Nebuchadnezzar (5/7) is checked.  
 - 605. 1. 1.█- 604.12.30. 2nd position to B Nebuchadnezzar 5  
 Entry Captivity in Babylon (6/7) is checked.  
 Entry Jehoiakim (7/7) is checked.

16248 Bytes yet free.

(1st/2) position: - 539.10.29.█- 539.10.29. B Cyrus 1

Forward relations for entry Cyrus (1/7) are generated.

Backward relations for entry Captivity in Babylon (6/7) are generated.

Backward relations for entry Daniel (4/7) are generated.

Optimize dates...

Cyrus	D	Kind	S	from:	to:	
- 539.10.29.█- 539.10.29.	B	0	B	1	1	
	B	7	E	6	1	
	B	8	E	4	1	
	B	10	E	6	1	
		0	B	0	0	
- 539.10.29.█- 539.10.29.	B	0	B	0	1	
- 539.10.29.≥				3rd position to E Captivity in Babylon		6
- 539.10.29.≥				4th position to E Daniel		4
- 539.10.29. - 537.10.29.				5th position to E Captivity in Babylon		6

15696 Bytes yet free.

(2nd/5) position: - 605. 1. 1.█- 604.12.30. B Nebuchadnezzar 5

Forward relations for entry Nebuchadnezzar (5/7) are generated.

Optimize dates...

Nebuchadnezzar	D	Kind	S	from:	to:	
- 605. 1. 1.█- 604.12.30.	B	0	B	5	5	
	B	3	B	7	5	
	B	10	E	2	5	
	B	10	B	4	5	
		0	B	0	0	
- 605. 1. 1.█- 604.12.30.	B	0	B	0	5	
- 610. 1. 1. - 607.12.30.				6th position to B Jehoiakim		7
- 587. 1. 1. - 584.12.30.				7th position to E Zedekiah = Matthaniah		2
- 604. 1. 1. - 601.12.30.				8th position to B Daniel		4

15696 Bytes yet free.

(3rd/8) position: - 539.10.29. - 537.10.29. E Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/7) are generated.

Backward relations for entry Daniel (4/7) are generated.

Optimize dates...

Captivity in Babylon	D	Knd	S	from:	to:
- 539.10.29. - 537.10.29.	E	0	E	6	6
- 539.10.29.≥	E	1	B	1	6
	E	5	B	6	6
- 539.10.29. - 537.10.29.	E	4	B	1	6
		0	E	0	0
- 539.10.29. - 537.10.29.	E	0	E	0	6
- 610.10.29. - 606.10.29.				9th position to B Captivity in Babylon	6

15696 Bytes yet free.

(4th/9) position: - 539.10.29.≥ E Daniel 4

Forward relations for entry Daniel (4/7) are generated.

Optimize dates...

Daniel	D	Knd	S	from:	to:
- 539.10.29.≥	E	0	E	4	4
- 539.10.29.≥	E	2	B	1	4
		0	E	0	0
- 539.10.29.≥	E	0	E	0	4

15696 Bytes yet free.

(5th/9) position: - 539.10.29. - 537.10.29. E Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/7) are generated.

Backward relations for entry Daniel (4/7) are generated.

Optimize dates...

Captivity in Babylon	D	Knd	S	from:	to:
- 539.10.29. - 537.10.29.	E	0	E	6	6
- 539.10.29.≥	E	1	B	1	6
- 541.10.29. - 535.10.29.	E	5	B	6	6
- 539.10.29. - 537.10.29.	E	4	B	1	6
		0	E	0	0
- 539.10.29. - 537.10.29.	E	0	E	0	6

15696 Bytes yet free.

(6th/9) position: - 610. 1. 1. - 607.12.30. B Jehoiakim 7

Forward relations for entry Jehoiakim (7/7) are generated.

Backward relations for entry Jehoiachin (3/7) are generated.

Optimize dates...

Jehoiakim	D	Knd	S	from:	to:
- 610. 1. 1. - 607.12.30.	B	0	B	7	7
	B	3	*	7	7
	B	5	E	7	7
- 610. 1. 1. - 607.12.30.	B	9	B	5	7
- 614.10.29. - 608.10.29.	B	9	B	6	7
1Y 2M 1D		0	B	0	0
- 610. 1. 1. - 608.10.29.	B	0	B	0	7
- 610. 1. 1. - 608.10.29.				10th position to B Jehoiakim	7
- 636. 1. 1. - 632.10.29.				11th position to * Jehoiakim	7
- 600. 1. 1. - 596.10.29.				12th position to E Jehoiakim	7
- 608. 1. 1. - 606.10.29.				13th position to B Captivity in Babylon	6

15696 Bytes yet free.

(7th/13) position: - 587. 1. 1. - 584.12.30. E Zedekiah = Matthaniah 2

Forward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Zedekiah = Matthaniah	D	Kind	S	from:	to:†
- 587. 1. 1. - 584.12.30.	E	0	E	2	2
		E	5	B	2
- 587. 1. 1. - 584.12.30.	E	4	B	5	2
		0	E	0	0
- 587. 1. 1. - 584.12.30.	E	0	E	0	2
- 598. 9.22. - 594. 9.22.				14th position to B Zedekiah = Matthaniah 2	

15696 Bytes yet free.

(8th/14) position: - 604. 1. 1. - 601.12.30. B Daniel 4

Forward relations for entry Daniel (4/7) are generated.

Optimize dates...

Daniel	D	Kind	S	from:	to:†
- 604. 1. 1. - 601.12.30.	B	0	B	4	4
- 608. 1. 1. ≥	B	1	B	6	4
- 606. 1. 1. - 602.10.29.	B	3	B	6	4
- 604. 1. 1. - 601.12.30.	B	4	B	5	4
1Y 2M 1D		0	B	0	0
- 604. 1. 1. - 602.10.29.	B	0	B	0	4
- 604. 1. 1. - 602.10.29.				15th position to B Daniel	4

15696 Bytes yet free.

(9th/15) position: - 608. 1. 1. - 606.10.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/7) are generated.

Backward relations for entry Daniel (4/7) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:†
- 608. 1. 1. - 606.10.29.	B	0	B	6	6
- 608. 1. 1. - 604.10.29.	B	3	B	7	6
- 610.10.29. - 606.10.29.	B	5	E	6	6
≤- 602.10.29.	B	7	B	4	6
- 608. 1. 1. - 604.10.29.	B	9	B	4	6
		0	B	0	0
- 608. 1. 1. - 606.10.29.	B	0	B	0	6

15696 Bytes yet free.

(10th/15) position: - 610. 1. 1. - 608.10.29. B Jehoiakim 7

Forward relations for entry Jehoiakim (7/7) are generated.

Backward relations for entry Jehoiachin (3/7) are generated.

Optimize dates...

Jehoiakim	D	Kind	S	from:	to:†
- 610. 1. 1. - 608.10.29.	B	0	B	7	7
- 612. 1. 1. - 606.10.29.	B	3	*	7	7
- 612. 1. 1. - 606.10.29.	B	5	E	7	7
- 610. 1. 1. - 607.12.30.	B	9	B	5	7
- 612. 1. 1. - 608.10.29.	B	9	B	6	7
		0	B	0	0
- 610. 1. 1. - 608.10.29.	B	0	B	0	7

15696 Bytes yet free.

(11th/15) position: - 636. 1. 1. - 632.10.29. \* Jehoiakim 7

Forward relations for entry Jehoiakim (7/7) are generated.

Backward relations for entry Jehoiachin (3/7) are generated.

Optimize dates...

Jehoiakim	D	Kind	S	from:	to:†
- 636. 1. 1. - 632.10.29.	*	0	*	7	7
- 636. 1. 1. - 632.10.29.	*	9	B	7	7
		0	*	0	0
- 636. 1. 1. - 632.10.29.	*	0	*	0	7

15696 Bytes yet free.

(12th/15) position: - 600. 1. 1. - 596.10.29. E Jehoiakim 7

Forward relations for entry Jehoiakim (7/7) are generated.

Backward relations for entry Jehoiachin (3/7) are generated.

Optimize dates...

Jehoiakim	D	Kind	S	from:	to:†
- 600. 1. 1. - 596.10.29.	E	0	E	7	7
- 600. 1. 1. - 596.10.29.	E	5	B	7	7
	E	7	B	3	7
- 600. 1. 1. - 596.10.29.	+	0	+	7	7
		0	E	0	0
- 600. 1. 1. - 596.10.29.	E	0	E	0	7
- 600. 1. 1. - 596.10.29.				16th position to B Jehoiachin	3

15696 Bytes yet free.

(13th/16) position: - 608. 1. 1. - 606.10.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/7) are generated.

Backward relations for entry Daniel (4/7) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:†
- 608. 1. 1. - 606.10.29.	B	0	B	6	6
- 608. 1. 1. - 604.10.29.	B	3	B	7	6
- 610.10.29. - 606.10.29.	B	5	E	6	6
≤- 602.10.29.	B	7	B	4	6
- 608. 1. 1. - 604.10.29.	B	9	B	4	6
		0	B	0	0
- 608. 1. 1. - 606.10.29.	B	0	B	0	6

15696 Bytes yet free.

(14th/16) position: - 598. 9.22. - 594. 9.22. B Zedekiah = Matthanah 2

Forward relations for entry Zedekiah = Matthanah (2/7) are generated.

Optimize dates...

Zedekiah = Matthanah	D	Kind	S	from:	to:†
- 598. 9.22. - 594. 9.22.	B	0	B	2	2
	B	1	E	3	2
	B	3	*	2	2
- 598. 9.22. - 594. 9.22.	B	5	E	2	2
		0	B	0	0
- 598. 9.22. - 594. 9.22.	B	0	B	0	2
- 598. 9.22. - 594. 9.22.				17th position to E Jehoiachin	3
- 620. 9.22. - 614. 9.22.				18th position to * Zedekiah = Matthanah	2

15696 Bytes yet free.

(15th/18) position: - 604. 1. 1. - 602.10.29. B Daniel 4

Forward relations for entry Daniel (4/7) are generated.

Optimize dates...

Daniel	D	Kind	S	from:	to:
- 604. 1. 1. - 602.10.29.	B	0	B	4	4
- 608. 1. 1. ≥	B	1	B	6	4
- 606. 1. 1. - 602.10.29.	B	3	B	6	4
- 604. 1. 1. - 601.12.30.	B	4	B	5	4
		0	B	0	0
- 604. 1. 1. - 602.10.29.	B	0	B	0	4

15696 Bytes yet free.

(16th/18) position: - 600. 1. 1. - 596.10.29. B Jehoiachin 3

Forward relations for entry Jehoiachin (3/7) are generated.

Backward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Jehoiachin	D	Kind	S	from:	to:
- 600. 1. 1. - 596.10.29.	B	0	B	3	3
- 600. 1. 1. - 596.10.29.	B	1	E	7	3
	B	3	*	3	3
- 598. 5.22. - 594. 7.22.	B	5	E	3	3
2Y 4M21D		0	B	0	0
- 598. 5.22. - 596.10.29.	B	0	B	0	3
- 598. 5.22. - 596.10.29.		19th position to	B Jehoiachin		3
- 598. 5.22. - 596.10.29.		20th position to	E Jehoiakim		7
- 617. 5.22. - 613.10.29.		21st position to	* Jehoiachin		3
- 598. 9.22. - 595. 2.29.		22nd position to	E Jehoiachin		3

15696 Bytes yet free.

(17th/22) position: - 598. 9.22. - 595. 2.29. E Jehoiachin 3

Forward relations for entry Jehoiachin (3/7) are generated.

Backward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Jehoiachin	D	Kind	S	from:	to:
- 598. 9.22. - 595. 2.29.	E	0	E	3	3
- 598. 7.22. - 595. 2.29.	E	5	B	3	3
- 598. 9.22. - 594. 9.22.	E	7	B	2	3
		0	E	0	0
- 598. 9.22. - 595. 2.29.	E	0	E	0	3
- 598. 9.22. - 595. 2.29.		23rd position to	B Zedekiah = Matthaniah		2

15696 Bytes yet free.

(18th/23) position: - 620. 9.22. - 614. 9.22. \* Zedekiah = Matthaniah 2

Forward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Zedekiah = Matthaniah	D	Kind	S	from:	to:
- 620. 9.22. - 614. 9.22.	*	0	*	2	2
- 620. 9.22. - 615. 2.29.	*	9	B	2	2
1Y 6M23D		0	*	0	0
- 620. 9.22. - 615. 2.29.	*	0	*	0	2
- 620. 9.22. - 615. 2.29.		24th position to	* Zedekiah = Matthaniah		2

15696 Bytes yet free.

(19th/24) position: - 598. 5.22. - 596.10.29. B Jehoiachin 3

Forward relations for entry Jehoiachin (3/7) are generated.

Backward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Jehoiachin	D	Knd	S	from:	to:†
- 598. 5.22. - 596.10.29. B	0	B		3	3
- 598. 5.22. - 596.10.29. B	1	E		7	3
- 600. 5.22. - 594.10.29. B	3	*		3	3
- 598. 5.22. - 596.12.29. B	5	E		3	3
	0	B		0	0
- 598. 5.22. - 596.10.29. B	0	B		0	3

15696 Bytes yet free.

(20th/24) position: - 598. 5.22. - 596.10.29. E Jehoiakim 7

Forward relations for entry Jehoiakim (7/7) are generated.

Backward relations for entry Jehoiachin (3/7) are generated.

Optimize dates...

Jehoiakim	D	Knd	S	from:	to:†
- 598. 5.22. - 596.10.29. E	0	E		7	7
- 600. 1. 1. - 596.10.29. E	5	B		7	7
- 598. 5.22. - 596.10.29. E	7	B		3	7
- 598. 5.22. - 596.10.29. +	0	+		7	7
	0	E		0	0
- 598. 5.22. - 596.10.29. E	0	E		0	7
- 610. 5.22. - 608.10.29.				25th position to B Jehoiakim	7

15696 Bytes yet free.

(21st/25) position: - 617. 5.22. - 613.10.29. \* Jehoiachin 3

Forward relations for entry Jehoiachin (3/7) are generated.

Backward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Jehoiachin	D	Knd	S	from:	to:†
- 617. 5.22. - 613.10.29. *	0	*		3	3
- 617. 5.22. - 613.10.29. *	9	B		3	3
	0	*		0	0
- 617. 5.22. - 613.10.29. *	0	*		0	3

15696 Bytes yet free.

(22nd/25) position: - 598. 9.22. - 595. 2.29. E Jehoiachin 3

Forward relations for entry Jehoiachin (3/7) are generated.

Backward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Jehoiachin	D	Knd	S	from:	to:†
- 598. 9.22. - 595. 2.29. E	0	E		3	3
- 598. 7.22. - 595. 2.29. E	5	B		3	3
- 598. 9.22. - 595. 2.29. E	7	B		2	3
	0	E		0	0
- 598. 9.22. - 595. 2.29. E	0	E		0	3

15696 Bytes yet free.

(23rd/25) position: - 598. 9.22. - 595. 2.29. B Zedekiah = Matthaniah 2

Forward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Zedekiah = Matthaniah	D	Kind	S	from:	to:
- 598. 9.22. - 595. 2.29. B	0	B		2	2
- 598. 9.22. - 595. 2.29. B	1	E		3	2
- 600. 9.22. - 593. 2.29. B	3	*		2	2
- 598. 9.22. - 594. 9.22. B	5	E		2	2
	0	B		0	0
- 598. 9.22. - 595. 2.29. B	0	B		0	2
- 587. 1. 1. - 585. 6. 8.					

26th position to E Zedekiah = Matthaniah 2

15696 Bytes yet free.

(24th/26) position: - 620. 9.22. - 615. 2.29. \* Zedekiah = Matthaniah 2

Forward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Zedekiah = Matthaniah	D	Kind	S	from:	to:
- 620. 9.22. - 615. 2.29. *	0	*		2	2
- 620. 9.22. - 615. 2.29. *	9	B		2	2
	0	*		0	0
- 620. 9.22. - 615. 2.29. *	0	*		0	2

15696 Bytes yet free.

(25th/26) position: - 610. 5.22. - 608.10.29. B Jehoiakim 7

Forward relations for entry Jehoiakim (7/7) are generated.

Backward relations for entry Jehoiachin (3/7) are generated.

Optimize dates...

Jehoiakim	D	Kind	S	from:	to:
- 610. 5.22. - 608.10.29. B	0	B		7	7
- 612. 1. 1. - 606.10.29. B	3	*		7	7
- 610. 5.22. - 606.10.29. B	5	E		7	7
- 610. 1. 1. - 607.12.30. B	9	B		5	7
- 612. 1. 1. - 608.10.29. B	9	B		6	7
	0	B		0	0
- 610. 5.22. - 608.10.29. B	0	B		0	7
- 636. 5.22. - 632.10.29.					
- 608. 5.22. - 606.10.29.					

27th position to \* Jehoiakim 7

28th position to B Captivity in Babylon 6

15696 Bytes yet free.

(26th/28) position: - 587. 1. 1. - 585. 6. 8. E Zedekiah = Matthaniah 2

Forward relations for entry Zedekiah = Matthaniah (2/7) are generated.

Optimize dates...

Zedekiah = Matthaniah	D	Kind	S	from:	to:
- 587. 1. 1. - 585. 6. 8. E	0	E		2	2
- 588.12.30. - 585. 6. 8. E	5	B		2	2
- 587. 1. 1. - 584.12.30. E	4	B		5	2
	0	E		0	0
- 587. 1. 1. - 585. 6. 8. E	0	E		0	2

15696 Bytes yet free.

(27th/28) position: - 636. 5.22. - 632.10.29. \* Jehoiakim 7

Forward relations for entry Jehoiakim (7/7) are generated.

Backward relations for entry Jehoiachin (3/7) are generated.

Optimize dates...

Jehoiakim	D	Kind	S	from:	to:
- 636. 5.22. - 632.10.29.	*	0	*	7	7
- 636. 5.22. - 632.10.29.	*	9	B	7	7
		0	*	0	0
- 636. 5.22. - 632.10.29.	*	0	*	0	7

15696 Bytes yet free.

(28th/28) position: - 608. 5.22. - 606.10.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/7) are generated.

Backward relations for entry Daniel (4/7) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:
- 608. 5.22. - 606.10.29.	B	0	B	6	6
- 608. 5.22. - 604.10.29.	B	3	B	7	6
- 610.10.29. - 606.10.29.	B	5	E	6	6
≤- 602.10.29.	B	7	B	4	6
- 608. 1. 1. - 604.10.29.	B	9	B	4	6
		0	B	0	0
- 608. 5.22. - 606.10.29.	B	0	B	0	6

The calculation has been finished successfully.

New calculation method: counting mode number 2.

Calculation begin: 01-23-2018 07:14:03

Calculation end: 01-23-2018 07:14:09

28 records in list file

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\TEST\_NIV.LST

19468 Bytes yet free.

The result file are copied to:

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\1\\*.\*

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\TEST\_NIV.HQL

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\TEST\_NIV.LST

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\TEST\_NIV.RDY

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\TEST\_NIV.LOG